



Universiteit
Leiden
The Netherlands

Spatial populations with seed-bank

Oomen, M.

Citation

Oomen, M. (2021, November 18). *Spatial populations with seed-bank*. Retrieved from <https://hdl.handle.net/1887/3240221>

Version: Publisher's Version

[Licence agreement concerning inclusion of doctoral](#)

License: [thesis in the Institutional Repository of the University of](#)
[Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/3240221>

Note: To cite this publication please use the final published version (if applicable).

Spatial populations with seed-bank

Margriet Oomen

The research in this thesis was supported by the NWO Gravitation Grant no 024.002.003-NETWORKS of Frank den Hollander

Spatial populations with seed-bank

Proefschrift

ter verkrijging van
de graad van doctor aan de Universiteit Leiden,
op gezag van rector magnificus prof.dr.ir. H. Bijl,
volgens besluit van het college voor promoties
te verdedigen op donderdag 18 november 2021
klokke 12.30 uur

door

Margriet Oomen
geboren te Roosendaal
in 1990

Samenstelling van de promotiecommissie:

1^e Promotor:

Prof. dr. F. den Hollander (Universiteit Leiden)

2^e Promotor:

Prof. dr. A. Greven (Friedrich-Alexander Universität Erlangen-Nürnberg)

Voorzitter:

Prof. dr. E.R. Eliel (Universiteit Leiden)

Secretaris:

Prof. dr. A. Doelman (Universiteit Leiden)

Overige Leden:

Prof. dr. M. Wilke Berenguer (Humboldt-Universität zu Berlin)

Prof. dr. A. Wakolbinger (Goethe Universität Frankfurt am Main)

Prof. dr. F.H.J. Redig (Technische Universiteit Delft)

Contents

1	Introduction	1
§1.1	Spatial populations with seedbank	1
§1.2	Modeling population genetics	2
§1.2.1	The Fisher-Wright model	2
§1.2.2	The Fisher-Wright model with seed-bank	6
§1.2.3	The Fisher-Wright model with multi-layer seed-bank	10
§1.3	Summary of Part I	13
§1.4	Summary of Part II	17
§1.5	Further research	21
§1.6	Outline of the thesis	22
I	Spatial populations with seed-bank: well-posedness, du- ality and equilibrium	25
<hr/>		
2	Spatial populations with seed-bank, models and results	27
§2.1	Background and outline	27
§2.1.1	Background and goals	27
§2.1.2	Outline	29
§2.2	Introduction of the three models and their basic properties	30
§2.2.1	Migration, resampling and seed-bank: three models	31
§2.2.2	Comments	35
§2.2.3	Well-posedness	37
§2.2.4	Duality	38
§2.2.5	Dichotomy criterion	44
§2.3	Long-time behaviour	45
§2.3.1	Long-time behaviour of Model 1	46
§2.3.2	Long-time behaviour of Model 2	48
§2.3.3	Long-time behaviour of Model 3	52
3	Spatial populations with seed-bank, proofs	55
§3.1	Proofs: Well-posedness and duality	55

§3.1.1	Well-posedness	55
§3.1.2	Duality	57
§3.1.3	Dichotomy criterion	59
§3.1.4	Outline remainder of paper	63
§3.2	Proofs: Long-time behaviour for Model 1	63
§3.2.1	Moment relations	64
§3.2.2	The clustering case	66
§3.2.3	The coexistence case	75
§3.2.4	Proof of the dichotomy	86
§3.3	Proofs: Long-time behaviour for Model 2	86
§3.3.1	Moment relations	87
§3.3.2	The clustering case	88
§3.3.3	The coexistence case	91
§3.3.4	Proof of the dichotomy	104
§3.3.5	Different dichotomy for asymmetric migration	104
§3.3.6	Modulation of the law of the wake-up times by a slowly varying function	105
§3.4	Proofs: Long-time behaviour for Model 3	105
§3.4.1	Moment relations	105
§3.4.2	The clustering case	105
§3.4.3	The coexistence case	107
§3.4.4	Proof of the dichotomy	107
A	Appendix Part I	109
§A.1	Derivation of continuum frequency equations	109
§A.2	Alternative models	111
§A.2.1	Alternative for Model 1	112
§A.2.2	Alternative for Model 2: Two colours	114
§A.2.3	Alternative for Model 2: Three or more colours	119
§A.3	Successful coupling	120
§A.4	Bounded derivative of Lyapunov function	125
II	Spatial populations with seed-bank on the hierarchical group	129
4	Models and main results	131
§4.1	Background, goals and outline	131
§4.1.1	Background	131
§4.1.2	Goals	132
§4.1.3	Outline	133
§4.2	Introduction of model and basic properties	134
§4.2.1	Model: geographic space Ω_N , hierachical group of order N	134
§4.2.2	Evolution equations	139

§4.2.3	Well-posedness	142
§4.2.4	Duality	142
§4.2.5	Clustering criterion	147
§4.3	Main results: $N < \infty$, identification of clustering regime	147
§4.3.1	Finite mean wake-up time	148
§4.3.2	Infinite mean wake-up time	149
§4.3.3	Clustering regime	151
§4.4	Main results: $N \rightarrow \infty$, renormalisation and multi-scale limit	151
§4.4.1	Intermezzo: Meyer-Zheng topology	152
§4.4.2	Main ingredients for the hierarchical multi-scale limit	153
§4.4.3	Hierarchical multi-scale limit theorems	156
§4.4.4	Heuristics behind the multi-scale limit	161
§4.5	Main results $N \rightarrow \infty$: Orbit and cluster formation	171
§4.5.1	Orbit of renormalisation transformations	171
§4.5.2	Growth of mono-type clusters	173
§4.5.3	Rates of scaling for renormalised diffusion function	177
5	Proofs long-time behaviour $N < \infty$	181
§5.1	Explanation of clustering criterion for infinite seed-bank	181
§5.2	Scaling of wake-up time and migration kernel for infinite seed-bank . .	182
§5.3	Hierarchical clustering	184
6	Mean-field system	187
§6.1	Preparation: $N \rightarrow \infty$, McKean-Vlasov process and mean-field system	187
§6.1.1	McKean-Vlasov process	187
§6.1.2	Mean-field system and McKean-Vlasov limit	189
§6.1.3	Proof of equilibrium and ergodicity	190
§6.1.4	Proof of McKean-Vlasov limit	193
§6.2	Proofs: $N \rightarrow \infty$, mean-field finite-systems scheme	193
§6.2.1	Mean-field finite-systems scheme	193
§6.2.2	Abstract scheme behind finite-systems scheme	197
§6.3	Proofs: $N \rightarrow \infty$, mean-field, proof of abstract scheme	204
§6.3.1	Proof of step 1. Equilibrium of the single components	204
§6.3.2	Proof of step 2. Convergence of the estimator	215
§6.3.3	Proof of step 3. Convergence of the 1-blocks in the Meyer-Zheng topology	219
§6.3.4	Proof of step 4. Mean-field finite-systems scheme	220
7	Two-colour mean-field system	225
§7.1	Two-colour mean-field finite-systems scheme	225
§7.2	Proof of the two-colour mean-field finite-systems scheme	231
8	Two-level three-colour mean-field system	249
§8.1	Two-level three-colour mean-field finite-systems scheme	249

§8.2 Scheme for the two-level three-colour mean-field analysis.	260
§8.3 Proof of two-level three-colour mean-field finite-systems scheme	262
§8.3.1 Tightness of the 2-block estimators	263
§8.3.2 Stability of the 2-block estimators	264
§8.3.3 Tightness of the 1-block estimators	265
§8.3.4 Stability of the 1-block estimators	267
§8.3.5 Limiting evolution for the single components	268
§8.3.6 Limiting evolution of the 1-block estimator process	272
§8.3.7 Convergence of 2-block process	284
§8.3.8 State of the slow seed-banks	286
§8.3.9 Limiting evolution of the estimator processes	297
§8.3.10 Convergence in the Meyer-Zheng topology	298
§8.3.11 Proof of the two-level three-colour mean-field finite-systems scheme	299
9 Proofs of the hierarchical multi-scale limit theorems	301
§9.1 Finite-level mean-field finite-systems scheme and interaction chain . .	301
§9.2 Proof of the mean-field finite-systems scheme: finite-level	307
§9.3 Proof: of the hierarchical multi-scale limit theorems.	314
10 Orbit of the renormalisation transformation	317
§10.1 Moment relations	317
§10.2 Iterate moment relations	320
§10.3 Clustering	321
§10.4 Dichotomy finite versus infinite seed-bank	326
B Appendix Part II	331
§B.1 Computation of scaling coefficients	331
§B.1.1 Regularly varying coefficients	331
§B.1.2 Pure exponential coefficients	333
§B.1.3 Slowly varying functions	334
§B.2 Meyer-Zheng topology	334
§B.2.1 Basic facts about the Meyer-Zheng topology	334
§B.2.2 Pseudopaths of stochastic processes on a general metric separable space	335
§B.2.3 Proof of key lemmas	338
Bibliography	342
Samenvatting	348
Summary	352
Acknowledgements	355

