



Universiteit
Leiden
The Netherlands

Galaxy alignments from multiple angles

Fortuna, M.C.

Citation

Fortuna, M. C. (2021, November 25). *Galaxy alignments from multiple angles*. Retrieved from <https://hdl.handle.net/1887/3243460>

Version: Publisher's Version

[Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

License: <https://hdl.handle.net/1887/3243460>

Note: To cite this publication please use the final published version (if applicable).

Galaxy alignments from multiple angles

Proefschrift

ter verkrijging van
de graad van doctor aan de Universiteit Leiden,
op gezag van rector magnificus prof.dr.ir. H. Bijl,
volgens besluit van het college voor promoties
te verdedigen op donderdag 25 november 2021
klokke 10:00 uur

door

Maria Cristina Fortuna
geboren te Assisi (PG), Italië
in 1991

Promotiecommissie

Promotores: Prof. dr. H. Hoekstra
Prof. dr. K.H. Kuijken

Overige leden: Prof. dr. M. Franx
Prof. dr. C. Heymans (Ruhr University Bochum, University of Edinburgh)
Prof. dr. H.J.A. Röttgering
Prof. dr. J. Schaye
Dr. E.N. Chisari (Utrecht University)

ISBN: 978-94-6423-543-2

Cover design, illustration and coloring by Maria Cristina Fortuna

Printed by ProefschriftMaken www.proefschriftmaken.nl

Contents

1	Introduction	1
1.1	A new view of the Universe	3
1.2	The Standard Cosmological Model	4
1.2.1	The galaxy-halo connection	5
1.2.2	The era of precision cosmology and arising tensions .	8
1.3	Weak Gravitational Lensing	10
1.3.1	Fundamentals of Gravitational Lensing	10
1.3.2	Cosmic shear	14
1.4	Intrinsic Alignment	18
1.5	Data	21
1.6	This Thesis	22
2	The halo model as a versatile tool to predict intrinsic alignments	25
2.1	Introduction	26
2.2	MICE simulation	29
2.2.1	Galaxy mocks	31
2.3	The impact of satellites at large scales	33
2.3.1	The linear alignment model	34
2.3.2	From observations to models: how satellite galaxies complicate the picture	35
2.3.3	A weighted linear alignment model	36
2.3.4	Luminosity dependence of the IA signal	39
2.3.5	Colour dependence	45
2.4	The impact of satellites at small scales	45
2.4.1	The halo model formalism for satellite alignment .	46
2.4.2	Radial dependent satellite alignment	49

2.4.3	Luminosity dependence of the satellite galaxy alignment	51
2.5	Halo model setup	54
2.6	Results	55
2.6.1	Impact on lensing	58
2.6.2	The impact of the modelling choice on the cosmological parameter estimate	60
2.7	Conclusions	65
A1	Satellite galaxy fractions in MICE	70
A2	Halo exclusion and intermediate scales	71
A3	The angular part of the satellite alignment density run	72
A4	Intrinsic alignment dependence on photometric redshift distributions	74
3	KiDS-1000: Constraints on the intrinsic alignment of luminous red galaxies	77
3.1	Introduction	78
3.2	KiDS	81
3.2.1	The LRG sample	81
3.2.2	Satellite galaxy fraction estimation	85
3.3	Shape measurements	85
3.3.1	DEIMOS	86
3.3.2	<i>lensfit</i>	87
3.3.3	Image simulations	88
3.4	Correlation function measurements	93
3.5	Modelling	96
3.5.1	Incorporating the photometric redshift uncertainty into the model	97
3.5.2	Contamination to the signal	99
3.5.3	Likelihoods	100
3.6	Results	101
3.6.1	Luminosity dependence	104
3.6.2	Redshift dependence	110
3.7	Conclusions	113
A1	m-bias calibration	116
A1.1	DEIMOS	116
A1.2	<i>lensfit</i>	118
A2	Redshift distributions	118
A3	Contamination from galaxy-galaxy lensing	120

A4	Contamination from magnification	121
A5	Systematic tests and significance of the detection	123
A6	IA dependence on the shape measurement method	124
A7	Mock catalogues	126
4	KiDS-1000: weak lensing and intrinsic alignment around luminous red galaxies	129
4.1	Introduction	130
4.2	Data	132
4.2.1	The lens sample	132
4.2.2	The source sample	134
4.3	Measuring the signal	135
4.3.1	Contamination from physically associated galaxies: boost factor and IA	138
4.3.2	Random subtraction	138
4.3.3	Estimator for the IA signal	139
4.4	Modelling the signal with the halo model	139
4.4.1	The halo model	140
4.4.2	The galaxy-matter power spectrum	141
4.4.3	The halo occupation distribution	143
4.5	Fitting procedure	144
4.6	Constraints on the lens sample properties	145
4.6.1	Luminosity-halo mass relation	146
4.6.2	IA dependence on halo mass	148
4.7	Constraints on the IA of the source sample	150
4.8	Conclusions	152
A1	How well does the model predict the luminosity distribution of the galaxies?	154
A2	Fraction of physically associated galaxies	155
5	Forecasting the potential of weak lensing magnification to enhance LSST large-scale structure analyses	157
5.1	Introduction	158
5.2	Fisher Analysis	160
5.3	Weak Lensing Observables	161
5.3.1	2D power spectra	162
5.3.2	3D power spectra	164
5.4	Galaxy Luminosity Function	168
5.5	Survey Modelling	169

5.5.1	Redshift distributions	169
5.5.2	Faint end luminosity slopes	170
5.5.3	Systematics	173
5.5.4	Covariances	176
5.5.5	Fiducial values	178
5.6	Results	178
5.6.1	Clustering	178
5.6.2	Shear calibration	183
5.6.3	Bias	183
5.7	Conclusions	185
A1	Volume Complete Cut for Galaxy Luminosity Function Co-variance	189
A2	Fisher Matrix Stability	191
Bibliography		196
Nederlandse Samenvatting		207
Summary		211
List of Publications		215
Curriculum Vitae		219
Acknowledgements		221