



Universiteit
Leiden
The Netherlands

Magnetic imaging of spin waves and magnetic phase transitions with nitrogen-vacancy centers in diamond

Bertelli, I.

Citation

Bertelli, I. (2021, November 24). *Magnetic imaging of spin waves and magnetic phase transitions with nitrogen-vacancy centers in diamond*. *Casimir PhD Series*. Retrieved from <https://hdl.handle.net/1887/3245183>

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/3245183>

Note: To cite this publication please use the final published version (if applicable).

1

INTRODUCTION

1.1. BEYOND CONVENTIONAL ELECTRONICS: MAGNONICS

In the last decades, the ever-increasing technological needs have been pushing electronic devices towards their speed and size limits [1]. Therefore, researchers have tried to establish new technologies beyond conventional electronics - which relies on the diffusive motion of electric charges to process and transport information. One field that emerged is that of *spintronics* (spin-electronics), established with the discovery of the giant magneto-resistance (GMR) [2, 3]. The central idea of spintronics is that information can be encoded in the spin of an electron [4–6]. Spintronics has already delivered a number of devices that find commercial applications, including GMR-based spin valves [4], magnetic tunnel junctions based on the giant tunnel magneto-resistance [7, 8] (TMR) as read heads in storage devices [9]. Recently, the magnetic random-access memory (MRAM) based on spin-transfer [10–14] or spin-orbit torques [15–19] (STT and SOT, respectively), started replacing conventional static and dynamic random-access memories (SRAM and DRAM, respectively), in certain applications [20–22].

Compared to the spin-polarized electric currents used in most of these applications, an advantage of pure spin currents is that the motion of spins is decoupled from the motion of charges. Such diffusive charge transport is characterized by electron scattering, which leads to dissipative effects known as Joule (or Ohmic) heating [23]. The transport of pure spin information can be achieved in magnetic insulators such as yttrium-iron garnet (YIG), where coherent spin excitations (spin waves, Fig. 1.1) can propagate with ultralow dissipation [24] (i.e. with propagation distance up to several millimeters and long spin-wave coherence times [25]). The branch of spintronics that deals with information transport and processing based on spin waves is called *magnonics*, from the name of the quanta of spin waves, the magnons [23, 26].




Figure 1.1: Spin wave. In a magnetic insulator, the spins (localized at lattice sites) precess around the static magnetization. The precession of neighbouring spins with a phase difference corresponds to a travelling signal, the *spin wave*.

1.1.1. SPIN WAVES

Spin waves were first predicted by Bloch almost 100 years ago as collective excitations of the spins in a ferromagnet [27]. Information transport and processing based on spin waves hold great promises [28–32], because of the several key properties of spin waves:

- Spin-wave frequencies range from the GHz to the THz regime [24], thus being well matched to the frequency of current electronic devices, but leaving plenty of room for further speed up.
- Spin-wavelengths can be as small as few nanometers, limited only by the lattice constant of the magnetic material [33], thus allowing device miniaturization.
- Unlike spin-polarized electrons, that retain information only up to the spin diffusion length (typically few tens of nanometers in metallic magnets), spin waves can propagate coherently over distances up to several millimeters [25].
- Because of their wavelike nature, information can be encoded in the phase of spin waves [34], enabling non-Boolean logic [35–39]. Parallel operation at different frequencies (i.e. multiplexing) is also possible [40–43].

Additionally, spin waves are interesting from a fundamental point of view because they show a wealth of non-linear [44–46] and non-reciprocal [47–53] effects, and they can show peculiar phenomena such as magnon condensation [54–57] and magnon super-currents [56, 58–60].

1.1.2. SPIN-WAVE DETECTION

Because of the large interest in the physics of spin waves and their applications in information technology, many techniques have been developed to study spin waves. Among the non-local (i.e. without imaging capabilities) techniques, the most common are broadband-FMR [61], inelastic neutron scattering [62–65], the inverse spin-Hall effect [66–72] and, recently, superconducting qubits [73–76]. The leading techniques to image spin waves include Brillouin light scattering [77], scattering of x-rays [78, 79], thermal imaging [80, 81], and imaging based on the magneto-optical Kerr effect [82–84].

Because studying spin waves in magnonic devices is so important, in this thesis we develop a new technique to image spin waves relying on the detection of the spin-wave stray field with a quantum sensor [85]. Besides the high sensitivity that can be achieved

by such a sensor [86], our method can image spin waves propagating underneath metallic electrodes [87], such as those routinely used to excite spin waves inductively. The sensor we use is the electron spin localized at lattice defects in diamond, known as nitrogen-vacancy (NV) centers.

1.2. THE NITROGEN-VACANCY CENTER IN DIAMOND

Nitrogen-vacancy centers are color centers in diamond with spin-dependent optical properties [88–90]. The absence of photobleaching and the long spin lifetime at room temperature, together with the optical addressability of its spin state, have made this defect one of the most studied in the 25 years after the first report of optically detected magnetic resonance (ODMR) of individual NV centers at room temperature [91]. The applications of NV centers in quantum science and technology [92] include quantum communication [93–100], quantum computation and simulation [101–108], and quantum sensing [109]. As a quantum sensor, the NV spin has been employed to study a wide variety of living [110–115] and condensed matter systems [116–120], thanks to the combination of small size, wide operating temperature and frequency range [121], and high sensitivity to stress [122–124], temperature [110, 125, 126], electric [127, 128] and magnetic fields [129–137].

In this thesis, we use NV centers as magnetometers to characterize magnetic stray fields. A significant part of this thesis is focused on probing spin waves. To do so, we study how the NV spin dynamics is driven by the GHz spin-wave stray fields. In addition, we explore magnetic phase transitions by characterizing the stray field-dependent energy structure of the NV centers.

1.3. THESIS OUTLINE

Chapter 2 provides an introduction to magnetometry with NV centers in diamond. We start with a short description of the NV's electronic structure and spin-dependent optical properties. Then, we focus on the detection of magnetic fields, showing how to characterize static and oscillating magnetic fields, both coherent and incoherent, using NV centers.

In Chapter 3 we discuss spin waves theoretically, and derive several useful equations, including the spin-wave dispersion and the coupling between the spin-wave stray fields and the NV spin, that are necessary to understand the following chapters.

Being able to quantitatively detect coherent spin waves via their microwave stray field is an alternative and complementary way of studying spin waves compared to existing techniques. In Chapter 4 we establish a new method to image coherent spin waves using ensembles of NV spins, that allows to extract the amplitude of the spin-wave precession, and we show that imaging spin waves in monolayer magnets is within reach of our sensitivity.

Using this newly introduced technique and its ability to image spin waves underneath

metals, in Chapter 5 we characterize the excess damping caused by metallic electrodes on spin-wave propagation. We find a damping increase by roughly two orders of magnitude, which is well explained by a theoretical model we introduce.

The magnetic noise generated by a system is related to its excitations via the fluctuation-dissipation theorem, thus providing valuable insights into the spin-spin correlations, which characterize a particular magnetic phase. In Chapter 6 we detect magnetic field fluctuations generated by thermal spin waves, finding a good agreement with the model introduced in chapter 3.

One of the key strengths of NV magnetometry, i.e. its locality, can also be a drawback when addressing global properties of a system, such as the temperature of a phase transition. In Chapter 7 we apply statistical tools to overcome this challenge, focusing on the temperature-driven metamagnetic phase transition of FeRh, between the antiferro- and ferromagnetic states.

REFERENCES

- [1] S. E. Thompson and S. Parthasarathy, *Moore's law: the future of Si microelectronics*, *Materials Today* **9**, 20 (2006).
- [2] M. N. Baibich, J. M. Broto, A. Fert, F. N. V. Dau, F. Petroff, P. Etienne, G. Creuzet, A. Friederich, and J. Chazelas, *Giant Magnetoresistance of (001)Fe/(001)Cr Magnetic Superlattices*, *Physical Review Letters* **61**, 2472 (1988).
- [3] G. Binasch, P. Grünberg, F. Saurenbach, and W. Zinn, *Enhanced magnetoresistance in layered magnetic structures with antiferromagnetic interlayer exchange*, *Physical Review B* **39**, 4828 (1989).
- [4] I. Žutić, J. Fabian, and S. D. Sarma, *Spintronics: Fundamentals and applications*, *Reviews of Modern Physics* **76**, 323 (2004).
- [5] S. Bader and S. Parkin, *Spintronics*, *Annual Review of Condensed Matter Physics* **1**, 71 (2010).
- [6] A. Hirohata, K. Yamada, Y. Nakatani, L. Prejbeanu, B. Diény, P. Pirro, and B. Hillebrands, *Review on spintronics: Principles and device applications*, *Journal of Magnetism and Magnetic Materials* **509**, 166711 (2020).
- [7] T. Miyazaki and N. Tezuka, *Giant magnetic tunneling effect in Fe/Al₂O₃/Fe junction*, *Journal of Magnetism and Magnetic Materials* **139**, L231 (1995).
- [8] J. S. Moodera, L. R. Kinder, T. M. Wong, and R. Meservey, *Large Magnetoresistance at Room Temperature in Ferromagnetic Thin Film Tunnel Junctions*, *Physical Review Letters* **74**, 3273 (1995).
- [9] J. M. Daughton, *GMR applications*, *Journal of Magnetism and Magnetic Materials* **192**, 334 (1999).
- [10] J. C. Slonczewski, *Current-driven excitation of magnetic multilayers*, *Journal of Magnetism and Magnetic Materials* **159**, L1 (1996).
- [11] L. Berger, *Emission of spin waves by a magnetic multilayer traversed by a current*, *Physical Review B* **54**, 9353 (1996).
- [12] J. A. Katine, F. J. Albert, R. A. Buhrman, E. B. Myers, and D. C. Ralph, *Current-Driven Magnetization Reversal and Spin-Wave Excitations in Co/Cu/Co pillars*, *Physical Review Letters* **84**, 3149 (2000).
- [13] T. Kawahara, K. Ito, R. Takemura, and H. Ohno, *Spin-transfer torque RAM technology: Review and prospect*, *Microelectronics Reliability* **52**, 613 (2012).
- [14] A. V. Khvalkovskiy, D. Apalkov, S. Watts, R. Chepulskii, R. S. Beach, A. Ong, X. Tang, A. Driskill-Smith, W. H. Butler, P. B. Visscher, D. Lottis, E. Chen, V. Nikitin, and M. Krounbi, *Basic principles of STT-MRAM cell operation in memory arrays*, *Journal of Physics D: Applied Physics* **46**, 074001 (2013).

- [15] K. Ando, S. Takahashi, K. Harii, K. Sasage, J. Ieda, S. Maekawa, and E. Saitoh, *Electric Manipulation of Spin Relaxation Using the Spin Hall Effect*, *Physical Review Letters* **101**, 036601 (2008).
- [16] I. M. Miron, G. Gaudin, S. Auffret, B. Rodmacq, A. Schuhl, S. Pizzini, J. Vogel, and P. Gambardella, *Current-driven spin torque induced by the Rashba effect in a ferromagnetic metal layer*, *Nature Materials* **9**, 230 (2010).
- [17] I. M. Miron, K. Garello, G. Gaudin, P.-J. Zermatten, M. V. Costache, S. Auffret, S. Bandiera, B. Rodmacq, A. Schuhl, and P. Gambardella, *Perpendicular switching of a single ferromagnetic layer induced by in-plane current injection*, *Nature* **476**, 189 (2011).
- [18] L. Liu, C.-F. Pai, Y. Li, H. W. Tseng, D. C. Ralph, and R. A. Buhrman, *Spin-Torque Switching with the Giant Spin Hall Effect of Tantalum*, *Science* **336**, 555 (2012).
- [19] A. Manchon, J. Železný, I. Miron, T. Jungwirth, J. Sinova, A. Thiaville, K. Garello, and P. Gambardella, *Current-induced spin-orbit torques in ferromagnetic and antiferromagnetic systems*, *Reviews of Modern Physics* **91**, 035004 (2019).
- [20] A. D. Kent and D. C. Worledge, *A new spin on magnetic memories*, *Nature Nanotechnology* **10**, 187 (2015).
- [21] S. Bhatti, R. Sbiaa, A. Hirohata, H. Ohno, S. Fukami, and S. N. Piramanayagam, *Spintronics based random access memory: a review*, *Materials Today* **20**, 530 (2017).
- [22] B. Dieny, I. L. Prejbeanu, K. Garello, P. Gambardella, P. Freitas, R. Lehndorff, W. Raberg, U. Ebels, S. O. Demokritov, J. Akerman, A. Deac, P. Pirro, C. Adelman, A. Anane, A. V. Chumak, A. Hirohata, S. Mangin, S. O. Valenzuela, M. C. Onbaşlı, M. D'Aquino, G. Prenat, G. Finocchio, L. Lopez-Diaz, R. Chantrell, O. Chubykalo-Fesenko, and P. Bortolotti, *Opportunities and challenges for spintronics in the microelectronics industry*, *Nature Electronics* **3**, 446 (2020).
- [23] A. V. Chumak, V. I. Vasyuchka, A. A. Serga, and B. Hillebrands, *Magnon spintronics*, *Nature Physics* **11**, 453 (2015).
- [24] V. Cherepanov, I. Kolokolov, and V. L'vov, *The saga of YIG: Spectra, thermodynamics, interaction and relaxation of magnons in a complex magnet*, *Physics Reports* **229**, 81 (1993).
- [25] A. A. Serga, A. V. Chumak, and B. Hillebrands, *YIG magnonics*, *Journal of Physics D: Applied Physics* **43**, 264002 (2010).
- [26] V. V. Kruglyak, S. O. Demokritov, and D. Grundler, *Magnonics*, *Journal of Physics D: Applied Physics* **43**, 264001 (2010).
- [27] F. Bloch, *Zur Theorie des Ferromagnetismus*, *Zeitschrift für Physik* **61**, 206 (1930).
- [28] G. Csaba, Á. Papp, and W. Porod, *Perspectives of using spin waves for computing and signal processing*, *Physics Letters A* **381**, 1471 (2017).

- [29] A. Mahmoud, F. Ciubotaru, F. Vanderveken, A. V. Chumak, S. Hamdioui, C. Adelman, and S. Cotofana, *Introduction to spin wave computing*, *Journal of Applied Physics* **128**, 161101 (2020).
- [30] A. Papp, W. Porod, and G. Csaba, *Nanoscale neural network using non-linear spin-wave interference*, (2020), [arXiv:2012.04594](https://arxiv.org/abs/2012.04594).
- [31] Q. Wang, A. V. Chumak, and P. Pirro, *Inverse-design magnonic devices*, *Nature Communications* **12**, 2636 (2021).
- [32] A. Barman, G. Gubbiotti, S. Ladak, A. O. Adeyeye, M. Krawczyk, J. Gräfe, C. Adelman, S. Cotofana, A. Naeemi, V. I. Vasyuchka, B. Hillebrands, S. A. Nikitov, H. Yu, D. Grundler, A. Sadovnikov, A. A. Grachev, S. E. Sheshukova, J.-Y. Duquesne, M. Marangolo, C. Gyorgy, W. Porod, V. E. Demidov, S. Urazhdin, S. Demokritov, E. Albisetti, D. Petti, R. Bertacco, H. Schulteiss, V. V. Kruglyak, V. D. Poimanov, A. K. Sahoo, J. Sinha, H. Yang, M. Muenzenberg, T. Moriyama, S. Mizukami, P. Landeros, R. A. Gallardo, G. Carlotti, J.-V. Kim, R. L. Stamps, R. E. Camley, B. Rana, Y. Otani, W. Yu, T. Yu, G. E. W. Bauer, C. H. Back, G. S. Uhrig, O. V. Dobrovolskiy, S. van Dijken, B. Budinska, H. Qin, A. Chumak, A. Khitun, D. E. Nikonov, I. A. Young, B. Zingsem, and M. Winklhofer, *The 2021 Magnonics Roadmap*, *Journal of Physics: Condensed Matter* **33**, 413001 (2021).
- [33] T. Balashov, P. Buczek, L. Sandratskii, A. Ernst, and W. Wulfhekel, *Magnon dispersion in thin magnetic films*, *Journal of Physics: Condensed Matter* **26**, 394007 (2014).
- [34] K.-S. Lee and S.-K. Kim, *Conceptual design of spin wave logic gates based on a Mach-Zehnder-type spin wave interferometer for universal logic functions*, *Journal of Applied Physics* **104**, 053909 (2008).
- [35] G. Csaba, A. Papp, and W. Porod, *Spin-wave based realization of optical computing primitives*, *Journal of Applied Physics* **115**, 17C741 (2014).
- [36] S. Klingler, P. Pirro, T. Brächer, B. Leven, B. Hillebrands, and A. V. Chumak, *Design of a spin-wave majority gate employing mode selection*, *Applied Physics Letters* **105**, 152410 (2014).
- [37] T. Fischer, M. Kewenig, D. A. Bozhko, A. A. Serga, I. I. Syvorotka, F. Ciubotaru, C. Adelman, B. Hillebrands, and A. V. Chumak, *Experimental prototype of a spin-wave majority gate*, *Applied Physics Letters* **110**, 152401 (2017).
- [38] G. Talmelli, T. Devolder, N. Träger, J. Förster, S. Wintz, M. Weigand, H. Stoll, M. Heyns, G. Schütz, I. P. Radu, J. Gräfe, F. Ciubotaru, and C. Adelman, *Reconfigurable submicrometer spin-wave majority gate with electrical transducers*, *Science Advances* **6**, eabb4042 (2020).
- [39] Q. Wang, M. Kewenig, M. Schneider, R. Verba, F. Kohl, B. Heinz, M. Geilen, M. Mohseni, B. Lägell, F. Ciubotaru, C. Adelman, C. Dubs, S. D. Cotofana, O. V. Dobrovolskiy, T. Brächer, P. Pirro, and A. V. Chumak, *A magnonic directional coupler for integrated magnonic half-adders*, *Nature Electronics* **3**, 765 (2020).

- [40] A. Khitun, *Multi-frequency magnonic logic circuits for parallel data processing*, *Journal of Applied Physics* **111**, 054307 (2012).
- [41] K. Vogt, F. Y. Fradin, J. E. Pearson, T. Sebastian, S. D. Bader, B. Hillebrands, A. Hoffmann, and H. Schultheiss, *Realization of a spin-wave multiplexer*, *Nature Communications* **5**, 3727 (2014).
- [42] Q. Wang, P. Pirro, R. Verba, A. Slavin, B. Hillebrands, and A. V. Chumak, *Reconfigurable nanoscale spin-wave directional coupler*, *Science Advances* **4**, e1701517 (2018).
- [43] F. Heussner, G. Talmelli, M. Geilen, B. Heinz, T. Brächer, T. Meyer, F. Ciubotaru, C. Adelman, K. Yamamoto, A. A. Serga, B. Hillebrands, and P. Pirro, *Experimental Realization of a Passive Gigahertz Frequency-Division Demultiplexer for Magnonic Logic Networks*, *Physica Status Solidi (R)* **14**, 1900695 (2020).
- [44] P. Krivosik and C. E. Patton, *Hamiltonian formulation of nonlinear spin-wave dynamics: Theory and applications*, *Physical Review B* **82**, 184428 (2010).
- [45] A. V. Chumak, A. A. Serga, and B. Hillebrands, *Magnon transistor for all-magnon data processing*, *Nature Communications* **5**, 4700 (2014).
- [46] Q. Wang, A. Hamadeh, R. Verba, V. Lomakin, M. Mohseni, B. Hillebrands, A. V. Chumak, and P. Pirro, *A nonlinear magnonic nano-ring resonator*, *npj Computational Materials* **6**, 1 (2020).
- [47] R. Verba, V. Tiberkevich, E. Bankowski, T. Meitzler, G. Melkov, and A. Slavin, *Conditions for the spin wave nonreciprocity in an array of dipolarly coupled magnetic nanopillars*, *Applied Physics Letters* **103**, 082407 (2013).
- [48] J. Lan, W. Yu, R. Wu, and J. Xiao, *Spin-Wave Diode*, *Physical Review X* **5**, 041049 (2015).
- [49] T. Yu, Y. M. Blanter, and G. E. W. Bauer, *Chiral Pumping of Spin Waves*, *Physical Review Letters* **123**, 247202 (2019).
- [50] T. Yu, C. Liu, H. Yu, Y. M. Blanter, and G. E. W. Bauer, *Chiral excitation of spin waves in ferromagnetic films by magnetic nanowire gratings*, *Physical Review B* **99**, 134424 (2019).
- [51] J. Chen, T. Yu, C. Liu, T. Liu, M. Madami, K. Shen, J. Zhang, S. Tu, M. S. Alam, K. Xia, M. Wu, G. Gubbiotti, Y. M. Blanter, G. E. W. Bauer, and H. Yu, *Excitation of unidirectional exchange spin waves by a nanoscale magnetic grating*, *Physical Review B* **100**, 104427 (2019).
- [52] M. Mohseni, R. Verba, T. Brächer, Q. Wang, D. A. Bozhko, B. Hillebrands, and P. Pirro, *Backscattering Immunity of Dipole-Exchange Magnetostatic Surface Spin Waves*, *Physical Review Letters* **122**, 197201 (2019).

- [53] K. Szulc, P. Graczyk, M. Mruczkiewicz, G. Gubbiotti, and M. Krawczyk, *Spin-Wave Diode and Circulator Based on Unidirectional Coupling*, *Physical Review Applied* **14**, 034063 (2020).
- [54] S. O. Demokritov, V. E. Demidov, O. Dzyapko, G. A. Melkov, A. A. Serga, B. Hillebrands, and A. N. Slavin, *Bose-Einstein condensation of quasi-equilibrium magnons at room temperature under pumping*, *Nature* **443**, 430 (2006).
- [55] A. A. Serga, V. S. Tiberkevich, C. W. Sandweg, V. I. Vasyuchka, D. A. Bozhko, A. V. Chumak, T. Neumann, B. Obry, G. A. Melkov, A. N. Slavin, and B. Hillebrands, *Bose-Einstein condensation in an ultra-hot gas of pumped magnons*, *Nature Communications* **5**, 3452 (2014).
- [56] D. A. Bozhko, A. A. Serga, P. Clausen, V. I. Vasyuchka, F. Heussner, G. A. Melkov, A. Pomyalov, V. S. L'vov, and B. Hillebrands, *Supercurrent in a room-temperature Bose-Einstein magnon condensate*, *Nature Physics* **12**, 1057 (2016).
- [57] M. Schneider, T. Brächer, D. Breitbach, V. Lauer, P. Pirro, D. A. Bozhko, H. Y. Musiienko-Shmarova, B. Heinz, Q. Wang, T. Meyer, F. Heussner, S. Keller, E. T. Papaioannou, B. Lägel, T. Löber, C. Dubs, A. N. Slavin, V. S. Tiberkevich, A. A. Serga, B. Hillebrands, and A. V. Chumak, *Bose-Einstein condensation of quasiparticles by rapid cooling*, *Nature Nanotechnology* **15**, 457 (2020).
- [58] P. Nowik-Boltyk, O. Dzyapko, V. E. Demidov, N. G. Berloff, and S. O. Demokritov, *Spatially non-uniform ground state and quantized vortices in a two-component Bose-Einstein condensate of magnons*, *Scientific Reports* **2**, 482 (2012).
- [59] K. Nakata, K. A. van Hoogdalem, P. Simon, and D. Loss, *Josephson and persistent spin currents in Bose-Einstein condensates of magnons*, *Physical Review B* **90**, 144419 (2014).
- [60] A. J. E. Kreil, H. Y. Musiienko-Shmarova, P. Frey, A. Pomyalov, V. S. L'vov, G. A. Melkov, A. A. Serga, and B. Hillebrands, *Experimental observation of Josephson oscillations in a room-temperature Bose-Einstein magnon condensate*, *Physical Review B* **104**, 144414 (2021).
- [61] T. J. Silva, C. S. Lee, T. M. Crawford, and C. T. Rogers, *Inductive measurement of ultrafast magnetization dynamics in thin-film Permalloy*, *Journal of Applied Physics* **85**, 7849 (1999).
- [62] M. T. Hutchings and E. J. Samuelsen, *Measurement of spin-wave dispersion in NiO by inelastic neutron scattering and its relation to magnetic properties*, *Physical Review B* **6**, 3447 (1972).
- [63] J. S. Plant, *Spinwave dispersion curves for yttrium iron garnet*, *Journal of Physics C: Solid State Physics* **10**, 4805 (1977).
- [64] H. A. Mook and D. McK Paul, *Neutron-Scattering Measurement of the Spin-Wave Spectra for Nickel*, *Physical Review Letters* **54**, 227 (1985).

- [65] A. J. Princep, R. A. Ewings, S. Ward, S. Tóth, C. Dubs, D. Prabhakaran, and A. T. Boothroyd, *The full magnon spectrum of yttrium iron garnet*, [npj Quantum Materials](#) **2**, 63 (2017).
- [66] Y. Tserkovnyak, A. Brataas, G. E. W. Bauer, and B. I. Halperin, *Nonlocal magnetization dynamics in ferromagnetic heterostructures*, [Reviews of Modern Physics](#) **77**, 1375 (2005).
- [67] S. O. Valenzuela and M. Tinkham, *Direct electronic measurement of the spin Hall effect*, [Nature](#) **442**, 176 (2006).
- [68] S. O. Valenzuela and M. Tinkham, *Electrical detection of spin currents: The spin-current induced Hall effect (invited)*, [Journal of Applied Physics](#) **101**, 09B103 (2007).
- [69] A. V. Chumak, A. A. Serga, M. B. Jungfleisch, R. Neb, D. A. Bozhko, V. S. Tiberkevich, and B. Hillebrands, *Direct detection of magnon spin transport by the inverse spin Hall effect*, [Applied Physics Letters](#) **100**, 103913 (2012).
- [70] J. Sinova, S. O. Valenzuela, J. Wunderlich, C. Back, and T. Jungwirth, *Spin Hall effects*, [Reviews of Modern Physics](#) **87**, 1213 (2015).
- [71] L. J. Cornelissen, J. Liu, R. A. Duine, J. B. Youssef, and B. J. Van Wees, *Long-distance transport of magnon spin information in a magnetic insulator at room temperature*, [Nature Physics](#) **11**, 1022 (2015).
- [72] L. J. Cornelissen, J. Liu, B. J. van Wees, and R. A. Duine, *Spin-Current-Controlled Modulation of the Magnon Spin Conductance in a Three-Terminal Magnon Transistor*, [Physical Review Letters](#) **120**, 097702 (2018).
- [73] Y. Tabuchi, S. Ishino, A. Noguchi, T. Ishikawa, R. Yamazaki, K. Usami, and Y. Nakamura, *Coherent coupling between a ferromagnetic magnon and a superconducting qubit*, [Science](#) **349**, 405 (2015).
- [74] D. Lachance-Quirion, Y. Tabuchi, S. Ishino, A. Noguchi, T. Ishikawa, R. Yamazaki, and Y. Nakamura, *Resolving quanta of collective spin excitations in a millimeter-sized ferromagnet*, [Science Advances](#) **3**, e1603150 (2017).
- [75] S. P. Wolski, D. Lachance-Quirion, Y. Tabuchi, S. Kono, A. Noguchi, K. Usami, and Y. Nakamura, *Dissipation-Based Quantum Sensing of Magnons with a Superconducting Qubit*, [Physical Review Letters](#) **125**, 117701 (2020).
- [76] D. Lachance-Quirion, S. P. Wolski, Y. Tabuchi, S. Kono, K. Usami, and Y. Nakamura, *Entanglement-based single-shot detection of a single magnon with a superconducting qubit*, [Science](#) **367**, 425 (2020).
- [77] S. O. Demokritov, B. Hillebrands, and A. N. Slavin, *Brillouin light scattering studies of confined spin waves: linear and nonlinear confinement*, [Physics Reports](#) **348**, 441 (2001).

- [78] J. Raabe, G. Tzvetkov, U. Flechsig, M. Böge, A. Jaggi, B. Sarafimov, M. G. C. Vernooij, T. Huthwelker, H. Ade, D. Kilcoyne, T. Tylizszczak, R. H. Fink, and C. Quitmann, *PolLux: A new facility for soft x-ray spectromicroscopy at the Swiss Light Source*, *Review of Scientific Instruments* **79**, 113704 (2008).
- [79] M. Baumgartner, K. Garello, J. Mendil, C. O. Avci, E. Grimaldi, C. Murer, J. Feng, M. Gabureac, C. Stamm, Y. Acremann, S. Finizio, S. Wintz, J. Raabe, and P. Gambardella, *Spatially and time-resolved magnetization dynamics driven by spin-orbit torques*, *Nature Nanotechnology* **12**, 980 (2017).
- [80] G. E. W. Bauer, E. Saitoh, and B. J. van Wees, *Spin caloritronics*, *Nature Materials* **11**, 391 (2012).
- [81] M. Agrawal, V. I. Vasyuchka, A. A. Serga, A. D. Karenowska, G. A. Melkov, and B. Hillebrands, *Direct Measurement of Magnon Temperature: New Insight into Magnon-Phonon Coupling in Magnetic Insulators*, *Physical Review Letters* **111**, 107204 (2013).
- [82] Z. Q. Qiu and S. D. Bader, *Surface magneto-optic Kerr effect*, *Review of Scientific Instruments* **71**, 1243 (2000).
- [83] Y. Acremann, C. H. Back, M. Buess, O. Portmann, A. Vaterlaus, D. Pescia, and H. Melchior, *Imaging precessional motion of the magnetization vector*, *Science* **290**, 492 (2000).
- [84] P. Wessels, A. Vogel, J.-N. Tödt, M. Wieland, G. Meier, and M. Drescher, *Direct observation of isolated Damon-Eshbach and backward volume spin-wave packets in ferromagnetic microstrips*, *Scientific Reports* **6**, 22117 (2016).
- [85] A. Rustagi, I. Bertelli, T. Van Der Sar, and P. Upadhyaya, *Sensing chiral magnetic noise via quantum impurity relaxometry*, *Physical Review B* **102**, 220403 (2020).
- [86] I. Bertelli, J. J. Carmiggelt, T. Yu, B. G. Simon, C. C. Pothoven, G. E. Bauer, Y. M. Blanter, J. Aarts, and T. van der Sar, *Magnetic resonance imaging of spin-wave transport and interference in a magnetic insulator*, *Science advances* **6**, eabd3556 (2020).
- [87] I. Bertelli, B. G. Simon, T. Yu, J. Aarts, G. E. W. Bauer, Y. M. Blanter, and T. van der Sar, *Imaging spin-wave damping underneath metals using electron spins in diamond*, *Advanced Quantum Technologies*, 2100094 (2021).
- [88] M. W. Doherty, N. B. Manson, P. Delaney, F. Jelezko, J. Wrachtrup, and L. C. Hollenberg, *The nitrogen-vacancy colour centre in diamond*, *Physics Reports* **528**, 1 (2013).
- [89] L. Rondin, J. P. Tetienne, T. Hingant, J. F. Roch, P. Maletinsky, and V. Jacques, *Magnetometry with nitrogen-vacancy defects in diamond*, *Reports on Progress in Physics* **77**, 056503 (2014).

- [90] R. Schirhagl, K. Chang, M. Loretz, and C. L. Degen, *Nitrogen-Vacancy Centers in Diamond: Nanoscale Sensors for Physics and Biology*, *Annual Review of Physical Chemistry* **65**, 83 (2014).
- [91] A. Gruber, A. Dräbenstedt, C. Tietz, L. Fleury, J. Wrachtrup, and C. Von Borczyskowski, *Scanning confocal optical microscopy and magnetic resonance on single defect centers*, *Science* **276**, 1202 (1997).
- [92] D. D. Awschalom, R. Hanson, J. Wrachtrup, and B. B. Zhou, *Quantum technologies with optically interfaced solid-state spins*, *Nature Photonics* **12**, 516 (2018).
- [93] T. Gaebel, M. Domhan, I. Popa, C. Wittmann, P. Neumann, F. Jelezko, J. R. Rabeau, N. Stavrias, A. D. Greentree, S. Prawer, J. Meijer, J. Twamley, P. R. Hemmer, and J. Wrachtrup, *Room-temperature coherent coupling of single spins in diamond*, *Nature Physics* **2**, 408 (2006).
- [94] P. Neumann, N. Mizuochi, F. Rempp, P. Hemmer, H. Watanabe, S. Yamasaki, V. Jacques, T. Gaebel, F. Jelezko, and J. Wrachtrup, *Multipartite Entanglement Among Single Spins in Diamond*, *Science* **320**, 1326 (2008).
- [95] E. Togan, Y. Chu, A. S. Trifonov, L. Jiang, J. Maze, L. Childress, M. V. G. Dutt, A. S. Sørensen, P. R. Hemmer, A. S. Zibrov, and M. D. Lukin, *Quantum entanglement between an optical photon and a solid-state spin qubit*, *Nature* **466**, 730 (2010).
- [96] H. Bernien, B. Hensen, W. Pfaff, G. Koolstra, M. S. Blok, L. Robledo, T. H. Taminiau, M. Markham, D. J. Twitchen, L. Childress, and R. Hanson, *Heralded entanglement between solid-state qubits separated by three metres*, *Nature* **497**, 86 (2013).
- [97] W. Pfaff, B. J. Hensen, H. Bernien, S. B. van Dam, M. S. Blok, T. H. Taminiau, M. J. Tiggelman, R. N. Schouten, M. Markham, D. J. Twitchen, and R. Hanson, *Unconditional quantum teleportation between distant solid-state quantum bits*, *Science* **345**, 532 (2014).
- [98] B. Hensen, H. Bernien, A. E. Dréau, A. Reiserer, N. Kalb, M. S. Blok, J. Ruitenbergh, R. F. L. Vermeulen, R. N. Schouten, C. Abellán, W. Amaya, V. Pruneri, M. W. Mitchell, M. Markham, D. J. Twitchen, D. Elkouss, S. Wehner, T. H. Taminiau, and R. Hanson, *Loophole-free Bell inequality violation using electron spins separated by 1.3 kilometres*, *Nature* **526**, 682 (2015).
- [99] A. Sipahigil, R. E. Evans, D. D. Sukachev, M. J. Burek, J. Borregaard, M. K. Bhaskar, C. T. Nguyen, J. L. Pacheco, H. A. Atikian, C. Meuwly, R. M. Camacho, F. Jelezko, E. Bielejec, H. Park, M. Lončar, and M. D. Lukin, *An integrated diamond nanophotonics platform for quantum-optical networks*, *Science* **354**, 847 (2016).
- [100] M. Pompili, S. L. N. Hermans, S. Baier, H. K. C. Beukers, P. C. Humphreys, R. N. Schouten, R. F. L. Vermeulen, M. J. Tiggelman, L. d. S. Martins, B. Dirkse, S. Wehner, and R. Hanson, *Realization of a multinode quantum network of remote solid-state qubits*, *Science* **372**, 259 (2021).

- [101] L. Childress, M. V. G. Dutt, J. M. Taylor, A. S. Zibrov, F. Jelezko, J. Wrachtrup, P. R. Hemmer, and M. D. Lukin, *Coherent Dynamics of Coupled Electron and Nuclear Spin Qubits in Diamond*, *Science* **314**, 281 (2006).
- [102] M. V. G. Dutt, L. Childress, L. Jiang, E. Togan, J. Maze, F. Jelezko, A. S. Zibrov, P. R. Hemmer, and M. D. Lukin, *Quantum Register Based on Individual Electronic and Nuclear Spin Qubits in Diamond*, *Science* **316**, 1312 (2007).
- [103] T. Van Der Sar, Z. H. Wang, M. S. Blok, H. Bernien, T. H. Taminiau, D. M. Toyli, D. A. Lidar, D. D. Awschalom, R. Hanson, and V. V. Dobrovitski, *Decoherence-protected quantum gates for a hybrid solid-state spin register*, *Nature* **484**, 82 (2012).
- [104] P. C. Maurer, G. Kucsko, C. Latta, L. Jiang, N. Y. Yao, S. D. Bennett, F. Pastawski, D. Hunger, N. Chisholm, M. Markham, D. J. Twitchen, J. I. Cirac, and M. D. Lukin, *Room-Temperature Quantum Bit Memory Exceeding One Second*, *Science* **336**, 1283 (2012).
- [105] N. Yao, L. Jiang, A. Gorshkov, P. Maurer, G. Giedke, J. Cirac, and M. Lukin, *Scalable architecture for a room temperature solid-state quantum information processor*, *Nature Communications* **3**, 1 (2012).
- [106] J. Cai, A. Retzker, F. Jelezko, and M. B. Plenio, *A large-scale quantum simulator on a diamond surface at room temperature*, *Nature Physics* **9**, 168 (2013).
- [107] C. Bradley, J. Randall, M. Abobeih, R. Berrevoets, M. Degen, M. Bakker, M. Markham, D. Twitchen, and T. Taminiau, *A Ten-Qubit Solid-State Spin Register with Quantum Memory up to One Minute*, *Physical Review X* **9**, 031045 (2019).
- [108] M. J. Degen, S. J. H. Loenen, H. P. Bartling, C. E. Bradley, A. L. Meisner, M. Markham, D. J. Twitchen, and T. H. Taminiau, *Entanglement of dark electron-nuclear spin defects in diamond*, *Nature Communications* **12**, 3470 (2021).
- [109] C. L. Degen, F. Reinhard, and P. Cappellaro, *Quantum sensing*, *Reviews of Modern Physics* **89**, 1 (2017).
- [110] G. Kucsko, P. C. Maurer, N. Y. Yao, M. Kubo, H. J. Noh, P. K. Lo, H. Park, and M. D. Lukin, *Nanometre-scale thermometry in a living cell*, *Nature* **500**, 54 (2013).
- [111] H. J. Mamin, M. Kim, M. H. Sherwood, C. T. Rettner, K. Ohno, D. D. Awschalom, and D. Rugar, *Nanoscale Nuclear Magnetic Resonance with a Nitrogen-Vacancy Spin Sensor*, *Science* **339**, 557 (2013).
- [112] T. Staudacher, F. Shi, S. Pezzagna, J. Meijer, J. Du, C. A. Meriles, F. Reinhard, and J. Wrachtrup, *Nuclear Magnetic Resonance Spectroscopy on a (5-Nanometer)³ Sample Volume*, *Science* **339**, 561 (2013).
- [113] A. Sushkov, I. Lovchinsky, N. Chisholm, R. Walsworth, H. Park, and M. Lukin, *Magnetic Resonance Detection of Individual Proton Spins Using Quantum Reporters*, *Physical Review Letters* **113**, 197601 (2014).

- [114] I. Lovchinsky, A. O. Sushkov, E. Urbach, N. P. de Leon, S. Choi, K. D. Greve, R. Evans, R. Gertner, E. Bersin, C. Müller, L. McGuinness, F. Jelezko, R. L. Walsworth, H. Park, and M. D. Lukin, *Nuclear magnetic resonance detection and spectroscopy of single proteins using quantum logic*, *Science* **351**, 836 (2016).
- [115] J. F. Barry, M. J. Turner, J. M. Schloss, D. R. Glenn, Y. Song, M. D. Lukin, H. Park, and R. L. Walsworth, *Optical magnetic detection of single-neuron action potentials using quantum defects in diamond*, *Proceedings of the National Academy of Sciences* **113**, 14133 (2016).
- [116] P. Neumann, J. Beck, M. Steiner, F. Rempp, H. Fedder, P. R. Hemmer, J. Wrachtrup, and F. Jelezko, *Single-Shot Readout of a Single Nuclear Spin*, *Science* **329**, 542 (2010).
- [117] S. Kolkowitz, Q. P. Unterreithmeier, S. D. Bennett, and M. D. Lukin, *Sensing Distant Nuclear Spins with a Single Electron Spin*, *Physical Review Letters* **109**, 137601 (2012).
- [118] M. S. Grinolds, M. Warner, K. De Greve, Y. Dovzhenko, L. Thiel, R. L. Walsworth, S. Hong, P. Maletinsky, and A. Yada, *Subnanometre resolution in three-dimensional magnetic resonance imaging of individual dark spins*, *Nature Nanotechnology* **9**, 279 (2014).
- [119] S. J. DeVience, L. M. Pham, I. Lovchinsky, A. O. Sushkov, N. Bar-Gill, C. Belthangady, F. Casola, M. Corbett, H. Zhang, M. Lukin, H. Park, A. Yacoby, and R. L. Walsworth, *Nanoscale NMR spectroscopy and imaging of multiple nuclear species*, *Nature Nanotechnology* **10**, 129 (2015).
- [120] M. H. Abobeih, J. Randall, C. E. Bradley, H. P. Bartling, M. A. Bakker, M. J. Degen, M. Markham, D. J. Twitchen, and T. H. Taminiau, *Atomic-scale imaging of a 27-nuclear-spin cluster using a quantum sensor*, *Nature* **576**, 411 (2019).
- [121] F. Casola, T. van der Sar, and A. Yacoby, *Probing condensed matter physics with magnetometry based on nitrogen-vacancy centres in diamond*, *Nature Reviews Materials* **3**, 17088 (2018).
- [122] S. Hsieh, P. Bhattacharyya, C. Zu, T. Mittiga, T. J. Smart, F. Machado, B. Kobrin, T. O. Höhn, N. Z. Rui, M. Kamrani, S. Chatterjee, S. Choi, M. Zaletel, V. V. Struzhkin, J. E. Moore, V. I. Levitas, R. Jeanloz, and N. Y. Yao, *Imaging stress and magnetism at high pressures using a nanoscale quantum sensor*, *Science* **366**, 1349 (2019).
- [123] P. Kehayias, M. J. Turner, R. Trubko, J. M. Schloss, C. A. Hart, M. Wesson, D. R. Glenn, and R. L. Walsworth, *Imaging crystal stress in diamond using ensembles of nitrogen-vacancy centers*, *Physical Review B* **100**, 174103 (2019).
- [124] D. A. Broadway, B. C. Johnson, M. S. J. Barson, S. E. Lillie, N. Dontschuk, D. J. McCloskey, A. Tsai, T. Teraji, D. A. Simpson, A. Stacey, J. C. McCallum, J. E. Bradby, M. W. Doherty, L. C. L. Hollenberg, and J.-P. Tetienne, *Microscopic Imaging of the Stress Tensor in Diamond Using in Situ Quantum Sensors*, *Nano Letters* **19**, 4543 (2019).

- [125] D. M. Toyli, C. F. de las Casas, D. J. Christle, V. V. Dobrovitski, and D. D. Awschalom, *Fluorescence thermometry enhanced by the quantum coherence of single spins in diamond*, *Proceedings of the National Academy of Sciences* **110**, 8417 (2013).
- [126] P. Neumann, I. Jakobi, F. Dolde, C. Burk, R. Reuter, G. Waldherr, J. Honert, T. Wolf, A. Brunner, J. H. Shim, D. Suter, H. Sumiya, J. Isoya, and J. Wrachtrup, *High-Precision Nanoscale Temperature Sensing Using Single Defects in Diamond*, *Nano Letters* **13**, 2738 (2013).
- [127] F. Dolde, H. Fedder, M. W. Doherty, T. Nöbauer, F. Rempp, G. Balasubramanian, T. Wolf, F. Reinhard, L. C. Hollenberg, F. Jelezko, and J. Wrachtrup, *Electric-field sensing using single diamond spins*, *Nature Physics* **7**, 459 (2011).
- [128] J. Michl, J. Steiner, A. Denisenko, A. Bülau, A. Zimmermann, K. Nakamura, H. Sumiya, S. Onoda, P. Neumann, J. Isoya, and J. Wrachtrup, *Robust and Accurate Electric Field Sensing with Solid State Spin Ensembles*, *Nano Letters* **19**, 4904 (2019).
- [129] J. M. Taylor, P. Cappellaro, L. Childress, L. Jiang, D. Budker, P. R. Hemmer, A. Yada, R. Walsworth, and M. D. Lukin, *High-sensitivity diamond magnetometer with nanoscale resolution*, *Nature Physics* **4**, 810 (2008).
- [130] G. Balasubramanian, I. Y. Chan, R. Kolesov, M. Al-Hmoud, J. Tisler, C. Shin, C. Kim, A. Wojcik, P. R. Hemmer, A. Krueger, T. Hanke, A. Leitenstorfer, R. Bratschitsch, F. Jelezko, and J. Wrachtrup, *Nanoscale imaging magnetometry with diamond spins under ambient conditions*, *Nature* **455**, 648 (2008).
- [131] J. R. Maze, P. L. Stanwix, J. S. Hodges, S. Hong, J. M. Taylor, P. Cappellaro, L. Jiang, M. V. Dutt, E. Togan, A. S. Zibrov, A. Yada, R. L. Walsworth, and M. D. Lukin, *Nanoscale magnetic sensing with an individual electronic spin in diamond*, *Nature* **455**, 644 (2008).
- [132] P. Maletinsky, S. Hong, M. S. Grinolds, B. Hausmann, M. D. Lukin, R. L. Walsworth, M. Loncar, and A. Yacoby, *A robust scanning diamond sensor for nanoscale imaging with single nitrogen-vacancy centres*, *Nature Nanotechnology* **7**, 320 (2012).
- [133] M. S. Grinolds, S. Hong, P. Maletinsky, L. Luan, M. D. Lukin, R. L. Walsworth, and A. Yada, *Nanoscale magnetic imaging of a single electron spin under ambient conditions*, *Nature Physics* **9**, 215 (2013).
- [134] J.-P. Tetienne, T. Hingant, J.-V. Kim, L. H. Diez, J.-P. Adam, K. Garcia, J.-F. Roch, S. Rohart, A. Thiaville, D. Ravelosona, and V. Jacques, *Nanoscale imaging and control of domain-wall hopping with a nitrogen-vacancy center microscope*, *Science* **344**, 1366 (2014).
- [135] L. Thiel, D. Rohner, M. Ganzhorn, P. Appel, E. Neu, B. Müller, R. Kleiner, D. Koelle, and P. Maletinsky, *Quantitative nanoscale vortex imaging using a cryogenic quantum magnetometer*, *Nature Nanotechnology* **11**, 677 (2016).

- [136] I. Gross, W. Akhtar, V. Garcia, L. J. Martínez, S. Chouaieb, K. Garcia, C. Carrétéro, A. Barthélémy, P. Appel, P. Maletinsky, J. V. Kim, J. Y. Chauleau, N. Jaouen, M. Viret, M. Bibes, S. Fusil, and V. Jacques, *Real-space imaging of non-collinear antiferromagnetic order with a single-spin magnetometer*, *Nature* **549**, 252 (2017).
- [137] L. Thiel, Z. Wang, M. A. Tschudin, D. Rohner, I. Gutiérrez-Lezama, N. Ubrig, M. Gibertini, E. Giannini, A. F. Morpurgo, and P. Maletinsky, *Probing magnetism in 2D materials at the nanoscale with single-spin microscopy*, *Science* **364**, 973 (2019).