Universiteit Leiden
The Netherlands

Discovering the preference hypervolume: an interactive model for real world computational co-creativity

Hagg, A.

Citation

Hagg, A. (2021, December 7). *Discovering the preference hypervolume: an interactive model for real world computational co-creativity*. Retrieved from https://hdl.handle.net/1887/3245521

Version:	Publisher's Version
License:	Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden
Downloaded from:	https://hdl.handle.net/1887/3245521

Note: To cite this publication please use the final published version (if applicable).

APPENDIX A

Evolutionary Algorithms

This appendix is based on previous published work by Asteroth and Hagg (2015). In EA, an approximative solution to an optimization problem is iteratively found. In each iteration, a set of solution candidates, called a *population* is maintained in a stochastic procedure. This procedure consists of 4 basic steps (see Figure A.1):

1. *evaluation* – assignment of a real valued *fitness* to the candidates
2. *selection* – survival of the fittest candidates
3. *crossover* – recombination to produce *offspring*
4. *mutation* – randomized changes to the individual offspring



Figure A.1: Four basic steps of an EA.

In this repeated procedure the balance between *exploitation*, the refinement of



Figure A.2: Structure of the population

individuals with high fitness, and *exploration*, the search for new solutions, possibly through a part of the search space that has lower fitness, plays a crucial role.

Members of the population are called *individuals* (see Figure A.2). Each is represented by its *genotype*, which here can be considered a one-dimensional array. The array's cells are called *loci* and their value a *gene*. All genes of the individual make up its *genome*, an instance of the genotype. Before the individual is assigned a fitness the genome is first mapped to its *phenotype* (1:1 or n:1 mappings are possible).

Individuals from the current population survive and breed based on their fitness and therefore the fitness function must provide sufficient information to direct the search towards an optimum. Formally, the fitness function is a function from phenotype space $\mathcal{P}$ to the positive real numbers $\mathbb{R}^+$.

$$f : \mathcal{P} \to \mathbb{R}^+$$

While in classical optimization algorithms, search is driven by the gradient of an error function, in EA a gradient is not necessary but fitness must still represent some distance to the solution.

The exploration rate plays a crucial role for the *convergence* speed and approximation quality. During the selection process, exploration happens if individuals with submaximal fitness survive. If on the other hand exploitation is high, the search will converge very fast but will get stuck in local extrema. This problem does not occur when exploration is high, but the convergence speed will then be much lower.

A.1 Selection

A balance between refining good individuals and nurturing promising ones has to be found. Good solutions are often combinations of *building blocks* found in less fit individuals, therefore diversity plays a central role. On the other hand, selection must assure the survival of the fittest individuals, otherwise, the search will be more or less undirected. Common search strategies include:

- *fitness proportionate* selection, such as roulette wheel selection or stochastic universal sampling
- *rank-based* selection, e.g. linear ranking or tournament selection

A.2 Crossover

A new population of children is created by recombining the selected individuals. This breeding process is done by *crossover* of genomes. The process is highly dependent on the genotype, the representation of the individuals. Simple strategies for crossover include:

- *N-point crossover*: two genomes form two children. Between crossover-points, genes are taken from alternating parents, as shown in Figure A.3
- *uniform crossover*: for all loci, choose a gene from either parent with a given probability (usually dependent on the fitness)
- *arithmetic crossover*: calculate the offspring's genes by arithmetic combination of the parents genes

Usually two parents are chosen for crossover, though it is possible to create offspring from more parents. A *crossover rate* (CR) defines the probability of an individual to undergo crossover, otherwise it is copied to the next generation.

A.3 Mutation

After individuals are selected as parents and recombined by crossover, there is a certain probability for *mutation* of the offspring. For binary genes it is an obvious



Figure A.3: Four-point crossover

option to flip values with a certain probability. For real valued genes a random value can be drawn from some distribution (e.g. Gaussian) and added to the gene. In many cases it is better to permutate a genome. For example, if the genome encodes a TSP tour it is better to permutate two cities than to randomly mutate one city because by random mutation the vast majority of variants will become invalid.

The idea behind mutation is to introduce new information into the population. Thus a high *mutation rate* corresponds to a high exploration rate. A balance between exploration and exploitation has to be found.

Another important secondary parameter is the mutation distance s. This distance represents the strength (and therefore also amount of disruption) a single mutation can provoke. In case of a Gaussian mutation on a real number, this distance would be controlled by changing the σ of the underlying distribution.

A.4 Diversity Management

Precautions must be taken to prevent premature convergence and ensure exploration to take place even after convergence to local suboptimal extrema. In particular if the search space contains disconnected regions, it is necessary to sustain diversity in the population. Techniques to implement this include

- *niching*, in crowded regions the probability to reproduce is lower

- *speciation*, only "similar" solutions are recombined

Niching prevents all individuals from populating only the region around one particular extremum by fitness sharing.

$$fitness_{shared} = \frac{fitness}{|close\ individuals|}$$

Niching allows for dissimilar solutions to be recombined. While this is desired since it ensures exploration it usually results in less fit individuals if two solutions from dissimilar regions/optima are combined. A solution to this problem is *speciation* which allows only similar individuals to be recombined. This can be implemented by dividing the population into species (using some metric). Each species is assigned a number of children according to their fitness and these are created solely from individuals of the corresponding species.

A.5 Representation

The representation of a possible solution is probably the most important deciding factor, whether an EA will find a solution quickly or at all. The fitness of an individual must represent the distance to a solution in some way or other. For mutation to work best, minor changes in the genome should result in minor changes to the fitness value, otherwise the search conducted by an EA will be rather erratic and convergence will be slow.

APPENDIX B

T-Distributed Stochastic Neighborhood Embedding

Commonly used for visualization, the dimensionality reduction method t-SNE has been shown to be capable of retaining the local structure of the data, as well as revealing clusters at several scales. It does so by finding a lower-dimensional distribution of points $\mathbb{Q}$ that is similar to the original high-dimensional distribution $\mathbb{P}$. The similarity of data point $\boldsymbol{x}_j$ to datapoint $\boldsymbol{x}_i$ is the conditional probability ($p_{j|i}$ for $\mathbb{P}$ and $q_{j|i}$ for $\mathbb{Q}$, Eq. B.1), that $\boldsymbol{x}_i$ would pick $\boldsymbol{x}_j$ as its neighbor if neighbors were picked in proportion to their probability density under a Gaussian distribution centered at $\boldsymbol{x}_i$. The Student-t distribution is used to measure similarities between low-dimensional points $\boldsymbol{y}_i \in \mathbb{Q}$ in order to allow dissimilar objects to be modeled far apart in the archive (Eq. B.1).

$$p_{j|i} = \frac{e^{\frac{-\|\boldsymbol{x}_i - \boldsymbol{x}_j\|^2}{2\sigma_i^2}}}{\sum_{k \neq i}\left(e^{\frac{-\|\boldsymbol{x}_i - \boldsymbol{x}_k\|^2}{2\sigma_i^2}}\right)}, \; q_{j|i} = \frac{1 + \|\boldsymbol{y}_i - \boldsymbol{y}_j\|^2)^{-1}}{\sum_{k \neq i}(1 + \|\boldsymbol{y}_i - \boldsymbol{y}_k\|^2)^{-1})} \tag{B.1}$$

The local scale σ_i is adapted to the density of the data (smaller in denser parts). The parameter σ_i is set such that *perplexity* of the conditional distribution equals a predefined value. The perplexity of a distribution defines how many neighbors for each data point have a significant $p_{j|i}$ and can be calculated using the Shannon entropy $H(P_i)$ of the distribution P_i around x_i (Eq. B.2).

$$\mathrm{Perp}(P_i) = 2^{-\sum_j p_{j|i} log_2 p_{j|i}} \tag{B.2}$$

$$KL(\mathbb{P}\|\mathbb{Q}) = \sum_{i \neq j} p_{ij} log(\frac{p_{ij}}{q_{ij}}) \tag{B.3}$$

Using the bisection method, σ_i are changed such that $\mathrm{Perp}(P_i)$ approximates the preset value (commonly 5–50). The similarity of $\boldsymbol{x}_j$ to $\boldsymbol{x}_i$ and $\boldsymbol{x}_i$ to $\boldsymbol{x}_j$ is absorbed with the joint probability p_{ij}. A low-dimensional archive is learned that reflects all similarities p_{ij} as well as possible. Locations $\boldsymbol{y}_i$ are determined by iteratively minimizing the Kullback-Leibler divergence of the distribution $\mathbb{Q}$ from the distribution $\mathbb{P}$ (Eq. B.3) with gradient descent.

APPENDIX C

Gaussian Process Regression

To perform interpolation or regression on a given data set, GP models (introduced by Rasmussen (2004)) assume that the underlying data is sampled from a Gaussian process – a process that generates points that are distributed in a Gaussian fashion, and are correlated in a local and smooth fashion. For an in-depth introduction to GP regression and its application in model-based optimization, refer to Forrester et al. (2008). What follows is a summarized explanation.

The models assume that the objective function is smooth: the closer a candidate is to a known example, the closer their function values will be to each other. Here, the training data of the model is denoted as a set of n solutions $\boldsymbol{X} = \{\mathbf{x}^{(i)}\}_{i=1\ldots n}$ in a k-dimensional search space. The corresponding n observations are denoted with $\mathbf{y} = \{y^{(i)}\}_{i=1\ldots n}$. For an unknown point in our search space, $\mathbf{x}^*$, Gaussian process regression intends to estimate the unknown function value $\hat{y}(\mathbf{x}^*)$. In its core, the model assumes that the observations at each location $\mathbf{x}$ are correlated via a kernel function. Kernel functions of the following type are considered here:

$$\mathrm{k}(\mathbf{x}, \mathbf{x}') = \exp\left(-\theta \mathrm{d}(\mathbf{x}, \mathbf{x}')\right). \tag{C.1}$$

This essentially expresses the correlation of two samples $\mathbf{x}$ a $\mathbf{x}$', based on their distance $\mathrm{d}(\mathbf{x}, \mathbf{x}')$, and a kernel parameter $\theta \in \mathbb{R}^+$. Kernel parameters are usually determined by Maximum Likelihood Estimation (MLE), that is, they are chosen such that the data has the maximum likelihood under the resulting model. MLE usually involves a numerical optimization procedure. The distance measure $\mathrm{d}(\mathbf{x}, \mathbf{x}')$ can potentially be any measure, though not all ensure that the kernel is positive semi-definite, a common requirement. By using the Manhattan distance, the

distance measure is less affected by issues related to high-dimensional data, see Aggarwal et al. (2001). This distance is defined as:

$$\mathrm{d}_{\mathrm{Man}}(\mathbf{x}, \mathbf{x}') = \sum |x_i - x_i'| \tag{C.2}$$

Rather than a single parameter θ, a different θ can be used for each dimension i of the input samples, enabling the model to estimate the influence of each individual dimension on the observed values. However, in the interest of simplicity and computational efficiency we opt for an isotropic kernel with a single θ.

Once the pairwise correlations between all training samples are collected in a matrix $\mathbf{K}$, the GP predictor can be specified with

$$\hat{y}(\mathbf{x}^*) = \hat{\mu} + \mathbf{k}^{\mathrm{T}}\mathbf{K}^{-1}(\mathbf{y} - \mathbf{1}\hat{\mu}), \tag{C.3}$$

where $\hat{\mu}$ is another model parameter (estimated by MLE), $\mathbf{k}$ is the vector of correlations between training samples $\boldsymbol{X}$ and the new sample $\mathbf{x}^*$, and $\mathbf{1}$ is a vector of ones. The error or uncertainty of the prediction can be estimated with

$$\hat{s}^2(\mathbf{x}) = \hat{\sigma}^2(1 - \mathbf{k}^T\mathbf{K}^{-1}\mathbf{k}^T), \tag{C.4}$$

where $\hat{\sigma}^2$ is a further model parameter to be estimated by MLE.

Bibliography

Aggarwal, C. C., A. Hinneburg, and D. A. Keim (2001). On the surprising behavior of distance metrics in high dimensional space. In *Database Theory — ICDT 2001: 8th International Conference*, LNCS, London, UK.

Aldous, C. R. (2017). Modelling the creative process and cycles of feedback. *Creative Education 8*(12), 1860–1877.

Amabile, T. M. (1988). A model of creativity and innovation in organizations. *Research in organizational behavior 10*(1), 123–167.

Amabile, T. M. (1996). Creativity in context: The social psychology of creativity. *Boulder, CO: Westview*.

Arieti, S. (1976). Creativity: The magic synthesis.

Association for Computational Creativity ("2019 (accessed October 2, 2020)"). `https://computationalcreativity.net/home/about/computational-creativity`.

Asteroth, A. and A. Hagg (2015). How to successfully apply genetic algorithms in practice: Representation and parametrization. In *2015 International Symposium on Innovations in Intelligent SysTems and Applications (INISTA)*, pp. 1–6. IEEE.

Auer, P. (2002). Using confidence bounds for exploitation-exploration trade-offs. *Journal of Machine Learning Research 3*(Nov), 397–422.

Balling, R. (1999). Design by shopping: A new paradigm? In *Proceedings of the Third World Congress of structural and multidisciplinary optimization (WCSMO-3)*, Volume 1, pp. 295–297. International Soc. for Structural and Multidisciplinary Optimization Berlin.

Basto-Fernandes, V., I. Yevseyeva, A. Deutz, and M. Emmerich (2017). A survey of diversity oriented optimization: Problems, indicators, and algorithms. In *EVOLVE–A Bridge between Probability, Set Oriented Numerics and Evolutionary Computation*, Volume 7, pp. 3–23. Springer.

Basto-Fernandes, V., I. Yevseyeva, and M. Emmerich (2013). A survey of diversity-oriented optimization. *EVOLVE 2013-A Bridge between Probability, Set Oriented Numerics, and Evolutionary Computing 1*(2013), 101–109.

Berns, S. and S. Colton (2020). Bridging Generative Deep Learning and Computational Creativity. In *Proceedings of the 11th International Conference on Computational Creativity*.

Beyer, K., J. Goldstein, R. Ramakrishnan, and U. Shaft (1999a). When is "nearest neighbor" meaningful? In *International conference on database theory*, pp. 217–235. Springer.

Beyer, K., J. Goldstein, R. Ramakrishnan, and U. Shaft (1999b). When is "nearest neighbor" meaningful? In *International conference on database theory*, pp. 217–235. Springer.

Bhatnagar, P. L., E. P. Gross, and M. Krook (1954). A model for collision processes in gases. i. small amplitude processes in charged and neutral one-component systems. *Physical review 94*(3), 511.

Bonnardel, N. and F. Zenasni (2010). The impact of technology on creativity in design: An enhancement? *Creativity and Innovation Management 19*(2), 180–191.

Bontrager, P., W. Lin, J. Togelius, and S. Risi (2018). Deep interactive evolution. In *International Conference on Computational Intelligence in Music, Sound, Art and Design*, pp. 267–282. Springer.

Bontrager, P., A. Roy, J. Togelius, N. Memon, and A. Ross (2018). Deepmasterprints: Generating masterprints for dictionary attacks via latent variable evolution. In *Proceedings of the IEEE International Conference on Biometrics Theory, Applications and Systems*, pp. 1–9. IEEE.

Bradner, E., F. Iorio, and M. Davis (2014). Parameters tell the design story: Ideation and abstraction in design optimization. *Simulation Series 46*(7), 172–197.

Broyden, C. G. (1970). The convergence of a class of double-rank minimization algorithms 1. general considerations. *IMA Journal of Applied Mathematics 6*(1), 76–90.

Burgess, C. P., I. Higgins, A. Pal, L. Matthey, N. Watters, G. Desjardins, and A. Lerchner (2017). Understanding disentangling in Beta-VAE. In *NIPS Workshop on Learning Disentangled Representations*.

Campbell, D. T. (1960). Blind variation and selective retentions in creative thought as in other knowledge processes. *Psychological review 67*(6), 380.

Carroll, J. V. and R. K. Mehra (1982). Bifurcation analysis of nonlinear aircraft dynamics. *Journal of Guidance, Control, and Dynamics 5*(5), 529–536.

Catmull, E. and R. Rom (1974). A class of local interpolating splines. In *Computer aided geometric design*, pp. 317–326. Elsevier.

Christiano, P. F., J. Leike, T. Brown, M. Martic, S. Legg, and D. Amodei (2017). Deep reinforcement learning from human preferences. In *Advances in Neural Information Processing Systems*, pp. 4299–4307.

Clune, J. and H. Lipson (2004). Evolving Three-Dimensional Objects with a Generative Encoding Inspired by Developmental Biology. *Methods*.

Colton, S., G. A. Wiggins, et al. (2012). Computational creativity: The final frontier? In *Ecai*, Volume 12, pp. 21–26. Montpelier.

Conover, W. J. and R. L. Iman (1979). On multiple-comparisons procedures. Technical Report LA-7677-MS, Los Alamos Sci. Lab.

Cropley, D. and A. Cropley (2010). Functional creativity. *Camb. Handb. Creat*, 301–318.

Cully, A. (2019). Autonomous skill discovery with quality-diversity and unsupervised descriptors. In *Proceedings of the Genetic and Evolutionary Computation Conference*, pp. 81–89.

Cully, A., J. Clune, D. Tarapore, and J.-B. Mouret (2015). Robots that can adapt like animals. *Nature 521*(7553).

Cully, A. and Y. Demiris (2017). Quality and Diversity Optimization: A Unifying Modular Framework. *IEEE Transactions on Evolutionary Computation*, 1–15.

Cully, A. and Y. Demiris (2018). Hierarchical behavioral repertoires with unsupervised descriptors. In *Proceedings of the Genetic and Evolutionary Computation Conference*, pp. 69–76.

Cully, A. and J.-B. Mouret (2013). Learning to Walk in Every Direction. *Evolutionary Computation 24*(1), 59–88.

Cully, A., U. Pierre, and J.-B. Mouret (2013). Behavioral Repertoire Learning in Robotics. *Proceeding of the fifteenth annual conference on Genetic and evolutionary computation conference - GECCO '13*, 175–182.

Daniels, S. J., A. A. M. Rahat, R. M. Everson, G. R. Tabor, and J. E. Fieldsend (2018). A suite of computationally expensive shape optimisation problems using computational fluid dynamics. In *International Conference on Parallel Problem Solving from Nature*.

Dasgupta, S. (2004). Is creativity a darwinian process? *Creativity research journal 16*(4), 403–413.

Dawkins, R. (1982). *The Extended Phenotype*. Oxford University Press Oxford.

De Grave, K., J. Ramon, and L. De Raedt (2008). Active learning for high throughput screening. In *International Conference on Discovery Science*.

De Jong, K. A. (1975). An analysis of the behavior of a class of genetic adaptive systems.

Deb, K., A. Pratap, S. Agarwal, and T. Meyarivan (2002). A fast and elitist multiobjective genetic algorithm: Nsga-ii. *IEEE transactions on evolutionary computation 6*(2), 182–197.

Deb, K. and A. Srinivasan (2006). Innovization: Innovating design principles through optimization. In *Proceedings of the 8th annual conference on Genetic and evolutionary computation*, pp. 1629–1636.

Deb, K. and S. Tiwari (2008). Omni-optimizer: A generic evolutionary algorithm for single and multi-objective optimization. *European Journal of Operational Research 185*(3), 1062–1087.

Demo, N., M. Tezzele, and G. Rozza (2018). Pydmd: Python dynamic mode decomposition. *Journal of Open Source Software 3*(22), 530.

Doncieux, S. and J.-B. Mouret (2010). Behavioral diversity measures for evolutionary robotics. In *IEEE Congress on Evolutionary Computation*.

Dorschner, B., S. S. Chikatamarla, and I. V. Karlin (2017). Transitional flows with the entropic lattice Boltzmann method. *J. Fluid Mech. 824*, 388–412.

Elman, J. L. (1990). Finding structure in time. *Cognitive Science 14*(1 990), 179–211.

Ester, M., H.-P. Kriegel, J. Sander, X. Xu, et al. (1996). A density-based algorithm for discovering clusters in large spatial databases with noise. In *Kdd*, Volume 96, pp. 226–231.

Finke, R. A., T. B. Ward, and S. M. Smith (1996). Creative cognition: Theory, research, and applications.

Fletcher, R. (1970). A new approach to variable metric algorithms. *The computer journal 13*(3), 317–322.

Forrester, A., A. Sobester, and A. Keane (2008). *Engineering Design via Surrogate Modelling*. John Wiley & Sons.

Friedman, R. S., A. Fishbach, J. Förster, and L. Werth (2003). Attentional priming effects on creativity. *Creativity Research Journal 15*(2-3), 277–286.

Gablonsky, J. M. and C. T. Kelley (2001). A locally-biased form of the DIRECT algorithm.

Gaedtke, M., S. Wachter, M. Rädle, H. Nirschl, and M. J. Krause (2018). Application of a lattice boltzmann method combined with a smagorinsky turbulence model to spatially resolved heat flux inside a refrigerated vehicle. *Computers & Mathematics with Applications 76*(10), 2315–2329.

Gaier, A., A. Asteroth, and J.-b. Mouret (2017). Data-Efficient Exploration, Optimization, and Modeling of Diverse Designs through Surrogate-Assisted Illumination.

Gaier, A., A. Asteroth, and J.-B. Mouret (2018). Data-efficient design exploration through surrogate-assisted illumination. *Evolutionary computation*, 1–30.

Gaier, A., A. Asteroth, and J.-B. Mouret (2019). Are quality diversity algorithms better at generating stepping stones than objective-based search? In *Proceedings*

of the Genetic and Evolutionary Computation Conference Companion, pp. 115–116.

Gaier, A., A. Asteroth, and J.-B. Mouret (2020). Discovering representations for black-box optimization. In *Proceedings of the Genetic and Evolutionary Computation Conference*, Volume 11.

Gärdenfors, P. (2004). *Conceptual spaces: The geometry of thought.* MIT press.

Gardner, H. (1993). Creating minds: An anatomy of creativity seen through the lives of freud. *Einstein, Picasso, Stravinsky, Eliot, Graham, and GandhZ Basic Books, New York, NY*.

Gassner, G. J. and A. D. Beck (2013). On the accuracy of high-order discretizations for underresolved turbulence simulations. *Theoretical and Computational Fluid Dynamics 27*(3-4), 221–237.

Gerber, D. J., S.-H. Lin, B. Pan, and A. S. Solmaz (2012). Design optioneering: multi-disciplinary design optimization through parameterization, domain integration and automation of a genetic algorithm. In *Proceedings of the 2012 Symposium on Simulation for Architecture and Urban Design*, pp. 1–8.

Giacomello, E., P. L. Lanzi, and D. Loiacono (2019). Searching the Latent Space of a Generative Adversarial Network to Generate DOOM Levels. In *Proceedings of the IEEE Conference on Games (CoG).*

Glorot, X. and Y. Bengio (2010). Understanding the difficulty of training deep feedforward neural networks. In *Proceedings of the Thirteenth International Conference on Artificial Intelligence and Statistics.*

Goldfarb, D. (1970). A family of variable-metric methods derived by variational means. *Mathematics of Computation 24*(109), 23–26.

Goldschmidt, G. (1991). The dialectics of sketching. *Creativity research journal 4*(2), 123–143.

Guilford, J. P. (1967). The nature of human intelligence.

Hagg, A. (2017). Hierarchical surrogate modeling for illumination algorithms. In *Proceedings of the Genetic and Evolutionary Computation Conference - GECCO 2017.*

Hagg, A. (2021). *Phenotypic Niching Using Quality Diversity Algorithms*, pp. 287–315. Cham: Springer International Publishing.

Hagg, A., A. Asteroth, and T. Bäck (2018). Prototype discovery using quality-diversity. In *Proceedings of the 16th International Conference on Parallel Problem Solving from Nature - PPSN 2018*, pp. 500–511. Springer.

Hagg, A., A. Asteroth, and T. Bäck (2019). Modeling User Selection in Quality Diversity. In *Proceedings of the Genetic and Evolutionary Computation Conference - GECCO 2019*.

Hagg, A., A. Asteroth, and T. Bäck (2020). A Deep Dive Into Exploring the Preference Hypervolume. In *Proceedings of the International Conference on Computational Creativity - ICCC 2020*.

Hagg, A., S. Berns, A. Asteroth, S. Colton, and T. Bäck (2021). Expressivity of Parameterized and Data-driven Representations in Quality Diversity Search). In *Proceedings of the Genetic and Evolutionary Computation Conference - GECCO 2021*.

Hagg, A., M. Mensing, and A. Asteroth (2017). Evolving parsimonious networks by mixing activation functions. In *GECCO 2017 - Proceedings of the 2017 Genetic and Evolutionary Computation Conference*.

Hagg, A., M. Preuss, A. Asteroth, and T. Bäck (2020). An Analysis of Phenotypic Diversity in Multi-Solution Optimization. In *Proceedings of the 9th International Conference on Bioinspired Optimisation Methods and Their Applications - BIOMA 2020*.

Hagg, A., D. Wilde, A. Asteroth, and T. Bäck (2020). Designing air flow with surrogate-assisted phenotypic niching. In *Proceedings of the 16th International Conference on Parallel Problem Solving from Nature - PPSN 2020*.

Hagg, A., M. Zaefferer, J. Stork, and A. Gaier (2019). Prediction of neural network performance by phenotypic modeling. In *Proceedings of the Genetic and Evolutionary Computation Conference - GECCO 2019*.

Hamming, R. W. (1950). Error detecting and error correcting codes. *The Bell system technical journal 29*(2), 147–160.

Harik, G. R. (1995). Finding multimodal solutions using restricted tournament selection. In *ICGA*, pp. 24–31.

Hart, E., A. S. Steyven, and B. Paechter (2018). Evolution of a functionally diverse swarm via a novel decentralised quality-diversity algorithm. In *Proceedings of the Genetic and Evolutionary Computation Conference*, pp. 101–108.

Heft, A. I., T. Indinger, and N. A. Adams (2012). Introduction of a new realistic generic car model for aerodynamic investigations. Technical report, SAE Technical Paper.

Hegel, G. W. F. (1842). *Vorlesungen über die Ästhetik*, Volume 1. Duncker und Humblot.

Herring, S. R., C.-C. Chang, J. Krantzler, and B. P. Bailey (2009). Getting inspired!: understanding how and why examples are used in creative design practice. *Proceedings of the 27th international conference on Human factors in computing systems*, 87–96.

Higgins, I., L. Matthey, A. Pal, C. Burgess, X. Glorot, M. Botvinick, S. Mohamed, and A. Lerchner (2016). Beta-vae: Learning basic visual concepts with a constrained variational framework. In *Proceedings of the International Conference on Learning Representations*.

Hildebrandt, T. and J. Branke (2015). On using surrogates with genetic programming.

Hinton, G. E. (1994). Autoencoders, minimum description length and helmholtz free energy. *Advances in NIPS 6*, 3–10.

Hinton, G. E. and R. R. Salakhutdinov (2006). Reducing the dimensionality of data with neural networks. *science 313*(5786), 504–507.

Holland, J. H. (1975). *Adaptation in natural and artificial systems*. MIT press.

Hu, T., J. L. Payne, W. Banzhaf, and J. H. Moore (2011). Robustness, evolvability, and accessibility in linear genetic programming. In *European Conference on Genetic Programming*, pp. 13–24. Springer.

Janssen, W., B. Blocken, and T. van Hooff (2013). Pedestrian wind comfort around buildings: Comparison of wind comfort criteria based on whole-flow field data for a complex case study. *Building and Environment 59*, 547–562.

Jin, Y. (2011). Surrogate-assisted evolutionary computation: Recent advances and future challenges. *Swarm and Evolutionary Computation 1*(2).

Jung, C. (1923). Psychological types: or the psychology of individuation.

Kamentsky, L. A. and C.-N. Liu (1963). Computer-automated design of multifont print recognition logic. *IBM Journal of Research and Development 7*(1), 2–13.

Kendall, M. G. and J. D. Gibbons (1990). *Rank Correlation Methods*. Charles Griffin Book Series. London: Oxford University Press.

Kingma, D., L. Ba, et al. (2015). Adam: A method for stochastic optimization.

Kingma, D. P. and M. Welling (2014). Auto-Encoding Variational Bayes. In *Proceedings of the 2nd International Conference on Learning Representations*.

Koos, S., J.-B. Mouret, and S. Doncieux (2012). The Transferability Approach: Crossing the Reality Gap in Evolutionary Robotics. *IEEE Transactions on Evolutionary Computation*, 1–25.

Koza, J. R. (1994). Genetic programming. MIT Press.

Krämer, A., D. Wilde, and M. Bedrunka (2020). Lettuce: PyTorch-based Lattice Boltzmann Solver.

Krämer, A., D. Wilde, K. Küllmer, D. Reith, and H. Foysi (2019). Pseudoentropic derivation of the regularized lattice Boltzmann method. *Phys. Rev. E 100*(2), 1–16.

Krüger, T., H. Kusumaatmaja, A. Kuzmin, O. Shardt, G. Silva, and E. M. Viggen (2017). *The lattice Boltzmann method: Principles and practice*.

Kruskal, W. H. and W. A. Wallis (1952). Use of ranks in one-criterion variance analysis.

Laland, K. N. (2004). Extending the extended phenotype. *Biology and Philosophy 19*(3), 313–325.

Lehman, J. (2012). Evolution Through the Search for Novelty. pp. 223.

Lehman, J., J. Clune, D. Misevic, C. Adami, L. Altenberg, J. Beaulieu, P. J. Bentley, S. Bernard, G. Beslon, D. M. Bryson, et al. (2020). The surprising creativity of digital evolution: A collection of anecdotes from the evolutionary computation and artificial life research communities. *Artificial life 26*(2), 274–306.

Lehman, J. and K. O. Stanley (2008). Exploiting Open-Endedness to Solve Problems Through the Search for Novelty. *Alife*, 329–336.

Lehman, J. and K. O. Stanley (2011a). Abandoning objectives: Evolution through the search for novelty alone. *Evolutionary Computation 19*(2), 189–222.

Lehman, J. and K. O. Stanley (2011b). Evolving a diversity of virtual creatures through novelty search and local competition. *Proceedings of the 13th annual conference on Genetic and evolutionary computation - GECCO '11* (Gecco), 211.

Li, M. and X. Yao (2019). Quality evaluation of solution sets in multiobjective optimisation: A survey. *ACM Computing Surveys (CSUR) 52*(2), 1–38.

Liapis, A., H. P. Martínez, J. Togelius, and G. N. Yannakakis (2013). Transforming exploratory creativity with delenox.

Liapis, A., G. N. Yannakakis, and J. Togelius (2013a). Designer modeling for personalized game content creation tools. In *Ninth Artificial Intelligence and Interactive Digital Entertainment Conference*.

Liapis, A., G. N. Yannakakis, and J. Togelius (2013b). Sentient sketchbook: computer-assisted game level authoring.

Liapis, A., G. N. Yannakakis, and J. Togelius (2014). Designer modeling for sentient sketchbook. In *2014 IEEE Conference on Computational Intelligence and Games*, pp. 1–8. IEEE.

Lubart, T. (2005). How can computers be partners in the creative process: classification and commentary on the special issue. *International Journal of Human-Computer Studies 63*(4-5), 365–369.

Lubart, T. I. (2001). Models of the creative process: Past, present and future. *Creativity research journal 13*(3-4), 295–308.

Maaten, L. v. d. (2014). Accelerating t-SNE using Tree-Based Algorithms. *Journal of Machine Learning Research 15*, 3221–3245.

Maaten, L. v. d. and G. Hinton (2008). Visualizing data using t-sne. *Journal of machine learning research 9*(Nov), 2579–2605.

Maher, M. L. (2012). Computational and collective creativity: Who's being creative? In *ICCC*, pp. 67–71. Citeseer.

Martinsen, Ø. (1995). Cognitive styles and experience in solving insight problems: Replication and extension. *Creativity Research Journal 8*(3), 291–298.

Mednick, S. (1962). The associative basis of the creative process. *Psychological review 69*(3), 220.

Meyerson, E., J. Lehman, and R. Miikkulainen (2016). Learning behavior characterizations for novelty search. *GECCO 2016 - Proceedings of the 2016 Genetic and Evolutionary Computation Conference*, 149–156.

Meyerson, E. and R. Miikkulainen (2017). Discovering evolutionary stepping stones through behavior domination. In *Proceedings of the Genetic and Evolutionary Computation Conference*, pp. 139–146.

Miikkulainen, R. (2020). Creative ai through evolutionary computation. In *Evolution in Action: Past, Present and Future*, pp. 265–269. Springer.

Miller, J. F., P. Thomson, and T. Fogarty (1997). Designing electronic circuits using evolutionary algorithms. arithmetic circuits: A case study.

Mlot, N. J., C. A. Tovey, and D. L. Hu (2011). Fire ants self-assemble into waterproof rafts to survive floods. *Proceedings of the National Academy of Sciences 108*(19), 7669–7673.

Moraglio, A., K. Krawiec, and C. G. Johnson (2012). Geometric semantic genetic programming. In *International Conference on Parallel Problem Solving from Nature*.

Mouret, J.-B. (2011a). Encouraging Behavioral Diversity in Evolutionary Robotics: An Empirical Study. *Evolutionary computation* (x).

Mouret, J.-B. (2011b). Novelty-based multiobjectivization. In *New horizons in evolutionary robotics*, pp. 139–154. Springer.

Mouret, J.-B. and J. Clune (2012). An algorithm to create phenotype-fitness maps. *Proc. of the Artificial Life Conf. 375*(2012), 593–594.

Mouret, J.-B. and J. Clune (2015). Illuminating search spaces by mapping elites. pp. 107–108.

Müller-Wienbergen, F., O. Müller, S. Seidel, and J. Becker (2011). Leaving the beaten tracks in creative work - A design theory for systems that support convergent and divergent thinking. *Journal of the Association for Information Systems 12*(11), 714–740.

Mumford, M. D. and S. B. Gustafson (1988). Creativity syndrome: Integration, application, and innovation. *Psychological bulletin 103*(1), 27.

Mumford, M. D., M. I. Mobley, R. Reiter-Palmon, C. E. Uhlman, and L. M. Doares (1991). Process Analytic Models of Creative Capacities. *Creativity Research Journal 4*(2), 91–122.

NEN 8100 (2006). Wind comfort and wind danger in the built environment (in dutch). Norm NEN 8100.

Nguyen, A., J. Yosinski, and J. Clune (2015). Innovation Engines: Automated Creativity and Improved Stochastic Optimization via Deep Learning. *Proceedings of the 2015 on Genetic and Evolutionary Computation Conference - GECCO '15*, 959–966.

Nguyen, A., J. Yosinski, and J. Clune (2016). Understanding innovation engines: Automated creativity and improved stochastic optimization via deep learning. *Evolutionary Computation 24*(3), 545–572.

Nijstad, B. A. and W. Stroebe (2006). How the group affects the mind: A cognitive model of idea generation in groups. *Personality and social psychology review 10*(3), 186–213.

Ong, Y. S., P. B. Nair, and A. J. Keane (2003). Evolutionary optimization of computationally expensive problems via surrogate modeling.

Parmee, I. (2002). Towards interactive evolutionary search and exploration systems. In *Bird-of-a-feather workshop: Genetic and Evolutionary Conference*.

Parmee, I. C. and C. R. Bonham (2000). Towards the support of innovative conceptual design through interactive designer/evolutionary computing strategies. *Ai Edam 14*(1), 3–16.

Paszke, A., S. Gross, F. Massa, A. Lerer, J. Bradbury, G. Chanan, T. Killeen, Z. Lin, N. Gimelshein, L. Antiga, A. Desmaison, A. Kopf, E. Yang, Z. DeVito, M. Raison, A. Tejani, S. Chilamkurthy, B. Steiner, L. Fang, J. Bai, and S. Chintala (2019). PyTorch: An Imperative Style, High-Performance Deep Learning Library. In H. Wallach, H. Larochelle, A. Beygelzimer, F. D'Alché-Buc, E. Fox, and R. Garnett (Eds.), *Advances in Neural Information Processing Systems 32*, pp. 8024–8035. Curran Associates, Inc.

Pearson, K. (1901). On lines and planes of closest fit to systems of points in space. *The London, Edinburgh, and Dublin Philosophical Magazine and Journal of Science 2*(11), 559–572.

Pétrowski, A. (1996). A clearing procedure as a niching method for genetic algorithms. In *Proceedings of IEEE international conference on evolutionary computation*, pp. 798–803. IEEE.

Pohlert, T. (2018). PMCMRplus: calculate pairwise multiple comparisons of mean rank sums extended - R package, version 1.4.1.

Pošík, P. and W. Huyer (2012). Restarted local search algorithms for continuous black box optimization. *Evolutionary Computation 20*(4), 575–607.

Preuss, M. (2006). Niching Prospects. *In Proceedings of Bioinspired Optimization Methods and their Applications (BIOMA 2006)*, 25–34.

Preuss, M. (2010). Niching the cma-es via nearest-better clustering. In *Proceedings of the 12th annual conference companion on Genetic and evolutionary computation*, pp. 1711–1718.

Preuss, M. (2012). Improved topological niching for real-valued global optimization. In *European Conference on the Applications of Evolutionary Computation*, pp. 386–395. Springer.

Preuss, M. (2015). *Multimodal Optimization by Means of Evolutionary Algorithms.*

Pugh, J. K., L. B. Soros, and K. O. Stanley (2016). Searching for quality diversity when diversity is unaligned with quality. *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics) 9921 LNCS*(Ppsn), 880–889.

Pugh, J. K., L. B. Soros, P. A. Szerlip, and K. O. Stanley (2015). Confronting the challenge of quality diversity. In *Proceedings of the 2015 Annual Conference on Genetic and Evolutionary Computation*, pp. 967–974.

R Core Team (2018). R: A language and environment for statistical computing.

Raidl, M.-H. and T. I. Lubart (2001). An empirical study of intuition and creativity. *Imagination, Cognition and Personality 20*(3), 217–230.

Rasmussen, C. E. (2004). Gaussian processes in machine learning. In *Advanced lectures on machine learning*, pp. 63–71. Springer.

Rasmussen, C. E. and H. Nickisch (2010). Gaussian processes for machine learning (GPML) toolbox. *Journal of Machine Learning Research 11*, 3011–3015.

Rosch, E. (1975). Cognitive reference points. *Cognitive psychology 7*(4), 532–547.

Runco, M. A. (2010). Divergent thinking, creativity, and ideation. *The Cambridge handbook of creativity 413*, 446.

Runco, M. A. and G. J. Jaeger (2012). The standard definition of creativity. *Creativity research journal 24*(1), 92–96.

Runco, M. A. and S. R. Pritzker (2020). *Encyclopedia of creativity.* Academic press.

Salvador, S. and P. Chan (2003). Determining the Number of Clusters / Segments in Hierarchical Clustering / Segmentation Algorithms. *Work*, 20.

Santanen, E. L., R. O. Briggs, and G.-J. D. Vreede (2004). Causal relationships in creative problem solving: Comparing facilitation interventions for ideation. *Journal of Management Information Systems 20*(4), 167–198.

Sartre, J.-P. and A. Elkaïm-Sartre (1946). L'existentialisme est un humanisme.

Schaaf, L. J., F. J. Odling-Smee, K. N. Laland, and M. W. Feldman (2003). *Niche construction: the neglected process in evolution.* Princeton University Press.

Schmid, P. J. (2010). Dynamic mode decomposition of numerical and experimental data. *Journal of fluid mechanics 656*, 5–28.

Schmidhuber, J. (2007). Simple algorithmic principles of discovery, subjective beauty, selective attention, curiosity & creativity. In *International Conference on Discovery Science*, pp. 26–38. Springer.

Schölkopf, B., A. Smola, and K.-R. Müller (1997). Kernel principal component analysis. In *International conference on artificial neural networks*, pp. 583–588. Springer.

Secretan, J., N. Beato, D. B. D'Ambrosio, A. Rodriguez, A. Campbell, J. T. Folsom-Kovarik, and K. O. Stanley (2011). Picbreeder: A case study in collaborative evolutionary exploration of design space. *Evolutionary computation 19*(3), 373–403.

Shaham, U. and S. Steinerberger (2017). Stochastic Neighbor Embedding separates well-separated clusters. pp. 1–8.

Shanno, D. F. (1970). Conditioning of quasi-newton methods for function minimization. *Mathematics of computation 24*(111), 647–656.

Shaw, M. P. (1989). The eureka process: A structure for the creative experience in science and engineering. *Creativity Research Journal 2*(4), 286–298.

Shir, O. M., M. Preuss, B. Naujoks, and M. Emmerich (2009). Enhancing decision space diversity in evolutionary multiobjective algorithms. *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics) 5467 LNCS*, 95–109.

Simonton, D. K. (2007). The Creative Process in Picasso's Guernica Sketches: Monotonic Improvements versus Nonmonotonic Variants. *Creativity Research Journal 19*(4), 329–344.

Smith, D., L. Tokarchuk, and G. Wiggins (2016). Rapid phenotypic landscape exploration through hierarchical spatial partitioning. *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics) 9921 LNCS*, 911–920.

Snoek, J., H. Larochelle, and R. P. Adams (2012). Practical bayesian optimization of machine learning algorithms. In *Advances in Neural Information Processing Systems*.

Sobol, I. M. (1967). On the distribution of points in a cube and the approximate evaluation of integrals. *Zhurnal Vychislitel'noi Matematiki i Matematicheskoi Fiziki 7*(4).

Solow, A. R. and S. Polasky (1994). Measuring biological diversity. *Environmental and Ecological Statistics 1*(2), 95–103.

Sørensen, P. D., J. M. Olsen, and S. Risi (2016). Breeding a diversity of super mario behaviors through interactive evolution. In *2016 IEEE Conference on Computational Intelligence and Games (CIG)*, pp. 1–7. IEEE.

Stanley, K. O. (2006). Exploiting regularity without development. In *Proceedings of the AAAI Fall Symposium on Developmental Systems*. AAAI Press.

Stanley, K. O. and R. Miikkulainen (2002). Evolving neural networks through augmenting topologies.

Stein, B. v., H. Wang, W. Kowalczyk, T. Bäck, and M. Emmerich (2015). Optimally weighted cluster kriging for big data regression. In *International Symposium on Intelligent Data Analysis*, pp. 310–321. Springer.

Stein, M. I. (1953). Creativity and culture. *The journal of psychology 36*(2), 311–322.

Sterelny, K. et al. (2001). Niche construction, developmental systems, and the extended replicator. *Cycles of contingency: Developmental systems and evolution*, 333–350.

Stork, J., M. Zaefferer, and T. Bartz-Beielstein (2019). Improving neuroevolution efficiency by surrogate model-based optimization with phenotypic distance kernels. In *Applications of Evolutionary Computation*.

Stork, J., M. Zaefferer, A. Fischbach, and T. Bartz-Beielstein (2017). Surrogate-assisted learning of neural networks. In *Proceedings 27. Workshop Computational Intelligence*.

Stump, G. M., M. Yukish, T. W. Simpson, and E. N. Harris (2003). Design space visualization and its application to a design by shopping paradigm. In *International Design Engineering Technical Conferences and Computers and Information in Engineering Conference*, Volume 37009, pp. 795–804.

Tarapore, D., J. Clune, A. Cully, and J.-B. Mouret (2016). How do different encodings influence the performance of the map-elites algorithm? In *Proceedings of the Genetic and Evolutionary Computation Conference 2016*, pp. 173–180.

Tenenbaum, J., V. de Silvia, and J. Langford (2000). A global framework for nonlinear dimensionality reduction. *Science. v290*, 2319–2323.

Tennekes, H. (1978). Turbulent flow in two and three dimensions. *Bulletin of the American Meteorological Society 59*(1), 22–28.

Tian, Y., R. Cheng, X. Zhang, M. Li, and Y. Jin (2019). Diversity assessment of multi-objective evolutionary algorithms: Performance metric and benchmark problems [research frontier]. *IEEE Computational Intelligence Magazine 14*(3), 61–74.

Toffolo, A. and E. Benini (2003). Genetic diversity as an objective in multi-objective evolutionary algorithms. *Evolutionary Computation 11*(2), 151–167.

Tomašev, N. and M. Radovanović (2016). Clustering evaluation in high-dimensional data. In *Unsupervised Learning Algorithms*, pp. 71–107. Springer.

Törn, A. and S. Viitanen (1992). Topographical global optimization. *Recent advances in global optimization*, 384–398.

Ulrich, T. (2010). Integrating Decision Space Diversity into Hypervolume-based Multiobjective Search Categories and Subject Descriptors. *GECCO 2010*, 455–462.

Ursem, R. K. (1999). Multinational evolutionary algorithms. In *Proceedings of the 1999 congress on evolutionary computation-CEC99 (Cat. No. 99TH8406)*, Volume 3, pp. 1633–1640. IEEE.

Valiant, L. G. (2009). Evolvability. *Journal of the ACM (JACM) 56*(1), 1–21.

Vassiliades, V., K. Chatzilygeroudis, J. Clune, and J.-B. Mouret. Scaling-up MAP-Elites Using Centroidal Voronoi Tesselations. *999*(999), 1–6.

Vassiliades, V., K. Chatzilygeroudis, and J.-B. Mouret (2017a). Comparing multimodal optimization and illumination. In *Proceedings of the Genetic and Evolutionary Computation Conference Companion*, pp. 97–98.

Vassiliades, V., K. Chatzilygeroudis, and J.-B. Mouret (2017b). A comparison of illumination algorithms in unbounded spaces. In *Proceedings of the Genetic and Evolutionary Computation Conference Companion*, pp. 1578–1581.

Vassiliades, V. and J.-B. Mouret (2018). Discovering the elite hypervolume by leveraging interspecies correlation. In *Proceedings of the Genetic and Evolutionary Computation Conference*, pp. 149–156.

Venables, W. N. and B. D. Ripley (2002). Modern applied statistics with s. Springer.

Volle, E. (2018). Associative and controlled cognition in divergent thinking: Theoretical, experimental, neuroimaging evidence, and new directions.

Volz, V., J. Schrum, J. Liu, S. M. Lucas, A. Smith, and S. Risi (2018). Evolving mario levels in the latent space of a deep convolutional generative adversarial network. In *Proceedings of the Genetic and Evolutionary Computation Conference*.

Wales, D. J. and J. P. Doye (1997). Global optimization by basin-hopping and the lowest energy structures of lennard-jones clusters containing up to 110 atoms. *The Journal of Physical Chemistry A 101*(28), 5111–5116.

Wallas, G. (1926). The art of thought.

Wang, H., Y. Jin, and J. O. Jansen (2016). Data-driven surrogate-assisted multi-objective evolutionary optimization of a trauma system.

Wang, H., Y. Jin, and X. Yao (2016). Diversity assessment in many-objective optimization. *IEEE transactions on cybernetics 47*(6), 1510–1522.

Wang, K. and J. V. Nickerson (2017). A literature review on individual creativity support systems. *Computers in Human Behavior 74*, 139–151.

Ward, T. B., S. M. Smith, and R. A. Finke (1999). Creative cognition. *Handbook of creativity 189*, 212.

Weisberg, R. W. and R. Hass (2007). Commentaries: We are all partly right: Comment on Simonton. *Creativity Research Journal 19*(4), 345–360.

Wessing, S. (2015). *Two-stage methods for multimodal optimization.* Ph. D. thesis, Universitätsbibliothek Dortmund.

Wessing, S. and M. Preuss (2016). On multiobjective selection for multimodal optimization. *Computational Optimization and Applications 63*(3), 875–902.

Whigham, P. A., G. Dick, and J. Maclaurin (2017). On the mapping of genotype to phenotype in evolutionary algorithms. *Genetic Programming and Evolvable Machines 18*(3), 353–361.

Wittgenstein, L. (1953). *Philosophische Untersuchungen.* Basil Blackwell.

Woolley, B. G. and K. O. Stanley (2014). A Novel Human-Computer Collaboration: Combining Novelty Search with Interactive Evolution. *Proceedings of the 16th annual conference on Genetic and evolutionary computation, GECCO '14*, 233–240.

Wright, N. A., D. W. Steadman, and C. C. Witt (2016). Predictable evolution toward flightlessness in volant island birds. *Proceedings of the National Academy of Sciences 113*(17), 4765–4770.

Yannakakis, G. N., A. Liapis, and C. Alexopoulos (2014). Mixed-initiative co-creativity.

Zaefferer, M. (2019). Combinatorial efficient global optimization in R - CEGO v2.3.0. accessed: 2019-03-19.

Zaefferer, M., J. Stork, O. Flasch, and T. Bartz-Beielstein (2018). Linear combination of distance measures for surrogate models in genetic programming. In *Parallel Problem Solving from Nature – PPSN XV*, Coimbra, Portugal.

Zwicky, F. (1969). Discovery, invention, research through the morphological approach.

Acronyms

AI artificial intelligence.

AIC Aikake information criterion.

AutoVE Automatic Voronoi-Elites.

BFGS Broyden-Fletcher-Goldfarb-Shanno.

BGK Bhatnagar-Gross-Krook.

BO Bayesian optimization.

cAE convolutional autoencoder.

CFD computational fluid dynamics.

CGP Cartesian genetic programming.

CPPN compositional pattern producing network.

cVAE convolutional variational autoencoder.

CVT centroidal Voronoi tessellation.

DBSCAN density-based spatial clustering of applications with noise.

DIRECT dividing rectangles.

DL deep learning.

DMD dynamic mode decomposition.

DR dimensionality reduction.

EA evolutionary algorithm.

ELBO evidence lower bound.

GAN generative adversarial network.

GM generative model.

GP Gaussian process.

GPU graphics processing unit.

HSP hierarchical spatial partitioning.

HyperPref interactive, co-creative process, determining the preference hypervolume.

KL Kullback-Leibler divergence.

kPCA kernel principal component analysis.

LBM Lattice Boltzmann method.

LS latent search.

MAP-Elites multidimensional archive of phenotypic elites.

MAPE mean absolute percentage error.

MMO multi-solution, multi-local or multimodal optimization.

MOO multi-objective (or multicriteria) optimization.

NEAT neuroevolution of augmenting topologies.

NS novelty search.

NSGA-II non-dominated sorting genetic algorithm II.

NSLC novelty search with local competition.

PCA principal component analysis.

PD Pure Diversity.

PE precise performance evaluations.

PFE precise phenotypic feature evaluations.

PRODUQD prototype discovery using quality diversity.

PS parameter search.

QD quality diversity.

ReLU rectified linear unit.

RLS restarted local search.

RMSE root mean square error.

SAIL surrogate-assisted illumination.

SDNN sum of distances to nearest neighbor.

SPD Solow-Polasky Diversity.

SPHEN surrogate-assisted phenotypic niching.

t-SNE t-distributed stochastic neighbourhood embedding.

UCB upper confidence bound.

UDHM user decision hypersurface model.

VAE variational autoencoder.

VE Voronoi-Elites.