



Universiteit
Leiden
The Netherlands

Multimodal MRI-based classification of Alzheimer's disease

Vos, F. de

Citation

Vos, F. de. (2021, December 9). *Multimodal MRI-based classification of Alzheimer's disease*. Retrieved from <https://hdl.handle.net/1887/3245855>

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/3245855>

Note: To cite this publication please use the final published version (if applicable).



Bibliography

- Abou Elseoud, A., Littow, H., Remes, J., Starck, T., Nikkinen, J., Nissilä, J., ... Kiviniemi, V. (2011). Group-ICA Model Order Highlights Patterns of Functional Brain Connectivity. *Frontiers in Systems Neuroscience*, 5(June), 37. <https://doi.org/10.3389/fnsys.2011.00037>
- Abrol, A., Fu, Z., Salman, M., Silva, R., Du, Y., Plis, S., & Calhoun, V. (2021). Deep learning encodes robust discriminative neuroimaging representations to outperform standard machine learning. *Nature Communications*, 12(1), 1–17.
- Agosta, F., Pievani, M., Geroldi, C., Copetti, M., Frisoni, G. B., & Filippi, M. (2012). Resting state fMRI in Alzheimer's disease: beyond the default mode network. *Neurobiology of Aging*, 33(8), 1564–1578. <https://doi.org/10.1016/j.neurobiolaging.2011.06.007>
- Albert, M. S., DeKosky, S. T., Dickson, D., Dubois, B., Feldman, H. H., Fox, N. C., ... Phelps, C. H. (2011). The diagnosis of mild cognitive impairment due to Alzheimer's disease: recommendations from the National Institute on Aging-Alzheimer's Association workgroups on diagnostic guidelines for Alzheimer's disease. *Alzheimer's & Dementia : The Journal of the Alzheimer's Association*, 7(3), 270–279. <https://doi.org/10.1016/j.jalz.2011.03.008>
- Alfaro-Almagro, F., Jenkinson, M., Bangerter, N. K., Andersson, J. L. R., Griffanti, L., Douaud, G., ... Vallee, E. (2018). Image processing and Quality Control for the first 10,000 brain imaging datasets from UK Biobank. *Neuroimage*, 166, 400–424.
- Alfaro-Almagro, F., McCarthy, P., Afyouni, S., Andersson, J. L. R., Bastiani, M., Miller, K. L., ... Smith, S. M. (2021). Confound modelling in UK Biobank brain imaging. *NeuroImage*, 224, 117002.
- Allen, E. A., Damaraju, E., Plis, S. M., Erhardt, E. B., Eichele, T., & Calhoun, V. D. (2012). Tracking whole-brain connectivity dynamics in the resting state. *Cerebral Cortex*, 24(3), 663–676. <https://doi.org/10.1093/cercor/bhs352>
- Allen, G., Barnard, H., McColl, R., Hester, A. L., Fields, J. A., Weiner, M. F., ... Cullum, C. M. (2007). Reduced hippocampal functional connectivity in Alzheimer disease. *Archives of Neurology*, 64(10), 1482–1487. <https://doi.org/10.1001/archneur.64.10.1482>
- Ashburner, J., & Friston, K. J. (2000). Voxel-based morphometry--the methods. *NeuroImage*, 11(6), 805–821. <https://doi.org/10.1006/nimg.2000.0582>
- Basaia, S., Agosta, F., Wagner, L., Canu, E., Magnani, G., Santangelo, R., ... Initiative, A. D. N. (2019). Automated classification of Alzheimer's disease and mild cognitive impairment using a single MRI and deep neural networks. *NeuroImage: Clinical*, 21, 101645.
- Beckmann, C. F., & Smith, S. M. (2004). Probabilistic independent component analysis for functional magnetic resonance imaging. *Medical Imaging, IEEE Transactions On*, 23(2), 137–152. <https://doi.org/10.1109/TMI.2003.822821>
- Beheshti, I., Demirel, H., & Initiative, A. D. N. (2016). Feature-ranking-based Alzheimer's disease classification from structural MRI. *Magnetic Resonance Imaging*, 34(3), 252–263.
- Binnewijzend, M. A. A., Schoonheim, M. M., Sanz-Arigita, E., Wink, A. M., van der Flier, W. M., Tolboom, N., ... Barkhof, F. (2012). Resting-state fMRI changes in Alzheimer's disease and mild cognitive impairment. *Neurobiology of Aging*, 33(9), 2018–2028. <https://doi.org/10.1016/j.neurobiolaging.2011.07.003>

- Binnewijzend, M. A. A., Adriaanse, S. M., Van der Flier, W. M., Teunissen, C. E., de Munck, J. C., Stam, C. J., ... Wink, A. M. (2014). Brain network alterations in Alzheimer's disease measured by Eigenvector centrality in fMRI are related to cognition and CSF biomarkers. *Human Brain Mapping*, 35(5), 2383–2393. <https://doi.org/10.1002/hbm.22335>
- Biswal, B. B., Mennes, M., Zuo, X.-N., Gohel, S., Kelly, C., Smith, S. M., ... Milham, M. P. (2010). Toward discovery science of human brain function. *Proceedings of the National Academy of Sciences of the United States of America*, 107(10), 4734–4739. <https://doi.org/10.1073/pnas.0911855107>
- Blennow, K., & Zetterberg, H. (2018). Biomarkers for Alzheimer's disease: current status and prospects for the future. *Journal of Internal Medicine*, 284(6), 643–663.
- Bozzali, M., Falini, A., Franceschi, M., Cercignani, M., Zuffi, M., Scotti, G., ... Filippi, M. (2002). White matter damage in Alzheimer's disease assessed in vivo using diffusion tensor magnetic resonance imaging. *Journal of Neurology, Neurosurgery & Psychiatry*, 72(6), 742–746.
- Bradley, A. P. (1997). The use of the area under the ROC curve in the evaluation of machine learning algorithms. *Pattern Recognition*, 30(7), 1145–1159. [https://doi.org/10.1016/S0031-3203\(96\)00142-2](https://doi.org/10.1016/S0031-3203(96)00142-2)
- Breiman, L. (1996). Stacked regressions. *Machine Learning*, 24, 49–64. <https://doi.org/10.1007/BF00117832>
- Breiman, L. (2001a). Random forests. *Machine Learning*, 45(1), 5–32.
- Breiman, L. (2001b). Statistical modeling: The two cultures (with comments and a rejoinder by the author). *Statistical Science*, 16(3), 199–231.
- Brier, M. R., Thomas, J. B., Snyder, A. Z., Benzinger, T. L., Zhang, D., Raichle, M. E., ... Ances, B. M. (2012). Loss of intranetwork and internetwork resting state functional connections with Alzheimer's disease progression. *The Journal of Neuroscience : The Official Journal of the Society for Neuroscience*, 32(26), 8890–8899. <https://doi.org/10.1523/JNEUROSCI.5698-11.2012>
- Bron, E. E., Smits, M., van der Flier, W. M., Vrenken, H., Barkhof, F., Scheltens, P., ... Klein, S. (2015). Standardized evaluation of algorithms for computer-aided diagnosis of dementia based on structural MRI: The CADDementia challenge. *NeuroImage*, 111, 562–579. <https://doi.org/10.1016/j.neuroimage.2015.01.048>
- Buckner, R. L., Snyder, A. Z., Shannon, B. J., LaRossa, G., Sachs, R., Fotenos, A. F., ... Mintun, M. A. (2005). Molecular, structural, and functional characterization of Alzheimer's disease: evidence for a relationship between default activity, amyloid, and memory. *J. Neurosci.*, 25(34), 7709–7717. <https://doi.org/10.1523/JNEUROSCI.2177-05.2005>
- Calamia, M., Markon, K., & Tranel, D. (2012). Scoring higher the second time around: meta-analyses of practice effects in neuropsychological assessment. *The Clinical Neuropsychologist*, 26(4), 543–570.
- Callaert, D. V., Ribbens, A., Maes, F., Swinnen, S. P., & Wenderoth, N. (2014). Assessing age-related gray matter decline with voxel-based morphometry depends significantly on segmentation and normalization procedures. *Frontiers in Aging Neuroscience*, 6(June), 124. <https://doi.org/10.3389/fnagi.2014.00124>
- Challis, E., Hurley, P., Serra, L., Bozzali, M., Oliver, S., & Cercignani, M. (2015). Gaussian process classification of Alzheimer's disease and mild cognitive impairment from resting-state fMRI. *NeuroImage*, 112, 232–243. <https://doi.org/10.1016/j.neuroimage.2015.02.037>

- Chan, D., Janssen, J. C., Whitwell, J. L., Watt, H. C., Jenkins, R., Frost, C., ... Fox, N. C. (2003). Change in rates of cerebral atrophy over time in early-onset Alzheimer's disease: Longitudinal MRI study. *Lancet*, 362, 1121–1122. [https://doi.org/10.1016/S0140-6736\(03\)14469-8](https://doi.org/10.1016/S0140-6736(03)14469-8)
- Chang, C., & Glover, G. H. (2011). Time-frequency dynamics of resting-state brain connectivity measured with fMRI. *NeuroImage*, 50(1), 81–98. <https://doi.org/10.1016/j.neuroimage.2009.12.011>
- Chen, G., Ward, B. D., Xie, C., Li, W., Wu, Z., Jones, J. L., ... Li, S.-J. (2011). Classification of Alzheimer Disease, Mild Cognitive Impairment, and Normal Cognitive Status with Large-Scale Network Analysis Based on Resting-State. *Neurology*, 259(1), 213–221. <https://doi.org/10.1148/radiol.10100734/-/DC1>
- Chen, X., Zhang, H., Gao, Y., Wee, C. Y., Li, G., & Shen, D. (2016). High-order resting-state functional connectivity network for MCI classification. *Human Brain Mapping*, 37(9), 3282–3296. <https://doi.org/10.1002/hbm.23240>
- Chu, C., Hsu, A. L., Chou, K. H., Bandettini, P., & Lin, C. (2012). Does feature selection improve classification accuracy? Impact of sample size and feature selection on classification using anatomical magnetic resonance images. *NeuroImage*, 60(1), 59–70. <https://doi.org/10.1016/j.neuroimage.2011.11.066>
- Clerx, L., Gronenschild, E. H. B. M., Echavarri, C., Verhey, F., Aalten, P., & Jacobs, H. I. L. (2015). Can FreeSurfer Compete with Manual Volumetric Measurements in Alzheimer's Disease? *Current Alzheimer Research*, 12(4), 358–367.
- Clerx, L., Visser, P. J., Verhey, F., & Aalten, P. (2012). New MRI markers for Alzheimer's disease: a meta-analysis of diffusion tensor imaging and a comparison with medial temporal lobe measurements. *Journal of Alzheimer's Disease*, 29(2), 405–429.
- Cui, Y., Liu, B., Luo, S., Zhen, X., Fan, M., Liu, T., ... Jin, J. S. (2011). Identification of Conversion from Mild Cognitive Impairment to Alzheimer's Disease Using Multivariate Predictors. *PLoS ONE*, 6(7), e21896. <https://doi.org/10.1371/journal.pone.0021896>
- Cuingnet, R., Gerardin, E., Tessieras, J., Auzias, G., Lehéricy, S., Habert, M. O., ... Colliot, O. (2011). Automatic classification of patients with Alzheimer's disease from structural MRI: A comparison of ten methods using the ADNI database. *NeuroImage*, 56(2), 766–781. <https://doi.org/10.1016/j.neuroimage.2010.06.013>
- Cummings, J., Aisen, P. S., Dubois, B., Frölich, L., Jack, C. R., Jones, R. W., ... Scheltens, P. (2016). Drug development in Alzheimer's disease: The path to 2025. *Alzheimer's Research and Therapy*, 8(1), 1–12. <https://doi.org/10.1186/s13195-016-0207-9>
- Dai, Z., Yan, C., Wang, Z., Wang, J., Xia, M., Li, K., & He, Y. (2012). Discriminative analysis of early Alzheimer's disease using multi-modal imaging and multi-level characterization with multi-classifier (M3). *NeuroImage*, 59(3), 2187–2195. <https://doi.org/10.1016/j.neuroimage.2011.10.003>
- Dale, a M., Fischl, B., & Sereno, M. I. (1999). Cortical surface-based analysis. I. Segmentation and surface reconstruction. *NeuroImage*, 9(2), 179–194. <https://doi.org/10.1006/nimg.1998.0395>
- Davatzikos, C., Bhatt, P., Shaw, L. M., Batmanghelich, K. N., & Trojanowski, J. Q. (2011). Prediction of MCI to AD conversion, via MRI, CSF biomarkers, and pattern classification. *Neurobiology of Aging*, 32(12), 2322.e19–2322.e27. <https://doi.org/10.1016/j.neurobiolaging.2010.05.023>

- De Jong, L. W., Van Der Hiele, K., Veer, I. M., Houwing, J. J., Westendorp, R. G. J., Bollen, E. L. E. M., ... Van Der Grond, J. (2008). Strongly reduced volumes of putamen and thalamus in Alzheimer's disease: An MRI study. *Brain*, 131(12), 3277–3285. <https://doi.org/10.1093/brain/awn278>
- de Leeuw, F. A., Peeters, C. F. W., Kester, M. I., Harms, A. C., Struys, E. A., Hankemeier, T., ... Scheltens, P. (2017). Blood-based metabolic signatures in Alzheimer's disease. *Alzheimer's & Dementia: Diagnosis, Assessment & Disease Monitoring*, 8, 196–207.
- De Magalhães Oliveira, P. P., Nitrini, R., Busatto, G., Buchpiguel, C., Sato, J. R., & Amaro, E. (2010). Use of SVM methods with surface-based cortical and volumetric subcortical measurements to detect Alzheimer's disease. *Journal of Alzheimer's Disease*, 19(4), 1263–1272. <https://doi.org/10.3233/JAD-2010-1322>
- de Vos, F., Koini, M., Schouten, T. M., Seiler, S., van der Grond, J., Lechner, A., ... Rombouts, S. A. R. B. (2018). A comprehensive analysis of resting state fMRI measures to classify individual patients with Alzheimer's disease. *NeuroImage*, 167(November 2017), 62–72. <https://doi.org/10.1016/j.neuroimage.2017.11.025>
- de Vos, F., Schouten, T. M., Koini, M., Bouts, M. J. R. J., Feis, R. A., Lechner, A., ... Rikert, M. G. M. O. (2020). Pre-trained MRI-based Alzheimer's disease classification models to classify memory clinic patients. *NeuroImage: Clinical*, 102303. <https://doi.org/https://doi.org/10.1016/j.nicl.2020.102303>
- de Vos, F., Schouten, T. M., Hafkemeijer, A., Doppler, E. G. P., van Swieten, J. C., de Rooij, M., ... Rombouts, S. A. R. B. (2016). Combining multiple anatomical MRI measures improves Alzheimer's disease classification. *Human Brain Mapping*, 37(5), 1920–1929. <https://doi.org/10.1002/hbm.23147>
- Desikan, R. S., Ségonne, F., Fischl, B., Quinn, B. T., Dickerson, B. C., Blacker, D., ... Killiany, R. J. (2006). An automated labeling system for subdividing the human cerebral cortex on MRI scans into gyral based regions of interest. *NeuroImage*, 31(3), 968–980. <https://doi.org/10.1016/j.neuroimage.2006.01.021>
- Diaz-de-Grenu, L. Z., Acosta-Cabrero, J., Chong, Y. F. V., Pereira, J. M. S., Sajjadi, S. a, Williams, G. B., & Nestor, P. J. (2014). A brief history of voxel-based grey matter analysis in Alzheimer's disease. *Journal of Alzheimer's Disease : JAD*, 38(3), 647–659. <https://doi.org/10.3233/JAD-130362>
- Dickerson, B. C., Feczko, E., Augustinack, J. C., Pacheco, J., Morris, J. C., Fischl, B., & Buckner, R. L. (2009). Differential effects of aging and Alzheimer's disease on medial temporal lobe cortical thickness and surface area. *Neurobiology of Aging*, 30(3), 432–440. <https://doi.org/10.1016/j.neurobiolaging.2007.07.022>
- Dipasquale, O., Griffanti, L., Clerici, M., Nemni, R., Baselli, G., & Baglio, F. (2015). High-Dimensional ICA Analysis Detects Within-Network Functional Connectivity Damage of Default-Mode and Sensory-Motor Networks in Alzheimer's Disease. *Frontiers in Human Neuroscience*, 9(February), 43. <https://doi.org/10.3389/fnhum.2015.00043>
- Dørum, E. S., Kaufmann, T., Alnæs, D., Andreassen, O. A., Richard, G., Kolskår, K. K., ... Westlye, L. T. (2017). Increased sensitivity to age-related differences in brain functional connectivity during continuous multiple object tracking compared to resting-state. *NeuroImage*, 148(October 2016), 364–372. <https://doi.org/10.1016/j.neuroimage.2017.01.048>
- Douaud, G., Jbabdi, S., Behrens, T. E. J., Menke, R. A., Gass, A., Monsch, A. U., ... Smith, S. (2011). DTI measures in crossing-fibre areas: Increased diffusion anisotropy reveals early white matter alteration in MCI and mild Alzheimer's disease. *NeuroImage*, 55(3), 880–890. <https://doi.org/10.1016/j.neuroimage.2010.12.008>



- Dumurgier, J., Hanseeuw, B. J., Hatling, F. B., Judge, K. A., Schultz, A. P., Chhatwal, J. P., ... Hyman, B. T. (2017). Alzheimer's disease biomarkers and future decline in cognitive normal older adults. *Journal of Alzheimer's Disease*, 60(4), 1451–1459.
- Dyrba, M., Barkhof, F., Fellgiebel, A., Filippi, M., Hausner, L., Hauenstein, K., ... group, E. study. (2015a). Predicting prodromal Alzheimer's disease in subjects with mild cognitive impairment using machine learning classification of multimodal multicenter diffusion-tensor and magnetic resonance imaging data. *Journal of Neuroimaging*, 25(5), 738–747.
- Dyrba, M., Ewers, M., Wegrzyn, M., Kilimann, I., Plant, C., Oswald, A., ... Teipel, S. J. (2013). Robust Automated Detection of Microstructural White Matter Degeneration in Alzheimer's Disease Using Machine Learning Classification of Multicenter DTI Data. *PLoS ONE*, 8(5), e64925. <https://doi.org/10.1371/journal.pone.0064925>
- Dyrba, M., Grothe, M., Kirste, T., & Teipel, S. J. (2015b). Multimodal analysis of functional and structural disconnection in Alzheimer's disease using multiple kernel SVM. *Human Brain Mapping*, 36(6), 2118–2131. <https://doi.org/10.1002/hbm.22759>
- Eckerström, M., Göthlin, M., Rolstad, S., Hessen, E., Eckerström, C., Nordlund, A., ... Sacuiu, S. (2017). Longitudinal evaluation of criteria for subjective cognitive decline and preclinical Alzheimer's disease in a memory clinic sample. *Alzheimer's & Dementia: Diagnosis, Assessment & Disease Monitoring*, 8, 96–107.
- Esteva, A., Kuprel, B., Novoa, R. A., Ko, J., Swetter, S. M., Blau, H. M., & Thrun, S. (2017). Dermatologist-level classification of skin cancer with deep neural networks. *Nature*, 542(7639), 115–118.
- Ewers, M., Teipel, S. J., Dietrich, O., Schönberg, S. O., Jessen, F., Heun, R., ... Hampel, H. (2006). Multicenter assessment of reliability of cranial MRI. *Neurobiology of Aging*, 27(8), 1051–1059. <https://doi.org/10.1016/j.neurobiolaging.2005.05.032>
- Fawcett, T. (2004). ROC Graphs : Notes and Practical Considerations for Researchers. *ReCALL*, 31(HPL-2003-4), 1–38. <https://doi.org/10.1.1.10.9777>
- Feis, R. A., Smith, S. M., Filippini, N., Douaud, G., Dopper, E. G. P., Heise, V., ... Mackay, C. E. (2015). ICA-based artifact removal diminishes scan site differences in multi-center resting-state fMRI. *Frontiers in Neuroscience*, 9(OCT). <https://doi.org/10.3389/fnins.2015.00395>
- Fernández-Delgado, M., Cernadas, E., Barro, S., & Amorim, D. (2014). Do we need hundreds of classifiers to solve real world classification problems? *The Journal of Machine Learning Research*, 15(1), 3133–3181.
- Filippini, N., Macintosh, B. J., Hough, M. G., Goodwin, G. M., Frisoni, G. B., Smith, S. M., ... Mackay, C. E. (2009). Distinct patterns of brain activity in young carriers of the APOE- e4 allele. *Proceedings of the National Academy of Sciences of the United States of America*, 106(17), 7209–7214. <https://doi.org/10.1073/pnas.0811879106>
- Fischl, B., Sereno, M. I., & Dale, a M. (1999). Cortical surface-based analysis. II: Inflation, flattening, and a surface-based coordinate system. *NeuroImage*, 9(2), 195–207. <https://doi.org/10.1006/nimg.1998.0396>
- Folstein, M. F., Folstein, S. E., & McHugh, P. R. (1975). "Mini-mental state": a practical method for grading the cognitive state of patients for the clinician. *Journal of Psychiatric Research*, 12(3), 189–198.
- Fortin, J. P., Cullen, N., Sheline, Y. I., Taylor, W. D., Aselcioglu, I., Cook, P. A., ... Shinohara, R. T. (2018). Harmonization of cortical thickness measurements across scanners and sites. *NeuroImage*, 167(June 2017), 104–120. <https://doi.org/10.1016/j.neuroimage.2017.11.024>

- Fortin, J. P., Parker, D., Tunç, B., Watanabe, T., Elliott, M. A., Ruparel, K., ... Shinohara, R. T. (2017). Harmonization of multi-site diffusion tensor imaging data. *NeuroImage*, 161(August), 149–170. <https://doi.org/10.1016/j.neuroimage.2017.08.047>
- Fotenos, A. F., Snyder, A. Z., Girton, L. E., Morris, J. C., & Buckner, R. L. (2005). Normative estimates of cross-sectional and longitudinal brain volume decline in aging and AD. *Neurology*, 64(6), 1032–1039. <https://doi.org/10.1212/01.WNL.0000154530.72969.11>
- Freudenberger, P., Petrovic, K., Sen, A., Töglhofer, A. M., Fixa, A., Hofer, E., ... Schmidt, R. (2016). Fitness and cognition in the elderly The Austrian Stroke Prevention Study. *Neurology*, 86(5), 418–424.
- Friedman, J., Hastie, T., & Tibshirani, R. (2010). Regularization Paths for Generalized Linear Models via Coordinate Descent. *Journal of Statistical Software*, 30(1), 1–3. Retrieved from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2929880/#>
- Friedman, J., Hastie, T., & Tibshirani, R. (2008). Sparse inverse covariance estimation with the graphical lasso. *Biostatistics*, 9(3), 432–441. <https://doi.org/10.1093/biostatistics/kxm045>
- Frisoni, G. B., Fox, N. C., Jack, C. R., Scheltens, P., & Thompson, P. M. (2010). The clinical use of structural MRI in Alzheimer disease. *Nature Review Neurology*, 6(2), 67–77. <https://doi.org/10.1038/nrneurol.2009.215>
- Frisoni, G. B., Boccardi, M., Barkhof, F., Blennow, K., Cappa, S., Chiotis, K., ... Gietl, A. (2017). Strategic roadmap for an early diagnosis of Alzheimer's disease based on biomarkers. *The Lancet Neurology*, 16(8), 661–676.
- Genin, E., Hannequin, D., Wallon, D., Slegers, K., Hiltunen, M., Combarros, O., ... Berr, C. (2011). APOE and Alzheimer disease: a major gene with semi-dominant inheritance. *Molecular Psychiatry*, 16(9), 903–907.
- Gerardin, E., Chételat, G., Chupin, M., Cuingnet, R., Desgranges, B., Kim, H.-S., ... Colliot, O. (2009). Multidimensional classification of hippocampal shape features discriminates Alzheimer's disease and mild cognitive impairment from normal aging. *NeuroImage*, 47(4), 1476–1486. <https://doi.org/10.1016/j.neuroimage.2009.05.036>
- Gold, B. T., Johnson, N. F., Powell, D. K., & Smith, C. D. (2012). White matter integrity and vulnerability to Alzheimer's disease: preliminary findings and future directions. *Biochimica et Biophysica Acta (BBA)-Molecular Basis of Disease*, 1822(3), 416–422.
- Grabner, G., Janke, A. L., Budge, M. M., Smith, D., Pruessner, J., & Collins, D. L. (2006). Symmetric atlas and model based segmentation: an application to the hippocampus in older adults. *Med Image Comput Comput Assist Interv Int Conf Med Image Comput Comput Assist Interv*, 9, 58–66. https://doi.org/10.1007/11866763_8
- Greicius, M. D., Srivastava, G., Reiss, A. L., & Menon, V. (2004). Default-mode network activity distinguishes Alzheimer's disease from healthy aging: evidence from functional MRI. *Proceedings of the National Academy of Sciences of the United States of America*, 101(13), 4637–4642. <https://doi.org/10.1073/pnas.0308627101>
- Griffanti, L., Rolinski, M., Szewczyk-Krolkowski, K., Menke, R. A., Filippini, N., Zamboni, G., ... Mackay, C. E. (2016). Challenges in the reproducibility of clinical studies with resting state fMRI: An example in early Parkinson's disease. *NeuroImage*, 124, 704–713. <https://doi.org/10.1016/j.neuroimage.2015.09.021>
- Han, Y., Wang, J., Zhao, Z., Min, B., Lu, J., Li, K., ... Jia, J. (2011). Frequency-dependent changes in the amplitude of low-frequency fluctuations in amnesic mild cognitive impairment: A resting-state fMRI study. *NeuroImage*, 55(1), 287–295. <https://doi.org/10.1016/j.neuroimage.2010.11.059>

- Handels, R. L., Aalten, P., Wolfs, C. A., OldeRikkert, M., Scheltens, P., Visser, P. J., ... Verhey, F. R. (2012). Diagnostic and economic evaluation of new biomarkers for Alzheimer's disease: the research protocol of a prospective cohort study. *BMC Neurology*, 12(1), 72. <https://doi.org/10.1186/1471-2377-12-72>
- Hanley, J. a, & McNeil, B. J. (1983). A method of comparing the areas under receiver operating characteristic curves derived from the same cases. *Radiology*, 148(3), 839–843. <https://doi.org/10.1148/radiology.148.3.6878708>
- Hardy, J., & Selkoe, D. J. (2002). The amyloid hypothesis of Alzheimer's disease: progress and problems on the road to therapeutics. *Science*, 297(5580), 353–356.
- Hindriks, R., Adhikari, M. H., Murayama, Y., Ganzetti, M., Mantini, D., Logothetis, N. K., & Deco, G. (2016). Can sliding-window correlations reveal dynamic functional connectivity in resting-state fMRI? *NeuroImage*, 127, 242–256. <https://doi.org/10.1016/j.neuroimage.2015.11.055>
- Hoerl, A. E., & Kennard, R. W. (1970). Ridge Regression: Biased Estimation for Nonorthogonal Problems. *Technometrics*, 12(1), 55–67. <https://doi.org/10.1080/00401706.1970.10488634>
- Hosseini, M., Powell, M., Collins, J., Callahan-Flintoft, C., Jones, W., Bowman, H., & Wyble, B. (2020). I tried a bunch of things: The dangers of unexpected overfitting in classification of brain data. *Neuroscience & Biobehavioral Reviews*.
- Huijbers, W., Vannini, P., Sperling, R. a., C.M., P., Cabeza, R., & Daselaar, S. M. (2012). Explaining the encoding/retrieval flip: Memory-related deactivations and activations in the posteromedial cortex. *Neuropsychologia*, 50(14), 3764–3774. <https://doi.org/10.1016/j.neuropsychologia.2012.08.021>
- Hutchison, R. M., Womelsdorf, T., Allen, E. A., Bandettini, P. A., Calhoun, V. D., Corbetta, M., ... Chang, C. (2013). Dynamic functional connectivity: promise, issues, and interpretations. *NeuroImage*, 80, 360–378. <https://doi.org/10.1016/j.neuroimage.2013.05.079>
- Hutton, C., Draganski, B., Ashburner, J., & Weiskopf, N. (2009). A comparison between voxel-based cortical thickness and voxel-based morphometry in normal aging. *NeuroImage*, 48(2), 371–380. <https://doi.org/10.1016/j.neuroimage.2009.06.043>
- Iltner, L. M., & Götz, J. (2011). Amyloid- β and tau--a toxic pas de deux in Alzheimer's disease. *Nature Reviews. Neuroscience*, 12(2), 65–72. <https://doi.org/10.1038/nrn2967>
- Jack Jr, C. R., Bernstein, M. A., Fox, N. C., Thompson, P., Alexander, G., Harvey, D., ... Ward, C. (2008). The Alzheimer's disease neuroimaging initiative (ADNI): MRI methods. *Journal of Magnetic Resonance Imaging: An Official Journal of the International Society for Magnetic Resonance in Medicine*, 27(4), 685–691.
- Jack Jr, C. R., Knopman, D. S., Jagust, W. J., Petersen, R. C., Weiner, M. W., Aisen, P. S., ... Weigand, S. D. (2013). Tracking pathophysiological processes in Alzheimer's disease: an updated hypothetical model of dynamic biomarkers. *The Lancet Neurology*, 12(2), 207–216.
- Jack, C. R., Shiung, M. M., Gunter, J. L., O'Brien, P. C., Weigand, S. D., Knopman, D. S., ... Petersen, R. C. (2004). Comparison of different MRI brain atrophy rate measures with clinical disease progression in AD. *Neurology*, 62(4), 591–600. <https://doi.org/10.1212/01.WNL.0000110315.26026.EF>
- Jack, C. R., Bennett, D. A., Blennow, K., Carrillo, M. C., Feldman, H. H., Frisoni, G. B., ... Knopman, D. S. (2016). A/T/N: an unbiased descriptive classification scheme for Alzheimer disease biomarkers. *Neurology*, 87(5), 539–547.

- Jack, C. R., Petersen, R. C., Xu, Y. C., Waring, S. C., O'Brien, P. C., Tangalos, E. G., ... Kokmen, E. (1997). Medial temporal atrophy on MRI in normal aging and very mild Alzheimer's disease. *Neurology*, 49(3), 786–794.
- Jack, C. R., Knopman, D. S., Jagust, W. J., Shaw, L. M., Aisen, P. S., Weiner, M. W., ... Trojanowski, J. Q. (2010). Hypothetical model of dynamic biomarkers of the Alzheimer's pathological cascade. *The Lancet Neurology*, 9(1), 119–128. [https://doi.org/10.1016/S1474-4422\(09\)70299-6](https://doi.org/10.1016/S1474-4422(09)70299-6)
- Jansen, W. J., Handels, R. L. H., Visser, P. J., Aalten, P., Bouwman, F., Claassen, J., ... Ramakers, I. H. G. B. (2017). The Diagnostic and Prognostic Value of Neuropsychological Assessment in Memory Clinic Patients. *Journal of Alzheimer's Disease*, 55(2), 679–689. <https://doi.org/10.3233/JAD-160126>
- Jenkinson, M., Bannister, P., Brady, M., & Smith, S. (2002). Improved optimization for the robust and accurate linear registration and motion correction of brain images. *NeuroImage*, 17(2), 825–841. [https://doi.org/10.1016/S1053-8119\(02\)91132-8](https://doi.org/10.1016/S1053-8119(02)91132-8)
- Jenkinson, M., Beckmann, C. F., Behrens, T. E. J., Woolrich, M. W., & Smith, S. M. (2012). Fsl. *NeuroImage*, 62(2), 782–790. <https://doi.org/10.1016/j.neuroimage.2011.09.015>
- Johnson, W. E., Li, C., & Rabinovic, A. (2007). Adjusting batch effects in microarray expression data using empirical Bayes methods. *Biostatistics*, 8(1), 118–127. <https://doi.org/10.1093/biostatistics/kxj037>
- Jones, D. T., Vemuri, P., Murphy, M. C., Gunter, J. L., Senjem, M. L., Machulda, M. M., ... Jack, C. R. (2012). Non-stationarity in the “resting brain's” modular architecture. *PLoS ONE*, 7(6), e39731. <https://doi.org/10.1371/journal.pone.0039731>
- Jovicich, J., Czanner, S., Han, X., Salat, D., van der Kouwe, A., Quinn, B., ... Fischl, B. (2009). MRI-derived measurements of human subcortical, ventricular and intracranial brain volumes: Reliability effects of scan sessions, acquisition sequences, data analyses, scanner upgrade, scanner vendors and field strengths. *NeuroImage*, 46(1), 177–192. <https://doi.org/10.1016/j.neuroimage.2009.02.010>
- Karas, G. B., Burton, E. J., Rombouts, S. a R. B., Van Schijndel, R. a., O'Brien, J. T., Scheltens, P., ... Barkhof, F. (2003). A comprehensive study of gray matter loss in patients with Alzheimer's disease using optimized voxel-based morphometry. *NeuroImage*, 18(4), 895–907. [https://doi.org/10.1016/S1053-8119\(03\)00041-7](https://doi.org/10.1016/S1053-8119(03)00041-7)
- Karas, G. B., Scheltens, P., Rombouts, S. a R. B., Visser, P. J., Van Schijndel, R. a., Fox, N. C., & Barkhof, F. (2004). Global and local gray matter loss in mild cognitive impairment and Alzheimer's disease. *NeuroImage*, 23(2), 708–716. <https://doi.org/10.1016/j.neuroimage.2004.07.006>
- Khazaei, A., Ebrahimzadeh, A., & Babajani-Feremi, A. (2015). Identifying patients with Alzheimer's disease using resting-state fMRI and graph theory. *Clinical Neurophysiology*, 126(11), 2132–2141. <https://doi.org/10.1016/j.clinph.2015.02.060>
- Klöppel, S., Stonnington, C. M., Chu, C., Draganski, B., Scahill, R. I., Rohrer, J. D., ... Frackowiak, R. S. J. (2008). Automatic classification of MR scans in Alzheimer's disease. *Brain : A Journal of Neurology*, 131(Pt 3), 681–689. <https://doi.org/10.1093/brain/awm319>
- Koch, W., Teipel, S., Mueller, S., Benninghoff, J., Wagner, M., Bokde, A. L. W., ... Meindl, T. (2012). Diagnostic power of default mode network resting state fMRI in the detection of Alzheimer's disease. *Neurobiology of Aging*, 33(3), 466–478. <https://doi.org/10.1016/j.neurobiolaging.2010.04.013>

- Krstajic, D., Buturovic, L. J., Leahy, D. E., & Thomas, S. (2014). Cross-validation pitfalls when selecting and assessing regression and classification models. *Journal of Cheminformatics*, 6(1), 1–15. <https://doi.org/10.1186/1758-2946-6-10>
- Lancaster, M. A., Seidenberg, M., Smith, J. C., Nielson, K. A., Woodard, J. L., Durgerian, S., & Rao, S. M. (2016). Diffusion tensor imaging predictors of episodic memory decline in healthy elders at genetic risk for alzheimer's disease. *Journal of the International Neuropsychological Society*, 22(10), 1005–1015.
- LeCun, Y., Bengio, Y., & Hinton, G. (2015). Deep learning. *Nature*, 521(7553), 436–444.
- Lerch, J. P., Pruessner, J. C., Zijdenbos, A., Hampel, H., Teipel, S. J., & Evans, A. C. (2005). Focal decline of cortical thickness in Alzheimer's disease identified by computational neuroanatomy. *Cerebral Cortex*, 15(7), 995–1001. <https://doi.org/10.1093/cercor/bhh200>
- Leung, K. K., Barnes, J., Ridgway, G. R., Bartlett, J. W., Clarkson, M. J., Macdonald, K., ... Ourselin, S. (2010). Automated cross-sectional and longitudinal hippocampal volume measurement in mild cognitive impairment and Alzheimer's disease. *NeuroImage*, 51(4), 1345–1359. <https://doi.org/10.1016/j.neuroimage.2010.03.018>
- Lindeboom, J., Schmand, B., Tulner, L., Walstra, G., & Jonker, C. (2002). Visual association test to detect early dementia of the Alzheimer type. *Journal of Neurology, Neurosurgery & Psychiatry*, 73(2), 126–133.
- Liu, Y., Pajananen, T., Zhang, Y., Westman, E., Wahlund, L.-O., Simmons, A., ... Tsolaki, M. (2011). Combination analysis of neuropsychological tests and structural MRI measures in differentiating AD, MCI and control groups—the AddNeuroMed study. *Neurobiology of Aging*, 32(7), 1198–1206.
- Lohmann, G., Margulies, D. S., Horstmann, A., Pleger, B., Lepsien, J., Goldhahn, D., ... Turner, R. (2010). Eigenvector centrality mapping for analyzing connectivity patterns in fMRI data of the human brain. *PLoS ONE*, 5(4), e10232. <https://doi.org/10.1371/journal.pone.0010232>
- Machulda, M. M., Pankratz, V. S., Christianson, T. J., Ivnik, R. J., Mielke, M. M., Roberts, R. O., ... Petersen, R. C. (2013). Practice effects and longitudinal cognitive change in normal aging vs. incident mild cognitive impairment and dementia in the Mayo Clinic Study of Aging. *The Clinical Neuropsychologist*, 27(8), 1247–1264.
- McKeith, I. G., Dickson, D. W., Lowe, J., Emre, M., O'Brien, J. T., Feldman, H., ... Perry, E. K. (2005). Diagnosis and management of dementia with Lewy bodies: third report of the DLB Consortium. *Neurology*, 65(12), 1863–1872.
- McKhann, G. M., Knopman, D. S., Chertkow, H., Hyman, B. T., Jack, C. R., Kawas, C. H., ... Phelps, C. H. (2011). The diagnosis of dementia due to Alzheimer's disease: Recommendations from the National Institute on Aging-Alzheimer's Association workgroups on diagnostic guidelines for Alzheimer's disease. *Alzheimer's and Dementia*, 7(3), 263–269. <https://doi.org/10.1016/j.jalz.2011.03.005>
- Mckhann, G., Drachman, D., & Folstein, M. (1984). Clinical diagnosis of Alzheimer's disease Report of the NINCDS-ADRDA Work Group under the auspices of Department of Health and Human Services Task Force. *Neurology*, 34, 939–944. <https://doi.org/10.1212/WNL.34.7.939>
- Mesrob, L., Sarazin, M., Hahn-Barma, V., Souza, L. C. De, Dubois, B., Gallinari, P., & Kinkingnéhun, S. (2012). DTI and Structural MRI Classification in Alzheimer's Disease. *Advances in Molecular Imaging*, 02(02), 12–20. <https://doi.org/10.4236/ami.2012.22003>

- Miller, K. L., Alfaro-Almagro, F., Bangerter, N. K., Thomas, D. L., Yacoub, E., Xu, J., ... Smith, S. M. (2016). Multimodal population brain imaging in the UK Biobank prospective epidemiological study. *Nature Neuroscience*, 19(11), 1523–1536. <https://doi.org/10.1038/nn.4393>
- Misra, C., Fan, Y., & Davatzikos, C. (2009). Baseline and longitudinal patterns of brain atrophy in MCI patients, and their use in prediction of short-term conversion to AD: results from ADNI. *Neuroimage*, 44(4), 1415–1422.
- Mitchell, A. J. (2009). A meta-analysis of the accuracy of the mini-mental state examination in the detection of dementia and mild cognitive impairment. *Journal of Psychiatric Research*, 43(4), 411–431.
- Mito, R., Raffelt, D., Dhollander, T., Vaughan, D. N., Tournier, J.-D., Salvado, O., ... Connelly, A. (2018). Fibre-specific white matter reductions in Alzheimer's disease and mild cognitive impairment. *Brain*, 141(3), 888–902.
- Morra, J. H., Tu, Z., Apostolova, L. G., Amity, E., Avedissian, C., Madsen, S. K., ... Weiner, M. W. (2010). Automated 3D mapping of hippocampal atrophy and its clinical correlates in 400 subjects with Alzheimer's disease, mild cognitive impairment, and elderly controls. *Brain*, 30(9), 2766–2788. <https://doi.org/10.1002/hbm.20708>. Automated
- Mulder, E. R., de Jong, R. a., Knol, D. L., van Schijndel, R. a., Cover, K. S., Visser, P. J., ... Vrenken, H. (2014). Hippocampal volume change measurement: Quantitative assessment of the reproducibility of expert manual outlining and the automated methods FreeSurfer and FIRST. *NeuroImage*, 92, 169–181. <https://doi.org/10.1016/j.neuroimage.2014.01.058>
- Natu, M. V, & Agarwal, A. K. (1995). Digit letter substitution test (DLST) as an alternative to digit symbol substitution test (DSST). *Human Psychopharmacology: Clinical and Experimental*, 10(4), 339–343.
- Pacheco, J., Goh, J. O., Kraut, M. A., Ferrucci, L., & Resnick, S. M. (2015). Neurobiology of Aging Greater cortical thinning in normal older adults predicts later cognitive impairment. *Neurobiology of Aging*, 36(2), 903–908. <https://doi.org/10.1016/j.neurobiolaging.2014.08.031>
- Palmqvist, S., Janelidze, S., Quiroz, Y. T., Zetterberg, H., Lopera, F., Stomrud, E., ... Leuzy, A. (2020). Discriminative Accuracy of Plasma Phospho-tau217 for Alzheimer Disease vs Other Neurodegenerative Disorders. *JAMA*.
- Parkes, L., Fulcher, B., Yücel, M., & Fornito, A. (2018). An evaluation of the efficacy, reliability, and sensitivity of motion correction strategies for resting-state functional MRI. *NeuroImage*, 171(July 2017), 415–436. <https://doi.org/10.1016/j.neuroimage.2017.12.073>
- Patenaude, B., Smith, S. M., Kennedy, D. N., & Jenkinson, M. (2011). A Bayesian model of shape and appearance for subcortical brain segmentation. *NeuroImage*, 56(3), 907–922. <https://doi.org/10.1016/j.neuroimage.2011.02.046>
- Patterson, C. (2018). World Alzheimer report 2018: the state of the art of dementia research: new frontiers. *Alzheimer's Disease International (ADI): London, UK*, 32–36.
- Pereira, J. B., Ibarretxe-Bilbao, N., Marti, M.-J., Compta, Y., Junqué, C., Bargallo, N., & Tolosa, E. (2012). Assessment of cortical degeneration in patients with Parkinson's disease by voxel-based morphometry, cortical folding, and cortical thickness. *Human Brain Mapping*, 33(11), 2521–2534. <https://doi.org/10.1002/hbm.21378>

- Pini, L., Pievani, M., Bocchetta, M., Altomare, D., Bosco, P., Cavedo, E., ... Frisoni, G. B. (2016). Brain atrophy in Alzheimer's disease and aging. *Ageing Research Reviews*, 30, 25–48.
- Prince, M., Bryce, R., & Ferri, C. (2011). *World Alzheimer Report 2011: The benefits of early diagnosis and intervention*.
- Prins, N. D., van Dijk, E. J., den Heijer, T., Vermeer, S. E., Koudstaal, P. J., Oudkerk, M., ... Breteler, M. M. B. (2004). Cerebral white matter lesions and the risk of dementia. *Archives of Neurology*, 61(10), 1531–1534.
- Pruim, R. H. R., Mennes, M., van Rooij, D., Llera, A., Buitelaar, J. K., & Beckmann, C. F. (2015). ICA-AROMA: A robust ICA-based strategy for removing motion artifacts from fMRI data. *Neuroimage*, 112, 267–277.
- Querbes, O., Aubry, F., Pariente, J., Lotterie, J.-A., Démonet, J.-F., Duret, V., ... Celsis, P. (2009). Early diagnosis of Alzheimer's disease using cortical thickness: impact of cognitive reserve. *Brain*, 132(8), 2036–2047. <https://doi.org/10.1093/brain/awp105>
- Rascovsky, K., Hodges, J. R., Knopman, D., Mendez, M. F., Kramer, J. H., Neuhaus, J., ... Onyike, C. U. (2011). Sensitivity of revised diagnostic criteria for the behavioural variant of frontotemporal dementia. *Brain*, 134(9), 2456–2477.
- Rashid, B., Damaraju, E., Pearlson, G. D., & Calhoun, V. D. (2014). Dynamic connectivity states estimated from resting fMRI Identify differences among Schizophrenia, bipolar disorder, and healthy control subjects. *Frontiers in Human Neuroscience*, 8(November), 897. <https://doi.org/10.3389/fnhum.2014.00897>
- Rathore, S., Habes, M., Aksam, M., Shacklett, A., & Davatzikos, C. (2017). NeuroImage A review on neuroimaging-based classification studies and associated feature extraction methods for Alzheimer's disease and its prodromal stages. *NeuroImage*, 155(April), 530–548. <https://doi.org/10.1016/j.neuroimage.2017.03.057>
- Redolfi, A., Manset, D., Barkhof, F., Wahlund, L.-O., Glatard, T., Mangin, J.-F., & Frisoni, G. B. (2015). Head-to-Head Comparison of Two Popular Cortical Thickness Extraction Algorithms: A Cross-Sectional and Longitudinal Study. *Plos One*, 10(3), e0117692. <https://doi.org/10.1371/journal.pone.0117692>
- Reitan, R. M. (1958). Validity of the Trail Making Test as an indicator of organic brain damage. *Perceptual and Motor Skills*, 8(3), 271–276.
- Rey, A. (1958). *L'examen clinique en psychologie*. Oxford: Universitaires De France.
- Ribeiro, M. T., Singh, S., & Guestin, C. (2016). "Why should i trust you?" Explaining the predictions of any classifier. *Proceedings of the 22nd ACM SIGKDD International Conference on Knowledge Discovery and Data Mining*, 1135–1144.
- Risacher, S. L., Shen, L., West, J. D., Kim, S., McDonald, B. C., Beckett, L. a., ... Saykin, A. J. (2010). Longitudinal MRI atrophy biomarkers: Relationship to conversion in the ADNI cohort. *Neurobiology of Aging*, 31(8), 1401–1418. <https://doi.org/10.1016/j.neurobiolaging.2010.04.029>
- Robin, X., Turck, N., Hainard, A., Tiberti, N., Lisacek, F., Sanchez, J.-C., & Müller, M. (2011). pROC: an open-source package for R and S+ to analyze and compare ROC curves. *BMC Bioinformatics*, 12(1), 77. <https://doi.org/10.1186/1471-2105-12-77>
- Román, G. C., Tatemichi, T. K., Erkinjuntti, T., Cummings, J. L., Masdeu, J. C., Garcia, J. H., ... Hofman, A. (1993). Vascular dementia: diagnostic criteria for research studies: report of the NINDS-AIREN International Workshop. *Neurology*, 43(2), 250.

- Rombouts, S. a R. B., Barkhof, F., Goekoop, R., Stam, C. J., & Scheltens, P. (2005). Altered resting state networks in mild cognitive impairment and mild Alzheimer's disease: An fMRI study. *Human Brain Mapping*, 26(4), 231–239. <https://doi.org/10.1002/hbm.20160>
- Rombouts, S. a, Barkhof, F., Witter, M. P., & Scheltens, P. (2000). Unbiased whole-brain analysis of gray matter loss in Alzheimer's disease. *Neuroscience Letters*, 285(3), 231–233.
- Ronan, L., Pienaar, R., Williams, G., Bullmore, E., Crow, T. J., Roberts, N., ... Fletcher, P. C. (2011). Intrinsic Curvature: a Marker of Millimeter-Scale Tangential Cortico-Cortical Connectivity? *International Journal of Neural Systems*, 21(5), 351–366. <https://doi.org/10.1142/S0129065711002948>
- Rubinov, M., & Sporns, O. (2010). Complex network measures of brain connectivity: Uses and interpretations. *NeuroImage*, 52(3), 1059–1069. <https://doi.org/10.1016/j.neuroimage.2009.10.003>
- Salat, D. H., Kaye, J. a, & Janowsky, J. S. (1999). Prefrontal gray and white matter volumes in healthy aging and Alzheimer disease. *Archives of Neurology*, 56(3), 338–344. <https://doi.org/10.1001/archneur.56.3.338>
- Salimi-Khorshidi, G., Douaud, G., Beckmann, C. F., Glasser, M. F., Griffanti, L., & Smith, S. M. (2014). Automatic denoising of functional MRI data: Combining independent component analysis and hierarchical fusion of classifiers. *NeuroImage*, 90, 449–468. <https://doi.org/10.1016/j.neuroimage.2013.11.046>
- Sanz-Arigita, E., Schoonheim, M. M., Damoiseaux, J., Rombouts, S. A., Maris, E., Barkhof, F., ... Stam, C. J. (2010). Loss of “small-world” networks in Alzheimer's disease: graph analysis of FMRI resting-state functional connectivity. *PloS One*, 5(11), e13788. <https://doi.org/10.1371/journal.pone.0013788>
- Scheltens, P., Blennow, K., Breteler, M. M., de Strooper, B., Frisoni, G. B., Salloway, S., & Van der Flier, W. M. (2016). Alzheimer's disease. *The Lancet*, 388, 505–517.
- Scher, a. I., Xu, Y., Korf, E. S. C., White, L. R., Scheltens, P., Toga, a. W., ... Launer, L. J. (2007). Hippocampal shape analysis in Alzheimer's disease: A population-based study. *NeuroImage*, 36(1), 8–18. <https://doi.org/10.1016/j.neuroimage.2006.12.036>
- Schmidt, R., Lechner, H., Fazekas, F., Niederkorn, K., Reinhart, B., Grieshofer, P., ... Dusek, T. (1994). Assessment of Cerebrovascular Risk Profiles in Healthy Persons: Definition of Research Goals and the Austrian Stroke Prevention Study (ASPS). *Neuroepidemiology*, 13(6), 308–313. <https://doi.org/10.1159/000110396>
- Schouten, T. M., Koini, M., de Vos, F., Seiler, S., van der Grond, J., Lechner, A., ... Rombouts, S. A. (2016). Combining anatomical, diffusion, and resting state functional magnetic resonance imaging for individual classification of mild and moderate Alzheimer's disease. *NeuroImage: Clinical*, 11, 46–51. <https://doi.org/10.1016/j.nicl.2016.01.002>
- Schouten, T. M., Koini, M., Vos, F. De, Seiler, S., Rooij, M. De, Lechner, A., ... Rombouts, S. a R. B. (2017). Individual Classification of Alzheimer's Disease with Diffusion Magnetic Resonance Imaging. *NeuroImage*, 152(October 2016), 476–481. <https://doi.org/10.1016/j.neuroimage.2017.03.025>
- Schulz, M.-A., Yeo, B. T. T., Vogelstein, J. T., Mourao-Miranada, J., Kather, J. N., Kording, K., ... Bzdok, D. (2019). Deep learning for brains?: Different linear and nonlinear scaling in UK Biobank brain images vs. machine-learning datasets. *BioRxiv*, 757054.

- Seeley, W. W., Crawford, R. K., Zhou, J., Miller, B. L., & Greicius, M. D. (2009). Neurodegenerative Diseases Target Large-Scale Human Brain Networks. *Neuron*, 62(1), 42–52. <https://doi.org/10.1016/j.neuron.2009.03.024>
- Seiler, S., Schmidt, H., Lechner, A., Benke, T., Sanin, G., Ransmayr, G., ... Schmidt, R. (2012). Driving Cessation and Dementia: Results of the Prospective Registry on Dementia in Austria (PRODEM). *PLoS ONE*, 7(12), e52710. <https://doi.org/10.1371/journal.pone.0052710>
- Shaw, E. E., Schultz, A. P., Sperling, R. a, & Hedden, T. (2015). Functional Connectivity in Multiple Cortical Networks Is Associated with Performance Across Cognitive Domains in Older Adults. *Brain Connectivity*, 5(8), 505–516. <https://doi.org/10.1089/brain.2014.0327>
- Sheline, Y. I., Morris, J. C., Snyder, A. Z., Price, J. L., Yan, Z., D'Angelo, G., ... Mintun, M. A. (2010a). APOE4 allele disrupts resting state fMRI connectivity in the absence of amyloid plaques or decreased CSF A β 42. *J Neurosci*, 30(50), 17035–17040. <https://doi.org/10.1523/JNEUROSCI.3987-10.2010>
- Sheline, Y. I., & Raichle, M. E. (2013). Resting state functional connectivity in preclinical Alzheimer's disease. *Biological Psychiatry*, 74(5), 340–347. <https://doi.org/10.1016/j.biopsych.2012.11.028>
- Sheline, Y. I., Raichle, M. E., Snyder, A. Z., Morris, J. C., Head, D., Wang, S., & Mintun, M. A. (2010b). Amyloid Plaques Disrupt Resting State Default Mode Network Connectivity in Cognitively Normal Elderly. *Biological Psychiatry*, 67(6), 584–587. <https://doi.org/10.1016/j.biopsych.2009.08.024>
- Shirer, W. R., Ryali, S., Rykhlevskaia, E., Menon, V., & Greicius, M. D. (2012). Decoding subject-driven cognitive states with whole-brain connectivity patterns. *Cerebral Cortex*, 22(1), 158–165. <https://doi.org/10.1093/cercor/bhr099>
- Shmueli, G. (2011). To Explain or to Predict? *Statistical Science*, 25(3), 289–310. <https://doi.org/10.1214/10-STS330>
- Simon, N., Friedman, J., Hastie, T., & Tibshirani, R. (2013). A sparse-group Lasso. *Journal of Computational and Graphical Statistics*, 22(2), 231–245. <https://doi.org/10.1080/10618600.2012.681250>
- Sluimer, J. D., van der Flier, W. M., Karas, G. B., Fox, N. C., Scheltens, P., Barkhof, F., & Vrenken, H. (2008). Whole-brain atrophy rate and cognitive decline: longitudinal MR study of memory clinic patients. *Radiology*, 248(2), 590–598.
- Smith, S. M., Woolrich, M. W., Ugurbil, K., Moeller, S., Xu, J., Glasser, M. F., ... Yacoub, E. S. (2012). Temporally-independent functional modes of spontaneous brain activity. *Proceedings of the National Academy of Sciences*, 109(8), 3131–3136. <https://doi.org/10.1073/pnas.1121329109>
- Smith, S. M., Jenkinson, M., Johansen-Berg, H., Rueckert, D., Nichols, T. E., Mackay, C. E., ... Matthews, P. M. (2006). Tract-based spatial statistics: voxelwise analysis of multi-subject diffusion data. *Neuroimage*, 31(4), 1487–1505.
- Smith, S. M., Jenkinson, M., Woolrich, M. W., Beckmann, C. F., Behrens, T. E. J., Johansen-Berg, H., ... Matthews, P. M. (2004). Advances in functional and structural MR image analysis and implementation as FSL. *NeuroImage*, 23 Suppl 1, S208–19. <https://doi.org/10.1016/j.neuroimage.2004.07.051>
- Smith, S. M., Miller, K. L., Salimi-Khorshidi, G., Webster, M., Beckmann, C. F., Nichols, T. E., ... Woolrich, M. W. (2011). Network modelling methods for FMRI. *NeuroImage*, 54(2), 875–891. <https://doi.org/10.1016/j.neuroimage.2010.08.063>

- Smith, S. M., Vidaurre, D., Beckmann, C. F., Glasser, M. F., Jenkinson, M., Miller, K. L., ... Van Essen, D. C. (2013). Functional connectomics from resting-state fMRI. *Trends in Cognitive Sciences*, 17(12), 666–682. <https://doi.org/10.1016/j.tics.2013.09.016>
- Sona, A., Ellis, K. A., & Ames, D. (2013). Rapid cognitive decline in Alzheimer's disease: A literature review. *International Review of Psychiatry*, 25(6), 650–658. <https://doi.org/10.3109/09540261.2013.859128>
- Song, X.-W., Dong, Z.-Y., Long, X.-Y., Li, S.-F., Zuo, X.-N., Zhu, C.-Z., ... Zang, Y.-F. (2011). REST: A Toolkit for Resting-State Functional Magnetic Resonance Imaging Data Processing. *PLoS ONE*, 6(9), e25031. <https://doi.org/10.1371/journal.pone.0025031>
- Sperling, R. (2011). The potential of functional MRI as a biomarker in early Alzheimer's disease. *Neurobiology of Aging*, 32(SUPPL. 1), S37–S43. <https://doi.org/10.1016/j.neurobiolaging.2011.09.009>
- Sperling, R. A., Aisen, P. S., Beckett, L. A., Bennett, D. A., Craft, S., Fagan, A. M., ... Montine, T. J. (2011). Toward defining the preclinical stages of Alzheimer's disease: Recommendations from the National Institute on Aging-Alzheimer's Association workgroups on diagnostic guidelines for Alzheimer's disease. *Alzheimer's & Dementia*, 7(3), 280–292.
- Stroop, J. R. (1935). Studies of interference in serial verbal reactions. *Journal of Experimental Psychology*, 18(6), 643.
- Sui, J., He, H., Yu, Q., Chen, J., Rogers, J., Pearlson, G. D., ... Calhoun, V. D. (2013). Combination of Resting State fMRI, DTI, and sMRI Data to Discriminate Schizophrenia by N-way MCCA + jICA. *Frontiers in Human Neuroscience*, 7(May), 235. <https://doi.org/10.3389/fnhum.2013.00235>
- Supekari, K., Menon, V., Rubin, D., Musen, M., & Greicius, M. D. (2008). Network analysis of intrinsic functional brain connectivity in Alzheimer's disease. *PLoS Computational Biology*, 4(6), e1000100. <https://doi.org/10.1371/journal.pcbi.1000100>
- Takao, H., Hayashi, N., & Ohtomo, K. (2014). Effects of study design in multi-scanner voxel-based morphometry studies. *Neuroimage*, 84, 133–140.
- Teipel, S. J., Grothe, M. J., Metzger, C. D., Grimmer, T., Sorg, C., Ewers, M., ... Dyrba, M. (2017a). Robust detection of impaired resting state functional connectivity networks in Alzheimer's disease using elastic net regularized regression. *Frontiers in Aging Neuroscience*, 8(JAN), 1–9. <https://doi.org/10.3389/fnagi.2016.00318>
- Teipel, S. J., Kurth, J., Krause, B., & Grothe, M. J. (2015). The relative importance of imaging markers for the prediction of Alzheimer's disease dementia in mild cognitive impairment — Beyond classical regression. *NeuroImage: Clinical*, 8, 583–593. <https://doi.org/10.1016/j.nicl.2015.05.006>
- Teipel, S. J., Metzger, C. D., Brosse, F., Buerger, K., Brueggen, K., Catak, C., ... Dyrba, M. (2018). Multicenter Resting State Functional Connectivity in Prodromal and Dementia Stages of Alzheimer's Disease. *Journal of Alzheimer's Disease*, 64(3), 801–813. <https://doi.org/10.3233/jad-180106>
- Teipel, S. J., Wohler, A., Metzger, C., Grimmer, T., Sorg, C., Ewers, M., ... Dyrba, M. (2017b). Multicenter stability of resting state fMRI in the detection of Alzheimer's disease and amnesic MCI. *NeuroImage: Clinical*, 14, 183–194. <https://doi.org/10.1016/j.nicl.2017.01.018>
- Thompson, P. M., Hayashi, K. M., de Zubicaray, G., Janke, A. L., Rose, S. E., Semple, J., ... Toga, A. W. (2003). Dynamics of gray matter loss in Alzheimer's disease. *The Journal of Neuroscience*, 23(3), 994–1005.

- Thompson, P. M., Hayashi, K. M., De Zubicaray, G. I., Janke, A. L., Rose, S. E., Semple, J., ... Toga, A. W. (2004). Mapping hippocampal and ventricular change in Alzheimer disease. *NeuroImage*, 22(4), 1754–1766. <https://doi.org/10.1016/j.neuroimage.2004.03.040>
- Tibshirani, R. (1996). Regression Shrinkage and Selection via the Lasso. *Journal of the Royal Statistical Society B*, Vol. 58, pp. 267–288. <https://doi.org/10.2307/2346178>
- Tombaugh, T. N. (2005). Test-retest reliable coefficients and 5-year change scores for the MMSE and 3MS. *Archives of Clinical Neuropsychology*, 20(4), 485–503.
- Trzepacz, P. T., Hochstetler, H., Yu, P., Castelluccio, P., Witte, M. M., Dellagnello, G., & Degenhardt, E. K. (2016). Relationship of Hippocampal Volume to Amyloid Burden across Diagnostic Stages of Alzheimer's Disease. *Dementia and Geriatric Cognitive Disorders*, 41(1–2), 68–79. <https://doi.org/10.1159/000441351>
- Trzepacz, P. T., Yu, P., Sun, J., Schuh, K., Case, M., Witte, M. M., ... Hake, A. (2014). Comparison of neuroimaging modalities for the prediction of conversion from mild cognitive impairment to alzheimer's dementia. *Neurobiology of Aging*, 35(1), 143–151. <https://doi.org/10.1016/j.neurobiolaging.2013.06.018>
- Tustison, N. J., Cook, P. a., Klein, A., Song, G., Das, S. R., Duda, J. T., ... Avants, B. B. (2014). Large-scale evaluation of ANTs and FreeSurfer cortical thickness measurements. *NeuroImage*, 99, 166–179. <https://doi.org/10.1016/j.neuroimage.2014.05.044>
- van Loon, W., Fokkema, M., Szabo, B., & de Rooij, M. (2020). Stacked penalized logistic regression for selecting views in multi-view learning. *Information Fusion*, 61(March), 113–123. <https://doi.org/10.1016/j.inffus.2020.03.007>
- Vieira, S., Pinaya, W. H. L., & Mechelli, A. (2017). Using deep learning to investigate the neuroimaging correlates of psychiatric and neurological disorders: Methods and applications. *Neuroscience & Biobehavioral Reviews*, 74, 58–75.
- Viviano, R. P., & Damoiseaux, J. S. (2020). Functional neuroimaging in subjective cognitive decline: current status and a research path forward. *Alzheimer's Research & Therapy*, 12(1), 1–18.
- Wahlund, L., Pihlstrand, E., & Jönhagen, M. E. (2003). Mild cognitive impairment: experience from a memory clinic. *Acta Neurologica Scandinavica*, 107, 21–24.
- Wang, L., Zang, Y., He, Y., Liang, M., Zhang, X., Tian, L., ... Li, K. (2006). Changes in hippocampal connectivity in the early stages of Alzheimer's disease: evidence from resting state fMRI. *NeuroImage*, 31(2), 496–504. <https://doi.org/10.1016/j.neuroimage.2005.12.033>
- Wechsler, D. (1997). *WMS-III Administration and Scoring Manual*. San Antonio, TX: The Psychological Corporation.
- Wee, C. Y., Yang, S., Yap, P. T., & Shen, D. (2016). Sparse temporally dynamic resting-state functional connectivity networks for early MCI identification. *Brain Imaging and Behavior*, 10(2), 342–356. <https://doi.org/10.1007/s11682-015-9408-2>
- Wee, C.-Y., Yap, P.-T., & Shen, D. (2013). Prediction of Alzheimer's disease and mild cognitive impairment using cortical morphological patterns. *Human Brain Mapping*, 34(12), 3411–3425. <https://doi.org/10.1002/hbm.22156>
- Westman, E., Aguilar, C., Muehlboeck, J. S., & Simmons, A. (2013). Regional magnetic resonance imaging measures for multivariate analysis in Alzheimer's disease and mild cognitive impairment. *Brain Topography*, 26(1), 9–23. <https://doi.org/10.1007/s10548-012-0246-x>

- Westman, E., Simmons, A., Zhang, Y., Muehlboeck, J.-S., Tunnard, C., Liu, Y., ... Vellas, B. (2011). Multivariate analysis of MRI data for Alzheimer's disease, mild cognitive impairment and healthy controls. *Neuroimage*, 54(2), 1178–1187.
- Wink, A. M., de Munck, J. C., van der Werf, Y. D., van den Heuvel, O. A., & Barkhof, F. (2012). Fast Eigenvector Centrality Mapping of Voxel-Wise Connectivity in Functional Magnetic Resonance Imaging: Implementation, Validation, and Interpretation. *Brain Connectivity*, 2(5), 265–274. <https://doi.org/10.1089/brain.2012.0087>
- Wolpert, D. H. (1992). Stacked generalization. *Neural Networks*, 5(2), 241–259. [https://doi.org/10.1016/S0893-6080\(05\)80023-1](https://doi.org/10.1016/S0893-6080(05)80023-1)
- Wolz, R., Julkunen, V., Koikkalainen, J., Niskanen, E., Zhang, D. P., Rueckert, D., ... Lötjönen, J. (2011). Multi-method analysis of MRI images in early diagnostics of Alzheimer's disease. *PLoS ONE*, 6(10), e25446. <https://doi.org/10.1371/journal.pone.0025446>
- World Health Organization. (2017). *Global action plan on the public health response to dementia 2017–2025*.
- Yu, M., Linn, K. A., Cook, P. A., Phillips, M. L., Mcinnis, M., Fava, M., ... Sheline, Y. I. (2018). Statistical harmonization corrects site effects in functional connectivity measurements from multi-site fMRI data. *Human Brain Mapping*, (March). <https://doi.org/10.1002/hbm.24241>
- Yuan, M., & Lin, Y. (2006). Model selection and estimation in regression with grouped variables. *Journal of the Royal Statistical Society: Series B (Statistical Methodology)*, 68(1), 49–67.
- Zang, Y.-F., He, Y., Zhu, C.-Z., Cao, Q.-J., Sui, M.-Q., Liang, M., ... Wang, Y.-F. (2007). Altered baseline brain activity in children with ADHD revealed by resting-state functional MRI. *Brain & Development*, 29(2), 83–91. <https://doi.org/10.1016/j.brain-dev.2006.07.002>
- Zhang, D., Wang, Y., Zhou, L., Yuan, H., Shen, D., & Initiative, A. D. N. (2011). Multimodal classification of Alzheimer's disease and mild cognitive impairment. *Neuroimage*, 55(3), 856–867.
- Zhang, Y., Schuff, N., Camacho, M., Chao, L. L., Fletcher, T. P., Yaffe, K., ... Weiner, M. W. (2013). MRI markers for mild cognitive impairment: comparisons between white matter integrity and gray matter volume measurements. *PloS One*, 8(6), e66367. <https://doi.org/10.1371/journal.pone.0066367>
- Zhu, T., Hu, R., Qiu, X., Taylor, M., Tso, Y., Yiannoutsos, C., ... Schifitto, G. (2011). Quantification of accuracy and precision of multi-center DTI measurements: a diffusion phantom and human brain study. *Neuroimage*, 56(3), 1398–1411.
- Zou, H., & Hastie, T. (2005). Regularization and variable selection via the elastic-net. *Journal of the Royal Statistical Society*, 67, 301–320. <https://doi.org/10.1111/j.1467-9868.2005.00503.x>
- Zou, Q. H., Zhu, C. Z., Yang, Y., Zuo, X. N., Long, X. Y., Cao, Q. J., ... Zang, Y. F. (2008). An improved approach to detection of amplitude of low-frequency fluctuation (ALFF) for resting-state fMRI: Fractional ALFF. *Journal of Neuroscience Methods*, 172(1), 137–141. <https://doi.org/10.1016/j.jneumeth.2008.04.012>