



Universiteit
Leiden
The Netherlands

Probing new physics in the laboratory and in space

Ovchynnikov, M.

Citation

Ovchynnikov, M. (2021, December 14). *Probing new physics in the laboratory and in space. Casimir PhD Series*. Retrieved from <https://hdl.handle.net/1887/3247187>

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/3247187>

Note: To cite this publication please use the final published version (if applicable).

Probing new physics in the laboratory and in space

Proefschrift

ter verkrijging van
de graad van doctor aan de Universiteit Leiden,
op gezag van rector magnificus prof. dr. ir. H. Bijl
volgens besluit van het college voor promoties
te verdedigen op 14 december 2021
klokke 12:30 uur

door

Maksym Ovchynnikov

geboren te Kiev (Oekraïne)
in 1994

Promotores: Prof. dr. Alexey Boyarsky
Prof. dr. Ana Achúcarro

Promotiecommissie: Prof.dr. J. Aarts
Dr. D.F.E. Smitleben
Prof. fr. K.E. Schalm
Prof. dr. N. Serra (University of Zurich, Switzerland)
Prof. dr. O. Ruchayskiy (University of Copenhagen, Denmark)

Casimir PhD series Delft-Leiden 2021-37
ISBN 978-90-8593-502-5
An electronic version of this thesis can be found at <https://openaccess.leidenuniv.nl>

The cover shows the Big Bang Nucleosynthesis reactions framework, which may be affected by currently undiscovered particles, and the SHiP experiment, the proposed flagman to search for heavy new physics particles in laboratory.

Contents

1	Introduction	6
1.1	Portals	8
1.2	LHC and dedicated accelerator experiments	9
1.2.1	Qualitative comparison of different experiments	10
1.3	Astrophysical and cosmological probes: defining the parameter space of interest for accelerator experiments	14
1.3.1	BBN	16
1.3.1.1	How short-lived FIPs affect BBN	18
1.3.2	CMB	19
1.3.2.1	Impact of short-lived FIPs on CMB	22
1.4	Summary	23
2	Accelerator and laboratory searches	24
2.1	Bounds on HNLs from CHARM experiment	24
2.1.1	CHARM experiment	26
2.1.2	Bounds of CHARM on HNLs as reported in literature	27
2.1.3	Phenomenology of HNLs at CHARM	28
2.1.3.1	Production	28
2.1.3.2	Decays and their detection	30
2.1.4	Results	33
2.1.5	Comparison with atmospheric beam dumps	35
2.1.5.1	Analytic estimates: comparison with CHARM	36
2.1.5.2	Accurate estimate	37
2.2	Searches with displaced vertices at the LHC	38
2.2.1	Displaced vertices with muon tracker at CMS	40
2.2.1.1	Description of the scheme	41
2.2.1.2	Estimation of the number of events	43
2.2.1.3	HNLs	45
2.2.1.4	Chern-Simons portal	48
2.2.1.5	Dark scalars with quartic coupling	49
2.2.1.6	Summary	51

2.3	Searches for light dark matter at SND@LHC	52
2.3.1	Scattering off nucleons: different signatures	53
2.3.1.1	Model example: leptophobic portal	55
2.3.2	SND@LHC	57
2.3.2.1	Description of experiment	57
2.3.2.2	Search for scatterings of LDM	59
2.3.2.3	Search for decays of mediators	60
2.3.3	Sensitivity of SND@LHC	62
2.3.3.1	Leptophobic portal	62
2.3.3.2	Decays	66
2.3.4	Comparison with FASER	68
2.3.4.1	Lower and upper bound of the sensitivity	69
2.3.4.2	Decays	70
2.3.4.3	Scattering	71
2.3.5	Conclusions	72
	Appendices	73
2.A	CHARM sensitivity based on number of decay events estimate	73
2.B	Decay events at SND@LHC	74
2.C	Leptophobic mediator: production, decays and scatterings	75
2.C.1	Production and decay	75
2.C.2	Elastic and inelastic scattering cross sections	77
2.C.2.1	Elastic scattering	77
2.C.2.2	Inelastic scattering	78
	3 Probes from cosmology	79
3.1	BBN and hadronically decaying particles	79
3.1.1	Measurements of ${}^4\text{He}$ abundance	79
3.1.2	Bound on hadronically decaying particles	80
3.1.3	Limits of applicability of the bound	84
3.2	CMB	86
3.2.1	Impact of short-lived FIPs on N_{eff}	88
3.2.1.1	Analytic considerations	88
3.2.1.2	Effect of Residual Non-equilibrium Neutrino Distortions	93
3.2.2	Summary	97
3.3	Case study: HNLs	98
3.3.1	Thermal history of HNLs	98
3.3.1.1	HNLs with mixing angles below U_{\min}	99
3.3.1.2	HNLs with mixing angles above U_{\min}	101
3.3.1.3	Evolution after decoupling	104
3.3.2	Hadronic decays of HNLs	105

3.3.3	Bounds from BBN and CMB	106
3.3.3.1	BBN	106
3.3.3.2	Results	107
3.3.4	Bound from CMB	108
3.3.4.1	Behavior of N_{eff}	110
3.3.5	Bounds from CMB	113
3.3.6	Implications for the Hubble Parameter	114
Appendices		117
3.A	Thermal dependence of mixing angle of HNLs	117
3.A.1	Neutrino self-energy	117
3.A.2	Derivation of U_m^2	119
3.B	Changes in $p \leftrightarrow n$ rates due to the presence of mesons	121
3.B.1	Numeric study	122
3.B.2	Numeric approach for long-lived HNLs	125
3.C	Temperature Evolution Equations	126
3.D	Comment on “Massive sterile neutrinos in the early universe: From thermal decoupling to cosmological constraints” by Mastrototaro et al.	127
Samenvatting		144
Summary		146
List of publications		147
Curriculum vitæ		150
Acknowledgements		151