



Universiteit
Leiden

The Netherlands

Choosing the right track: improving PTSD treatment outcomes for patients with childhood abuse-related posttraumatic stress disorder

Hoeboer, C.M.

Citation

Hoeboer, C. M. (2022, January 18). *Choosing the right track: improving PTSD treatment outcomes for patients with childhood abuse-related posttraumatic stress disorder*. Retrieved from <https://hdl.handle.net/1887/3249982>

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/3249982>

Note: To cite this publication please use the final published version (if applicable).

References

- Abo-Zaid, G., Sauerbrei, W., & Riley, R. D. (2012). Individual participant data meta-analysis of prognostic factor studies: state of the art? *Bmc Medical Research Methodology*, *12*. doi:10.1186/1471-2288-12-56
- Alegria, M., Fortuna, L. R., Lin, J. Y., Norris, F. H., Gao, S., Takeuchi, D. T., . . . Valentine, A. (2013). Prevalence, Risk, and Correlates of Posttraumatic Stress Disorder Across Ethnic and Racial Minority Groups in the United States. *Medical Care*, *51*(12), 1114-1123. doi:10.1097/MLR.000000000000007
- Allison, P. D., Williams, R., & Moral-Benito, E. (2017). Maximum Likelihood for Cross-lagged Panel Models with Fixed Effects. *Socius*, *3*, 2378023117710578. doi:10.1177/2378023117710578
- Angelakis, I., Gillespie, E. L., & Panagioti, M. (2019). Childhood maltreatment and adult suicidality: a comprehensive systematic review with meta-analysis. *Psychological Medicine*, *49*(7), 1057-1078. doi:10.1017/S0033291718003823
- APA. (1980). *Diagnostic and statistical manual of mental disorders (3rd ed.)*. Washington: American Psychiatric Association.
- APA. (2013). *Diagnostic and statistical manual of mental disorders (5th ed.)* Washington, D.C.
- Ashbaugh, A. R., Houle-Johnson, S., Herbert, C., El-Hage, W., & Brunet, A. (2016). Psychometric Validation of the English and French Versions of the Posttraumatic Stress Disorder Checklist for DSM-5 (PCL-5). *Plos One*, *11*(10). doi:ARTN e0161645 10.1371/journal.pone.0161645
- Asnaani, A., McLean, C. P., & Foa, E. B. (2016). Updating Watson & Marks (1971): How Has Our Understanding of the Mechanisms of Extinction Learning Evolved and Where Is Our Field Going Next? *Behavior Therapy*, *47*(5), 654-668. doi:10.1016/j.j.beth.2016.02.003
- Baas, M. A. M., van Pampus, M. G., Braam, L., Stramrood, C. A. I., & de Jongh, A. (2020). The effects of PTSD treatment during pregnancy: systematic review and case study. *European Journal of Psychotraumatology*, *11*(1), 1762310. doi:10.1080/20008198.2020.1762310
- Badour, C. L., Flanagan, J. C., Gros, D. F., Killeen, T., Pericot-Valverde, I., Korte, K. J., . . . Back, S. E. (2017). Habituation of Distress and Craving During Treatment as Predictors of Change in PTSD Symptoms and Substance Use Severity. *Journal of Consulting and Clinical Psychology*, *85*(3), 274-281. doi:10.1037/ccp0000180
- Bae, H., Kim, D., & Park, Y. C. (2016). Dissociation predicts treatment response in eye-movement desensitization and reprocessing for posttraumatic stress disorder. *Journal of Trauma & Dissociation*, *17*(1), 112-130. doi:10.1080/15299732.2015.1037039
- Barawi, K. S., Lewis, C., Simon, N., & Bisson, J. I. (2020). A systematic review of factors associated with outcome of psychological treatments for post-traumatic stress disorder. *European Journal of Psychotraumatology*, *11*(1), 1774240. doi:10.1080/20008198.2020.1774240
- Barbieri, A., Visco-Comandini, F., Fegatelli, D. A., Schepisi, C., Russo, V., Calo, F., . . . Stellacci, A. (2019). Complex trauma, PTSD and complex PTSD in African refugees. *European Journal of Psychotraumatology*, *10*(1). doi:10.1080/20008198.2019.1700621
- Barkham, M., Hardy, G. E., & Startup, M. (1996). The IIP-32: A short version of the inventory of interpersonal problems. *British Journal of Clinical Psychology*, *35*, 21-35.

- Bates, D., Machler, M., Bolker, B. M., & Walker, S. C. (2015). Fitting Linear Mixed-Effects Models Using lme4. *Journal of Statistical Software*, 67(1), 1-48.
- Beard, J. I. L., & Delgadillo, J. (2019). Early response to psychological therapy as a predictor of depression and anxiety treatment outcomes: A systematic review and meta-analysis. *Depression and Anxiety*, 36(9), 866-878. doi:10.1002/da.22931
- Beck, A. T., Steer, R. A., & Brown, G. K. (1996). *BDI-II, Beck depression inventory : manual* (2nd ed.). Boston: Psychological Corp. .
- Becker, C. B., Zayfert, C., & Anderson, E. (2004). A survey of psychologists' attitudes towards and utilization of exposure therapy for PTSD. *Behaviour Research and Therapy*, 42(3), 277-292. doi:10.1016/S0005-7967(03)00138-4
- Berliner, L., Bisson, J., Cloitre, M., Forbes, D., Goldbeck, L., Jensen, T. K., . . . Shapiro, F. (2019). ISTSS Guidelines Position Paper on Complex PTSD in Adults. Retrieved from [https://istss.org/getattachment/Treating-Trauma/New-ISTSS-Prevention-and-Treatment-Guidelines/ISTSS_CPTSD-Position-Paper-\(Adults\)_FNL.pdf.aspx](https://istss.org/getattachment/Treating-Trauma/New-ISTSS-Prevention-and-Treatment-Guidelines/ISTSS_CPTSD-Position-Paper-(Adults)_FNL.pdf.aspx)
- Bernstein, D. P., & Fink, L. (1998). *CTQ Childhood Trauma Questionnaire. A Retrospective Self-Report. Manual*. Harcourt, San Antonio: The Psychological Corporation.
- Bernstein, D. P., Stein, J. A., Newcomb, M. D., Walker, E., Pogge, D., Ahluvalia, T., . . . Zule, W. (2003). Development and validation of a brief screening version of the Childhood Trauma Questionnaire. *Child Abuse & Neglect*, 27(2), 169-190. doi:10.1016/S0145-2134(02)00541-0
- Bernstein, E. M., & Putnam, F. W. (1986). Development, Reliability, and Validity of a Dissociation Scale. *Journal of Nervous and Mental Disease*, 174(12), 727-735. doi:10.1097/00005053-198612000-00004
- Bhardwaj, S. S., Camacho, F., Derrow, A., Fleischer, A. B., & Feldmann, S. R. (2004). Statistical significance and clinical relevance - The importance of power in clinical trials in dermatology. *Archives of Dermatology*, 140(12), 1520-1523. doi:10.1001/archderm.140.12.1520
- Blevins, C. A., Weathers, F. W., Davis, M. T., Witte, T. K., & Domino, J. L. (2015). The Posttraumatic Stress Disorder Checklist for DSM-5 (PCL-5): Development and Initial Psychometric Evaluation. *Journal of Traumatic Stress*, 28(6), 489-498. doi:10.1002/jts.22059
- Bluett, E. J., Zoellner, L. A., & Feeny, N. C. (2014). Does change in distress matter? Mechanisms of change in prolonged exposure for PTSD. *Journal of Behavior Therapy and Experimental Psychiatry*, 45(1), 97-104. doi:10.1016/j.jbtep.2013.09.003
- Boeschoten, M. A., Bakker, A., Jongedijk, R. A., Van Minnen, A., Elzinga, B. M., Rademaker, A. R., & Olf, M. (2015). *Clinician administered PTSD scale for DSM-5—Dutch version*. Diemen: Arq Psychotrauma Expert Groep.
- Boeschoten, M. A., Van der Aa, N., Bakker, A., Ter Heide, F. J. J., Hoofwijk, M. C., Jongedijk, R. A., . . . Olf, M. (2018). Development and Evaluation of the Dutch Clinician-Administered PTSD Scale for DSM-5 (CAPS-5). *Eur J Psychotraumatol*, 9(1), 1546085. doi:10.1080/20008198.2018.1546085
- Bondjers, K., Hyland, P., Roberts, N. P., Bisson, J. I., Willebrand, M., & Arnberg, F. K. (2019). Validation of a clinician-administered diagnostic measure of ICD-11 PTSD and Complex PTSD: the International Trauma Interview in a Swedish sample. *European Journal of Psychotraumatology*, 10(1). doi:10.1080/20008198.2019.1665617
- Bouwman, C., Jong, K. D., Timman, R., Zijlstra-Vlasveld, M., Van der Feltz-Cornelis, C., Tan, S. S., & Hakkaart-van Roijen, L. (2013). Feasibility, reliability and validity of a

References

- questionnaire on healthcare consumption and productivity loss in patients with a psychiatric disorder (TiC-P). *Bmc Health Services Research*, 13.
- Bradley, R., Greene, J., Russ, E., Dutra, L., & Westen, D. (2005). A multidimensional meta-analysis of psychotherapy for PTSD. *American Journal of Psychiatry*, 162(2), 214-227. doi:DOI 10.1176/appi.ajp.162.2.214
- Bramer, W. M., Giustini, D., de Jonge, G. B., Holland, L., & Bekhuis, T. (2016). De-duplication of database search results for systematic reviews in EndNote. *Journal of the Medical Library Association*, 104(3), 240-243. doi:10.3163/1536-5050.104.3.014
- Brewin, C. R. (2019). Complex post-traumatic stress disorder: a new diagnosis in ICD-11. *BJPsych Advances*. doi:<https://doi.org/10.1192/bja.2019.48>
- Brewin, C. R., Cloitre, M., Hyland, P., Shevlin, M., Maercker, A., Bryant, R. A., . . . Reed, G. M. (2017). A review of current evidence regarding the ICD-11 proposals for diagnosing PTSD and complex PTSD. *Clinical Psychology Review*, 58, 1-15. doi:10.1016/j.cpr.2017.09.001
- Briere, J., Madni, L. A., & Godbout, N. (2016). Recent Suicidality in the General Population: Multivariate Association With Childhood Maltreatment and Adult Victimization. *Journal of Interpersonal Violence*, 31(18), 3063-3079. doi:10.1177/0886260515584339
- Brooks, R. (1996). EuroQol: The current state of play. *Health Policy*, 37(1), 53-72. doi:Doi 10.1016/0168-8510(96)00822-6
- Brown, L. A., Zandberg, L. J., & Foa, E. B. (2019). Mechanisms of Change in Prolonged Exposure Therapy for PTSD: Implications for Clinical Practice. *Journal of Psychotherapy Integration*, 29(1), 6-14. doi:10.1037/int0000109
- Bruijniks, S. J. E., Franx, G., & Huibers, M. J. H. (2018). The implementation and adherence to evidence-based protocols for psychotherapy for depression: the perspective of therapists in Dutch specialized mental healthcare. *BMC Psychiatry*, 18. doi:10.1186/s12888-018-1768-x
- Bryant, R. A. (2007). Does dissociation further our understanding of PTSD? *Journal of Anxiety Disorders*, 21(2), 183-191. doi:10.1016/j.janxdis.2006.09.012
- Button, K. S., Ioannidis, J. P. A., Mokrysz, C., Nosek, B. A., Flint, J., Robinson, E. S. J., & Munafo, M. R. (2013). Power failure: why small sample size undermines the reliability of neuroscience (vol 14, pg 365-376, 2013). *Nature Reviews Neuroscience*, 14(6), 444-444. doi:10.1038/nrn3502
- Cahill, S. P., Rauch, S. A., Hembree, E. A., & Foa, E. B. (2003). Effect of Cognitive-Behavioral Treatments for PTSD on Anger. *Journal of Cognitive Psychotherapy*, 17, 113-131.
- Carpenter, J. K., Pinaire, M., & Hofmann, S. G. (2019). From Extinction Learning to Anxiety Treatment: Mind the Gap. *Brain Sciences*, 9(7). doi:10.3390/brainsci9070164
- Carr, E. R., Woods, A. M., Vahabzadeh, A., Sutton, C., Wittenauer, J., & Kaslow, N. J. (2013). PTSD, Depressive Symptoms, and Suicidal Ideation in African American Women: A Mediated Model. *Journal of Clinical Psychology in Medical Settings*, 20(1), 37-45. doi:10.1007/s10880-012-9316-1
- Classen, C. C., Pain, C., Field, N. P., & Woods, P. (2006). Posttraumatic personality disorder: A reformulation of complex posttraumatic stress disorder and borderline personality disorder. *Psychiatric Clinics of North America*, 29(1), 87-+. doi:10.1016/j.psc.2005.11.001
- Cloitre, M. (2015). The "one size fits all" approach to trauma treatment: should we be satisfied? *Eur J Psychotraumatol*, 6, 27344. doi:10.3402/ejpt.v6.27344

- Cloitre, M., Cohen, L. R., & Koenen, K. C. (2006). *Treating survivors of childhood abuse : psychotherapy for the interrupted life*. New York: Guilford Press.
- Cloitre, M., Courtois, C. A., Ford, J. D., Green, B. L., Alexander, P., Briere, J., . . . Van der Hart, O. (2012a). The ISTSS Expert Consensus Treatment Guidelines for Complex PTSD in Adults. Retrieved from http://www.istss.org/ISTSS_Main/media/Documents/ISTSS-Expert-Concesnsus-Guidelines-for-Complex-PTSD-Updated-060315.pdf
- Cloitre, M., Garvert, D. W., Weiss, B., Carlson, E. B., & Bryant, R. A. (2014). Distinguishing PTSD, Complex PTSD, and Borderline Personality Disorder: A latent class analysis. *Eur J Psychotraumatol*, 5. doi:10.3402/ejpt.v5.25097
- Cloitre, M., Hyland, P., Bisson, J. I., Brewin, C. R., Roberts, N. P., Karatzias, T., & Shevlin, M. (2019). ICD-11 Posttraumatic Stress Disorder and Complex Posttraumatic Stress Disorder in the United States: A Population-Based Study. *Journal of Traumatic Stress*, 32(6), 833-842. doi:10.1002/jts.22454
- Cloitre, M., Karatzias, T., & Ford, J. (2020). Complex PTSD. In D. Forbes, C. Monson, L. Berliner, & J. I. Bisson (Eds.), *Effective Treatments for PTSD: Practice Guidelines for the International Society for Traumatic Stress Studies*. New York: Guilford Press.
- Cloitre, M., Koenen, K. C., Cohen, L. R., & Han, H. (2002). Skills training in affective and interpersonal regulation followed by exposure: A phase-based treatment for PTSD related to childhood abuse. *Journal of Consulting and Clinical Psychology*, 70(5), 1067-1074. doi:10.1037//0022-006x.70.5.1067
- Cloitre, M., Miranda, R., Stovall-McClough, K. C., & Han, H. (2005). Beyond PTSD: Emotion regulation and interpersonal problems as predictors of functional impairment in survivors of childhood abuse. *Behavior Therapy*, 36(2), 119-124. doi:10.1016/S0005-7894(05)80060-7
- Cloitre, M., Petkova, E., Su, Z., & Weiss, B. (2016). Patient characteristics as a moderator of post-traumatic stress disorder treatment outcome: combining symptom burden and strengths. *BJPsych Open*, 2(2), 101-106. doi:10.1192/bjpo.bp.115.000745
- Cloitre, M., Petkova, E., Wang, J., & Lu, F. H. (2012b). An Examination of the Influence of a Sequential Treatment on the Course and Impact of Dissociation among Women with Ptsd Related to Childhood Abuse. *Depression and Anxiety*, 29(8), 709-717. doi:10.1002/da.21920
- Cloitre, M., Roberts, N. P., Bisson, J. I., & Brewin, C. R. (2017). *The International Trauma Questionnaire (ITQ) (Unpublished Measure)*.
- Cloitre, M., Shevlin, M., Brewin, C. R., Bisson, J. I., Roberts, N. P., Maercker, A., . . . Hyland, P. (2018). The International Trauma Questionnaire: development of a self-report measure of ICD-11 PTSD and complex PTSD. *Acta Psychiatrica Scandinavica*, 138(6), 536-546. doi:10.1111/acps.12956
- Cloitre, M., Stolbach, B. C., Herman, J. L., van der Kolk, B., Pynoos, R., Wang, J., & Petkova, E. (2009). A Developmental Approach to Complex PTSD: Childhood and Adult Cumulative Trauma as Predictors of Symptom Complexity. *Journal of Traumatic Stress*, 22(5), 399-408. doi:10.1002/jts.20444
- Cloitre, M., Stovall-McClough, K. C., Miranda, R., & Chemtob, C. M. (2004). Therapeutic alliance, negative mood regulation, and treatment outcome in child abuse-related posttraumatic stress disorder. *Journal of Consulting and Clinical Psychology*, 72(3), 411-416. doi:10.1037/0022-006x.72.3.411
- Cloitre, M., Stovall-McClough, K. C., Noonan, K., Zorbas, P., Cherry, S., Jackson, C. L., . . . Petkova, E. (2010). Treatment for PTSD Related to Childhood Abuse: A Randomized

References

- Controlled Trial. *American Journal of Psychiatry*, 167(8), 915-924.
doi:10.1176/appi.ajp.2010.09081247
- Cohen, Z. D., Kim, T. T., Van, H. L., Dekker, J. J. M., & Driessen, E. (2020). A demonstration of a multi-method variable selection approach for treatment selection: Recommending cognitive-behavioral versus psychodynamic therapy for mild to moderate adult depression. *Psychother Res*, 30(2), 137-150. doi:10.1080/10503307.2018.1563312
- Coid, J., Petruckevitch, A., Feder, G., Chung, W.-S., Richardson, J., & Moorey, S. (2001). Relation between childhood sexual and physical abuse and risk of revictimisation in women: a cross-sectional survey. *The Lancet*, 358(9280), 450-454.
doi:10.1016/s0140-6736(01)05622-7
- Cook, J. M., Dinnen, S., Simiola, V., Thompson, R., & Schnurr, P. P. (2014). VA Residential Provider Perceptions of Dissuading Factors to the Use of Two Evidence-Based PTSD Treatments. *Professional Psychology-Research and Practice*, 45(2), 136-142.
doi:10.1037/a0036183
- Cooper, A. A., Clifton, E. G., & Feeny, N. C. (2017a). An empirical review of potential mediators and mechanisms of prolonged exposure therapy. *Clinical Psychology Review*, 56, 106-121. doi:10.1016/j.cpr.2017.07.003
- Cooper, A. A., Kline, A. C., Graham, B., Bedard-Gilligan, M., Mello, P. G., Feeny, N. C., & Zoellner, L. A. (2017b). Homework "Dose," Type, and Helpfulness as Predictors of Clinical Outcomes in Prolonged Exposure for PTSD. *Behavior Therapy*, 48(2), 182-194.
doi:DOI 10.1016/j.beth.2016.02.013
- Cooper, A. A., Zoellner, L. A., Roy-Byrne, P., Mavissakalian, M. R., & Feeny, N. C. (2017c). Do Changes in Trauma-Related Beliefs Predict PTSD Symptom Improvement in Prolonged Exposure and Sertraline? *Journal of Consulting and Clinical Psychology*, 85(9), 873-882. doi:10.1037/ccp0000220
- Cougle, J. R., Timpano, K. R., Sachs-Ericsson, N., Keough, M. E., & Riccardi, C. J. (2010). Examining the unique relationships between anxiety disorders and childhood physical and sexual abuse in the National Comorbidity Survey-Replication. *Psychiatry Research*, 177(1-2), 150-155. doi:10.1016/j.psychres.2009.03.008
- Courtois, C. A. (2004). Complex trauma, complex reactions: Assessment and treatment. *Psychotherapy*, 41(4), 412-425. doi:10.1037/0033-3204.41.4.412
- Craske, M. G., Kircanski, K., Zelikowsky, M., Mystkowski, J., Chowdhury, N., & Baker, A. (2008). Optimizing inhibitory learning during exposure therapy. *Behaviour Research and Therapy*, 46(1), 5-27. doi:10.1016/j.brat.2007.10.003
- Craske, M. G., Treanor, M., Conway, C. C., Zbozinek, T., & Vervliet, B. (2014). Maximizing exposure therapy: an inhibitory learning approach. *Behav Res Ther*, 58, 10-23.
doi:10.1016/j.brat.2014.04.006
- Crocq, M. A., & Crocq, L. (2000). From shell shock and war neurosis to posttraumatic stress disorder: a history of psychotraumatology. *Dialogues Clin Neurosci*, 2(1), 47-55.
- Cusack, K., Jonas, D. E., Forneris, C. A., Wines, C., Sonis, J., Middleton, J. C., . . . Gaynes, B. N. (2016). Psychological treatments for adults with posttraumatic stress disorder: A systematic review and meta-analysis. *Clinical Psychology Review*, 43, 128-141.
doi:10.1016/j.cpr.2015.10.003
- de Bont, P. A., van den Berg, D. P., van der Vleugel, B. M., de Roos, C., Mulder, C. L., Becker, E. S., . . . van Minnen, A. (2013). A multi-site single blind clinical study to compare the effects of prolonged exposure, eye movement desensitization and reprocessing and waiting list on patients with a current diagnosis of psychosis and co morbid post

- traumatic stress disorder: study protocol for the randomized controlled trial Treating Trauma in Psychosis. *Trials*, 14, 151. doi:10.1186/1745-6215-14-151
- de Haan, K. B. L., Lee, C. S. W., Correia, H., Menninga, S., Fassbinder, E., Koehne, S., & Arntz, A. (2021). Patient and Therapist Perspectives on Treatment for Adults with PTSD from Childhood Trauma. *Journal of Clinical Medicine*, 10(5). doi:10.3390/jcm10050954
- De Jongh, A., Resick, P. A., Zoellner, L. A., van Minnen, A., Lee, C. W., Monson, C. M., . . . Bicanic, I. A. (2016). Critical Analysis of the Current Treatment Guidelines for Complex Ptsd in Adults. *Depress Anxiety*, 33(5), 359-369. doi:10.1002/da.22469
- de Kleine, R. A., Hendriks, G. J., Kusters, W. J. C., Broekman, T. G., & van Minnen, A. (2012). A Randomized Placebo-Controlled Trial of D-Cycloserine to Enhance Exposure Therapy for Posttraumatic Stress Disorder. *Biological Psychiatry*, 71(11), 962-968. doi:10.1016/j.biopsych.2012.02.033
- de Kleine, R. A., Hendriks, L., Becker, E. S., Broekman, T. G., & van Minnen, A. (2017). Harm expectancy violation during exposure therapy for posttraumatic stress disorder. *J Anxiety Disord*, 49, 48-52. doi:10.1016/j.janxdis.2017.03.008
- de Kleine, R. A., Smits, J. A., Hendriks, G. J., Becker, E. S., & van Minnen, A. (2015). Extinction learning as a moderator of d-cycloserine efficacy for enhancing exposure therapy in posttraumatic stress disorder. *J Anxiety Disord*, 34, 63-67. doi:10.1016/j.janxdis.2015.06.005
- de Vries, G. J., & Olff, M. (2009). The Lifetime Prevalence of Traumatic Events and Posttraumatic Stress Disorder in the Netherlands. *Journal of Traumatic Stress*, 22(4), 259-267. doi:10.1002/jts.20429
- Deisenhofer, A. K., Delgadillo, J., Rubel, J. A., Bohnke, J. R., Zimmermann, D., Schwartz, B., & Lutz, W. (2018). Individual treatment selection for patients with posttraumatic stress disorder. *Depress Anxiety*, 35(6), 541-550. doi:10.1002/da.22755
- Delevry, D., & Le, Q. A. (2019). Effect of Treatment Preference in Randomized Controlled Trials: Systematic Review of the Literature and Meta-Analysis. *Patient-Patient Centered Outcomes Research*, 12(6), 593-609. doi:10.1007/s40271-019-00379-6
- Delgadillo, J. (2018). StratCare trial: Pragmatic randomised controlled trial of a stratified care model for depression and anxiety. Retrieved from <http://www.isrctn.com/ISRCTN11106183>
- Delgadillo, J., & Duhne, P. G. S. (2020). Targeted Prescription of Cognitive-Behavioral Therapy Versus Person-Centered Counseling for Depression Using a Machine Learning Approach. *Journal of Consulting and Clinical Psychology*, 88(1), 14-24. doi:10.1037/ccp0000476
- Delgadillo, J., & Lutz, W. (2020). A Development Pathway Towards Precision Mental Health Care. *JAMA Psychiatry*. doi:10.1001/jamapsychiatry.2020.1048
- DeRubeis, R. J., Cohen, Z. D., Forand, N. R., Fournier, J. C., Gelfand, L. A., & Lorenzo-Luaces, L. (2014). The Personalized Advantage Index: translating research on prediction into individualized treatment recommendations. A demonstration. *PLoS One*, 9(1), e83875. doi:10.1371/journal.pone.0083875
- Devilly, G. J., & Borkovec, T. D. (2000). Psychometric properties of the credibility/expectancy questionnaire. *Journal of Behavior Therapy and Experimental Psychiatry*, 31(2), 73-86. doi:10.1016/S0005-7916(00)00012-4
- Devilly, G. J., & McFarlane, A. C. (2009). When Wait Lists Are not Feasible, Nothing Is a Thing That Does not Need to Be Done. *Journal of Consulting and Clinical Psychology*, 77(6), 1159-1168. doi:10.1037/a0016878

References

- Dewar, M., Paradis, A., & Fortin, C. A. (2020). Identifying Trajectories and Predictors of Response to Psychotherapy for Post-Traumatic Stress Disorder in Adults: A Systematic Review of Literature. *Canadian Journal of Psychiatry-Revue Canadienne De Psychiatrie*, 65(2), 71-86. doi:10.1177/0706743719875602
- Doove, L. L., Van Deun, K., Dusseldorp, E., & Van Mechelen, I. (2016). QUINT: A tool to detect qualitative treatment-subgroup interactions in randomized controlled trials. *Psychotherapy Research*, 26(5), 612-622. doi:10.1080/10503307.2015.1062934
- Dorrepaal, E., Thomaes, K., Hoogendoorn, A. W., Veltman, D. J., Draijer, N., & van Balkom, A. J. (2014). Evidence-based treatment for adult women with child abuse-related Complex PTSD: a quantitative review. *Eur J Psychotraumatol*, 5, 23613. doi:10.3402/ejpt.v5.23613
- Dunlop, B. W., Kaye, J. L., Youngner, C., & Rothbaum, B. (2014). Assessing Treatment-Resistant Posttraumatic Stress Disorder: The Emory Treatment Resistance Interview for PTSD (E-TRIP). *Behavioral Sciences*, 4(4), 511-527. doi:10.3390/bs4040511
- Dusseldorp, E., & Van Mechelen, I. (2014). Qualitative interaction trees: a tool to identify qualitative treatment-subgroup interactions. *Stat Med*, 33(2), 219-237. doi:10.1002/sim.5933
- Dvir, Y., Ford, J. D., Hill, M., & Frazier, J. A. (2014). Childhood Maltreatment, Emotional Dysregulation, and Psychiatric Comorbidities. *Harvard Review of Psychiatry*, 22(3), 149-161. doi:10.1097/Hrp.0000000000000014
- Ebner-Priemer, U. W., Mauchnik, J., Kleindienst, N., Schmahl, C., Peper, M., Rosenthal, Z., . . . Bohus, M. (2009). Emotional learning during dissociative states in borderline personality disorder. *Journal of Psychiatry & Neuroscience*, 34(3), 214-222.
- Efron, B. (1983). Estimating the Error Rate of a Prediction Rule - Improvement on Cross-Validation. *Journal of the American Statistical Association*, 78(382), 316-331. doi:Doi 10.2307/2288636
- Ehlers, A., Grey, N., Wild, J., Stott, R., Liness, S., Deale, A., . . . Clark, D. M. (2013). Implementation of Cognitive Therapy for PTSD in routine clinical care: Effectiveness and moderators of outcome in a consecutive sample. *Behaviour Research and Therapy*, 51(11), 742-752. doi:10.1016/j.brat.2013.08.006
- Ehlers, A., Hackmann, A., Grey, N., Wild, J., Liness, S., Albert, I., . . . Clark, D. M. (2014). A Randomized Controlled Trial of 7-Day Intensive and Standard Weekly Cognitive Therapy for PTSD and Emotion-Focused Supportive Therapy. *American Journal of Psychiatry*, 171(3), 294-304. doi:10.1176/appi.ajp.2013.13040552
- Ehring, T., Welboren, R., Morina, N., Wicherts, J. M., Freitag, J., & Emmelkamp, P. M. G. (2014). Meta-analysis of psychological treatments for posttraumatic stress disorder in adult survivors of childhood abuse. *Clinical Psychology Review*, 34(8), 645-657. doi:10.1016/j.cpr.2014.10.004
- Eidhof, M. B., ter Heide, F. J. J., van der Aa, N., Schreckenbach, M., Schmidt, U., Brand, B. L., . . . Vermetten, E. (2019). The Dissociative Subtype of PTSD Interview (DSP-I): Development and Psychometric Properties. *Journal of Trauma & Dissociation*, 20(5), 564-581. doi:10.1080/15299732.2019.1597806
- Eidhof, M. B., ter Heijde, J. J., Lanius, R. A., Brand, B., Loewenstein, R., Spiegel, D., & Vermetten, E. (2016). Dissociatief Subtype bij PTSS – Interview (DSP-I) voor DSM-5.
- Elklit, A., Hyland, P., & Shevlin, M. (2014). Evidence of symptom profiles consistent with posttraumatic stress disorder and complex posttraumatic stress disorder in different

- trauma samples. *European Journal of Psychotraumatology*, 5.
doi:10.3402/ejpt.v5.24221
- Ergun, H., Aydemir, O., Kesebir, S., Soygur, H., & Tulunay, F. C. (2007). Pmh49 Sf-36 and Eq-5d Quality of Life Instruments in Major Depressive Disorder Patients: Comparisons of Two Different Treatment Options. *Value in Health*, 10(6), A303. doi:10.1016/s1098-3015(10)65099-1
- Falkenstrom, F., Solomonov, N., & Rubel, J. (2020). Using time-lagged panel data analysis to study mechanisms of change in psychotherapy research: Methodological recommendations. *Counselling & Psychotherapy Research*. doi:10.1002/capr.12293
- Farley, M., & Patsalides, B. M. (2001). Physical symptoms, posttraumatic stress disorder, and healthcare utilization of women with and without childhood physical and sexual abuse. *Psychological Reports*, 89(3), 595-606. doi:Doi 10.2466/Pr0.89.7.595-606
- Feingold, A. (2013). A Regression Framework for Effect Size Assessments in Longitudinal Modeling of Group Differences. *Review of General Psychology*, 17(1), 111-121. doi:10.1037/a0030048
- Fisher, D. J., Carpenter, J. R., Morris, T. P., Freeman, S. C., & Tierney, J. F. (2017). Meta-analytical methods to identify who benefits most from treatments: daft, deluded, or deft approach? *Bmj-British Medical Journal*, 356. doi:10.1136/bmj.j573
- Fletcher, J. (2007). What is heterogeneity and is it important? *British Medical Journal*, 334(7584), 94-96. doi:10.1136/bmj.39057.406644.68
- Foa, E. B., Ehlers, A., Clark, D. M., Tolin, D. F., & Orsillo, S. M. (1999). The Posttraumatic Cognitions Inventory (PTCI): Development and validation. *Psychological Assessment*, 11(3), 303-314. doi:Doi 10.1037/1040-3590.11.3.303
- Foa, E. B., Hembree, E. A., & Rothbaum, B. O. (2007). *Prolonged exposure therapy for PTSD: emotional processing of traumatic experiences: therapist guide*. Oxford; New York: Oxford University Press.
- Foa, E. B., & Kozak, M. J. (1986). Emotional Processing of Fear - Exposure to Corrective Information. *Psychological Bulletin*, 99(1), 20-35. doi:Doi 10.1037/0033-2909.99.1.20
- Foa, E. B., & McLean, C. P. (2016). The Efficacy of Exposure Therapy for Anxiety-Related Disorders and Its Underlying Mechanisms: The Case of OCD and PTSD. *Annual Review of Clinical Psychology*, Vol 12, 12, 1-28. doi:10.1146/annurev-clinpsy-021815-093533
- Foa, E. B., McLean, C. P., Zang, Y., & Consortium, S. S. (2018). Effect of Prolonged Exposure Therapy Delivered Over 2 Weeks vs 8 Weeks vs Present-Centered Therapy on PTSD Symptom Severity in Military Personnel: A Randomized Clinical Trial (vol 319, pg 354, 2018). *Jama-Journal of the American Medical Association*, 320(7), 724-724. doi:10.1001/jama.2018.11067
- Folke, S., Nielsen, A. B. S., Andersen, S. B., Karatzias, T., & Karstoft, K. I. (2019). ICD-11 PTSD and complex PTSD in treatment-seeking Danish veterans: a latent profile analysis. *European Journal of Psychotraumatology*, 10(1). doi:10.1080/20008198.2019.1686806
- Fonzo, G. A., Federcheno, V., & Lara, A. (2020). Predicting and Managing Treatment Non-Response in Posttraumatic Stress Disorder. *Curr Treat Options Psychiatry*, 7(2), 70-87. doi:10.1007/s40501-020-00203-1
- Fonzo, G. A., Goodkind, M. S., Oathes, D. J., Zaiko, Y. V., Harvey, M., Peng, K. K., . . . Etkin, A. (2017). PTSD Psychotherapy Outcome Predicted by Brain Activation During Emotional Reactivity and Regulation. *American Journal of Psychiatry*, 174(12), 1163-1174. doi:10.1176/appi.ajp.2017.16091072

References

- Forbes, D., Creamer, M., Bisson, J. I., Cohen, J. A., Crow, B. E., Foa, E. B., . . . Ursano, R. J. (2010). A Guide to Guidelines for the Treatment of PTSD and Related Conditions. *Journal of Traumatic Stress, 23*(5), 537-552. doi:10.1002/jts.20565
- Ford, J. D., & Kidd, P. (1998). Early childhood trauma and Disorders of Extreme Stress as predictors of treatment outcome with chronic posttraumatic stress disorder. *Journal of Traumatic Stress, 11*(4), 743-761. doi:Doi 10.1023/A:1024497400891
- Friedl, N., Berger, T., Krieger, T., Caspar, F., & Holtforth, M. G. (2019). Using the Personalized Advantage Index for individual treatment allocation to cognitive behavioral therapy (CBT) or a CBT with integrated exposure and emotion-focused elements (CBT-EE). *Psychotherapy Research*. doi:10.1080/10503307.2019.1664782
- Friedl, N., Krieger, T., Chevreur, K., Hazo, J. B., Holtzmann, J., Hoogendoorn, M., . . . Berger, T. (2020). Using the Personalized Advantage Index for Individual Treatment Allocation to Blended Treatment or Treatment as Usual for Depression in Secondary Care. *Journal of Clinical Medicine, 9*(2). doi:10.3390/jcm9020490
- Friedman, M. J. (2013). Finalizing PTSD in DSM-5: getting here from there and where to go next. *J Trauma Stress, 26*(5), 548-556. doi:10.1002/jts.21840
- Gallagher, M. W., & Resick, P. A. (2012). Mechanisms of Change in Cognitive Processing Therapy and Prolonged Exposure Therapy for PTSD: Preliminary Evidence for the Differential Effects of Hopelessness and Habituation. *Cognitive Therapy and Research, 36*(6), 750-755. doi:10.1007/s10608-011-9423-6
- Gekker, M., Coutinho, E. S. F., Berger, W., Luz, M. P. D., Araujo, A. X. G., Pagotto, L., . . . Mendlowicz, M. V. (2018). Early scars are forever: Childhood abuse in patients with adult-onset PTSD is associated with increased prevalence and severity of psychiatric comorbidity. *Psychiatry Res, 267*, 1-6. doi:10.1016/j.psychres.2018.05.042
- Gilbert, R., Widom, C. S., Browne, K., Fergusson, D., Webb, E., & Janson, S. (2009). Child Maltreatment 1 Burden and consequences of child maltreatment in high-income countries. *Lancet, 373*(9657), 68-81. doi:10.1016/S0140-6736(08)61706-7
- Gilsanz, P., Winning, A., Koenen, K. C., Roberts, A. L., Sumner, J. A., Chen, Q., . . . Kubzansky, L. D. (2017). Post-traumatic stress disorder symptom duration and remission in relation to cardiovascular disease risk among a large cohort of women. *Psychological Medicine, 47*(8), 1370-1378. doi:10.1017/S0033291716003378
- Goetz, L. H., & Schork, N. J. (2018). Personalized medicine: motivation, challenges, and progress. *Fertility and Sterility, 109*(6), 952-963. doi:10.1016/j.fertnstert.2018.05.006
- Gold, S. M., Enck, P., Hasselmann, H., Friede, T., Hegerl, U., Mohr, D. C., & Otte, C. (2017). Control conditions for randomised trials of behavioural interventions in psychiatry: a decision framework. *Lancet Psychiatry, 4*(9), 725-732. doi:10.1016/S2215-0366(17)30153-0
- Gray, M. J., Litz, B. T., Hsu, J. L., & Lombardo, T. W. (2004). Psychometric properties of the life events checklist. *Assessment, 11*(4), 330-341. doi:10.1177/1073191104269954
- Greenwald, R., McClintock, S. D., & Bailey, T. D. (2013). A Controlled Comparison of Eye Movement Desensitization & Reprocessing and Progressive Counting. *Journal of Aggression Maltreatment & Trauma, 22*(9), 981-996. doi:10.1080/10926771.2013.834020
- Grossman, E. S., Hoffman, Y. S. G., Shrira, A., Kedar, M., Ben-Ezra, M., Dinnayi, M., & Zivotofsky, A. Z. (2019). Preliminary evidence linking complex-PTSD to insomnia in a sample of Yazidi genocide survivors. *Psychiatry Research, 271*, 161-166. doi:10.1016/j.psychres.2018.11.044

- Hagenaars, M. A., van Minnen, A., & de Rooij, M. (2010). Cognitions in prolonged exposure therapy for posttraumatic stress disorder. *International Journal of Clinical and Health Psychology, 10*(3), 421-434.
- Halpern, S. C., Schuch, F. B., Scherer, J. N., Sordi, A. O., Pachado, M., Dalbosco, C., . . . Von Diemen, L. (2018). Child Maltreatment and Illicit Substance Abuse: A Systematic Review and Meta-Analysis of Longitudinal Studies. *Child Abuse Review, 27*(5), 344-360. doi:10.1002/car.2534
- Halvorsen, J. O., Stenmark, H., Neuner, F., & Nordahl, H. M. (2014). Does dissociation moderate treatment outcomes of narrative exposure therapy for PTSD? A secondary analysis from a randomized controlled clinical trial. *Behaviour Research and Therapy, 57*, 21-28. doi:10.1016/j.brat.2014.03.010
- Hamaker, E. L. (2012). Why researchers should think "within-person": A paradigmatic rationale. In M. R. Mehl & T. S. Conner (Eds.), *Handbook of research methods for studying daily life* (pp. xxvii, 676 p.). New York: Guilford Press.
- Hamaker, E. L., & Muthen, B. (2019). The fixed versus random effects debate and how it relates to centering in multilevel modeling. *Psychological Methods*. doi:10.1037/met0000239
- Hamblen, J. L., Norman, S. B., Sonis, J. H., Phelps, A. J., Bisson, J. I., Nunes, V. D., . . . Schnurr, P. P. (2019). A Guide to Guidelines for the Treatment of Posttraumatic Stress Disorder in Adults: An Update. *Psychotherapy, 56*(3), 359-373. doi:10.1037/pst0000231
- Hansen, M., Hyland, P., Karstoft, K. I., Vaegter, H. B., Bramsen, R. H., Nielsen, A. B. S., . . . Andersen, T. E. (2017). Does size really matter? A multisite study assessing the latent structure of the proposed ICD-11 and DSM-5 diagnostic criteria for PTSD. *European Journal of Psychotraumatology, 8*. doi:10.1080/20008198.2017.1398002
- Harned, M. S., Korslund, K. E., Foa, E. B., & Linehan, M. M. (2012). Treating PTSD in suicidal and self-injuring women with borderline personality disorder: Development and preliminary evaluation of a Dialectical Behavior Therapy Prolonged Exposure Protocol. *Behaviour Research and Therapy, 50*(6), 381-386. doi:10.1016/j.brat.2012.02.011
- Harned, M. S., Ruork, A. K., Liu, J., & Tkachuck, M. A. (2015). Emotional Activation and Habituation During Imaginal Exposure for PTSD Among Women With Borderline Personality Disorder. *Journal of Traumatic Stress, 28*(3), 253-257. doi:10.1002/jts.22013
- Hayes, A. F. (2013). *Introduction to mediation, moderation, and conditional process analysis : a regression-based approach*. New York: The Guilford Press.
- Hayes, A. F., & Rockwood, N. J. (2017). Regression-based statistical mediation and moderation analysis in clinical research: Observations, recommendations, and implementation. *Behaviour Research and Therapy, 98*, 39-57. doi:10.1016/j.brat.2016.11.001
- Hendriks, L., de Kleine, R. A., Heyvaert, M., Becker, E. S., Hendriks, G.-J., & Minnen, A. (2017). Intensive prolonged exposure treatment for adolescent complex posttraumatic stress disorder: a single-trial design. *The Journal of Child Psychology and Psychiatry*. doi:doi:10.1111/jcpp.12756
- Hendriks, L., Kleine, R. A. d., Broekman, T. G., Hendriks, G.-J., & Minnen, A. v. (2018). Intensive prolonged exposure therapy for chronic PTSD patients following multiple trauma and multiple treatment attempts. *European Journal of Psychotraumatology, 9*(1), 1425574. doi:10.1080/20008198.2018.1425574

References

- Herman, J. L. (1992). Complex PTSD - a Syndrome in Survivors of Prolonged and Repeated Trauma. *Journal of Traumatic Stress, 5*(3), 377-391. doi:10.1007/Bf00977235
- Higgins, J. P. T., Green, S., & Cochrane Collaboration. (2008). *Cochrane handbook for systematic reviews of interventions*. Chichester, England ; Hoboken, NJ: Wiley-Blackwell.
- Hoeboer, C., De Kleine, R., Schoorl, M., Oprel, D. A. C., van Minnen, A., & van der Does, W. (2020a). Does complex PTSD predict and moderate trauma-focused treatment outcomes? Retrieved from osf.io/fmhu7
- Hoeboer, C., van der Does, W., de Kleine, R., Oprel, D. A. C., Schoorl, M., van Minnen, A., & Kooistra, M. (2020b). Mechanism of change of exposure therapy. Retrieved from osf.io/9ge3q
- Hoeboer, C. M. (2019, July 19, 2019). Improving treatment for patients with childhood abuse related posttraumatic stress disorder (IMPACT study). Retrieved from osf.io/xthsc
- Hoeboer, C. M., De Kleine, R. A., Molendijk, M. L., Schoorl, M., Oprel, D. A. C., Mouthaan, J., . . . Van Minnen, A. (2020c). Impact of dissociation on the effectiveness of psychotherapy for post-traumatic stress disorder: meta-analysis. *BJPsych Open, 6*(3). doi:10.1192/bjo.2020.30
- Hollon, S. D., Cohen, Z. D., Singla, D. R., & Andrews, P. W. (2019). Recent Developments in the Treatment of Depression. *Behavior Therapy, 50*(2), 257-269. doi:10.1016/j.beth.2019.01.002
- Holtforth, M. G., & Grawe, K. (2002). Bern inventory of treatment goals: Part 1. Development and first application of a taxonomy of treatment goal themes. *Psychotherapy Research, 12*(1), 79-99. doi:10.1093/ptr/12.1.79
- Horvath, A. O., & Greenberg, L. S. (1989). Development and Validation of the Working Alliance Inventory. *Journal of Counseling Psychology, 36*(2), 223-233. doi:10.1037//0022-0167.36.2.223
- Hox, J. J. (2002). *Multilevel analysis: techniques and applications*. Mahwah, N.J.: Lawrence Erlbaum Associates.
- Huibers, M. J. H., Cohen, Z. D., Lemmens, L. H. J. M., Arntz, A., Peeters, F. P. M. L., Cuijpers, P., & DeRubeis, R. J. (2015). Predicting Optimal Outcomes in Cognitive Therapy or Interpersonal Psychotherapy for Depressed Individuals Using the Personalized Advantage Index Approach. *PLoS One, 10*(11). doi:10.1371/journal.pone.0140771
- Hyland, P., Shevlin, M., McNally, S., Murphy, J., Hansen, M., & Elklit, A. (2016). Exploring differences between the ICD-11 and DSM-5 models of PTSD: Does it matter which model is used? *Journal of Anxiety Disorders, 37*, 48-53. doi:10.1016/j.janxdis.2015.11.002
- Imel, Z. E., Laska, K., Jakupcak, M., & Simpson, T. L. (2013). Meta-analysis of dropout in treatments for posttraumatic stress disorder. *J Consult Clin Psychol, 81*(3), 394-404. doi:10.1037/a0031474
- James, G., Witten, D., Hastie, T., & Tibshirani, R. (2013). *An introduction to statistical learning : with applications in R*. New York: Springer.
- Jameson, J. L., & Longo, D. L. (2015). Precision Medicine-Personalized, Problematic, and Promising. *Obstetrical & Gynecological Survey, 70*(10), 612-614. doi:10.1097/01.ogx.0000472121.21647.38
- Janet, P. (1894). *L'état mentale des hystériques: les accidents mentaux*. Paris: Rueff.

- Jaycox, L. H., Foa, E. B., & Morral, A. R. (1998). Influence of emotional engagement and habituation on exposure therapy for PTSD. *Journal of Consulting and Clinical Psychology, 66*(1), 185-192. doi:10.1037/0022-006x.66.1.185
- Jerud, A. B., Pruitt, L. D., Zoellner, L. A., & Feeny, N. C. (2016). The effects of prolonged exposure and sertraline on emotion regulation in individuals with posttraumatic stress disorder. *Behaviour Research and Therapy, 77*, 62-67. doi:10.1016/j.brat.2015.12.002
- Jerud, A. B., Zoellner, L. A., Pruitt, L. D., & Feeny, N. C. (2014). Changes in emotion regulation in adults with and without a history of childhood abuse following posttraumatic stress disorder treatment. *J Consult Clin Psychol, 82*(4), 721-730. doi:10.1037/a0036520
- Johnson, J. G., Cohen, P., Brown, J., Smailes, E. M., & Bernstein, D. P. (1999). Childhood maltreatment increases risk for personality disorders during early adulthood. *Archives of General Psychiatry, 56*(7), 600-606. doi:10.1001/archpsyc.56.7.600
- Judah, M. R., Grant, D. M., Mills, A. C., & Lechner, W. V. (2014). Factor structure and validation of the Attentional Control Scale. *Cogn Emot, 28*(3), 433-451. doi:10.1080/02699931.2013.835254
- Karatzias, T., & Cloitre, M. (2019). Treating Adults With Complex Posttraumatic Stress Disorder Using a Modular Approach to Treatment: Rationale, Evidence, and Directions for Future Research. *Journal of Traumatic Stress, 32*(6), 870-876. doi:10.1002/jts.22457
- Karatzias, T., Hyland, P., Bradley, A., Cloitre, M., Roberts, N. P., Bisson, J. I., & Shevlin, M. (2019a). Risk factors and comorbidity of ICD-11 PTSD and complex PTSD: Findings from a trauma-exposed population based sample of adults in the United Kingdom. *Depression and Anxiety. doi:10.1002/da.22934*
- Karatzias, T., Murphy, P., Cloitre, M., Bisson, J., Roberts, N., Shevlin, M., . . . Hutton, P. (2019b). Psychological interventions for ICD-11 complex PTSD symptoms: systematic review and meta-analysis. *Psychological Medicine, 49*(11), 1761-1775. doi:10.1017/s0033291719000436
- Kato, B. S., Hoijtink, H., Verdellen, C., Hagenars, M., van Minnen, A., & Keijsers, G. (2005). Application of multilevel models to structured repeated measurements. *Quality & Quantity, 39*(6), 711-732. doi:10.1007/s11135-005-4482-y
- Kazdin, A. E. (2007). Mediators and mechanisms of change in psychotherapy research. *Annual Review of Clinical Psychology, 3*, 1-27. doi:10.1146/annurev.clinpsy.3.022806.091432
- Keefe, J. R., Stirman, S. W., Cohen, Z. D., DeRubeis, R. J., Smith, B. N., & Resick, P. A. (2018). In rape trauma PTSD, patient characteristics indicate which trauma-focused treatment they are most likely to complete. *Depression and Anxiety, 35*(4), 330-338. doi:10.1002/da.22731
- Kempen, G. I. (1992). [Assessment of health status of the elderly. Application of a Dutch version of the MOS scale]. *Tijdschr Gerontol Geriatr, 23*(4), 132-140.
- Kessler, R. C., Aguilar-Gaxiola, S., Alonso, J., Benjet, C., Bromet, E. J., Cardoso, G., . . . Survey, W. W. M. H. (2017). Trauma and PTSD in the WHO World Mental Health Surveys. *European Journal of Psychotraumatology, 8*. doi:10.1080/13533831.2017.1353383
- Kessler, R. C., Sonnega, A., Bromet, E., Hughes, M., & Nelson, C. B. (1995). Posttraumatic stress disorder in the National Comorbidity Survey. *Arch Gen Psychiatry, 52*(12), 1048-1060.

References

- Kindt, M. (2014). A behavioural neuroscience perspective on the aetiology and treatment of anxiety disorders. *Behaviour Research and Therapy*, *62*, 24-36. doi:10.1016/j.brat.2014.08.012
- Kleiman, E. (2017). EMAtools: Data Management Tools for Real-Time Monitoring/Ecological Momentary Assessment Data. Retrieved from <https://CRAN.R-project.org/package=EMAtools>
- Kleindienst, N., Priebe, K., Gorg, N., Dyer, A., Steil, R., Lyssenko, L., . . . Bohus, M. (2016). State dissociation moderates response to dialectical behavior therapy for posttraumatic stress disorder in women with and without borderline personality disorder. *European Journal of Psychotraumatology*, *7*. doi:ARTN 30375 10.3402/ejpt.v7.30375
- Knowles, K. A., & Olatunji, B. O. (2019). Enhancing Inhibitory Learning: The Utility of Variability in Exposure. *Cognitive and Behavioral Practice*, *26*(1), 186-200. doi:DOI 10.1016/j.cbpra.2017.12.001
- Kraemer, H. C. (2016). Messages for Clinicians: Moderators and Mediators of Treatment Outcome in Randomized Clinical Trials. *American Journal of Psychiatry*, *173*(7), 672-679. doi:10.1176/appi.ajp.2016.15101333
- Kraemer, H. C., Stice, E., Kazdin, A., Offord, D., & Kupfer, D. (2001). How do risk factors work together? Mediators, moderators, and independent, overlapping, and proxy risk factors. *American Journal of Psychiatry*, *158*(6), 848-856. doi:DOI 10.1176/appi.ajp.158.987.848
- Kratzer, L., Heinz, P., Schennach, R., Schiepek, G. K., Padberg, F., & Jobst, A. (2018). Inpatient Treatment of Complex PTSD Following Childhood Abuse: Effectiveness and Predictors of Treatment Outcome. *Psychother Psychosom Med Psychol*. doi:10.1055/a-0591-3962
- Kredlow, M. A., de Voogd, L., & Phelps, E. A. (2020). Laboratory Analogues and Therapy Procedures: A Case for Translation from the Clinic to the Laboratory. Retrieved from <https://doi.org/10.31234/osf.io/7r6p2>
- Kriegeskorte, N., Simmons, W. K., Bellgowan, P. S. F., & Baker, C. I. (2009). Circular analysis in systems neuroscience: the dangers of double dipping. *Nature Neuroscience*, *12*(5), 535-540. doi:10.1038/nn.2303
- Kumpula, M. J., Pentel, K. Z., Foa, E. B., LeBlanc, N. J., Bui, E., McSweeney, L. B., . . . Rauch, S. A. M. (2017). Temporal Sequencing of Change in Posttraumatic Cognitions and PTSD Symptom Reduction During Prolonged Exposure Therapy. *Behavior Therapy*, *48*(2), 156-165. doi:DOI 10.1016/j.beth.2016.02.008
- Kursa, M. B., & Rudnicki, W. R. (2010). Feature Selection with the Boruta Package. *Journal of Statistical Software*, *36*(11), 1-13. doi:DOI 10.18637/jss.v036.i11
- Landy, M. S. H., Wagner, A. C., Brown-Bowers, A., & Monson, C. M. (2015). Examining the Evidence for Complex Posttraumatic Stress Disorder as a Clinical Diagnosis. *Journal of Aggression Maltreatment & Trauma*, *24*(3), 215-236. doi:10.1080/10926771.2015.1002649
- Lanius, R. A., Brand, B., Vermetten, E., Frewen, P. A., & Spiegel, D. (2012). The Dissociative Subtype of Posttraumatic Stress Disorder: Rationale, Clinical and Neurobiological Evidence, and Implications. *Depression and Anxiety*, *29*(8), 701-708. doi:10.1002/da.21889

- Lanius, R. A., Vermetten, E., Loewenstein, R. J., Brand, B., Schmahl, C., Bremner, J. D., & Spiegel, D. (2010). Emotion Modulation in PTSD: Clinical and Neurobiological Evidence for a Dissociative Subtype. *American Journal of Psychiatry*, *167*(6), 640-647.
- Le, Q. A., Doctor, J. N., Zoellner, L. A., & Feeny, N. C. (2013). Minimal clinically important differences for the EQ-5D and QWB-SA in Post-traumatic Stress Disorder (PTSD): results from a Doubly Randomized Preference Trial (DRPT). *Health and Quality of Life Outcomes*, *11*.
- Lee, D. J., Schnitzlein, C. W., Wolf, J. P., Vythilingam, M., Rasmusson, A. M., & Hoge, C. W. (2016a). Psychotherapy Versus Pharmacotherapy for Posttraumatic Stress Disorder: Systemic Review and Meta-Analyses to Determine First-Line Treatments. *Depress Anxiety*, *33*(9), 792-806. doi:10.1002/da.22511
- Lee, D. J., Witte, T. K., Bardeen, J. R., Davis, M. T., & Weathers, F. W. (2016b). A Factor Analytic Evaluation of the Difficulties in Emotion Regulation Scale. *J Clin Psychol*, *72*(9), 933-946. doi:10.1002/jclp.22297
- Leszczensky, L., & Wolbring, T. (2019). How to Deal With Reverse Causality Using Panel Data? Recommendations for Researchers Based on a Simulation Study. *Sociological Methods & Research*. doi:10.1177/0049124119882473
- Letica-Crepulja, M., Stevanovic, A., Protuder, M., Juretic, T. G., Rebic, J., & Franciskovic, T. (2020). Complex PTSD among treatment-seeking veterans with PTSD. *European Journal of Psychotraumatology*, *11*(1). doi:10.1080/20008198.2020.1716593
- Levitt, J. T., & Cloitre, M. (2005). A clinician's guide to STAIR/MPE: Treatment for PTSD related to childhood abuse. *Cognitive and Behavioral Practice*, *12*(1), 40-52. doi:10.1016/S1077-7229(05)80038-0
- Lewis, C., Roberts, N. P., Gibson, S., & Bisson, J. I. (2020). Dropout from psychological therapies for post-traumatic stress disorder (PTSD) in adults: systematic review and meta-analysis. *European Journal of Psychotraumatology*, *11*(1), 1709709. doi:10.1080/20008198.2019.1709709
- Leykin, Y., & DeRubeis, R. J. (2009). Allegiance in Psychotherapy Outcome Research: Separating Association From Bias. *Clinical Psychology-Science and Practice*, *16*(1), 54-65. doi:10.1111/j.1468-2850.2009.01143.x
- Li, M., D'Arcy, C., & Meng, X. (2016). Maltreatment in childhood substantially increases the risk of adult depression and anxiety in prospective cohort studies: systematic review, meta-analysis, and proportional attributable fractions. *Psychological Medicine*, *46*(4), 717-730. doi:10.1017/S0033291715002743
- Li, X. R., Dusseldorp, E., & Meulman, J. J. (2017). Meta-CART: A tool to identify interactions between moderators in meta-analysis. *British Journal of Mathematical & Statistical Psychology*, *70*(1), 118-136. doi:10.1111/bmsp.12088
- Linehan, M. (1993). *Cognitive-behavioral treatment of borderline personality disorder*. New York: Guilford Press.
- Lingiardi, V., Muzi, L., Tanzilli, A., & Carone, N. (2018). Do therapists' subjective variables impact on psychodynamic psychotherapy outcomes? A systematic literature review. *Clinical Psychology & Psychotherapy*, *25*(1), 85-101. doi:10.1002/cpp.2131
- Loerinc, A. G., Meuret, A. E., Twohig, M. P., Rosenfield, D., Bluett, E. J., & Craske, M. G. (2015). Response rates for CBT for anxiety disorders: Need for standardized criteria. *Clinical Psychology Review*, *42*, 72-82. doi:10.1016/j.cpr.2015.08.004

References

- Lonergan, M. (2014). Cognitive Behavioral Therapy for PTSD: The Role of Complex PTSD on Treatment Outcome. *Journal of Aggression Maltreatment & Trauma, 23*(5), 494-512. doi:10.1080/10926771.2014.904467
- Lorenzo-Luaces, L., Peipert, A., Romero, R. D., Rutter, L. A., & Rodriguez-Quintana, N. (2020). Personalized Medicine and Cognitive Behavioral Therapies for Depression: Small Effects, Big Problems, and Bigger Data. *International Journal of Cognitive Therapy, 10*(1). doi:10.1007/s41811-020-00094-3
- Luborsky, L., Diguier, L., Seligman, D. A., Rosenthal, R., Krause, E. D., Johnson, S., . . . Schweizer, E. (1999). The researcher's own therapy allegiances: A "wild card" in comparisons of treatment efficacy. *Clinical Psychology-Science and Practice, 6*(1), 95-106. doi:DOI 10.1093/clipsy/6.1.95
- Lutz, W., Deisenhofer, A. K., Justus, J. R., Bennemann, B., Giesemann, J., Poster, K., & Schwartz, B. (2021). Prospective evaluation of a clinical decision support system in psychological therapy. *Journal of Consulting and Clinical Psychology, 89*(1). doi:10.1037/ccp0000642
- Lutz, W., Rubel, J. A., Schwartz, B., Schilling, V., & Deisenhofer, A. K. (2019). Towards integrating personalized feedback research into clinical practice: Development of the Trier Treatment Navigator (TTN). *Behav Res Ther, 120*, 103438. doi:10.1016/j.brat.2019.103438
- Lutz, W., Zimmermann, D., Muller, V. N. L. S., Deisenhofer, A. K., & Rubel, J. A. (2017). Randomized controlled trial to evaluate the effects of personalized prediction and adaptation tools on treatment outcome in outpatient psychotherapy: study protocol. *BMC Psychiatry, 17*. doi:10.1186/s12888-017-1464-2
- Lynch, S. M., Forman, E., Mendelsohn, M., & Herman, J. (2008). Attending to Dissociation: Assessing Change in Dissociation and Predicting Treatment Outcome. *Journal of Trauma & Dissociation, 9*(3), 301-319. doi:10.1080/15299730802139063
- Lysenko, L., Schmahl, C., Bockhacker, L., Vonderlin, R., Bohus, M., & Kleindienst, N. (2018). Dissociation in Psychiatric Disorders: A Meta-Analysis of Studies Using the Dissociative Experiences Scale. *Am J Psychiatry, 175*(1), 37-46. doi:10.1176/appi.ajp.2017.17010025
- Maercker, A., Brewin, C. R., Bryant, R. A., Cloitre, M., van Ommeren, M., Jones, L. M., . . . Reed, G. M. (2013). Diagnosis and classification of disorders specifically associated with stress: proposals for ICD-11. *World Psychiatry, 12*(3), 198-206. doi:10.1002/wps.20057
- Mahoney, A., Karatzias, T., & Hutton, P. (2019). A systematic review and meta-analysis of group treatments for adults with symptoms associated with complex post-traumatic stress disorder. *Journal of Affective Disorders, 243*, 305-321. doi:10.1016/j.jad.2018.09.059
- Markowitz, J. C. (2016). Psychologies of Small Differences. *Depress Anxiety, 33*(5), 357-358. doi:10.1002/da.22488
- Mavranzouli, I., Megnin-Viggars, O., Daly, C., Dias, S., Welton, N. J., Stockton, S., . . . Pilling, S. (2020). Psychological treatments for post-traumatic stress disorder in adults: a network meta-analysis. *Psychological Medicine, 1-14*. doi:10.1017/S0033291720000070
- McHugh, M. L. (2013). The Chi-square test of independence. *Biochemia Medica, 23*(2), 143-149. doi:10.11613/Bm.2013.018

- Messman-Moore, T. L., & Bhuptani, P. H. (2017). A Review of the Long-Term Impact of Child Maltreatment on Posttraumatic Stress Disorder and Its Comorbidities: An Emotion Dysregulation Perspective. *Clinical Psychology-Science and Practice, 24*(2), 154-169. doi:10.1111/cpsp.12193
- Meyer, J. M., & Ginsburg, G. S. (2002). The path to personalized medicine. *Current Opinion in Chemical Biology, 6*(4), 434-438. doi:10.1016/S1367-5931(02)00340-X
- Moral-Benito, E., Allison, P., & Williams, R. (2019). Dynamic panel data modelling using maximum likelihood: an alternative to Arellano-Bond. *Applied Economics, 51*(20), 2221-2232. doi:10.1080/00036846.2018.1540854
- Morgan, T. M., & Case, L. D. (2013). Conservative Sample Size Determination for Repeated Measures Analysis of Covariance. *Ann Biom Biostat, 1*(1).
- Murphy, D., Shevlin, M., Pearson, E., Greenberg, N., Wessely, S., Busuttill, W., & Karatzias, T. (2020). A validation study of the International Trauma Questionnaire to assess post-traumatic stress disorder in treatment-seeking veterans. *British Journal of Psychiatry, 216*(3), 132-137. doi:10.1192/bjp.2020.9
- Murphy, S., Elklit, A., Murphy, J., Hyland, P., & Shevlin, M. (2017). A Cross-Lagged Panel Study of Dissociation and Posttraumatic Stress in a Treatment-Seeking Sample of Survivors of Childhood Sexual Abuse. *Journal of Clinical Psychology, 73*(10), 1370-1381. doi:10.1002/jclp.22439
- Nacasch, N., Huppert, J. D., Su, Y. J., Kivity, Y., Dinshtein, Y., Yeh, R., & Foa, E. B. (2015). Are 60-Minute Prolonged Exposure Sessions With 20-Minute Imaginal Exposure to Traumatic Memories Sufficient to Successfully Treat PTSD? A Randomized Noninferiority Clinical Trial. *Behavior Therapy, 46*(3), 328-341. doi:10.1016/j.beth.2014.12.002
- Najavits, L. M. (2015). The problem of dropout from "gold standard" PTSD therapies. *F1000Prime Rep, 7*, 43. doi:10.12703/P7-43
- Nelson, J., Klumpp, A., Doebler, P., & Ehring, T. (2017). Childhood maltreatment and characteristics of adult depression: meta-analysis. *British Journal of Psychiatry, 210*(2), 96-104. doi:10.1192/bjp.bp.115.180752
- Nemeroff, C. B., Bremner, J. D., Foa, E. B., Mayberg, H. S., North, C. S., & Stein, M. B. (2006). Posttraumatic stress disorder: a state-of-the-science review. *J Psychiatr Res, 40*(1), 1-21. doi:10.1016/j.jpsychires.2005.07.005
- Nijenhuis, E. R. S., Spinhoven, P., VanDyck, R., VanderHart, O., & Vanderlinden, J. (1996). The development and psychometric characteristics of the somatoform dissociation questionnaire (SDQ-20). *Journal of Nervous and Mental Disease, 184*(11), 688-694. doi:10.1097/00005053-199611000-00006
- Norman, R. E., Byambaa, M., De, R., Butchart, A., Scott, J., & Vos, T. (2012). The Long-Term Health Consequences of Child Physical Abuse, Emotional Abuse, and Neglect: A Systematic Review and Meta-Analysis. *Plos Medicine, 9*(11). doi:10.1371/journal.pmed.1001349
- Norman, S. B., Trim, R., Haller, M., Davis, B. C., Myers, U. S., Colvonen, P. J., . . . Mayes, T. (2019). Efficacy of Integrated Exposure Therapy vs Integrated Coping Skills Therapy for Comorbid Posttraumatic Stress Disorder and Alcohol Use Disorder: A Randomized Clinical Trial. *JAMA Psychiatry, 76*(8), 791-799. doi:10.1001/jamapsychiatry.2019.0638
- Norr, A. M., Bourassa, K. J., Stevens, E. S., Hawrilenko, M. J., Michael, S. T., & Reger, G. M. (2019). Relationship between change in in-vivo exposure distress and PTSD

References

- symptoms during exposure therapy for active duty soldiers. *Journal of Psychiatric Research*, 116, 133-137. doi:10.1016/j.jpsychires.2019.06.013
- O'Donnell, M. L., Alkemade, N., Nickerson, A., Creamer, M., McFarlane, A. C., Silove, D., . . . Forbes, D. (2014). Impact of the diagnostic changes to post-traumatic stress disorder for DSM-5 and the proposed changes to ICD-11. *British Journal of Psychiatry*, 205(3), 230-235. doi:10.1192/bjp.bp.113.135285
- Oprel, D., Hoeboer, C., Schoorl, M., Kleine, R. A. d., Cloitre, M., Wigard, I., . . . Van der Does, W. Effect of Prolonged Exposure, intensified Prolonged Exposure and STAIR+Prolonged Exposure in patients with PTSD related to childhood abuse: a randomized controlled trial. *European Journal of Psychotraumatology*. doi:10.1080/20008198.2020.1851511
- Oprel, D. A. C., Hoeboer, C. M., Schoorl, M., De Kleine, R. A., Wigard, I. G., Cloitre, M., . . . Van der Does, W. (2018). Improving treatment for patients with childhood abuse related posttraumatic stress disorder (IMPACT study): protocol for a multicenter randomized trial comparing prolonged exposure with intensified prolonged exposure and phase-based treatment. *BMC Psychiatry*, 18. doi:ARTN 385 10.1186/s12888-018-1967-5
- Oprel, D. A. C., Hoeboer, C. M., Schoorl, M., Kleine, R. A. d., Cloitre, M., Wigard, I. G., . . . van der Does, W. (2021). Effect of Prolonged Exposure, intensified Prolonged Exposure and STAIR+Prolonged Exposure in patients with PTSD related to childhood abuse: a randomized controlled trial. *European Journal of Psychotraumatology*, 12(1), 1851511. doi:10.1080/20008198.2020.1851511
- Özdemir, B., Celik, C., & Oznur, T. (2015). Assessment of dissociation among combat-exposed soldiers with and without posttraumatic stress disorder. *European Journal of Psychotraumatology*, 6. doi:<http://dx.doi.org/10.3402/ejpt.v6.26657>
- Padovano, H. T., & Miranda, R. (2018). Using Ecological Momentary Assessment to Identify Mechanisms of Change: An Application From a Pharmacotherapy Trial With Adolescent Cannabis Users. *Journal of Studies on Alcohol and Drugs*, 79(2), 190-198.
- Perlis, R. H. (2016). Abandoning personalization to get to precision in the pharmacotherapy of depression. *World Psychiatry*, 15(3), 228-235. doi:10.1002/wps.20345
- Petkova, E., Park, H., Ciarleglio, A., Ogden, R. T., & Tarpey, T. (2020). Optimising treatment decision rules through generated effect modifiers: a precision medicine tutorial. *BJPsych Open*, 6(1). doi:10.1192/bjo.2019.85
- Pitman, R. K., Orr, S. P., Altman, B., Longpre, R. E., Poire, R. E., & Macklin, M. L. (1996). Emotional processing during eye movement desensitization and reprocessing therapy of Vietnam veterans with chronic posttraumatic stress disorder. *Comprehensive Psychiatry*, 37(6), 419-429. doi:Doi 10.1016/S0010-440x(96)90025-5
- Pittig, A., Treanor, M., LeBeau, R. T., & Craske, M. G. (2018). The role of associative fear and avoidance learning in anxiety disorders: Gaps and directions for future research. *Neuroscience and Biobehavioral Reviews*, 88, 117-140. doi:10.1016/j.neubiorev.2018.03.015
- Powers, A., Fani, N., Carter, S., Cross, D., Cloitre, M., & Bradley, B. (2017). Differential predictors of DSM-5 PTSD and ICD-11 complex PTSD among African American women. *European Journal of Psychotraumatology*, 8. doi:10.1080/20008198.2017.1338914
- Putnam, F. W., Carlson, E. B., Ross, C. A., Anderson, G., Clark, P., Torem, M., . . . Braun, B. G. (1996). Patterns of dissociation in clinical and nonclinical samples. *Journal of Nervous and Mental Disease*, 184(11), 673-679. doi:Doi 10.1097/00005053-199611000-00004

- R Core Team. (2018). *R: A language and environment for statistical computing*. Vienna, Austria: R Foundation for Statistical Computing.
- Ragsdale, K. A., Watkins, L. E., Sherrill, A. M., Zwiebach, L., & Rothbaum, B. O. (2020). Advances in PTSD Treatment Delivery: Evidence Base and Future Directions for Intensive Outpatient Programs. *Current Treatment Options in Psychiatry*. doi:10.1007/s40501-020-00219-7
- Rauch, S., & Foa, E. (2006). Emotional Processing Theory (EPT) and Exposure Therapy for PTSD. *Journal of Contemporary Psychotherapy*, 36(2), 61-65. doi:10.1007/s10879-006-9008-y
- Rauch, S. A. M., Koola, C., Post, L., Yasinski, C., Norrholm, S. D., Black, K., & Rothbaum, B. O. (2018). In session extinction and outcome in Virtual Reality Exposure Therapy for PTSD. *Behaviour Research and Therapy*, 109, 1-9. doi:10.1016/j.brat.2018.07.003
- Raudenbush, S. W., & Bryk, A. S. (2002). *Hierarchical linear models: Applications and data analysis methods, second edition*. Newbury Park, CA: SAGA.
- Reger, G. M., Smolenski, D., Norr, A., Katz, A., Buck, B., & Rothbaum, B. O. (2019). Does virtual reality increase emotional engagement during exposure for PTSD? Subjective distress during prolonged and virtual reality exposure therapy. *Journal of Anxiety Disorders*, 61, 75-81. doi:10.1016/j.janxdis.2018.06.001
- Resick, P. A., Bovin, M. J., Calloway, A. L., Dick, A. M., King, M. W., Mitchell, K. S., . . . Wolf, E. J. (2012). A critical evaluation of the complex PTSD literature: Implications for DSM-5. *Journal of Traumatic Stress*, 25(3), 241-251. doi:10.1002/jts.21699
- Riley, R. D., Lambert, P. C., & Abo-Zaid, G. (2010). Meta-analysis of individual participant data: rationale, conduct, and reporting. *Bmj-British Medical Journal*, 340. doi:10.1136/bmj.c221
- Rizopoulos, D. (2009). bootStepAIC: Bootstrap stepAIC. R package version 1.2-0. Retrieved from <https://CRAN.R-project.org/package=bootStepAIC>
- Rizvi, S. L., Vogt, D. S., & Resick, P. A. (2009). Cognitive and affective predictors of treatment outcome in cognitive processing therapy and prolonged exposure for posttraumatic stress disorder. *Behaviour Research and Therapy*, 47(9), 737-743. doi:10.1016/j.brat.2009.06.003
- Rodon, J., Soria, J. C., Berger, R., Batist, G., Tsimberidou, A., Bresson, C., . . . Kurzrock, R. (2015). Challenges in initiating and conducting personalized cancer therapy trials: perspectives from WINTHER, a Worldwide Innovative Network (WIN) Consortium trial. *Annals of Oncology*, 26(8), 1791-1798. doi:10.1093/annonc/mdv191
- Ronconi, J. M., Shiner, B., & Watts, B. V. (2014). Inclusion and exclusion criteria in randomized controlled trials of psychotherapy for PTSD. *J Psychiatr Pract*, 20(1), 25-37. doi:10.1097/01.pra.0000442936.23457.5b
- Rosseel, Y. (2012). lavaan: An R Package for Structural Equation Modeling. *Journal of Statistical Software*, 48(2), 1-36. doi:DOI 10.18637/jss.v048.i02
- Rothbaum, B. O., Astin, M. C., & Marsteller, F. (2005). Prolonged exposure versus eye movement desensitization and reprocessing (EMDR) for PTSD rape victims. *Journal of Traumatic Stress*, 18(6), 607-616. doi:10.1002/jts.20069
- Rupp, C., Doebler, P., Ehring, T., & Vossbeck-Elsebusch, A. N. (2017). Emotional Processing Theory Put to Test: A Meta-Analysis on the Association Between Process and Outcome Measures in Exposure Therapy. *Clinical Psychology & Psychotherapy*, 24(3), 697-711. doi:10.1002/cpp.2039

References

- Schmitt, D. P., & Allik, J. (2005). Simultaneous administration of the Rosenberg Self-Esteem Scale in 53 nations: exploring the universal and culture-specific features of global self-esteem. *J Pers Soc Psychol*, *89*(4), 623-642. doi:10.1037/0022-3514.89.4.623
- Schneider, R. L., Arch, J. J., & Wolitzky-Taylor, K. B. (2015). The state of personalized treatment for anxiety disorders: A systematic review of treatment moderators. *Clinical Psychology Review*, *38*, 39-54. doi:10.1016/j.cpr.2015.02.004
- Schnurr, P. P., & Lunney, C. A. (2016). Symptom Benchmarks of Improved Quality of Life in Ptsd. *Depression and Anxiety*, *33*(3), 247-255. doi:10.1002/da.22477
- Schnyder, U., Ehlers, A., Elbert, T., Foa, E. B., Gersons, B. P. R., Resick, P. A., . . . Cloitre, M. (2015). Psychotherapies for PTSD: what do they have in common? *European Journal of Psychotraumatology*, *6*.
- Schottenbauer, M. A., Glass, C. R., Arnkoff, D. B., Tendick, V., & Gray, S. H. (2008). Nonresponse and dropout rates in outcome studies on PTSD: review and methodological considerations. *Psychiatry-Interpersonal and Biological Processes*, *71*(2), 134-168. doi:10.1521/psyc.2008.71.2.134
- Schwartz, B., Cohen, Z. D., Rubel, J. A., Zimmermann, D., Wittmann, W. W., & Lutz, W. (2020). Personalized treatment selection in routine care: Integrating machine learning and statistical algorithms to recommend cognitive behavioral or psychodynamic therapy. *Psychother Res*, 1-19. doi:10.1080/10503307.2020.1769219
- Schwartz, B., Cohen, Z. D., Rubel, J. A., Zimmermann, D., Wittmann, W. W., & Lutz, W. (2021). Personalized treatment selection in routine care: Integrating machine learning and statistical algorithms to recommend cognitive behavioral or psychodynamic therapy. *Psychother Res*, *31*(1), 33-51. doi:10.1080/10503307.2020.1769219
- Schwarzer, G. (2010). "meta: Meta-Analysis with R." R package version 1.6-0. <http://CRAN.R-project.org/package=meta>.
- Seidler, G. H., & Wagner, F. E. (2006). Comparing the efficacy of EMDR and trauma-focused cognitive-behavioral therapy in the treatment of PTSD: a meta-analytic study. *Psychological Medicine*, *36*(11), 1515-1522. doi:10.1017/S0033291706007963
- Sheehan, D. V., Lecrubier, Y., Sheehan, K. H., Amorim, P., Janavs, J., Weiller, E., . . . Dunbar, G. C. (1998). The Mini-International Neuropsychiatric Interview (MINI): The development and validation of a structured diagnostic psychiatric interview for DSM-IV and ICD-10. *Journal of Clinical Psychiatry*, *59*, 22-33.
- Sippel, L. M., Holtzheimer, P. E., Friedman, M. J., & Schnurr, P. P. (2018). Defining Treatment-Resistant Posttraumatic Stress Disorder: A Framework for Future Research. *Biol Psychiatry*, *84*(5), e37-e41. doi:10.1016/j.biopsych.2018.03.011
- Smith, M. W., Schnurr, P. P., & Rosenheck, R. A. (2005). Employment outcomes and PTSD symptom severity. *Ment Health Serv Res*, *7*(2), 89-101.
- Solis, E., Antypa, N., Conijn, J. M., Kelderman, H., & Van der Does, W. (2017). Psychometric Properties of the Leiden Index of Depression Sensitivity (LEIDS). *Psychological Assessment*, *29*(2), 158-171. doi:10.1037/pas0000326
- Spinazzola, J., Blaustein, M., & van der Kolk, B. A. (2005). Posttraumatic stress disorder treatment outcome research: The study of unrepresentative samples? *Journal of Traumatic Stress*, *18*(5), 425-436. doi:DOI 10.1002/jts.20050
- Spinhoven, P., Penninx, B. W., van Hemert, A. M., de Rooij, M., & Elzinga, B. M. (2014). Comorbidity of PTSD in anxiety and depressive disorders: prevalence and shared risk factors. *Child Abuse Negl*, *38*(8), 1320-1330. doi:10.1016/j.chiabu.2014.01.017

- Springer, K. S., Levy, H. C., & Tolin, D. F. (2018). Remission in CBT for adult anxiety disorders: A meta-analysis. *Clinical Psychology Review*, *61*, 1-8. doi:10.1016/j.cpr.2018.03.002
- Sripada, R. K., Blow, F. C., Rauch, S. A. M., Ganoczy, D., Hoff, R., Harpaz-Rotem, I., & Bohnert, K. M. (2019). Examining the nonresponse phenomenon: Factors associated with treatment response in a national sample of veterans undergoing residential PTSD treatment. *Journal of Anxiety Disorders*, *63*, 18-25. doi:10.1016/j.janxdis.2019.02.001
- Sripada, R. K., & Rauch, S. A. M. (2015). Between-session and within-session habituation in Prolonged Exposure Therapy for posttraumatic stress disorder: A hierarchical linear modeling approach. *Journal of Anxiety Disorders*, *30*, 81-87. doi:10.1016/j.janxdis.2015.01.002
- Sripada, R. K., Rauch, S. A. M., & Liberzon, I. (2016). Psychological Mechanisms of PTSD and Its Treatment. *Current Psychiatry Reports*, *18*(11). doi:10.1007/s11920-016-0735-9
- Sripada, R. K., Ready, D. J., Ganoczy, D., Astin, M. C., & Rauch, S. A. M. (2020). When to Change the Treatment Plan: An Analysis of Diminishing Returns in VA Patients Undergoing Prolonged Exposure and Cognitive Processing Therapy. *Behavior Therapy*, *51*(1), 85-98. doi:DOI 10.1016/j.beth.2019.05.003
- Starke, J. A., & Stein, D. J. (2017). Management of Treatment-Resistant Posttraumatic Stress Disorder. *Current Treatment Options in Psychiatry*, *4*(4), 387-403. doi:10.1007/s40501-017-0130-0
- Stein, D. J., Koenen, K. C., Friedman, M. J., Hill, E., McLaughlin, K. A., Petukhova, M., . . . Kessler, R. C. (2013). Dissociation in Posttraumatic Stress Disorder: Evidence from the World Mental Health Surveys. *Biological Psychiatry*, *73*(4), 302-312. doi:10.1016/j.biopsych.2012.08.022
- Swart, S., Wildschut, M., Draijer, N., Langeland, W., & Smit, J. H. (2019). Dissociative subtype of posttraumatic stress disorder or PTSD with comorbid dissociative disorders: Comparative evaluation of clinical profiles. *Psychol Trauma*. doi:10.1037/tra0000474
- Szafrański, D. D., Smith, B. N., Gros, D. F., & Resick, P. A. (2017). High rates of PTSD treatment dropout: A possible red herring? *J Anxiety Disord*, *47*, 91-98. doi:10.1016/j.janxdis.2017.01.002
- Tarrier, N., Sommerfield, C., Pilgrim, H., & Faragher, B. (2000). Factors associated with outcome of cognitive-behavioural treatment of chronic post-traumatic stress disorder. *Behaviour Research and Therapy*, *38*(2), 191-202. doi:Doi 10.1016/S0005-7967(99)00030-3
- Taylor, S., Asmundson, G. J. G., & Carleton, R. N. (2006). Simple versus complex PTSD: A cluster analytic investigation. *Journal of Anxiety Disorders*, *20*(4), 459-472. doi:10.1016/j.janxdis.2005.04.003
- Taylor, S., Thordarson, D. S., Maxfield, L., Fedoroff, I. C., Lovell, K., & Ogradniczuk, J. (2003). Comparative efficacy, speed, and adverse effects of three PTSD treatments: Exposure therapy, EMDR, and relaxation training. *Journal of Consulting and Clinical Psychology*, *71*(2), 330-338. doi:10.1037/0022-006x.71.2.330
- Thombs, B. D., Bernstein, D. P., Lobbstaël, J., & Arntz, A. (2009). A validation study of the Dutch Childhood Trauma Questionnaire-Short Form: factor structure, reliability, and known-groups validity. *Child Abuse Negl*, *33*(8), 518-523. doi:10.1016/j.chiabu.2009.03.001
- Thornton, A., & Lee, P. (2000). Publication bias in meta-analysis: its causes and consequences. *J Clin Epidemiol*, *53*(2), 207-216. doi:10.1016/s0895-4356(99)00161-4

References

- Tracey, T. J., & Kokotovic, A. M. (1989). Factor structure of the working alliance inventory. *Psychological Assessment: A journal of consulting and clinical psychology*, 1(3), 207.
- Tryon, W. W. (2018). Mediators and Mechanisms. *Clinical Psychological Science*, 6(5), 619-628. doi:10.1177/2167702618765791
- Vallieres, F., Ceannt, R., Daccache, F., Abou Daher, R., Sleiman, J., Gilmore, B., . . . Hyland, P. (2018). ICD-11 PTSD and complex PTSD amongst Syrian refugees in Lebanon: the factor structure and the clinical utility of the International Trauma Questionnaire. *Acta Psychiatrica Scandinavica*, 138(6), 547-557. doi:10.1111/acps.12973
- Van Bronswijk, S. C., Bruijniks, S. J. E., Lorenzo-Luaces, L., Derubeis, R. J., Lemmens, L. H. J. M., Peeters, F. P. M. L., & Huibers, M. J. H. (2021). Cross-trial prediction in psychotherapy: External validation of the Personalized Advantage Index using machine learning in two Dutch randomized trials comparing CBT versus IPT for depression. *Psychotherapy Research*, 31(1), 78-91. doi:10.1080/10503307.2020.1823029
- van Bronswijk, S. C., DeRubeis, R. J., Lemmens, L. H. J. M., Peeters, F. P. M. L., Keefe, J. R., Cohen, Z. D., & Huibers, M. J. H. (2019). Precision medicine for long-term depression outcomes using the Personalized Advantage Index approach: cognitive therapy or interpersonal psychotherapy? *Psychological Medicine*, 1-11. doi:10.1017/S0033291719003192
- van Buuren, S. (2011). Multiple imputation of multilevel data *The Handbook of Advanced Multilevel Analysis* (pp. 173-196). Milton Park: Routledge.
- van den Berg, D. P., de Bont, P. A., van der Vleugel, B. M., de Roos, C., de Jongh, A., Van Minnen, A., & van der Gaag, M. (2015). Prolonged exposure vs eye movement desensitization and reprocessing vs waiting list for posttraumatic stress disorder in patients with a psychotic disorder: a randomized clinical trial. *JAMA Psychiatry*, 72(3), 259-267. doi:10.1001/jamapsychiatry.2014.2637
- Van der Kolk, B. A. (2002). In R. Yehuda (Ed.), *Treating Trauma Survivors with PTSD* (pp. 127-156). Washington, DC: American Psychiatric Publishing.
- van der Meer, C. A. I., Bakker, A., Schrieken, B. A. L., Hoofwijk, M. C., & Olff, M. (2017). Screening for trauma-related symptoms via a smartphone app: The validity of Smart Assessment on your Mobile in referred police officers. *International Journal of Methods in Psychiatric Research*, 26(3). doi:10.1002/mpr.1579
- Van der Ploeg, H. M., Defares, P. B., & Spielberger, C. D. (1982). *Zelf Analyse Vragenlijst, ZAV. Een vragenlijst voor het meten van boosheid en woede, als toestand en als dispositie*. Lisse: Swets & Zeitlinger.
- van Emmerik, A. A. P., Schoorl, M., Emmelkamp, P. M. G., & Kamphuis, J. H. (2006). Psychometric evaluation of the Dutch version of the posttraumatic cognitions inventory (PTCI). *Behaviour Research and Therapy*, 44(7), 1053-1065. doi:10.1016/j.brat.2005.07.002
- van IJzendoorn, M. H., & Schuengel, C. (1996). The measurement of dissociation in normal and clinical populations: Meta-analytic validation of the dissociative experiences scale (DES). *Clinical Psychology Review*, 16(5), 365-382. doi:10.1016/0272-7358(96)00006-2
- van Minnen, A., Arntz, A., & Keijsers, G. P. J. (2002). Prolonged exposure in patients with chronic PTSD: predictors of treatment outcome and dropout. *Behaviour Research and Therapy*, 40(4), 439-457. doi:10.1016/S0005-7967(01)00024-9

- van Minnen, A., & Foa, E. B. (2006). The effect of imaginal exposure length on outcome of treatment for PTSD. *Journal of Traumatic Stress, 19*(4), 427-438. doi:10.1002/jts.20146
- van Minnen, A., & Hagenaars, M. (2002). Fear activation and habituation patterns as early process predictors of response to prolonged exposure treatment in PTSD. *Journal of Traumatic Stress, 15*(5), 359-367. doi:10.1023/A:1020177023209
- van Minnen, A., Harned, M. S., Zoellner, L., & Mills, K. (2012). Examining potential contraindications for prolonged exposure therapy for PTSD. *European Journal of Psychotraumatology, 3*. doi:ARTN 18805
- van Minnen, A., Hendriks, L., & Olff, M. (2010). When do trauma experts choose exposure therapy for PTSD patients? A controlled study of therapist and patient factors. *Behaviour Research and Therapy, 48*(4), 312-320. doi:10.1016/j.brat.2009.12.003
- van Minnen, A., van der Vleugel, B. M., van den Berg, D. P., de Bont, P. A., de Roos, C., van der Gaag, M., & de Jongh, A. (2016). Effectiveness of trauma-focused treatment for patients with psychosis with and without the dissociative subtype of post-traumatic stress disorder. *Br J Psychiatry, 209*(4), 347-348. doi:10.1192/bjp.bp.116.185579
- Van Minnen, A., Voorendonk, E. M., Rozendaal, L., & de Jongh, A. (2020). Sequence matters: Combining Prolonged Exposure and EMDR therapy for PTSD. *Psychiatry Research, 290*. doi:10.1016/j.psychres.2020.113032
- van Minnen, A., Zoellner, L. A., Harned, M. S., & Mills, K. (2015). Changes in Comorbid Conditions After Prolonged Exposure for PTSD: a Literature Review. *Current Psychiatry Reports, 17*(3). doi:10.1007/s11920-015-0549-1
- Van Praag, D. L. G., Fardzadeh, H. E., Covic, A., Maas, A. I. R., & von Steinbuchel, N. (2020). Preliminary validation of the Dutch version of the Posttraumatic stress disorder checklist for DSM-5 (PCL-5) after traumatic brain injury in a civilian population. *PLoS One, 15*(4). doi:10.1371/journal.pone.0231857
- van Toorenborg, M. M., Sanches, S. A., Linders, B., Rozendaal, L., Voorendonk, E. M., Van Minnen, A., & De Jongh, A. (2020). Do emotion regulation difficulties affect outcome of intensive trauma-focused treatment of patients with severe PTSD? *European Journal of Psychotraumatology, 11*(1). doi:10.1080/20008198.2020.1724417
- Vanheule, S., Desmet, M., & Rosseel, Y. (2006). The factorial structure of the Dutch translation of the inventory of interpersonal problems: a test of the long and short versions. *Psychol Assess, 18*(1), 112-117. doi:10.1037/1040-3590.18.1.112
- Vervaeke, G., & Vertommen, H. (1996). De Werkalliantievragenlijst. *Gedragstherapie, 29*, 139-144.
- Vervliet, B., Craske, M. G., & Hermans, D. (2013). Fear Extinction and Relapse: State of the Art. *Annual Review of Clinical Psychology, Vol 9, 9*, 215-248. doi:10.1146/annurev-clinpsy-050212-185542
- Vervliet, B., & Indekeu, E. (2015). Low-Cost Avoidance Behaviors are Resistant to Fear Extinction in Humans. *Front Behav Neurosci, 9*, 351. doi:10.3389/fnbeh.2015.00351
- Voorendonk, E. M., De Jongh, A., Rozendaal, L., & Van Minnen, A. (2020). Trauma-focused treatment outcome for complex PTSD patients: results of an intensive treatment programme. *European Journal of Psychotraumatology, 11*(1), 1783955. doi:10.1080/20008198.2020.1783955
- Wagenmans, A., Van Minnen, A., Sleijpen, M., & De Jongh, A. (2018). The impact of childhood sexual abuse on the outcome of intensive trauma-focused treatment for PTSD. *Eur J Psychotraumatol, 9*(1), 1430962. doi:10.1080/20008198.2018.1430962

References

- Waller, G. (2009). Evidence-based treatment and therapist drift. *Behaviour Research and Therapy, 47*(2), 119-127. doi:10.1016/j.brat.2008.10.018
- Wangelin, B. C., & Tuerk, P. W. (2015). Taking the Pulse of Prolonged Exposure Therapy: Physiological Reactivity to Trauma Imagery as an Objective Measure of Treatment Response. *Depression and Anxiety, 32*(12), 927-934. doi:10.1002/da.22449
- Watkins, L. E., Sprang, K. R., & Rothbaum, B. O. (2018). Treating PTSD: A Review of Evidence-Based Psychotherapy Interventions. *Frontiers in Behavioral Neuroscience, 12*. doi:10.3389/fnbeh.2018.00258
- Watts, B. V., Schnurr, P. P., Mayo, L., Young-Xu, Y., Weeks, W. B., & Friedman, M. J. (2013). Meta-analysis of the efficacy of treatments for posttraumatic stress disorder. *J Clin Psychiatry, 74*(6), e541-550. doi:10.4088/JCP.12r08225
- Weathers, F. W., Blake, D. D., Schnurr, P. P., Kaloupek, D. G., Marx, B. P., & Keane, T. M. (2013a). The Clinician-Administered PTSD Scale for DSM-5 (CAPS-5). Retrieved from www.ptsd.va.gov
- Weathers, F. W., Blake, D. D., Schnurr, P. P., Kaloupek, D. G., Marx, B. P., & Keane, T. M. (2013b). The Life Events Checklist for DSM-5 (LEC-5).
- Weathers, F. W., Bovin, M. J., Lee, D. J., Sloan, D. M., Schnurr, P. P., Kaloupek, D. G., . . . Marx, B. P. (2018). The Clinician-Administered PTSD Scale for DSM-5 (CAPS-5): Development and Initial Psychometric Evaluation in Military Veterans. *Psychological Assessment, 30*(3), 383-395. doi:10.1037/pas0000486
- Weertman, A., Arntz, A., Dreessen, L., van Velzen, C., & Vertommen, S. (2003). Short-interval test-retest interrater reliability of the Dutch version of the structured clinical interview for DSM-IV personality disorders (SCID-II). *Journal of Personality Disorders, 17*(6), 562-567. doi:DOI 10.1521/pedi.17.6.562.25359
- Weitz, E., Kleiboer, A., Van Straten, A., Hollon, S. D., & Cuijpers, P. (2017). Individual patient data meta-analysis of combined treatments versus psychotherapy (with or without pill placebo), pharmacotherapy or pill placebo for adult depression: a protocol. *Bmj Open, 7*(2). doi:10.1136/bmjopen-2016-013478
- Welch, B. M., & Kawamoto, K. (2013). Clinical decision support for genetically guided personalized medicine: a systematic review. *Journal of the American Medical Informatics Association, 20*(2), 388-400. doi:10.1136/amiajnl-2012-000892
- West, S. G., Ryu, E., Kwok, O. M., & Cham, H. (2011). Multilevel Modeling: Current and Future Applications in Personality Research. *Journal of Personality, 79*(1), 2-50. doi:10.1111/j.1467-6494.2010.00681.x
- Wilson, J. P., Friedman, M. J., & Lindy, J. D. (2001). *Treating psychological trauma and PTSD*. New York: Guilford Press.
- Wilson, S. A., Becker, L. A., & Tinker, R. H. (1995). Eye-Movement Desensitization and Reprocessing (Emdr) Treatment for Psychologically Traumatized Individuals. *Journal of Consulting and Clinical Psychology, 63*(6), 928-937. doi:Doi 10.1037/0022-006x.63.6.928
- Wisco, B. E., Baker, A. S., & Sloan, D. M. (2016). Mechanisms of Change in Written Exposure Treatment of Posttraumatic Stress Disorder. *Behavior Therapy, 47*(1), 66-74. doi:DOI 10.1016/j.beth.2015.09.005
- Wolf, E. J., Lunney, C. A., & Schnurr, P. P. (2016). The influence of the dissociative subtype of posttraumatic stress disorder on treatment efficacy in female veterans and active duty service members. *J Consult Clin Psychol, 84*(1), 95-100. doi:10.1037/ccp0000036

- Wolf, E. J., Miller, M. W., Kilpatrick, D., Resnick, H. S., Badour, C. L., Marx, B. P., . . . Friedman, M. J. (2015). ICD-11 Complex PTSD in U.S. National and Veteran Samples: Prevalence and Structural Associations With PTSD. *Clinical Psychological Science, 3*(2), 215-229. doi:10.1177/2167702614545480
- World Health Organization. (1992). *International Classification of Diseases (ICD-10)*. Genève: World Health Organization.
- World Health Organization. (2018). International statistical classification of diseases and related health problems (11th Revision). . Retrieved from Retrieved from <https://icd.who.int/browse11/l-m/en>
- Xu, R., DeShon, R. P., & Dishop, C. R. (2019). Challenges and Opportunities in the Estimation of Dynamic Models. *Organizational Research Methods, 1*-25. doi:10.1177/1094428119842638
- Yehuda, R. (2002). *Treating trauma survivors with PTSD* (1st ed.). Washington, DC: American Psychiatric Pub.
- Yi, Q., & Panzarella, T. (2002). Estimating sample size for tests on trends across repeated measurements with missing data based on the interaction term in a mixed model. *Control Clin Trials, 23*(5), 481-496.
- Zalta, A. K., Gillihan, S. J., Fisher, A. J., Mintz, J., McLean, C. P., Yehuda, R., & Foa, E. B. (2014). Change in Negative Cognitions Associated With PTSD Predicts Symptom Reduction in Prolonged Exposure. *Journal of Consulting and Clinical Psychology, 82*(1), 171-175. doi:10.1037/a0034735
- Zhou, Y. G., Sun, L. N., Wang, Y., Wu, L. L., Sun, Z. E., Zhang, F., & Liu, W. Z. (2020). Developments of prolonged exposure in treatment effect of post-traumatic stress disorder and controlling dropout rate: A meta-analytic review. *Clinical Psychology & Psychotherapy*. doi:10.1002/cpp.2443
- Ziegler, A., Koch, A., Krockenberger, K., & Grosshennig, A. (2012). Personalized medicine using DNA biomarkers: a review. *Human Genetics, 131*(10), 1627-1638. doi:10.1007/s00439-012-1188-9
- Zielinski, D. S. (2009). Child maltreatment and adult socioeconomic well-being. *Child Abuse Negl, 33*(10), 666-678. doi:10.1016/j.chiabu.2009.09.001
- Zilcha-Mano, S., & Errazuriz, P. (2017). Early Development of Mechanisms of Change as a Predictor of Subsequent Change and Treatment Outcome: The Case of Working Alliance. *Journal of Consulting and Clinical Psychology, 85*(5), 508-520. doi:10.1037/ccp0000192
- Zoet, H. A., Wagenmans, A., van Minnen, A., & de Jongh, A. (2018). Presence of the dissociative subtype of PTSD does not moderate the outcome of intensive trauma-focused treatment for PTSD. *European Journal of Psychotraumatology, 9*(1). doi:Artn 1468707 10.1080/20008198.2018.1468707

Curriculum Vitae

Chris Hoeboer was born on the 17th of April 1993 in Katwijk. He completed his secondary education at the Stedelijk Gymnasium in Leiden in 2011. Chris obtained his Bachelor's degree in Psychology at Leiden University in 2014 and completed the Honours Programme of Social and Behavioural science. He graduated from the Research Master Clinical and Health Psychology (cum laude) at Leiden University in 2017 and completed the International Leiden Leadership Programme. In 2017, Chris started his PhD project at Leiden University and PsyQ The Hague about 'Improving treatment for patients with childhood abuse related posttraumatic stress disorder'. Chris received training from the Dutch-Flemish post-graduate school for Experimental Psychopathology and the Graduate School of Social and Behavioural Sciences of Leiden University. During his PhD, Chris trained and supervised students in clinical interviews, supervised students with their master theses and supervised clinical psychologists in training for their research project as part of their post-master study. Chris was also member of the communication committee, chairman of Special interest group 'Young Minds' and board member responsible for research of the Dutch Association for Psychotrauma. In the third year of his PhD, Chris received the KNAW Van der Gaag grant which allowed him to write his paper about personalization of PTSD treatment together with the research group from professor Lutz. Since the fourth year of his PhD, Chris has been working part-time as postdoctoral researcher at the AmsterdamUMC location AMC on several projects related to interpersonal partner violence, impact of COVID-19 on mental health and social safety, prevalence rates of PTSD and (cross-cultural) questionnaire/screener validations.

Publications

Hoeboer C.M., Oprel D.A.C., Kleine R.A.D., Schwartz B., Deisenhofer A.-K., Schoorl M., Van Der Does W.A.J., van Minnen A., & Lutz W. (2021). Personalization of Treatment for Patients with Childhood-Abuse-Related Posttraumatic Stress Disorder. *Journal of Clinical Medicine*, 10, 4522.

Williamson R.E., Hoeboer C.M, Primasari I., Qing Y., Coimbra B.M., Hovnanyan A., Grace E., Olf M. (2021). Symptom networks of COVID-19-related versus other potentially traumatic events in a global sample. *Journal of Anxiety Disorders*, 84, Artn 102476.

Hoeboer C.M., Oprel, D.A.C., Schoorl M., Van der Does A.W., Van Minnen A., & De Kleine, R.A (2021). Change in subjective distress as mechanism of change in prolonged exposure therapy for posttraumatic stress disorder. *Behavior therapy*.

Olf, M., Primasari, I., Qing, Y., Coimbra, B., Hovnanyan, A., Grace, E., Williamson, R., Hoeboer, C. M., & GPS-CCC Consortium (2021). Mental Health Responses to COVID-19 around the World. *European Journal of Psychotraumatology*, 12:1.

Hoeboer, C.M., De Kleine, R.A., Oprel, D.A.C., Schoorl, S., Van der Does, W., & Van Minnen, A. (2021). Does complex PTSD predict or moderate treatment outcomes of three variants of exposure therapy? *Journal of Anxiety Disorders, 80*, Artn 102388.

Oprel, D., Hoeboer, C., Schoorl, M., De Kleine, R.A., Cloitre, M., Wigard, I., Van Minnen, A., & Van der Does, W. (2021). Effect of Prolonged Exposure, intensified Prolonged Exposure and STAIR+Prolonged Exposure in patients with PTSD related to childhood abuse: a randomized controlled trial. *European Journal of Psychotraumatology, 12*:1.

Hoeboer, C., de Roos, C., van Son, G.E., Spinhoven, P., & Elzinga, B. (2020). The effect of parental emotional abuse on the severity and treatment of PTSD symptoms in children and adolescents. *Child abuse & neglect, Artn 104775*.

Hoeboer C.M., De Kleine R.A., Molendijk M. L., Schoorl S., Oprel D.A.C., Mouthaan J., Van der Does W., & Van Minnen A. (2019). The impact of dissociation on the effectiveness of psychotherapy for PTSD: a meta-analysis *BJPsych Open, 6*(3).

Oprel D.A.C. , Hoeboer C.M., Schoorl M., De Kleine R.A., Wigard I.G., Cloitre M., Van Minnen A. & Van der Does A.W. (2018). Improving treatment for patients with childhood abuse related posttraumatic stress disorder (IMPACT study): protocol for a multicenter randomized trial comparing prolonged exposure with intensified prolonged exposure and phase-based treatment, *BMC Psychiatry 18*(385): 1-10.

Dankwoord (acknowledgements)

Allereerst wil ik graag alle patiënten bedanken die deel hebben genomen aan dit onderzoek. Bedankt voor het vertrouwen in het onderzoek en de behandeling en de moeite die jullie hebben gedaan voor de metingen.

Promotoren & copromotoren

Rianne: Ik vind het bijzonder hoe betrokken je altijd was zowel inhoudelijk bij het onderzoek als bij mij. Bedankt voor alles wat ik van je heb mogen leren, voor al je adviezen en je mentorschap. Het was inspirerend om met je samen te werken.

Maartje: Bedankt voor het vertrouwen dat je in mij had en alle kansen die je me hebt gegeven om me te ontwikkelen. Ik heb veel van je geleerd over onderzoek doen in de klinische praktijk.

Agnes: Als ik ergens niet uitkwam was het fijn om te weten dat ik bij jou terecht kon. Je had altijd een helder advies. Bovendien wist je me altijd moed in te praten als het even tegen zat. Bedankt!

Willem: Bedankt voor de prettige samenwerking: vlot, no nonsense & to the point. Hoe lang ik ook aan een artikel had gewerkt: jij wist altijd de boel efficiënter te maken.

Bijdrage aan de IMPACT studie

Danielle: Wat hebben wij veel meegemaakt de afgelopen jaren. Ik had van te voren nooit gedacht dat ik een RCT runnen zo leuk zou vinden en dat was vooral omdat we het samen deden. We hebben genoeg meegemaakt om een mooi toneelstuk te maken. Bedankt voor alles; het was geweldig om dit samen te doen!

Therapeuten: Kathleen, Laure, Linda, Lucie, Luzella, Monique, Steven, Sylvia, Petra, Rianne, Annemieke, Astrid, Caroline, Claartje, Daan, Gerry, Gilani, Hannah, Joyce & Kathelijne. Bedankt voor al jullie inzet en vooral het leuke samenwerken. Al het puzzelen met plannings, samen nadenken tijdens supervisie en napraten aan het einde van de dag. Het kwam regelmatig voor dat jullie een pauze opgaven, extra vroeg begonnen met werken of zelfs op een vrije dag naar werk kwamen om die ene patiënt te zien. Ongelooflijk hoeveel jullie hebben gedaan om deze studie tot een succes te maken. Ik heb me echt thuis gevoeld bij PsyQ en heb dat aan jullie te danken. En Monique, bedankt voor het lezen van mijn Nederlandse samenvatting!

Interviewers, vrijwilligers en onderzoeksassistenten: Hanne, Robine, Montse, Mirjam, Kim, Fleur, Amy, Marina, Amber, Myrthe, Willianne, Foke, Gerwin, Michelle, Nicki, Niki, Niels, Judith, Stephanie, Marian, Ruby, Angela, Behazin, Sophie, Linde, Denise, Ayla, Carlijn, Eline, Stephanie, Imke, Kathy, Caroline, Richelle, Marit, Michelle, Rianne, Laura, Djana, Maaïke, Lynn, Annemieke, Nina, Didi, Fjodor, Joyce, Tirtza, Emma, Esther & Florianne. Het is ongelooflijk hoeveel werk jullie hebben verzet om deze studie mogelijk te maken; bedankt allemaal! Ook dank aan de supervisors van de interviewers: Milka en Maaïke. Verder dank aan Eric, Marloes en ARQ psychotrauma centrum voor alle SCID-2, DSPI en CAPS trainingen.

Gloria, Suus, Jose, Sandra en directieleden Parnassia: enorm bedankt voor het mogelijk maken en altijd steunen van Danielle, mij & deze studie in de soms weerbarstige klinische praktijk.

Willeke en Esther: Dankzij jullie zijn we veel praktische problemen voor gebleven; bedankt voor alle hulp.

Stichting Angst, Fobie en Dwang (AFD), Stichting Geheim Geweld, en ervaringsdeskundigen: bedankt voor al jullie adviezen en de interessante inhoudelijke discussies.

Djana: Bedankt voor al je screenwerk bij de meta-analyse!

ZonMW, Innovatiefonds zorgverzekeraars, KNAW & Nypels-Tans fonds: dank voor de financiële bijdrage die dit proefschrift mogelijk heeft gemaakt.

Collega's

Ik wil graag alle collega's van de afdeling psychotrauma van PsyQ in Den Haag en Rotterdam en de afdeling klinische psychologie uit Leiden bedanken. Ik heb me dankzij jullie zowel bij PsyQ als Leiden thuis gevoeld.

Coauteurs

Marylene: Thank you for all your effort as supervisor in the study and project member. It was inspiring to work with you.

Ingrid: Bedankt voor al je werk als supervisor in de studie. Je was altijd enorm betrokken!

Joanne: Bedankt voor je bijdrage aan de meta-analyse. Het was altijd leuk om even bij je binnen te lopen of om samen na te denken over onderzoek.

Marc: Bedankt voor je hulp bij de meta-analyse en de fijne samenwerking. Ik ken niemand die zo snel als jij kan reageren op mailtjes en tegelijkertijd altijd zo'n relaxte indruk geeft.

Marike: Bedankt voor je bijdrage aan het mediatie artikel. Het was leuk om samen te kunnen optrekken en na te denken over het werkingsmechanisme van exposure!

Wolfgang, Anne-Katherina and Brian: Thank you for all your guidance with my personalization paper. I really enjoyed working together!

Familie en vrienden

Frank: Bedankt voor al je steun tijdens mijn promotie. Ik vrees dat jij me hebt geleerd dat er ook kosten zijn van het voorspellen van een uitkomst (in dit geval de postcode loterij). Sorry je hebt nog wat van me tegoed!

Vera & Evert: Wat leuk om jullie zo vroeg in mijn studie te hebben leren kennen. Het was altijd gezellig & we hebben aardig wat meegemaakt samen. Jullie zijn allebei voor mij een voorbeeld van hoe ik als wetenschapper –en vooral als mens- wil zijn.

Els, Denise, Joyce, Martin, Rietje, Ineke, Heidi, Pony en andere vrienden en familie: Dank voor jullie steun, luisteren naar al mijn onderzoeks verhalen en vooral ook leuk dat jullie trots zijn!

Ian: Wat was het mooi het laatste deel van mijn promotietraject met jou te mogen delen. Bedankt dat je elke dag laat zien wat het belangrijkste is in het leven!

Shosha: Jij was de rots in de branding van mijn promotietraject. Je hebt talloze presentaties aangehoord, discussies gevoerd, voorspellingen ondergaan (helaas zat mijn uitgerekende datum van Ian er behoorlijk naast) en overal over meegedacht en meegeleefd. Bedankt dat je er altijd voor me bent, zonder jou was dit proefschrift er niet geweest.