



Universiteit
Leiden
The Netherlands

Learning to look at LiDAR: combining CNN-based object detection and GIS for archaeological prospection in remotely-sensed data

Verschoof-van der Vaart, W.B.

Citation

Verschoof-van der Vaart, W. B. (2022, February 2). *Learning to look at LiDAR: combining CNN-based object detection and GIS for archaeological prospection in remotely-sensed data*. Retrieved from <https://hdl.handle.net/1887/3256824>

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/3256824>

Note: To cite this publication please use the final published version (if applicable).

Backmatter

References

- Abadi, M., A. Agarwal, P. Barham, E. Brevdo, Z. Chen, C. Citro, G. S. Corrado, A. Davis, J. Dean, M. Devin, S. Ghemawat, I. Goodfellow, A. Harp, G. Irving, M. Isard, Y. Jia, R. Jozefowicz, L. Kaiser, M. Kudlur, J. Levenberg, D. Mané, R. Monga, S. Moore, D. Murray, C. Olah, M. Schuster, J. Shlens, B. Steiner, I. Sutskever, K. Talwar, P. Tucker, V. Vanhoucke, V. Vasudevan, F. Viégas, O. Vinyals, P. Warden, M. Wattenberg, M. Wicke, Y. Yu, X. Zheng & G. Research (n.d.), *TensorFlow: Large-Scale Machine Learning on Heterogeneous Distributed Systems*, tech. rep., URL: www.tensorflow.org.
- Abdollahi, A., B. Pradhan, N. Shukla, S. Chakraborty & A. Alamri (2020), "Deep learning approaches applied to remote sensing datasets for road extraction: A state-of-the-art review", *Remote Sensing* 12 (9), 1444, DOI: 10.3390/rs12091444.
- Actueel Hoogtebestand Nederland (2021), URL: <http://ahn.arcgisonline.nl/ahnviewer/>.
- Angelova, A., Y. Abu-Mostafa & P. Perona (2005), "Pruning training sets for learning of object categories", in: *Proceedings - 2005 IEEE Computer Society Conference on Computer Vision and Pattern Recognition, CVPR 2005*, vol. I, pp. 494–501, DOI: 10.1109/CVPR.2005.283.
- Arnoldussen, S. (2013), "Zoektocht in het zuiden: Celtic fields op ongestuwde afzettingen in Zuid-Nederland", *Paleo-actueel* 24, 59–66.
- (2018), "The fields that outlived the Celts: The use-histories of later prehistoric field systems (Celtic Fields or Raatakkers) in The Netherlands", *Proceedings of the Prehistoric Society* 84, 303–327, DOI: 10.1017/ppr.2018.5.
- Arnoldussen, S. & K. M. de Vries (2014), "Of farms and fields: the Bronze Age and Iron Age settlement and Celtic field at Hijken – Hijkerveld", *Palaeohistoria* 55/56, 85–104.

- Arnoldussen, S., E. E. Scheele & J.-W. de Kort (2014), *Briefrapport verkennend veldonderzoek Celtic field Herkenbosch - 'De Meinweg' (Grondsporen 19)*, Groningen: Groninger Instituut voor Archeologie, Rijksuniversiteit Groningen.
- Bakker, J. A. (2008), "A note on prehistoric routes on the Veluwe and near Uelzen", in: *Between foraging and farming. An extended broad spectrum of papers presented to Leendert Louwe Kooijmans (Analecta Praehistorica Leidensia 40)*, Fokkens, H., Coles, B. J., van Gijn, A. L., Kleijne, J. P., Ponjee, H. H. & Slappendel, C. G. (Eds.), Leiden: Leiden University, pp. 281–286, ISBN: 978-90-73368-23-1.
- Ball, J. E., D. T. Anderson & C. S. Chan (2017), "Comprehensive survey of deep learning in remote sensing: Theories, tools, and challenges for the community", *Journal of Applied Remote Sensing* 11, 042609, DOI: 10.1117/1.JRS.11.042609.
- Banaszek, Ł., D. Cowley & M. Middleton (2018), "Towards national archaeological mapping. Assessing source data and methodology—a case study from Scotland", *Geosciences* 8, 272, DOI: 10.3390/geosciences8080272.
- Bennett, R., D. Cowley & V. De Laet (2014), "The data explosion: Tackling the taboo of automatic feature recognition in airborne survey data", *Antiquity* 88 (341), 896–905, DOI: 10.1017/S0003598X00050766.
- Berendsen, H. J. A. (2004), *De Vorming van het Land. Inleiding in de Geologie en de Geomorfologie*, 4th, Assen: Koninklijke Van Gorcum, ISBN: 978-90-23240-75-8.
- Bevan, A. (2015), "The data deluge", *Antiquity* 89 (348), 1473–1484, DOI: 10.15184/aqy.2015.102.
- Bickler, S. H. (2021), "Machine learning arrives in archaeology", *Advances in Archaeological Practice* 9 (2), 186–191, DOI: 10.1017/aap.2021.6.
- Blume, H. P. & P. Leinweber (2004), "Plaggen soils: Landscape history, properties, and classification", *Journal of Plant Nutrition and Soil Science* 167 (3), 319–327, DOI: 10.1002/jpln.200420905.
- Bonhage, A., A. Raab, M. Eltaher, T. Raab, M. Breuß & A. Schneider (2021), "A modified mask region-based convolutional neural network approach for the automated detection of archaeological sites on high-resolution light detection and ranging-derived digital elevation models in the North German Lowland", *Archaeological Prospection*, 1–10, DOI: 10.1002/arp.1806.
- Bourgeois, Q. P. J. (2013), *Monuments on the Horizon. The Formation of the Barrow Landscape throughout the 3rd and 2nd Millennium BC*, Leiden: Sidestone Press, ISBN: 978-90-88901-04-1.
- Bourgeois, Q. P. J. & D. R. Fontijn (2015), "The tempo of Bronze Age barrow use: Modeling the ebb and flow in monumental funerary landscapes", *Radiocarbon* 57 (1), 47–64, DOI: 10.2458/azu_rc.57.17925.
- Boy, G. A., ed. (2011), *The handbook of human-machine interaction: A human-centered design approach*, Boca Raton (FL): CRC Press, DOI: 10.1080/0144929x.2011.603960.

- Breiman, L. (1996), "Bagging predictors", *Machine Learning* 24 (2), 123–140, DOI: 10.1023/A:1018054314350.
- Brenner, S., S. Zambanini & R. Sablatnig (2018), "Detection of Bomb Craters in WWII Aerial Images", in: *Proceedings of the OAGMWorkshop 2018*, Welk, M., Urschler, M. & Roth, P. M. (Eds.), Graz: Verlag der Technischen Universität Graz, pp. 94–97, DOI: 10.3217/978-3-85125-603-1-20.
- Brock, A., T. Lim, J. M. Ritchie & N. Weston (2017), "FreezeOut: Accelerate Training by Progressively Freezing Layers", URL: <http://arxiv.org/abs/1706.04983>.
- Brongers, J. (1976), *Air photography and celtic field research in the Netherlands*, Amersfoort: Rijksdienst voor het Oudheidkundig Bodemonderzoek, ISBN: 90-12-01363-1.
- Brophy, K. & D. Cowley (2005), *From the Air: Understanding Aerial Archaeology*, Stroud: Tempus, ISBN: 978-07-52431-30-7.
- Bundzel, M., M. Jaščur, M. Kováč, T. Lieskovský, P. Sinčák & T. Tkáčik (2020), "Semantic segmentation of airborne LiDAR data in Maya archaeology", *Remote Sensing* 12 (22), 3685, DOI: 10.3390/rs12223685.
- Casana, J. (2014), "Regional-scale archaeological remote sensing in the age of big data: Automated site discovery vs. brute force methods", *Advances in Archaeological Practice: A Journal of the Society for American Archaeology* 2 (3), 222–233, DOI: 10.7183/2326-3768.2.3.222.
- (2020), "Global-scale archaeological prospection using CORONA satellite imagery: Automated, crowd-sourced, and expert-led approaches", *Journal of Field Archaeology* 45, 89–100, DOI: 10.1080/00934690.2020.1713285.
- Casarotto, A., T. D. Stek, J. Pelgrom, R. H. van Otterloo & J. Sevink (2018), "Assessing visibility and geomorphological biases in regional field surveys: The case of Roman Aesernia", *Geoarchaeology* 33 (2), 177–192, DOI: 10.1002/GEA.21627.
- Caspari, G., T. Balz, L. Gang, X. Wang & M. Liao (2014), "Application of Hough Forests for the detection of grave mounds in high-resolution satellite imagery", in: *IEEE IGARSS*, pp. 906–909, DOI: 10.1109/IGARSS.2014.6946572.
- Caspari, G. & P. Crespo (2019), "Convolutional neural networks for archaeological site detection – Finding "princely" tombs", *Journal of Archaeological Science* 110, 104998, DOI: 10.1016/J.JAS.2019.104998.
- Castelvecchi, D. (2016), "Can we open the black box of AI?", *Nature* 538 (7623), 20–23, DOI: 10.1038/538020a.
- Cerrillo-Cuenca, E. (2017), "An approach to the automatic surveying of prehistoric barrows through LiDAR", *Quaternary International* 435, 135–145, DOI: 10.1016/j.quaint.2015.12.099.
- Chapman, H. (2011), *Landscape Archaeology and GIS*, Stroud: The History Press, ISBN: 978-0-7524-3603-6.

- Character, L., A. Ortiz Jr, T. Beach & S. Luzzadder-Beach (2021), "Archaeologic machine learning for shipwreck detection using lidar and sonar", *Remote Sensing* 13, 1759, DOI: 10.3390/rs13091759.
- Chen, C., X. Song & S. Jiang (2018), "Focal loss for region proposal network", in: *Pattern Recognition and Computer Vision, First Chinese Conference (Lecture Notes in Computer Science 11257)*, Lai, J.-H., Liu, C.-L., Xilin, C., Jie, Z., Tieniu, T., Nanning, Z. & Hongbin, Z. (Eds.), Guanzhou: Springer, pp. 368–380, ISBN: 978-30-30033-34-7.
- Chen, C., M.-Y. Liu, O. Tuzel & J. Xiao (2017), "R-CNN for Small Object Detection", in: *Computer Vision – ACCV 2016 (Lecture Notes in Computer Science 10115)*, Lai, S., Lepetit, V., Nishino, K. & Sato, Y. (Eds.), Cham: Springer, pp. 214–230, DOI: 10.1007/978-3-319-54193-8.
- Chen, F., R. Zhou, T. van de Voorde, X. Chen, J. Bourgeois, W. Gheyle, R. Goossens, J. Yang & W. Xu (2021), "Automatic detection of burial mounds (kurgans) in the Altai Mountains", *ISPRS Journal of Photogrammetry and Remote Sensing* 177, 217–237, DOI: 10.1016/j.isprsjprs.2021.05.010.
- Chen, G. & J. Han (2016), "A survey on object detection in optical remote sensing images", *ISPRS Journal of Photogrammetry and Remote Sensing* 117, 11–28, DOI: 10.1016/j.isprsjprs.2016.03.014.
- Chicco, D. & G. Jurman (2020), "The advantages of the Matthews Correlation Coefficient (MCC) over F1 score and accuracy in binary classification evaluation", *BMC Genomics* 21 (6), 1–13, DOI: 10.1186/s12864-019-6413-7.
- Chollet, F. (2015), *Keras*, URL: <https://keras.io>.
- Conan Doyle, A. (2009), "The Copper Beeches", in: *The Complete Sherlock Holmes*, New York: Barnes & Noble, pp. 295–310.
- Conrad, C. C. & K. G. Hilchey (2011), "A review of citizen science and community-based environmental monitoring: Issues and opportunities", *Environmental Monitoring and Assessment* 176, 273–291, DOI: 10.1007/s10661-010-1582-5.
- Cowley, D. (2011), "Remote sensing for archaeology and heritage management - site discovery, interpretation and registration", in: *Remote Sensing for Archaeological Heritage Management. Proceedings of the 11th EAC Heritage Management Symposium, Reykjavik, Iceland, 25-27 March 2010*, Cowley, D. C. (Ed.), Brussel: Europae Archaeologia Consilium, chap. 4, pp. 43–55, ISBN: 978-96-39911-17-8.
- (2012), "In with the new, out with the old? Auto-extraction for remote sensing archaeology", *Proceedings of SPIE* 8532, 853206, DOI: 10.1117/12.981758.
 - (2016), "What do the patterns mean? Archaeological distributions and bias in survey data", in: *Digital Methods and Remote Sensing in Archaeology: Archaeology in the Age of Sensing*, Forte, M. & Campana, S. (Eds.), Cham: Springer, pp. 147–170, ISBN: 978-33-19406-56-5.
- Cowley, D., Ł. Banaszek, G. Geddes, A. Gannon, M. Middleton & K. Millican (2020), "Making LiGHT work of large area survey? Developing approaches to rapid archae-

- ological mapping and the creation of systematic national-scaled heritage data", *Journal of Computer Applications in Archaeology* 3 (1), 109–121, DOI: 10.5334/jcaa.49.
- Cowley, D. & K. H. Sigurdardóttir (2011), "Remote sensing for archaeological heritage management", in: *Remote Sensing for Archaeological Heritage Management. Proceedings of the 11th EAC Heritage Management Symposium, Reykjavík, Iceland, 25-27 March 2010*, Cowley, D. (Ed.), Brussel: Europae Archaeologia Consilium, chap. 1, pp. 11–14, ISBN: 978-963-9911-20-8.
- Cowley, D., G. J. Verhoeven & A. Traviglia (2021), "Editorial for special issue: "Archaeological Remote Sensing in the 21st Century: (Re)Defining Practice and Theory"", *Remote Sensing* 13 (8), 1431, DOI: 10.3390/rs13081431.
- Crutchley, S. & P. Crow (2018), *Using Airborne Lidar in Archaeological Survey: The Light Fantastic*, 2nd, Swindon: Historic England.
- Cummings, M. M. (2014), "Man versus machine or man + machine?", *IEEE Intelligent Systems* 29 (5), 62–69, DOI: 10.1109/MIS.2014.87.
- D'Orazio, T., F. Palumbo & C. Guaragnella (2012), "Archaeological trace extraction by a local directional active contour approach", *Pattern Recognition* 45 (9), 3427–3438, DOI: 10.1016/j.patcog.2012.03.003.
- D'Orazio, T., P. Da Pelo, R. Marani & C. Guaragnella (2015), "Automated extraction of archaeological traces by a modified variance analysis", *Remote Sensing* 7 (4), 3565–3587, DOI: 10.3390/rs70403565.
- David, A. (2005), "The Role and Practice of Archaeological Prospection", in: *Handbook of Archaeological Sciences*, Brothwell, D. & Pollard, A. (Eds.), Chichester: John Wiley & Sons, LTD, pp. 521–527.
- Davis, D. S. (2020), "Defining what we study: The contribution of machine automation in archaeological research", *Digital Applications in Archaeology and Cultural Heritage* 18, e00152, DOI: 10.1016/j.daach.2020.e00152.
- (2021), "Theoretical repositioning of automated remote sensing archaeology: Shifting from features to ephemeral landscapes", *Journal of Computer Applications in Archaeology* 4 (1), 94–109, DOI: 10.5334/jcaa.72.
- Davis, D. S., V. Andriankaja, T. L. Carnat, Z. M. Chrisostome, C. Colombe, F. Feno-manana, L. Hubertine, R. Justome, F. Lahiniriko, H. Léonce, G. Manahira, B. V. Pierre, R. Roi, P. Soafiavy, F. Victorian, V. Voahirana, B. Manjakahery & K. Douglass (2020), "Satellite-based remote sensing rapidly reveals extensive record of Holocene coastal settlement on Madagascar", *Journal of Archaeological Science* 115, 105097, DOI: 10.1016/j.jas.2020.105097.
- Davis, D. S., M. C. Sanger & C. P. Lipo (2018), "Automated mound detection using lidar and object-based image analysis in Beaufort County, South Carolina", *Southeastern Archaeology* 38, 23–37, DOI: 10.1080/0734578X.2018.1482186.
- de Boer, A. (2007), "Using pattern recognition to search LIDAR data for archaeological sites", in: *The World is in your Eyes: Proceedings of the XXXIII Computer Applications*

- and Quantitative Methods in Archaeology Conference (March 2005 - Tomar, Portugal), Figueiredo, A. & Velho, G. (Eds.), Tomar: CAAPortugal, pp. 245–254.
- De Guio, A., L. Magnini & C. Bettineschi (2015), "GeOBIA approaches to remote sensing of fossil landscapes: Two case studies from Northern Italy", in: *Across Space and Time: Papers from the 41st Conference on Computer Applications and Quantitative Methods in Archaeology, Perth, 25-28 March 2013*, Traviglia, A. (Ed.), Amsterdam University Press, pp. 45–53.
- De Laet, V. & K. Lambers (2009), "Archaeological prospecting using high-resolution digital satellite imagery: Recent advances and future prospects - A session held at the Computer Applications and Quantitative Methods in Archaeology (CAA) conference, Williamsburg, USA, March 2009", *AARGnews - Newsletter of the Aerial Archaeology Research Group* 39, 9–17, URL: <http://nbn-resolving.de/urn:nbn:de:bsz:352-opus-100818>.
- De Laet, V., E. Paulissen, K. Meuleman & M. Waelkens (2009), "Effects of image characteristics on the identification and extraction of archaeological features from Ikonos-2 and Quickbird-2 imagery: Case study Sagalassos (southwest Turkey)", *International Journal of Remote Sensing* 30 (21), 5655–5668, DOI: 10.1080/01431160802705821.
- De Laet, V., E. Paulissen & M. Waelkens (2007), "Methods for the extraction of archaeological features from very high-resolution Ikonos-2 remote sensing imagery, Hisar (southwest Turkey)", *Journal of Archaeological Science* 34 (5), 830–841, DOI: 10.1016/j.jas.2006.09.013.
- Deforce, K., I. Boeren, S. Adriaenssens, J. Bastiaens, L. De Keersmaeker, K. Haneca, D. Tys & K. Vandekerckhove (2013), "Selective woodland exploitation for charcoal production. A detailed analysis of charcoal kiln remains (ca. 1300–1900 AD) from Zoersel (northern Belgium)", *Journal of Archaeological Science* 40 (1), 681–689, DOI: 10.1016/J.JAS.2012.07.009.
- Devereux, B. J., G. S. Amable, P. Crow & A. D. Cliff (2005), "The potential of airborne lidar for detection of archaeological features under woodland canopies", *Antiquity* 79 (305), 648–660, DOI: 10.1017/S0003598X00114589.
- Ding, P., Y. Zhang, W.-J. Deng, P. Jia & A. Kuijper (2018), "A light and faster regional convolutional neural network for object detection in optical remote sensing images", *ISPRS Journal of Photogrammetry and Remote Sensing* 141, 208–218, DOI: 10.1016/j.isprsjprs.2018.05.005.
- Dolejš, M., J. Pacina, M. Veselý & D. Brétt (2020), "Aerial bombing crater identification: Exploitation of precise digital terrain models", *ISPRS International Journal of Geo-Information* 9 (12), 713, DOI: 10.3390/ijgi9120713.
- Doneus, M. (2013), *Die hinterlassene Landschaft – Prospektion und Interpretation in der Landschaftsarchäologie*, Vienna: Austrian Academy of Sciences, ISBN: 978-37-00171-97-3.

- Doneus, M., C. Briese, M. Fera & M. Janner (2008), "Archaeological prospection of forested areas using full-waveform airborne laser scanning", *Journal of Archaeological Science* 35 (4), 882–893, DOI: 10.1016/j.jas.2007.06.013.
- Duckers, G. L. (2013), "Bridging the "geospatial divide" in archaeology: Community based interpretation of LiDAR data", *Internet Archaeology* 35, DOI: 10.11141/ia.35.10.
- Efron, B. & R. Tibshirani (1993), *An Introduction to the Bootstrap*, New York: Chapman & Hall/CRC, ISBN: 0-412-04231-2.
- Eitzel, M. V., J. L. Cappadonna, C. Santos-Lang, R. E. Duerr, A. Virapongse, S. E. West, C. C. M. Kyba, A. Bowser, C. B. Cooper, A. Sforzi, A. N. Metcalfe, E. S. Harris, M. Thiel, M. Haklay, L. Ponciano, J. Roche, L. Ceccaroni, F. M. Shilling, D. Dörler, F. Heigl, T. Kiessling, B. Y. Davis & Q. Jiang (2017), "Citizen science terminology matters: Exploring key terms", *Citizen Science: Theory and Practice* 2 (1), 1–20, DOI: 10.5334/cstp.96.
- Ellenkamp, G. & G. Tichelman (2008), *Archeo-landschappelijke knooppunt gemeente Roermond (RAAP-rapport 1741)*, Amsterdam: RAAP Archeologisch Adviesbureau.
- ESRI (2018), *ArcMap*, URL: <https://www.esri.com/en-us/arcgis/products/arcgis-desktop/resources>.
- Everingham, M., S. M. Ali Eslami, L. Van Gool, C. K. I. Williams, J. Winn & A. Zisserman (2015), "The PASCAL Visual Object Classes challenge: A retrospective", *International Journal of Computer Vision* 111, 98–136, DOI: 10.1007/s11263-014-0733-5.
- Everingham, M., L. Van Gool, C. K. I. Williams, J. Winn & A. Zisserman (2010), "The PASCAL Visual Object Classes (VOC) Challenge", *International Journal of Computer Vision* 88, 303–338, DOI: 10.1007/s11263-009-0275-4.
- Ferraz, A., C. Mallet & N. Chehata (2016), "Large-scale road detection in forested mountainous areas using airborne topographic lidar data", *ISPRS Journal of Photogrammetry and Remote Sensing* 112, 23–36, DOI: 10.1016/j.isprsjprs.2015.12.002.
- Figorito, B. & E. Tarantino (2014), "Semi-automatic detection of linear archaeological traces from orthorectified aerial images", *International Journal of Applied Earth Observation and Geoinformation* 26, 458–463, DOI: 10.1016/j.jag.2013.04.005.
- Fiorucci, M., M. Khoroshiltseva, M. Pontil, A. Traviglia, A. Del Bue & S. James (2020), "Machine learning for cultural heritage: A survey", *Pattern Recognition Letters* 133, 102–108, DOI: 10.1016/j.patrec.2020.02.017.
- Fiorucci, M., W. B. Verschoof-van der Vaart, P. Soleni, B. Le Saux & A. Traviglia (n.d.), "Deep learning for archaeological object detection in LiDAR: New evaluation measures and insights", *Remote Sensing*.
- Fokkens, H. (1998), *Drowned Landscape. The occupation of the western part of the Frisian-Drentian plateau, 4400 BC - AD 500*, Amersfoort / Assen: Van Gorcum.

- Fontijn, D. R., Q. P. J. Bourgeois & A. Louwen (2011), *Iron Age Echoes. Prehistoric Land Management and the Creation of a Funerary Landscape - the "Twin Barrows" at the Echoput in Apeldoorn*, Leiden: Sidestone Press, ISBN: 978-90-88900-73-0.
- Forest, M., L. Costa, A. Combey, A. Dorison & G. Pereira (2020), "Testing web mapping and active learning to approach Lidar data", *Advances in Archaeological Practice* 8 (1), 25–39, DOI: 10.1017/aap.2019.42.
- Freeland, T., B. Heung, D. V. Burley, G. Clark & A. Knudby (2016), "Automated feature extraction for prospection and analysis of monumental earthworks from aerial LiDAR in the Kingdom of Tonga", *Journal of Archaeological Science* 69, 64–74, DOI: 10.1016/j.jas.2016.04.011.
- Freitag, A., R. Meyer & L. Whiteman (2016), "Strategies employed by citizen science programs to increase the credibility of their data", *Citizen Science: Theory and Practice*. 1 (1), 2, DOI: 10.5334/cstp.6.
- Fritz, S., C. C. Fonte & L. See (2017), "The role of Citizen Science in Earth Observation", *Remote Sensing* 9 (4), 357, DOI: 10.3390/rs9040357.
- Gallwey, J., M. Eyre, M. Tonkins & J. Coggan (2019), "Bringing lunar LiDAR back down to earth: Mapping our industrial heritage through deep transfer learning", *Remote Sensing* 11 (17), 1994, DOI: 10.3390/rs11171994.
- Gao, L., Y. He, X. Sun, X. Jia & B. Zhang (2019), "Incorporating negative sample training for ship detection based on deep learning", *Sensors* 19 (3), 684, DOI: 10.3390/s19030684.
- Gattiglia, G. (2015), "Think big about data: Archaeology and the Big Data challenge", *Archäologische Informationen* 38 (1), 113–124, DOI: 10.11588/ai.2015.1.26155.
- Gerritsen, F. (2003), *Local Identities: Landscape and Community in the Late Prehistoric Meuse-Demer-Scheldt Region*, Amsterdam: Amsterdam University Press, ISBN: 978-90-53565-88-9.
- Gillings, M., P. Hacigüzeller & G. Lock (2020), "Archaeology and spatial analysis", in: *Archaeological Spatial Analysis: A Methodological Guide*, Gillings, M., Hacigüzeller, P. & Lock, G. (Eds.), Oxon / New York: Routledge, chap. 1, pp. 1–16, ISBN: 978-0-815-37323-0.
- Gillings, M. & D. Wheatley (2020), "GIS-based visibility analysis", in: *Archaeological Spatial Analysis: A Methodological Guide*, Gillings, M., Hacigüzeller, P. & Lock, G. (Eds.), Oxon / New York: Routledge, chap. 17, pp. 313–332, ISBN: 978-0-815-37323-0.
- Girshick, R. (2015), "Fast R-CNN", in: *Proceedings of the IEEE International Conference on Computer Vision*, pp. 1440–1448, DOI: 10.1109/ICCV.2015.169.
- Girshick, R., J. Donahue, T. Darrell & J. Malik (2014), "Rich feature hierarchies for accurate object detection and semantic segmentation", in: *IEEE CVPR*, pp. 580–587, DOI: 10.1109/CVPR.2014.81.

- Gong, M. (2021), "A novel performance measure for machine learning classification", *International Journal of Managing Information Technology* 13 (1), 1–19, DOI: 10.5121/ijmit.2021.13101.
- Goodfellow, I., Y. Bengio & A. Courville (2016), *Deep Learning*, Cambridge, MA: The MIT Press, ISBN: 978-02-62035-61-3.
- Grandini, M., E. Bagli & G. Visani (2020), *Metrics for multi-class classification: An overview*, URL: <https://arxiv.org/abs/2008.05756>.
- Green, S. E., J. P. Rees, P. A. Stephens, R. A. Hill & A. J. Giordano (2020), "Innovations in camera trapping technology and approaches: The integration of citizen science and artificial intelligence", *Animals* 10 (1), 132, DOI: 10.3390/ani10010132.
- Groenewoudt, B. (2007), "Charcoal burning and landscape dynamics in the Early Medieval Netherlands", *Ruralia* 6, 327–337, DOI: 10.1484/M.RURALIA-EB.3.1150.
- Guo, Y. (2017), "Deep Learning for Visual Understanding", PhD thesis, Leiden University, pp. 1–187, URL: http://press.liacs.nl/yanmingguo/thesis/Thesis_Yanming_Guo.pdf.
- Guo, Y., Y. Liu, A. Oerlemans, S. Lao, S. Wu & M. S. Lew (2016), "Deep learning for visual understanding: A review", *Neurocomputing* 187, 27–48, DOI: 10.1016/j.neucom.2015.09.116.
- Gupta, N. (2020), "Preparing Archaeological Data for Spatial Analysis", in: *Archaeological Spatial Analysis: A Methodological Guide*, Gillings, M., Hacigüzeller, P. & Lock, G. (Eds.), London / New York: Routledge, chap. 2, pp. 17–40, ISBN: 978-0-815-37323-0.
- Gupta, N. & R. Devillers (2017), "Geographic visualization in archaeology", *Journal of Archaeological Method & Theory* 24, 852–885, DOI: 10.1007/s10816-016-9298-7.
- Guyot, A., L. Hubert-Moy & T. Lorho (2018), "Detecting Neolithic burial mounds from LiDAR-derived elevation data using a multi-scale approach and machine learning techniques", *Remote Sensing* 10 (2), 225, DOI: 10.3390/rs10020225.
- Guyot, A., M. Lennon & L. Hubert-Moy (2021a), "Objective comparison of relief visualization techniques with deep CNN for archaeology", *Journal of Archaeological Science: Reports* 38, 103027, DOI: 10.1016/j.jasrep.2021.103027.
- Guyot, A., M. Lennon, T. Lorho & L. Hubert-Moy (2021b), "Combined detection and segmentation of archeological structures from LiDAR data using a deep learning approach", *Journal of Computer Applications in Archaeology* 4 (1), 1–19, DOI: 10.5334/jcaa.64.
- El-Hajj, H. (2021), "Interferometric SAR and machine learning: Using open source data to detect archaeological looting and destruction", *Journal of Computer Applications in Archaeology* 4 (1), 47–62, DOI: 10.5334/jcaa.70.
- Halliday, S. (2013), "I Walked, I Saw, I Surveyed, but what did I see?...and what did I survey?", in: *Interpreting archaeological topography: airborne laser scanning, 3D data and ground observation*, Opitz, R. & Cowley, D. (Eds.), Oxford and Oakville: Oxbow Books, chap. 5, pp. 63–75, ISBN: 978-1-84217-516-3.

- Hay, G. J. & G. Castilla (2008), "Geographic object based image analysis (GEOBIA): a new name for a new discipline.", in: *Object Based Image Analysis*, Blaschke, T., Lang, S. & Hay, G. (Eds.), Heidelberg: Springer, pp. 93–112.
- He, H. & E. A. Garcia (2009), "Learning from Imbalanced Data", *IEEE Transactions on Knowledge and Data Engineering* 21 (9), 1263–1284, DOI: 10.1109/tkde.2008.239.
- He, K., R. Girshick & P. Dollar (2019), "Rethinking ImageNet pre-training", in: *Proceedings of the IEEE International Conference on Computer Vision*, pp. 4917–4926, DOI: 10.1109/ICCV.2019.00502.
- He, K., X. Zhang, S. Ren & J. Sun (2016), "Deep Residual Learning for Image Recognition", in: *2016 IEEE Conference on Computer Vision and Pattern Recognition*, Las Vegas, NV: IEEE, pp. 770–778, DOI: 10.1109/CVPR.2016.90.
- He, T., Z. Zhang, H. Zhang, Z. Zhang, J. Xie & M. Li (2018), *Bag of Tricks for Image Classification with Convolutional Neural Networks*, URL: <https://arxiv.org/abs/1812.01187>.
- Henon, Y. (2017), *yhenon/Keras-FRCNN*, URL: <https://github.com/yhenon/keras-frcnn>.
- Herfort, B., B. Höfle & C. Klonner (2018), "3D micro-mapping: Towards assessing the quality of crowdsourcing to support 3D point cloud analysis", *ISPRS Journal of Photogrammetry and Remote Sensing* 137, 73–83, DOI: 10.1016/j.isprsjprs.2018.01.009.
- Herfort, B., H. Li, S. Fendrich, S. Lautenbach & A. Zipf (2019), "Mapping human settlements with higher accuracy and less volunteer efforts by combining crowdsourcing and deep learning", *Remote Sensing* 11 (15), 1799, DOI: 10.3390/rs11151799.
- Heritage Quest* (2021), URL: <https://www.universiteitleiden.nl/erfgoed-gezocht>.
- Hesse, R. (2010), "LiDAR-derived Local Relief Models - a new tool for archaeological prospection", *Archaeological Prospection* 17 (2), 67–72, DOI: 10.1002/arp.374.
- (2013), "The changing picture of archaeological landscapes: Lidar prospection over very large areas as part of a cultural heritage strategy", in: *Interpreting Archaeological Topography: 3D data, Visualisation and Observation*, Opitz, R. & Cowley, D. (Eds.), Oxford and Oakville: Oxbow, chap. 14, pp. 171–183, ISBN: 978-1-84217-516-3.
- Hohl, S. (2016), "Neural Network Based Image Classification in the Context of Archaeology", MA thesis, HTW Berlin.
- Howard, J. & S. Gugger (2020), "Fastai: A layered api for deep learning", *Information* 11 (2), 108, DOI: 10.3390/info11020108.
- Huggett, J. (2020a), "Capturing the silences in digital archaeological knowledge", *Information* 11 (5), DOI: 10.3390/info11050278.
- (2020b), "Is big digital data different? Towards a new archaeological paradigm", *Journal of Field Archaeology* 45, S8–S17, DOI: 10.1080/00934690.2020.1713281.

- Jager, S. W. (1985), "A prehistoric route and ancient cart-tracks in the gemeente of Anloo (Province of Drenthe)", *Palaeohistoria* 27, 185–245.
- Jahjah, M. & C. Ulivieri (2010), "Automatic archaeological feature extraction from satellite VHR images", *Acta Astronautica* 66, 1302–1310, DOI: 10.1016/j.actaastro.2009.10.028.
- Jelsma, J., W. B. Verschoof-van der Vaart, F. van den Oever & P. Orbons (2021), *Meten of vergeten: Een inhoudelijke evaluatie van de toepassing van geofysisch onderzoek tijdens archeologische prospectie van landbodems (Rapportage Archeologische Monumentenzorg 266)*, Jelsma, J. & Verschoof-van der Vaart, W. B. (Eds.), Amersfoort: Rijksdienst voor het Cultureel Erfgoed, ISBN: 978-90-76046-70-9.
- Jensen, J. R. (2015), *Introductory Digital Image Processing: A Remote Sensing Perspective*, 4th, Glenview, IL: Pearson, ISBN: 978-0-134058-16-0.
- Johnson, J. M. & T. M. Khoshgoftaar (2019), "Survey on deep learning with class imbalance", *Journal of Big Data* 6, 27, DOI: 10.1186/s40537-019-0192-5.
- Johnson, M. (2007), *Ideas of Landscape*, Malden MA / Oxford: Blackwell Publishing Inc., DOI: 10.1002/9780470773680.
- Kazimi, B., F. Thiemann & M. Sester (2019), "Semantic Segmentation of Manmade Landscape Structures in Digital Terrain Models", *ISPRS Annals of the Photogrammetry, Remote Sensing and Spatial Information Sciences* 4 (2), 87–94, DOI: 10.5194/isprs-annals-IV-2-W7-87-2019.
- (2020a), "Detection of terrain structures in airborne laser scanning data using deep learning", *ISPRS Annals of the Photogrammetry, Remote Sensing and Spatial Information Sciences* 5 (2), 493–500, DOI: 10.5194/isprs-annals-V-2-2020-493-2020.
- Kazimi, B., K. Malek, F. Thiemann & M. Sester (2020b), "Effectiveness of DTM derivatives for object detection using deep learning", in: *CHNT 25, 2020 – Abstracts*, Vienna: Propylaeum, pp. 1–4.
- Kenzler, H. & K. Lambers (2015), "Challenges and Perspectives of Woodland Archaeology Across Europe", in: *CAA2014: 21st Century Archaeology, Concepts, Methods and Tools. Proceedings of the 42nd Annual Conference on Computer Applications and Quantitative Methods in Archaeology*. Giligny, F., Djindjian, F., Costa, L., Moscati, P. & Robert, S. (Eds.), Oxford: Archaeopress, pp. 73–80, ISBN: 978-1-78491-101-0.
- Kermit, M., J. H. Reksten & Ø. D. Trier (2018), "Towards a national infrastructure for semi-automatic mapping of cultural heritage in Norway", in: *CAA2016: Oceans of Data. Proceedings of the 44th Conference on Computer Applications and Quantitative Methods in Archaeology*, Matsumoto, M. & Uleberg, E. (Eds.), Oxford: Archaeopress, pp. 159–172, ISBN: 978-1-78491-731-9.
- Keshavan, A., J. Yeatman & A. Rokem (2018), "Combining citizen science and deep learning to amplify expertise in neuroimaging", *bioRxiv*, 363382, DOI: 10.1101/363382, URL: <http://dx.doi.org/10.1101/363382>.

- Kingma, D. P. & J. L. Ba (2015), "Adam: A method for stochastic optimization", in: *International Conference on Learning Representations, (ICLR)*, pp. 1–13.
- Kirchner, A., N. Herrmann, R. Stadtmann, T. Lahmer, L.-M. Hille, T. Steinbrecher & M. Sauerwein (2020), "Spatial analysis of hollow ways in the Hildesheimer Wald Mountains (Lower Saxony, Germany) as a model for mountainous regions of Central Europe", *Erdkunde* 74 (1), 1–14, DOI: 10.3112/erdkunde.2020.01.01.
- Kitchin, R. & G. McArdle (2016), "What makes Big Data, Big Data? Exploring the ontological characteristics of 26 datasets", *Big Data & Society* 3 (1), 1–10, DOI: 10.1177/2053951716631130.
- Knapp, A. B. & W. Ashmore (1999), "Archaeological Landscapes: Constructed, Conceptualized, Ideational", in: *Archaeologies of Landscape: Contemporary Perspectives*, Ashmore, W. & Knapp, A. B. (Eds.), Hoboken (NJ): Wiley-Blackwell, chap. 1, pp. 1–30, ISBN: 978-0-631-21106-8.
- Kokalj, Ž. & R. Hesse (2017), *Airborne Laser Scanning Raster Data Visualization: A Guide to Good Practice*, Ljubljana: Založba ZRC, ISBN: 978-961-05-0012-4.
- Kokalj, Ž. & M. Somrak (2019), "Why not a single image? Combining visualizations to facilitate fieldwork and on-screen mapping", *Remote Sensing* 11 (7), 747, DOI: 10.3390/rs11070747.
- Kokalj, Ž., K. Zakšek, K. Oštir, P. Pehani & K. Cotar (2013), *Relief Visualization Toolbox, ver. 1.3 Manual General information*, tech. rep., Ljubljana: Research Centre of the Slovenian Academy of Sciences and Arts, pp. 1–9.
- Kooistra, M. & G. Maas (2008), "The widespread occurrence of Celtic field systems in the central part of the Netherlands", *Journal of Archaeological Science* 35, 2318–2328, DOI: 10.1016/j.jas.2008.03.007.
- Kosmala, M., A. Wiggins, A. Swanson & B. Simmons (2016), "Assessing data quality in citizen science", *Frontiers in Ecology and the Environment* 14 (10), 551–560, DOI: 10.1002/fee.1436.
- Koster, E. A. (2009), "The "European aeolian sand belt": Geoconservation of drift sand landscapes", *Geoheritage* 1 (2-4), 93–110, DOI: 10.1007/s12371-009-0007-8.
- Krambach, M. (2016), *gridSplitter*, URL: <https://plugins.qgis.org/plugins/gridSplitter/>.
- Kramer, I. (2015), "An Archaeological Reaction to the Remote Sensing Data Explosion. Reviewing the Research on Semi-automated Pattern Recognition and Assessing the Potential to Integrate Artificial Intelligence", MA thesis, University of Southampton.
- Krizhevsky, A., I. Sutskever & G. E. Hinton (2012), "ImageNet classification with deep convolutional neural networks", *Advances In Neural Information Processing Systems* 25, 1106–1114, DOI: 10.1016/j.protcy.2014.09.007.
- Kumar, R. & E. B. Manash (2019), "Deep learning: A branch of machine learning", *Journal of Physics: Conference Series* 1228, 12045, DOI: 10.1088/1742-6596/1228/1/012045.

- Kvamme, K. L. (2013), "An examination of automated archaeological feature recognition in remotely sensed imagery", in: *Computational Approaches to Archaeological Spaces*, Bevan, A. & Lake, M. (Eds.), Walnut Creek (CA): Left Coast Press, pp. 53–68, ISBN: 978-1-61132-346-7.
- (2018), "Experiments in the Automatic Detection of Archaeological Features in Remotely Sensed Data from Great Plains Villages, USA", in: *CAA2016: Oceans of Data. Proceedings of the 44th Conference on Computer Applications and Quantitative Methods in Archaeology*, Matsumoto, M. & Uleberg, E. (Eds.), Oxford: Archaeopress, pp. 173–184, ISBN: 978-1-78491-731-9.
- Lambers, K. (2018), "Airborne and space borne remote sensing and digital image analysis in archaeology", in: *Digital Geoarchaeology: New Techniques for Interdisciplinary Human-Environmental Research*, Siart, C., Forbriger, M. & Bubbenzer, O. (Eds.), Cham: Springer, pp. 109–122, ISBN: 978-3-319-25314-5.
- Lambers, K. & A. Travaglia (2016), "Automated detection in remote sensing archaeology", *AARGnews - Newsletter Aerial Archaeology Research Group* 53, 25–29, URL: <http://hdl.handle.net/1887/43750>.
- Lambers, K., W. B. Verschoof-van der Vaart & Q. P. Bourgeois (2019), "Integrating remote sensing, machine learning, and citizen science in Dutch archaeological prospection", *Remote Sensing* 11 (7), 794, DOI: 10.3390/rs11070794.
- Landauer, J. & R. Hesse (2019), "Machine learning for large area archaeological feature detection Applying transfer learning to airborne lidar data", in: *CHNT 24, 2019 – Abstracts*, pp. 1–3.
- Lanting, J. N. & J. D. van der Waals (1974), "Oudheidkundig onderzoek bij Swalmen", *Oudheidkundige Mededeelingen uit het Rijksmuseum van Oudheden te Leiden* 55, 1–111.
- Lauwerier, R. C. G. M., M. C. Eerden, B. J. Groenewoudt, M. A. Lascaris, E. Rensink, B. I. Smit, B. P. Speleers & J. van Doesburg, eds. (2017), *Knowledge for Informed Choices. Tools for More Effective and Efficient Selection of Valuable Archaeology in the Netherlands (Nederlandse Archeologische Rapporten 55)*, Amersfoort: Cultural Heritage Agency of the Netherlands, ISBN: 978-90-57992-77-3.
- LeCun, Y., Y. Bengio & G. Hinton (2015), "Deep learning", *Nature* 521, 436–444, DOI: 10.1038/nature14539.
- Ledig, C., L. Theis, F. Huszár, J. Caballero, A. Cunningham, A. Acosta, A. Aitken, A. Tejani, J. Totz, Z. Wang & W. Shi (2017), "Photo-realistic single image super-resolution using a generative adversarial network", in: *Proceedings - 30th IEEE Conference on Computer Vision and Pattern Recognition*, vol. 1, pp. 105–114, DOI: 10.1109/CVPR.2017.19.
- Li, M., S. Zang, B. Zhang, S. Li & C. Wu (2014), "A review of remote sensing image classification techniques: The role of spatio-contextual information", *European Journal of Remote Sensing* 47 (1), 389–411, DOI: 10.5721/EuJRS20144723.

- Li, P., Y. Zang, C. Wang, J. Li, M. Cheng, L. Luo & Y. Yu (2016), "Road network extraction via deep learning and line integral convolution", *International Geoscience and Remote Sensing Symposium*, 1599–1602, DOI: 10.1109/IGARSS.2016.7729408.
- Lillesand, T. M., R. W. Kiefer & J. W. Chipman (2015), *Remote Sensing and Image Interpretation*, 7th, Hoboken (NJ): Wiley, ISBN: 978-11-18343-28-9.
- Lin, Y.-M. A., A. Huynh, G. Lanckriet & L. Barrington (2014a), "Crowdsourcing the unknown: The satellite search for Genghis Khan", *PLoS ONE* 9, e114046, DOI: 10.1371/journal.pone.1371/journal.pone.
- Lin, T.-Y., M. Maire, S. Belongie, J. Hays, P. Perona, D. Ramanan, P. Dollar & C. Zitnick (2014b), "Microsoft COCO: common objects in context", *Lecture Notes in Computer Science* 8693, 740–755.
- Lin, T. Y., P. Goyal, R. Girshick, K. He & P. Dollar (2020), "Focal loss for dense object detection", *IEEE Transactions on Pattern Analysis and Machine Intelligence* 42 (2), 318–327, DOI: 10.1109/TPAMI.2018.2858826.
- Lohof, E. (1994), "Tradition and change: Burial practices in the Late Neolithic and Bronze Age in the north-eastern Netherlands", *Archaeological Dialogues* 1 (2), 98–118, DOI: 10.1017/S1380203800000167.
- López, V., A. Fernández, S. García, V. Palade & F. Herrera (2013), "An insight into classification with imbalanced data: Empirical results and current trends on using data intrinsic characteristics", *Information Sciences* 250, 113–141, DOI: 10.1016/j.ins.2013.07.007.
- Louwe Kooijmans, L., P. van den Broeke, H. Fokkens & A. van Gijn, eds. (2005), *The Prehistory of the Netherlands*, Amsterdam: Amsterdam University Press, ISBN: 978-90-53561-60-9.
- Louwen, A. & D. R. Fontijn (2019), *Death Revisited. The Excavation of Three Bronze Age Barrows and Surrounding Landscape at Apeldoorn-Wieselseweg*, Leiden: Sidestone Press, ISBN: 978-90-88905-80-3.
- Løvschal, M. (2013), "Ways of wandering - In the Late Bronze Age Barrow Landscape of the Himmerland-area, Denmark", in: *Beyond Barrows. Current research on the structuration and perception of the Prehistoric Landscape through Monuments*, Fontijn, D., Louwen, A. J., Vaart, S. van der & Wentink, K. (Eds.), Leiden: Sidestone Press, pp. 225–250, ISBN: 978-90-8890-108-9.
- Lozic, E. & B. Štular (2021), "Documentation of archaeology-specific workflow for airborne LiDAR data processing", *Geosciences* 11, 26, DOI: 10.3390/geosciences11010026.
- Luo, L., X. Wang, H. Guo, C. Liu, J. Liu, L. Li, X. Du & G. Qian (2014), "Automated extraction of the archaeological tops of qanat shafts from VHR imagery in Google Earth", *Remote Sensing* 6 (12), 11956–11976, DOI: 10.3390/rs61211956.
- Luque, A., A. Carrasco, A. Martín & A. de las Heras (2019), "The impact of class imbalance in classification performance metrics based on the binary confusion matrix", *Pattern Recognition* 91, 216–231, DOI: 10.1016/j.patcog.2019.02.023.

- Lyman, R. L. & T. L. VanPool (2009), "Metric data in archaeology: A study of intra-analyst and inter-analyst variation", *American Antiquity* 74 (3), 485–504, DOI: 10.1017/S0002731600048721.
- Ma, L., Y. Liu, X. Zhang, Y. Ye, G. Yin & B. A. Johnson (2019), "Deep learning in remote sensing applications: A meta-analysis and review", *ISPRS Journal of Photogrammetry and Remote Sensing* 152, 166–177, DOI: 10.1016/j.isprsjprs.2019.04.015.
- Magnini, L., C. Bettineschi & A. De Guio (2017), "Object-based shell craters classification from LiDAR-derived Sky-View Factor", *Archaeological Prospection* 24 (3), 211–223, DOI: 10.1002/arp.1565.
- Manning, C. D., P. Raghavan & H. Schütze (2009), *Introduction to Information Retrieval*, Cambridge: Cambridge University Press.
- McCoy, M. D. (2017), "Geospatial Big Data and archaeology: Prospects and problems too great to ignore", *Journal of Archaeological Science* 84, 74–94, DOI: 10.1016/j.jas.2017.06.003.
- Menze, B. & J. Ur (2012), "Mapping patterns of long-term settlement in Northern Mesopotamia at a large scale", *PNAS* 109 (14), 778–787, DOI: 10.1073/pnas.1115472109.
- Menze, B., J. Ur & A. Sherratt (2006), "Detection of ancient settlement mounds: Archaeological survey based on the SRTM terrain model", *Photogrammetric Engineering & Remote Sensing* 72 (3), 321–327, DOI: 10.14358/pers.72.3.321.
- Meurkens, L. & A. Tol (2016), *De Late Prehistorie: Een actuele kennisstand van de late prehistorie in Limburg aan de hand van archeologisch onderzoek tussen 2007 en 2013*, Roermond: Steunpunt Archeologie & Monumentenzorg Limburg.
- Meyer, M. F., I. Pfeffer & C. Jürgens (2019), "Automated detection of field monuments in digital terrain models of Westphalia using OBIA", *Geosciences* 9 (3), 109, DOI: 10.3390/geosciences9030109.
- Meyer-Heß, M. F. (2020), "Identification of archaeologically relevant areas using open geodata", *KN - Journal of Cartography and Geographic Information* 70 (3), 107–125, DOI: 10.1007/s42489-020-00049-w.
- Mlekuž, D. (2013a), "Messy landscapes: lidar and the practices of landscaping", in: *Interpreting Archaeological Topography: 3D data, Visualisation and Observation*, Opitz, R. & Cowley, D. (Eds.), Oxford and Oakville: Oxbow Books, chap. 7, pp. 88–99, ISBN: 978-1-84217-516-3.
- (2013b), "Roads to nowhere? Disentangling meshworks of holloways", in: *Aerial Archaeology and Remote Sensing from the Baltic to the Adriatic*, Czajlik, Z. & Bődöcs, A. (Eds.), Budapest: Institute of Archaeological Sciences, Faculty of Humanities, Eötvös Loránd University, pp. 37–42, ISBN: 978-963-7343-95-7.
- Mohamed, E., K. Sirlantzis & G. Howells (2020), "Application of transfer learning for object detection on manually collected data", in: *Advances in Intelligent Systems and Computing*, vol. 1037, pp. 919–931, DOI: 10.1007/978-3-030-29516-5_69.

- Muenich, R. L., S. Peel, L. C. Bowling, M. H. Haas, R. F. Turco, J. R. Frankenberger & I. Chaubey (2016), "The Wabash sampling blitz: A study on the effectiveness of citizen science", *Citizen Science: Theory and Practice* 1 (3), 1–15, DOI: 10.5334/cstp.1
- Musson, C., R. Palmer & S. Campana (2013), *Flights into the past, Aerial photography, photo interpretation and mapping for archaeology*, Heidelberg: Aerial Archaeology Research Group, ISBN: 978-3-00-044479-1.
- Nachmany, Y. & H. Alemohammad (2019), "Detecting Roads from Satellite Imagery in the Developing World", in: *2019 IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, pp. 83–89.
- Nationaal Georegister (2021), *Publieke Dienstverlening Op de Kaart (PDOK)*, URL: <https://www.pdok.nl/>.
- Nickerson, G. S. (1972), "The implications of a self-fulfilling prophecy in American archaeology", *American Antiquity* 37 (4), 551–553, DOI: 10.2307/278964.
- Niculită, M. (2020), "Geomorphometric methods for burial mound recognition and extraction from high-resolution LiDAR DEMs", *Sensors* 20 (4), 1192, DOI: 10.3390/s20041192.
- Nogueira, K., O. A. B. Penatti & J. A. Dos Santos (2017), "Towards better exploiting convolutional neural networks for remote sensing scene classification", *Pattern Recognition* 61, 539–556, DOI: 10.1016/j.patcog.2016.07.001.
- Northcutt, C. G., A. Athalye & J. Mueller (2021), *Pervasive Label Errors in Test Sets Destabilize Machine Learning Benchmarks*, URL: <https://arxiv.org/abs/2103.14749>.
- Nuninger, L., R. Opitz, P. Verhagen, T. Libourel, C. Laplaige, S. Leturcq, N. Le Voguer, C. Fruchart, Ž. Kokalj & X. Rodier (2020a), "Developing FAIR ontological pathways: Linking evidence of movement in Lidar to models of human behaviour", *Journal of Computer Applications in Archaeology* 3 (1), 63–75, DOI: 10.5334/jcaa.46.
- Nuninger, L., P. Verhagen, T. Libourel, R. Opitz, X. Rodier, C. Laplaige, C. Fruchart, S. Leturcq & N. Le Voguer (2020b), "Linking theories, past practices, and archaeological remains of movement through ontological reasoning", *Information* 11 (6), 338, DOI: 10.3390/info11060338.
- Nyffeler, J. (2018), *Kulturlandschaft in neuem Licht: Eine Einführung zu LiDAR in der Archäologie*, Bamberg: University of Bamberg Press, ISBN: 978-3-86309-537-6, DOI: 10.20378/irbo-51051.
- Oksuz, K., B. C. Cam, S. Kalkan & E. Akbas (2019), *Imbalance problems in object detection: A review*, URL: <https://arxiv.org/pdf/1909.00169>.
- Olivier, M. & W. B. Verschoof-van der Vaart (2021), "Implementing state-of-the-art deep learning approaches for archaeological object detection in remotely-sensed data: The results of cross-domain collaboration", *Journal of Computer Applications in Archaeology* 4 (1), 274–289, DOI: 10.5334/jcaa.78.

- Opitz, R. (2013), "An overview of airborne and terrestrial laser scanning in archaeology", in: *Interpreting archaeological topography: airborne laser scanning, 3D data and ground observation*, Opitz, R. & Cowley, D. (Eds.), Oxford and Oakville: Oxbow Books, chap. 2, pp. 13–31, ISBN: 978-1-84217-516-3.
- Opitz, R. & D. Cowley (2013), *Interpreting Archaeological Topography. Airborne Laser Scanning, 3D Data and Ground Observation*, Oxford and Oakville: Oxbow Books, ISBN: 978-1-84217-516-3.
- Opitz, R. & J. Herrmann (2018), "Recent trends and long-standing problems in archaeological remote sensing", *Journal of Computer Applications in Archaeology* 1 (1), 19–41, DOI: 10.5334/JCAA.11.
- Orengo, H. A. & A. Garcia-Molsosa (2019), "A brave new world for archaeological survey: Automated machine learning-based potsherd detection using high-resolution drone imagery", *Journal of Archaeological Science* 112, 105013, DOI: 10.1016/j.jas.2019.105013.
- Orengo, H. A., F. C. Conesa, A. Garcia-Molsosa, A. Lobo, A. S. Green, M. Madella & C. A. Petrie (2020), "Automated detection of archaeological mounds using machine-learning classification of multisensor and multitemporal satellite data", *PNAS* 117 (31), 18240–18250, DOI: 10.1073/pnas.2005583117.
- Palmer, R. (2021), "Editorial", *AARGnews - Newsletter Aerial Archaeology Research Group* 62, 2–4, URL: <https://a-a-r-g.eu/wp-content/uploads/2021/05/AARGnews62.pdf>.
- Parcak, S. H. (2009), *Satellite remote sensing for archaeology*, Oxon / New York: Routledge, ISBN: 978-04-15448-77-2.
- Passmore, D. G., S. Harrison & D. C. Tunwell (2014), "Second World War conflict archaeology in the forests of north-west Europe", *Antiquity* 88 (342), 1275–1290, DOI: 10.1017/S0003598X00115455.
- Paszke, A., S. Gross, S. Chintala, G. Chanan, E. Yang, Z. DeVito, Z. Lin, A. Desmaison, L. Antiga & A. Lerer (2017), "Automatic differentiation in PyTorch", in: *NIPS 2017 Autodiff Workshop: The Future of Gradient-based Machine Learning Software and Techniques*, Long Beach (CA).
- Perrault, R., Y. Shoham, E. Brynjolfsson, J. Clark, J. Etchemendy, B. Grosz, T. Lyons, J. Manyika, S. Mishra & J. C. Niebles (2019), *The AI Index 2019 Annual Report*, tech. rep., Stanford (CA): Human-Centered AI Institute, Stanford University, p. 291.
- Pires de Lima, R. & K. Marfurt (2019), "Convolutional neural network for remote-sensing scene classification: Transfer learning analysis", *Remote Sensing* 12 (1), 86, DOI: 10.3390/rs12010086.
- Pradhan, B. & M. Ibrahim Sameen (2020), "An Integrated Machine Learning Approach for Automatic Highway Extraction from Airborne LiDAR Data and Orthophotos", in: *Laser Scanning Systems in Highway and Safety Assessment: Analysis of Highway Geometry and Safety Using LiDAR*, Cham: Springer, pp. 61–76, ISBN: 978-3-030-10374-3.

- QGIS Development Team (2017), *QGIS Geographic Information System*, URL: <http://qgis.org>.
- Quintus, S., S. S. Day & N. J. Smith (2017), "The efficacy and analytical importance of manual feature extraction using lidar datasets", *Advances in Archaeological Practice* 5 (4), 351–364, DOI: 10.1017/aap.2017.13.
- Raab, A., M. Takla, T. Raab, A. Nicolay, A. Schneider, H. Rösler, K. -U. Heußner & E. Bönisch (2015), "Pre-industrial charcoal production in Lower Lusatia (Brandenburg, Germany): Detection and evaluation of a large charcoal-burning field by combining archaeological studies, GIS-based analyses of shaded-relief maps and dendrochronological age determination", *Quaternary International* 367, 111–122, DOI: 10.1016/J.QUAINT.2014.09.041.
- Raczkowski, W. (2020), "Power and/or penury of visualizations: Some thoughts on remote sensing data and products in archaeology", *Remote Sensing* 12 (18), 2996, DOI: 10.3390/RS12182996.
- Razavian, A. S., H. Azizpour, J. Sullivan & S. Carlsson (2014), "CNN features off-the-shelf: An astounding baseline for recognition", in: *IEEE CVPRWorkshop*, pp. 806–813, DOI: 10.1109/CVPRW.2014.131.
- Ren, S., K. He, R. Girshick & J. Sun (2017), "Faster R-CNN: Towards real-time object detection with region proposal networks", *IEEE Transactions on Pattern Analysis and Machine Intelligence* 39 (6), 1137–1149, DOI: 10.1109/TPAMI.2016.2577031.
- Ren, Y., C. Zhu & S. Xiao (2018a), "Deformable faster R-CNN with aggregating multi-layer features for partially occluded object detection in optical remote sensing images", *Remote Sensing* 10 (9), 1470, DOI: 10.3390/rs10091470.
- (2018b), "Small object detection in optical remote sensing images via modified Faster R-CNN", *Applied Sciences* 8 (5), 813, DOI: 10.3390/app8050813.
- Rensink, E. (2019), "Geofysisch onderzoek en archeologische monumentenzorg in Nederland", in: *De toepassing van geofysische prospectie methoden in de archeologie (Onderzoeksrapporten agentschap Onroerend Erfgoed 118)*, Meylemans, E. & De Smedt, P. (Eds.), Brussel: Agentschap Onroerend Erfgoed, pp. 35–38.
- Richards, J. A. (2013), *Remote Sensing Digital Image Analysis*, 5th, Berlin / Heidelberg: Springer, ISBN: 978-36-42300-61-5.
- Rijksdienst voor het Cultureel Erfgoed (2021a), *Archeologie in Nederland*, URL: <https://rce.webgispublisher.nl/Viewer.aspx?map=Archeologie-in-Nederland>.
- (2021b), *ArchIS and AMK*, URL: <https://www.cultureelerfgoed.nl/onderwerpen/bronnen-en-kaarten/overzicht>.
- Riley, M. A. (2009), "Automated Detection of Prehistoric Conical Burial Mounds from LiDAR Bare-Earth Digital Elevation Models", PhD thesis, Northwest Missouri State University.
- Risbøl, O. (2013), "Cultivating the 'wilderness'—How lidar can improve archaeological landscape understanding", in: *Interpreting Archaeological Topography: 3D data*,

- Visualisation and Observation*, Opitz, R. & Cowley, D. (Eds.), Oxford and Oakville: Oxbow, pp. 51–62, ISBN: 978-18-42175-16-3.
- Risbøl, O., O. M. Bollandsås, A. Nesbakken, H. O. Ørka, E. Naesset & T. Gobakken (2013), "Interpreting cultural remains in airborne laser scanning generated digital terrain models: effects of size and shape on detection success rates", *Journal of Archaeological Science* 40 (12), 4688–4700, DOI: 10.1016/j.jas.2013.07.002.
- Ronneberger, O., P. Fischer & T. Brox (2015), *U-Net: Convolutional Networks for Biomedical Image Segmentation*, URL: <https://arxiv.org/pdf/1505.04597>.
- Russakovsky, O., J. Deng, H. Su, J. Krause, S. Satheesh, S. Ma, Z. Huang, A. Karpathy, A. Khosla, M. Bernstein, A. C. Berg & L. Fei-Fei (2015), "ImageNet large scale visual recognition challenge", *International Journal of Computer Vision* 115 (3), 211–252, DOI: 10.1007/s11263-015-0816-y.
- Sadr, K. (2016), "The impact of coder reliability on reconstructing archaeological settlement patterns from satellite imagery: A case study from South Africa", *Archaeological Prospection* 23, 45–54, DOI: 10.1002/arp.1515.
- Sagiroglu, S. & D. Sinanc (2013), "Big data: A review", in: *Proceedings of the 2013 International Conference on Collaboration Technologies and Systems (CTS)*, San Diego (CA): IEEE, pp. 42–47, DOI: 10.1109/CTS.2013.6567202.
- Salk, C., T. Sturn, L. See & S. Fritz (2016), "Local knowledge and professional background have a minimal impact on volunteer citizen science performance in a land-cover classification task", *Remote Sensing* 8, 774, DOI: 10.3390/rs8090774.
- Sammur, C. & G. I. Webb (2010), *Encyclopaedia of Machine Learning*, Boston (MA): Springer, DOI: 10.1007/978-0-387-30164-8.
- Santos, M. S., J. P. Soares, P. H. Abreu, H. Araujo & J. Santos (2018), "Cross-validation for imbalanced datasets: Avoiding overoptimistic and overfitting approaches [Research Frontier]", *IEEE Computational Intelligence Magazine* 13 (4), 59–76, DOI: 10.1109/MCI.2018.2866730.
- Sărășan, A., A. C. Ardelean, A. Bălărie, R. Wehrheim, K. Tabaldiev & K. Akmatov (2020), "Mapping burial mounds based on UAV-derived data in the Suusamyr Plateau, Kyrgyzstan", *Journal of Archaeological Science* 123, 105251, DOI: 10.1016/j.jas.2020.105251.
- Schmidt, S. C. & B. Marwick (2020), "Tool-driven revolutions in archaeological science", *Journal of Computer Applications in Archaeology* 3 (1), 18–32, DOI: 10.5334/jcaa.29.
- Schneider, A., M. Takla, A. Nicolay, A. Raab & T. Raab (2015), "A template-matching approach combining morphometric variables for automated mapping of charcoal kiln sites", *Archaeological Prospection* 22 (1), 45–62, DOI: 10.1002/arp.1497.
- Schuetter, J., P. Goel, J. McCorriston, J. Park, M. Senn & M. Harrower (2013), "Autodetection of ancient Arabian tombs in high-resolution satellite imagery", *International Journal of Remote Sensing* 34 (19), 6611–6635, DOI: 10.1080/01431161.2013.802054.

- Sevara, C., M. Pregesbauer, M. Doneus, G. J. Verhoeven & I. Trinks (2016), "Pixel versus object - A comparison of strategies for the semi-automated mapping of archaeological features using airborne laser scanning data", *Journal of Archaeological Science: Reports* 5, 485–498, DOI: 10.1016/j.jasrep.2015.12.023.
- Shannon, C. E. (1949), "Communication in the presence of noise", *Proceedings of the I.R.E.* 37 (1), 10–21.
- Silburt, A., M. Ali-Dib, C. Zhu, A. Jackson, D. Valencia, Y. Kissin, D. Tamayo & K. Menou (2019), "Lunar crater identification via deep learning", *Icarus* 317, 27–38, DOI: 10.1016/j.icarus.2018.06.022.
- Silver, D., A. Huang, C. J. Maddison, A. Guez, L. Sifre, G. Van Den Driessche, J. Schrittwieser, I. Antonoglou, V. Panneershelvam, M. Lanctot, S. Dieleman, D. Grewe, J. Nham, N. Kalchbrenner, I. Sutskever, T. Lillicrap, M. Leach, K. Kavukcuoglu, T. Graepel & D. Hassabis (2016), "Mastering the game of Go with deep neural networks and tree search", *Nature* 529 (7587), 484–489, DOI: 10.1038/nature16961.
- Simonyan, K. & A. Zisserman (2015), "Very deep convolutional networks for large-scale image recognition", in: *3rd International Conference on Learning Representations, ICLR 2015 - Conference Track Proceedings*, pp. 1–14, URL: <https://arxiv.org/abs/1409.1556v6>.
- Skiljan, I. (2005), *Irfanview*, URL: <https://www.irfanview.com/>.
- Slamova, M., B. Belacek, J. Beljak, N. Pazinova & F. Chudy (2014), "Dependence of the medieval settlements and historical roads to the natural environment around the deserted castle in Zvolen (Slovakia)", *Procedia - Social and Behavioral Sciences* 120, 213–223, DOI: 10.1016/j.sbspro.2014.02.098.
- Smith, M. L. (2014), "Citizen science in archaeology", *American Antiquity* 79 (4), 749–762, DOI: 10.7183/0002-7316.79.4.749.
- Somrak, M., S. Džeroski & Ž. Kokalj (2020), "Learning to classify structures in ALS-derived visualizations of ancient Maya settlements with CNN", *Remote Sensing* 12 (14), 2215, DOI: 10.3390/rs12142215.
- Soroush, M., A. Mehrtash, E. Khazraee & J. A. Ur (2020), "Deep learning in archaeological remote sensing: Automated Qanat detection in the Kurdistan region of Iraq", *Remote Sensing* 12 (3), 500, DOI: 10.3390/rs12030500.
- Spek, T. (2004), *Het Drentse esdorpenlandschap. Een historisch-geografische studie*, Utrecht: Matrijs, ISBN: 978-90-53452-54-0.
- Stallkamp, J., M. Schlipsing, J. Salmen & C. Igel (2012), "Man vs. computer: Benchmarking machine learning algorithms for traffic sign recognition", *Neural Networks* 32, 323–332, DOI: 10.1016/j.neunet.2012.02.016.
- Stewart, C., G. Labrèche & D. L. González (2020), "A pilot study on remote sensing and citizen science for archaeological prospection", *Remote Sensing* 12 (17), 2795, DOI: 10.3390/RS12172795.

- Stott, D., S. M. Kristiansen & S. M. Sindbæk (2019), "Searching for viking age fortresses with automatic landscape classification and feature detection", *Remote Sensing* 11 (16), 1881, DOI: 10.3390/rs11161881.
- Sumbul, G., M. Charfuelan, B. Demir & V. Markl (2019), "Bigearthnet: A large-scale benchmark archive for remote sensing image understanding", in: *2019 IEEE International Geoscience and Remote Sensing Symposium*, Yokohama: IEEE, pp. 5901–5904, DOI: 10.1109/igarss.2019.8900532.
- Swanson, A., M. Kosmala, C. Lintott & C. Packer (2016), "A generalized approach for producing, quantifying, and validating citizen science data from wildlife images", *Conservation Biology* 30 (3), 520–531, DOI: 10.1111/cobi.12695.
- Syrjala, S. E. (1996), "A statistical test for a difference between the spatial distributions of two populations", *Ecology* 77 (1), 75–80, DOI: 10.2307/2265656.
- Tang, T., S. Zhou, Z. Deng, L. Lei & H. Zou (2017a), "Arbitrary-oriented vehicle detection in aerial imagery with single convolutional neural networks", *Remote Sensing* 9 (11), 1170, DOI: 10.3390/rs9111170.
- Tang, T., S. Zhou, Z. Deng, H. Zou & L. Lei (2017b), "Vehicle detection in aerial images based on region convolutional neural networks and hard negative example mining", *Sensors* 17 (2), 336, DOI: 10.3390/s17020336.
- The Zooniverse (2021), URL: <https://www.zooniverse.org/>.
- Theuvs, F. & N. Roymans, eds. (1999), *Land and Ancestors: Cultural dynamics in the Urnfield Period and the Middle Ages in the Southern Netherlands*, Amsterdam: Amsterdam University Press, ISBN: 978-90-53562-78-8.
- Tolkien, J. R. R. (1999), *The Lord of the Rings: The Fellowship of the Ring*, 2nd ed., London: HarperCollins, ISBN: 0-261-10235-4.
- Torney, C. J., D. J. Lloyd-Jones, M. Chevallier, D. C. Moyer, H. T. Maliti, M. Mwita, E. M. Kohi & G. C. Hopcraft (2019), "A comparison of deep learning and citizen science techniques for counting wildlife in aerial survey images", *Methods in Ecology and Evolution* 10, 779–787, DOI: 10.1111/2041-210X.13165.
- Toumazet, J.-P., F. Vautier, E. Roussel & B. Dousteysier (2017), "Automatic detection of complex archaeological grazing structures using airborne laser scanning data", *Journal of Archaeological Science: Reports* 12, 569–579, DOI: 10.1016/j.jasrep.2017.03.012.
- Traviglia, A., D. Cowley & K. Lambers (2016), "Finding common ground: Human and computer vision in archaeological prospection", *AARGnews - Newsletter Aerial Archaeology Research Group* 53, 11–24, URL: <http://hdl.handle.net/1887/43751>.
- Traviglia, A. & A. Torsello (2017), "Landscape pattern detection in archaeological remote sensing", *Geosciences* 7 (4), 128, DOI: 10.3390/geosciences7040128.
- Trier, Ø. D., D. Cowley & A. U. Waldeland (2019), "Using deep neural networks on airborne laser scanning data: Results from a case study of semi-automatic mapping of archaeological topography on Arran, Scotland", *Archaeological Prospection* 26 (2), 165–175, DOI: 10.1002/arp.1731.

- Trier, Ø. D., S. Ø. Larsen & R. Solberg (2009), "Automatic detection of circular structures in high-resolution satellite images of agricultural land", *Archaeological Prospection* 16 (1), 1–15, DOI: 10.1002/arp.v16:1.
- Trier, Ø. D. & L. H. Pilø (2012), "Automatic detection of pit structures in airborne laser scanning data", *Archaeological Prospection* 19 (2), 103–121, DOI: 10.1002/arp.1421.
- Trier, Ø. D., J. H. Reksten & K. Løseth (2021), "Automated mapping of cultural heritage in Norway from airborne lidar data using faster R-CNN", *International Journal of Applied Earth Observation and Geoinformation* 95, 102241, DOI: 10.1016/j.jag.2020.102241.
- Trier, Ø. D., A.-B. Salberg & L. H. Pilø (2018), "Semi automatic mapping of charcoal kilns from airborne laser scanning data using deep learning", in: *CAA2016: Oceans of Data. Proceedings of the 44th Conference on Computer Applications and Quantitative Methods in Archaeology*, Matsumoto, M. & Uleberg, E. (Eds.), Oxford: Archaeopress, pp. 219–231, ISBN: 978-1-78491-731-9.
- Trier, Ø. D., M. Zortea & C. Tønning (2015), "Automatic detection of mound structures in airborne laser scanning data", *Journal of Archaeological Science: Reports* 2, 69–79, DOI: 10.1016/j.jasrep.2015.01.005.
- Trinks, I., A. Hinterleitner, W. Neubauer, E. Nau, K. Locker, M. Wallner, M. Gabler, R. Filzwieser, J. Wilding, H. Schiel, V. Jansa, P. Schneidhofer, T. Trausmuth, V. Syndic, D. Ruß, S. Flora, J. Mainz, M. Kucera, A. Vonkilch, T. Tenner, L. Gustavsen, M. Kristiansen, L.-M. Bye-Johansen, C. Tanning, T. Zits, K. Paasche, T. Gansum & S. Seren (2018), "Large-area high-resolution ground-penetrating radar measurements for archaeological prospection", *Archaeological Prospection* 25 (3), 171–195, DOI: 10.1002/arp.1599.
- Tzutalin (2015), *LabelImg*. Git code, URL: <https://github.com/tzutalin/labelImg>.
- Uijlings, J. R. R., K. E. A. van de Sande, T. Gevers & A. W. M. Smeulders (2013), "Selective search for object recognition", *International Journal of Computer Vision* 104 (2), 154–171, DOI: 10.1007/s11263-013-0620-5.
- Vali, A., S. Comai & M. Matteucci (2020), "Deep learning for land use and land cover classification based on hyperspectral and multispectral earth observation data: A review", *Remote Sensing* 12 (15), 2495, DOI: 10.3390/RS12152495.
- van Beek, R. (2011), "Diversity rules. On late prehistoric settlement of the eastern Netherlands and the need for regionally specific models", *Proceedings of the Prehistoric Society* 77, 25–47, DOI: 10.1017/s0079497x0000061x.
- van den Dries, M. H. (2014), "Community Archaeology in the Netherlands", *Journal of Community Archaeology & Heritage* 1 (1), 68–88, DOI: 10.1179/2051819613Z.0000000008.
- van der Schriek, M. & W. Beex (2017), "The application of LiDAR-based DEMs on WWII conflict sites in the Netherlands", *Journal of Conflict Archaeology* 12 (2), 94–114, DOI: 10.1080/15740773.2017.1440960.

- van der Zon, N. (2013), *Kwaliteitsdocument AHN-2*, tech. rep., Amersfoort: Rijkswaterstaat, pp. 1–30.
- Van Etten, A. (2018), *You Only Look Twice: Rapid Multi-Scale Object Detection In Satellite Imagery*, URL: <https://arxiv.org/pdf/1805.09512.pdf>.
- (2019), *City-scale Road Extraction from Satellite Imagery*, URL: <http://arxiv.org/abs/1904.09901>.
- Van Etten, A., D. Lindenbaum & T. M. Bacastow (2018), *SpaceNet: A Remote Sensing Dataset and Challenge Series*, URL: <http://arxiv.org/abs/1807.01232>.
- van Lanen, R. J., B. J. Groenewoudt, M. Spek & E. Jansma (2018), “Route persistence. Modelling and quantifying historical route-network stability from the Roman period to early-modern times (AD 100–1600): a case study from the Netherlands”, *Archaeological and Anthropological Sciences* 10 (5), 1037–1052, DOI: 10.1007/s12520-016-0431-z.
- van Lanen, R. J., M. C. Kosian, B. J. Groenewoudt, T. Spek & E. Jansma (2015), “Best travel options: Modelling Roman and early-medieval routes in the Netherlands using a multi-proxy approach”, *Journal of Archaeological Science: Reports* 3, 144–159, DOI: 10.1016/j.jasrep.2015.05.024.
- Van Rossum, G. & F. Drake (2009), *Python 3 Reference Manual*, Scotts Valley (CA): CreateSpace.
- Verhagen, P., L. Nuninger & M. R. Groenhuizen (2019), “Modelling of pathways and movement networks in archaeology: An overview of current approaches”, in: *Finding the Limits of the Limes: Modelling Demograph*, Verhagen, P., Joyce, J. & Groenhuizen, M. R. (Eds.), Cham: Springer, ISBN: 978-3-030-04575-3.
- Verhagen, P. (2007), *Case Studies in Archaeological Predictive Modelling*, Leiden: Leiden University Press, ISBN: 978-90-87280-07-9.
- Verhagen, P. & T. G. Whitley (2012), “Integrating Archaeological Theory and Predictive Modeling: a Live Report from the Scene”, *Journal of Archaeological Method & Theory* 19, 49–100, DOI: 10.1007/s10816-011-9102-7.
- (2020), “Predictive spatial modelling”, in: *Archaeological Spatial Analysis: A Methodological Guide*, Gillings, M., Hacigüzeller, P. & Lock, G. (Eds.), Oxon / New York: Routledge, chap. 13, pp. 231–246, ISBN: 978-0-815-37322-3.
- Verhart, L. & M. Janssen (2010), “Een Celtic field op de Steenheuvel bij Herkenbosch”, *Jaarboek Heemkundevereniging Roerstreek* 42, 129–140.
- Verhoeven, G. J. (2017), “Are we there yet? A review and assessment of archaeological passive airborne optical imaging approaches in the light of landscape archaeology”, *Geosciences* 7 (3), 86, DOI: 10.3390/geosciences7030086.
- Verhoeven, G. J. & C. Sevara (2016), “Trying to break new ground in aerial archaeology”, *Remote Sensing* 8, 918, DOI: 10.3390/rs8110918.

- Verhoeven, M., G. Ellenkamp & D. Keijers (2010a), *Een archeologische verwachtings- en beleids advieskaart voor de gemeente Roerdalen (RAAP-rapport 1953)*, Weesp: RAAP Archeologisch Adviesbureau.
- (2010b), *Een archeologische verwachtings- en beleidsadvieskaart voor de gemeente Echt-Susteren (RAAP-rapport 1951)*, Weesp: RAAP Archeologisch Adviesbureau.
- Verschoof-van der Vaart, W. B. & K. Lambers (2019), “Learning to look at LiDAR: The use of R-CNN in the automated detection of archaeological objects in LiDAR data from the Netherlands”, *Journal of Computer Applications in Archaeology* 2 (1), 31–40, DOI: 10.5334/jcaa.32.
- (2021), “Applying automated object detection in archaeological practice: a case study from the southern Netherlands”, *Archaeological Prospection*, DOI: 10.1002/ARP.1833.
- Verschoof-van der Vaart, W. B., K. Lambers, W. Kowalczyk & Q. P. Bourgeois (2020), “Combining Deep Learning and Location-Based Ranking for large-scale archaeological prospection of LiDAR data from the Netherlands”, *ISPRS International Journal of Geo-Information* 9 (5), 293, DOI: 10.3390/ijgi9050293.
- Verschoof-van der Vaart, W. B. & J. Landauer (2021), “Using CarcassonNet to automatically detect and trace hollow roads in LiDAR data from the Netherlands”, *Journal of Cultural Heritage* 47, 143–154, DOI: 10.1016/j.culher.2020.10.009.
- (2022), “Testing the transferability of CarcassonNet. A case study to detect hollow roads in Germany and Slovenia”, in: *Proceedings of the 25th Conference on Cultural Heritage and New Technologies, CHNT25*, Vienna: Propylaeum, Heidelberg University Library.
- Vletter, W. F. (2014), “(Semi) automatic extraction from airborne laser scan data of roads and paths in forested areas”, in: *Second International Conference on Remote Sensing and Geoinformation of the Environment*, Hadjimitsis, D. G., Themistocleous, K., Michaelides, S. & Papadavid, G. (Eds.), vol. 9229, pp. 92291D–1, DOI: 10.1117/12.2069709.
- (2015), “A workflow for (semi) automatic extraction of roads and paths in forested areas from Airborne Laser Scan data”, *AARGnews* 50, 33–40.
 - (2019), “The relative chronology of the road network in the Leitha Hills”, *Siedlungsforschung. Archäologie – Geschichte – Geographie* 36, 367–384.
- Vletter, W. F. & R. J. van Lanen (2018), “Finding vanished routes: Applying a multi-modelling approach on lost route and path networks in the Veluwe Region, The Netherlands”, *Rural Landscapes: Society, Environment, History* 5 (2), 1–19, DOI: 10.16993/r1.35.
- Waga, J. M. & M. Fajer (2021), “The heritage of the Second World War: bombing in the forests and wetlands of the Kožle Basin”, *Antiquity* 95 (380), 417–434, DOI: 10.15184/aqy.2020.154.
- Waldus, W. (2006), “De toepassingsmogelijkheden van het AHN voor de archeologie”, in: *Archeologie in vogelvlucht. Toepassingsmogelijkheden van het AHN in de archeologie*.

- ologie, Waldus, W. & Velde, H. van der (Eds.), Amsterdam: Amsterdam University Press, chap. 3, pp. 19–24, ISBN: 978-90-77456-05-7.
- Wehr, A. & U. Lohr (1999), “Airborne laser scanning—an introduction and overview”, *ISPRS Journal of Photogrammetry & Remote Sensing* 54 (2-3), 68–82, DOI: 10.1016/S0924-2716(99)00011-8.
- Wheatley, D. (2004), “Making space for an archaeology of place”, *Internet Archaeology* 15, DOI: 10.11141/ia.15.10.
- Wheatley, D. & M. Gillings (2002), *Spatial Technology and Archaeology. The Archaeological Applications of GIS*, London / New York: Taylor & Francis, ISBN: 0-415-24640-7.
- White, A. R. (2019), “Human expertise in the interpretation of remote sensing data: A cognitive task analysis of forest disturbance attribution”, *International Journal of Applied Earth Observation and Geoinformation* 74, 37–44, DOI: 10.1016/j.jag.2018.08.026.
- Wilkinson, T. J., C. French, J. A. Ur & M. Semple (2010), “The geoarchaeology of route systems in northern Syria”, *Geoarchaeology* 25 (6), 745–771, DOI: 10.1002/gea.20331.
- Willi, M., R. T. Pitman, A. W. Cardoso, C. Locke, A. Swanson, A. Boyer, M. Veldthuis & L. Fortson (2019), “Identifying animal species in camera trap images using deep learning and citizen science”, *Methods in Ecology and Evolution* 10 (1), 80–91, DOI: 10.1111/2041-210X.13099.
- Wilson, D. L., A. J. Baddeley & R. A. Owens (1997), “A new metric for grey-scale image comparison”, *International Journal of Computer Vision* 24 (1), 5–17, DOI: 10.1023/A:1007978107063.
- Witharana, C., W. B. Ouimet & K. M. Johnson (2018), “Using LiDAR and GEOBIA for automated extraction of eighteenth–late nineteenth century relict charcoal hearths in southern New England”, *GIScience and Remote Sensing* 55 (2), 183–204, DOI: 10.1080/15481603.2018.1431356.
- Wu, X., D. Sahoo & S. C. Hoi (2020), “Recent advances in deep learning for object detection”, *Neurocomputing* 396, 39–64, DOI: 10.1016/j.neucom.2020.01.085.
- Xia, G. S., J. Hu, F. Hu, B. Shi, X. Bai, Y. Zhong, L. Zhang & X. Lu (2017), “AID: A benchmark data set for performance evaluation of aerial scene classification”, *IEEE Transactions on Geoscience and Remote Sensing* 55 (7), 3965–3981, DOI: 10.1109/TGRS.2017.2685945.
- Xie, Y. & D. Richmond (2019), “Pre-training on grayscale imagenet improves medical image classification”, in: *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, Leal-Taixé, L. & Roth, S. (Eds.), vol. 11134 LNCS, Cham: Springer, pp. 476–484, ISBN: 978-3-030-11023-9.
- Xu, Y., Z. Xie, Y. Feng & Z. Chen (2018), “Road extraction from high-resolution remote sensing imagery using deep learning”, *Remote Sensing* 10 (9), 1461, DOI: 10.3390/rs10091461.

- Yokoyama, R., M. Shirasawa & R. J. Pike (2002), "Visualizing topography by openness: A new application of image processing to digital elevation models", *Photogrammetric Engineering and Remote Sensing* 68 (3), 257–265.
- Yu, Y., H. Guan, D. Li, T. Gu, E. Tang & A. Li (2020), "Orientation guided anchoring for geospatial object detection from remote sensing imagery", *ISPRS Journal of Photogrammetry and Remote Sensing* 160, 67–82, DOI: 10.1016/j.isprsjprs.2019.12.001.
- Z-Man Games (2021), *Carcassonne*, URL: <https://www.zmangames.com/en/products/carcassonne/>.
- Zhang, D., S. Mishra, E. Brynjolfsson, J. Etchemendy, D. Ganguli, B. Grosz, T. Lyons, J. Manyika, J. C. Niebles, M. Sellitto, Y. Shoham, J. Clark & R. Perrault (2021), *The AI Index 2021 Annual Report*, tech. rep., Stanford (CA): AI Index Steering Committee, Human-Centered AI Institute, Stanford University,
- Zingman, I. (2016), "Semi-Automated Detection of Fragmented Rectangular Structures in High Resolution Remote Sensing Images with Application in Archaeology", PhD thesis, University of Konstanz, URL: <http://nbn-resolving.de/urn:nbn:de:bsz:352-0-386546>.
- Zingman, I., D. Saupe & K. Lambers (2014), "A morphological approach for distinguishing texture and individual features in images", *Pattern Recognition Letters* 47, 129–138, DOI: 10.1016/j.patrec.2014.03.019.
- Zingman, I., D. Saupe, O. A. B. Penatti & K. Lambers (2016), "Detection of fragmented rectangular enclosures in very-high-resolution remote sensing images", *IEEE Transactions on Geoscience and Remote Sensing* 54, 4580–4593, DOI: 10.1109/TGRS.2016.2545919.
- Zoph, B., G. Ghiasi, T. Y. Lin, Y. Cui, H. Liu, E. Cubuk & Q. V. Le (2020), *Rethinking pre-training and self-training*, URL: <https://arxiv.org/abs/2006.06882>.
- Zou, Q., S. Xie, Z. Lin, M. Wu & Y. Ju (2016), "Finding the best classification threshold in imbalanced classification", *Big Data Research* 5, 2–8, DOI: 10.1016/j.bdr.2015.12.001.