



Universiteit
Leiden
The Netherlands

Peer coaching as a population approach to increase physical activity in older adults

Vijver, P.L. van de

Citation

Vijver, P. L. van de. (2022, April 12). *Peer coaching as a population approach to increase physical activity in older adults*. Retrieved from <https://hdl.handle.net/1887/3283473>

Version: Publisher's Version

[Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

License: <https://hdl.handle.net/1887/3283473>

Note: To cite this publication please use the final published version (if applicable).



CHAPTER 11

List of publications

PUBLICATIONS

Van de Vijver PL, Van Bodegom D, Westendorp RGJ

Early and extraordinary peaks in physical performance come with a longevity cost.
Aging (Albany NY) 2016;8:1822-1828

Van de Vijver PL, & Van Bodegom D

De rol van de sociale omgeving bij veroudering.
Geron 2016;18:37-40.

Van de Vijver PL, Schalkwijk FH, Van Bodegom D

Peer coaching om ouderen gezond te houden.
Huisarts en wetenschap 2017;60:444-446.

Van de Vijver PL, Wielens H, Slaets JPJ, Van Bodegom D

Vitality club: a proof-of-principle of peer coaching for daily physical activity by older adults.

Translational behavioral medicine 2018;8:204-211.

Van de Vijver PL, Schalkwijk FH, Numans ME, Slaets JPJ, Van Bodegom D

Self-organizing peer coach groups to increase daily physical activity in community dwelling older adults.

Preventive Medicine Reports 2020;20:101181.

Van de Vijver PL, Schalkwijk FH, Numans ME, Slaets JPJ, & Van Bodegom D

Linking a peer coach physical activity intervention for older adults to a primary care referral scheme.

Journal of Primary Care and Community Health submitted.

De Bruin J*, **Van de Vijver PL***, Jonas PPM, Blom J, Diaz-Padilla N, Slaets JPJ, Van Bodegom D

Circulos de Abuelos: Cuba's population wide physical activity intervention for older adults.

MEDICC review submitted.

11

Van de Vijver PL, Van Bodegom D

Van gezonde individuen naar gezonde populaties.

Nederlands Tijdschrift voor Geneeskunde 2021;165:D5594

* These authors contributed equally to this study