



Universiteit  
Leiden

The Netherlands

## Peer coaching as a population approach to increase physical activity in older adults

Vijver, P.L. van de

### Citation

Vijver, P. L. van de. (2022, April 12). *Peer coaching as a population approach to increase physical activity in older adults*. Retrieved from <https://hdl.handle.net/1887/3283473>

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/3283473>

**Note:** To cite this publication please use the final published version (if applicable).



# ***CHAPTER 12***

List of references



## REFERENCES

Acree LS, Longfors J, Fjeldstad AS, et al. Physical activity is related to quality of life in older adults. *Health and quality of life outcomes*. 2006;4:1-6.

Ades PA, Waldmann ML, McCann WJ, Weaver SO. Predictors of cardiac rehabilitation participation in older coronary patients. *Arch Intern Med*. 1992;152:1033-1035.

Agresti A, Coull BA. Approximate is better than "exact" for interval estimation of binomial proportions. *The American Statistician*. 1998;52:119-126.

Al Tunaiji H, Davis JC, Mackey DC, Khan KM. Population attributable fraction of type 2 diabetes due to physical inactivity in adults: a systematic review. *BMC Public Health*. 2014;14:1-9.

Allen SV, Hopkins WG. Age of peak competitive performance of elite athletes: a systematic review. *Sports Medicine*. 2015;45:1431-1441.

Almeida FA, Smith-Ray RL, Van Den Berg R, et al. Utilizing a simple stimulus control strategy to increase physician referrals for physical activity promotion. *Journal of Sport and Exercise Psychology*. 2005;27:505-514.

Aluttis C, Bishaw T, Frank MW. The workforce for health in a globalized context—global shortages and international migration. *Global health action*. 2014;7:23611.

Arsenijevic J, Groot W. Physical activity on prescription schemes (PARS): do programme characteristics influence effectiveness? Results of a systematic review and meta-analyses. *BMJ open*. 2017;7:e012156.

Barbaresko J, Rienks J, Nöthlings U. Lifestyle indices and cardiovascular disease risk: a meta-analysis. *American journal of preventive medicine*. 2018;55:555-564.

Barreto Ramos J, Morfi Samper R, Reyes Figueroa M, Cabrera Leal G. Diagnóstico del programa de ejercicios físicos realizados en el Círculo de abuelos "Abel Santamaría". *Rev Cubana Enfermer*. 2007;23:1-11.

Barrios Duarte R, Borges Mojaiber R, Cardoso Pérez LdC. Beneficios percibidos por adultos mayores incorporados al ejercicio. *Revista Cubana de Medicina General Integral*. 2003;19:0-0.

Baudisch A. The pace and shape of ageing. *Methods in Ecology and Evolution*. 2011;2:375-382.

Bauman AE, Reis RS, Sallis JF, et al. Correlates of physical activity: why are some people physically active and others not? *The lancet*. 2012;380:258-271.

Beauchamp MR, Carron AV, McCutcheon S, Harper O. Older adults' preferences for exercising alone versus in groups: considering contextual congruence. *Annals of Behavioral Medicine*. 2007;33:200-206.

Becker MH. *The Health belief model and personal health behavior*. Thorofare, N.J.: Slack; 1974.

Beidas RS, Paciotti B, Barg F, et al. A hybrid effectiveness-implementation trial of an evidence-based exercise intervention for breast cancer survivors. *Journal of the National Cancer Institute Monographs*. 2014;2014:338-345.

Benítez Pérez ME. Envejecer en Cuba: mucho más que un indicador demográfico. *Revista Novedades en Población*. 2015;11:10-19.

Benítez Pérez ME. Envejecer en Cuba: mucho más que un indicador demográfico. *Revista Novedades en Población*. 2015;11:0-0.

Berman B. Referral marketing: Harnessing the power of your customers. *Business Horizons*. 2016;59:19-28.

Berryman DE, Christiansen JS, Johannsson G, Thorner MO, Kopchick JJ. Role of the GH/IGF-1 axis in lifespan and healthspan: lessons from animal models. *Growth Hormone & IGF Research*. 2008;18:455-471.

Bethancourt HJ, Rosenberg DE, Beatty T, Arterburn DE. Barriers to and facilitators of physical activity program use among older adults. *Clinical medicine & research*. 2014;12:10-20.

Blagosklonny MV. Why men age faster but reproduce longer than women: mTOR and evolutionary perspectives. *Aging*. 2010;2:265-273.

Blagosklonny MV. Big mice die young but large animals live longer. *Aging*. 2013;5:227-233.

Blagosklonny MV, Hall MN. Growth and aging: a common molecular mechanism. *Aging*. 2009;1:357-362.

Blair SN. Physical inactivity: the biggest public health problem of the 21st century. *British journal of sports medicine*. 2009;43:1-2.

Blake H, Mo P, Malik S, Thomas S. How effective are physical activity interventions for alleviating depressive symptoms in older people? A systematic review. *Clinical rehabilitation*. 2009;23:873-887.

Bloom DE, Canning D, Lubet A. Global population aging: Facts, challenges, solutions & perspectives. *Daedalus*. 2015;144:80-92.

Booth ML, Bauman A, Owen N, Gore CJ. Physical activity preferences, preferred sources of assistance, and perceived barriers to increased activity among physically inactive Australians. *Preventive medicine*. 1997;26:131-137.

Bravo Hernández N, Noa Garbey M, Gómez LLoga T, Soto Martínez J. Repercusión del envejecimiento en la calidad de vida de los adultos mayores. *Revista Información Científica*. 2018;97:596-605.

Britto RR, Probst VS, Andrade AF, et al. Reference equations for the six-minute walk distance based on a Brazilian multicenter study. *Brazilian journal of physical therapy*. 2013;17:556-563.

Buman MP, Giacobbi Jr PR, Dzierzewski JM, et al. Peer volunteers improve long-term maintenance of physical activity with older adults: a randomized controlled trial. *Journal of Physical Activity and Health*. 2011;8:S257-S266.

Buman MP, Giacobbi Jr PR, Dzierzewski JM, et al. Peer volunteers improve long-term maintenance of physical activity with older adults: a randomized controlled trial. *Journal of Physical Activity and Health*. 2011;8:S257-S266.

Buman MP, Giacobbi PR, Jr., Dzierzewski JM, et al. Peer Volunteers Improve Long-Term Maintenance of Physical Activity With Older Adults: A Randomized Controlled Trial. *J Phys Act Health*. 2011;8:S257-S266.

Burton E, Farrier K, Hill KD, Codde J, Airey P, Hill A-M. Effectiveness of peers in delivering programs or motivating older people to increase their participation in physical activity: Systematic review and meta-analysis. *Journal of Sports Sciences*. 2018;36:666-678.

Burton NW, Khan A, Brown WJ. How, where and with whom? Physical activity context preferences of three adult groups at risk of inactivity. *British Journal of Sports Medicine*. 2012;46:1125-1131.

Burtscher J, Burtscher M. Run for your life: tweaking the weekly physical activity volume for longevity. In: BMJ Publishing Group Ltd and British Association of Sport and Exercise Medicine; 2020.

Campbell F, Holmes M, Everson-Hock E, et al. A systematic review and economic evaluation of exercise referral schemes in primary care: a short report. *Health Technol Assess*. 2015;19:1-110.

Castro CM, Pruitt LA, Buman MP, King AC. Physical activity program delivery by professionals versus volunteers: the TEAM randomized trial. *Health Psychology*. 2011;30:285.

Chase J-AD, Phillips LJ, Brown M. Physical activity intervention effects on physical function among community-dwelling older adults: a systematic review and meta-analysis. *Journal of aging and physical activity*. 2017;25:149-170.

Christakis NA, Fowler JH. The spread of obesity in a large social network over 32 years. *New England journal of medicine*. 2007;357:370-379.

Christensen U, Schmidt L, Budtz-Jørgensen E, Avlund K. Group cohesion and social support in exercise classes: Results from a Danish intervention study. *Health education & behavior*. 2006;33:677-689.

Colella TJ, King KM. Peer support. An under-recognized resource in cardiac recovery. *European Journal of Cardiovascular Nursing*. 2004;3:211-217.

Conn VS, Hafdahl AR, Brown LM. Meta-analysis of quality-of-life outcomes from physical activity interventions. *Nursing research*. 2009;58:175.



- Conn VS, Hafdahl AR, Mehr DR. Interventions to increase physical activity among healthy adults: meta-analysis of outcomes. *American journal of public health*. 2011;101:751-758.
- Costello E, Leone JE, Ellzy M, Miller TA. Older adult perceptions of the physicians' role in promoting physical activity. *Disabil Rehabil*. 2013;35:1191-1198.
- Coutin G, MD MSc, Director, Puentes Grandes Polyclinic (1983-1991) and Vice-Director, Municipal Health Assistance Division (1992-1994). In: Havana, Cuba (Personal communication, May 2020).
- Cunningham C, O'Sullivan R, Caserotti P, Tully MA. Consequences of physical inactivity in older adults: A systematic review of reviews and meta-analyses. *Scandinavian journal of medicine & science in sports*. 2020;30:816-827.
- De Ponte G, Mans L, Di Sisto M, Van de Pas R. Health workforce shortages and international mobility in the EU. *Health Workers for all and all for Health Workers*. 2014.
- de Rezende LFM, Rabacow FM, Viscondi JYK, do Carmo Luiz O, Matsudo VKR, Lee I-M. Effect of physical inactivity on major noncommunicable diseases and life expectancy in Brazil. *Journal of Physical Activity and Health*. 2015;12:299-306.
- De Vos P, De Ceukelaire W, Bonet M, Van der Stuyft P. Cuba's health system: challenges ahead. *Health policy and planning*. 2008;23:288-290.
- Devi R, Powell J, Singh S. A web-based program improves physical activity outcomes in a primary care angina population: randomized controlled trial. *Journal of medical Internet research*. 2014;16:e186.
- Donato AJ, Tench K, Glueck DH, Seals DR, Eskurza I, Tanaka H. Declines in physiological functional capacity with age: a longitudinal study in peak swimming performance. *Journal of Applied Physiology*. 2003;94:764-769.
- Dorgo S, King GA, Bader JO, Limon JS. Comparing the effectiveness of peer mentoring and student mentoring in a 35-week fitness program for older adults. *Archives of gerontology and geriatrics*. 2011;52:344-349.

Dorgo S, King GA, Bader JO, Limon JS. Outcomes of a peer mentor implemented fitness program in older adults: A quasi-randomized controlled trial. *International journal of nursing studies*. 2013;50:1156-1165.

Dorgo S, Robinson KM, Bader J. The effectiveness of a peer-mentored older adult fitness program on perceived physical, mental, and social function. *J Am Acad Nurse Pract*. 2009;21:116-122.

Drain PK, Barry M. Fifty Years of US Embargo: Cuba's health Outcomes and lessons. *Science*. 2010;328:572-573.

Dugdill L, Graham RC, McNair F. Exercise referral: the public health panacea for physical activity promotion? A critical perspective of exercise referral schemes; their development and evaluation. *Ergonomics*. 2005;48:1390-1410.

Durlak JA, DuPre EP. Implementation matters: A review of research on the influence of implementation on program outcomes and the factors affecting implementation. *American journal of community psychology*. 2008;41:327-350.

Ekblom-Bak E, Ekblom B, Vikström M, de Faire U, Hellénus M-L. The importance of non-exercise physical activity for cardiovascular health and longevity. *British journal of sports medicine*. 2014;48:233-238.

Ericsson KA. Peak performance and age: an examination of peak performance in sports. In: Baltes PB, Baltes MM, eds. *Successful aging: Perspectives from the behavioral sciences*. Vol 4. Cambridge University Press; 1993:164-196.

Estabrooks PA, Carron AV. Group cohesion in older adult exercisers: Prediction and intervention effects. *Journal of behavioral medicine*. 1999;22:575-588.

Farzadfar F, Finucane MM, Danaei G, et al. National, regional, and global trends in serum total cholesterol since 1980: systematic analysis of health examination surveys and epidemiological studies with 321 country-years and 3·0 million participants. *The Lancet*. 2011;377:578-586.

Fehlings MG, Tetreault L, Nater A, et al. The aging of the global population: the changing epidemiology of disease and spinal disorders. *Neurosurgery*. 2015;77:S1-S5.

- Finch CE. *Longevity, senescence, and the genome*. University of Chicago Press; 1994.
- Finger JD, Busch MA, Heidemann C, Lange C, Mensink GB, Schienkiewitz A. Time trends in healthy lifestyle among adults in Germany: Results from three national health interview and examination surveys between 1990 and 2011. *PloS one*. 2019;14:e0222218.
- Fink B, Neave N, Seydel H. Male facial appearance signals physical strength to women. *American Journal of Human Biology*. 2007;19:82-87.
- Fisher EB, Boothroyd RI, Coufal MM, et al. Peer support for self-management of diabetes improved outcomes in international settings. *Health affairs*. 2012;31:130-139.
- French DP, Olander EK, Chisholm A, Mc Sharry J. Which behaviour change techniques are most effective at increasing older adults' self-efficacy and physical activity behaviour? A systematic review. *Annals of behavioral medicine*. 2014;48:225-234.
- Gidlow C, Johnston LH, Crone D, James D. Attendance of exercise referral schemes in the UK: a systematic review. *Health Education Journal*. 2005;64:168-186.
- Ginis KAM, Nigg CR, Smith AL. Peer-delivered physical activity interventions: an overlooked opportunity for physical activity promotion. *Translational behavioral medicine*. 2013;3:434-443.
- Giustini D, Ali SM, Fraser M, Boulos MNK. Effective uses of social media in public health and medicine: a systematic review of systematic reviews. *Online journal of public health informatics*. 2018;10.
- Gomes M, Figueiredo D, Teixeira L, et al. Physical inactivity among older adults across Europe based on the SHARE database. *Age and ageing*. 2017;46:71-77.
- González Ramos RM, Madrazo Ordaz DE, Osorio Núñez M. Conocimientos sobre salud bucal en los círculos de abuelos. *Revista Cubana de Estomatología*. 2013;50:284-291.
- Gorry C. Cuba's Family Doctor-and-Nurse Teams: A Day in the Life. *MEDICC review*. 2017;19:6-9.

Graham R, Dugdill L, Cable N. Health professionals' perspectives in exercise referral: implications for the referral process. *Ergonomics*. 2005;48:1411-1422.

Graham RC, Dugdill L, Cable NT. Health professionals' perspectives in exercise referral: implications for the referral process. *Ergonomics*. 2005;48:1411-1422.

Greer KA, Canterberry SC, Murphy KE. Statistical analysis regarding the effects of height and weight on life span of the domestic dog. *Research in veterinary science*. 2007;82:208-214.

Gremeaux V, Gayda M, Lepers R, Sosner P, Juneau M, Nigam A. Exercise and longevity. *Maturitas*. 2012;73:312-317.

Groessl EJ, Kaplan RM, Blair SN, et al. A cost analysis of a physical activity intervention for older adults. *Journal of Physical Activity and Health*. 2009;6:767-774.

Guthold R, Ono T, Strong KL, Chatterji S, Morabia A. Worldwide variability in physical inactivity: a 51-country survey. *American journal of preventive medicine*. 2008;34:486-494.

Halaweh H, Willen C, Grimby-Ekman A, Svantesson U. Physical activity and health-related quality of life among community dwelling elderly. *Journal of clinical medicine research*. 2015;7:845.

Hall KS, Sloane R, Pieper CF, et al. Long-term changes in physical activity following a one-year home-based physical activity counseling program in older adults with multiple morbidities. *Journal of aging research*. 2010;2011.

Hall KS, Sloane R, Pieper CF, et al. Long-term changes in physical activity following a one-year home-based physical activity counseling program in older adults with multiple morbidities. *J Aging Res*. 2010;2011:308407.

Hall KS, Sloane R, Pieper CF, et al. Long-term changes in physical activity following a one-year home-based physical activity counseling program in older adults with multiple morbidities. *Journal of aging research*. 2011.

Hallal PC, Andersen LB, Bull FC, et al. Global physical activity levels: surveillance progress, pitfalls, and prospects. *The lancet*. 2012;380:247-257.

Han M, Lee E. Effectiveness of mobile health application use to improve health behavior changes: a systematic review of randomized controlled trials. *Healthcare informatics research*. 2018;24:207.

Harding JL, Pavkov ME, Magliano DJ, Shaw JE, Gregg EW. Global trends in diabetes complications: a review of current evidence. *Diabetologia*. 2019;62:3-16.

Harland J, White M, Drinkwater C, Chinn D, Farr L, Howel D. The Newcastle exercise project: a randomised controlled trial of methods to promote physical activity in primary care. *Bmj*. 1999;319:828-832.

Harvey PH, Zammuto RM. Patterns of mortality and age at first reproduction in natural populations of mammals. *Nature*. 1985;315:319-320.

Hernandez AR. Circulo de abuelos -La luz de la esperanza-. <https://www.monografias.com/trabajos93/circulo-abuelos-luz-esperanza/circulo-abuelos-luz-esperanza.shtml>. Published 2011. Accessed 2019.

Ho JY, Hendi AS. Recent trends in life expectancy across high income countries: retrospective observational study. *bmj*. 2018;362.

Hobbs N, Godfrey A, Lara J, et al. Are behavioral interventions effective in increasing physical activity at 12 to 36 months in adults aged 55 to 70 years? A systematic review and meta-analysis. *BMC medicine*. 2013;11:1-12.

Hoey LM, Ieropoli SC, White VM, Jefford M. Systematic review of peer-support programs for people with cancer. *Patient education and counseling*. 2008;70:315-337.

Holt RI, Erotokritou-Mulligan I, Sönksen PH. The history of doping and growth hormone abuse in sport. *Growth Hormone & IGF Research*. 2009;19:320-326.

Hulteen RM, Waldhauser KJ, Beauchamp MR. Promoting health-enhancing physical activity: A state-of-the-art review of peer-delivered interventions. *Current obesity reports*. 2019;8:341-353.

Humphreys K, Blodgett JC, Wagner TH. Estimating the efficacy of Alcoholics Anonymous without self-selection bias: An instrumental variables re-analysis of randomized clinical trials. *Alcoholism: Clinical and Experimental Research*. 2014;38:2688-2694.

Hupin D, Roche F, Gremeaux V, et al. Even a low-dose of moderate-to-vigorous physical activity reduces mortality by 22% in adults aged  $\geq 60$  years: a systematic review and meta-analysis. *British journal of sports medicine*. 2015;49:1262-1267.

Hupkens C, Swinkels H. Around three-quarters of population see GP and dentist once a year. Statistics Netherlands (CBS). Published 2013. Accessed 23 september, 2019.

Ibrahim JG, Molenberghs G. Missing data methods in longitudinal studies: a review. *Test*. 2009;18:1-43.

Ingle L, Cleland JG, Clark AL. The long-term prognostic significance of 6-minute walk test distance in patients with chronic heart failure. *BioMed research international*. 2014.

Ingram DK, Reynolds MA, Les EP. The relationship of genotype, sex, body weight, and growth parameters to lifespan in inbred and hybrid mice. *Mechanisms of ageing and development*. 1982;20:253-266.

International Association of Athletics Federation. IAAF: Disciplines. <http://www.iaaf.org/disciplines>. Accessed April 2016.

Iwama AM, Andrade GNd, Shima P, Tanni SE, Godoy Id, Dourado VZ. The six-minute walk test and body weight-walk distance product in healthy Brazilian subjects. *Brazilian Journal of Medical and Biological Research*. 2009;42:1080-1085.

Jacobsen B, Oda K, Knutsen S, Fraser G. Age at menarche, total mortality and mortality from ischaemic heart disease and stroke: the Adventist Health Study, 1976–88. *International journal of epidemiology*. 2009;38:245-252.

Jacobsen BK, Heuch I, Kvåle G. Association of low age at menarche with increased all-cause mortality: a 37-year follow-up of 61,319 Norwegian women. *American journal of epidemiology*. 2007;166:1431-1437.

Jagannathan R, Patel SA, Ali MK, Narayan KV. Global updates on cardiovascular disease mortality trends and attribution of traditional risk factors. *Current diabetes reports*. 2019;19:1-12.

James DV, Johnston LH, Crone D, et al. Factors associated with physical activity referral uptake and participation. *Journal of sports sciences*. 2008;26:217-224.

Jesús E. Not Infected but Physically and Mentally Affected: Older Cubans and COVID-19. *MEDICC review*. 2020;22:83-84.

Johansson H, Stenlund H, Lundstrom L, Weinehall L. Reorientation to more health promotion in health services - a study of barriers and possibilities from the perspective of health professionals. *J Multidiscip Healthc*. 2010;3:213-224.

Joseph DH, Griffin M, Hall RF, Sullivan ED. Peer coaching: an intervention for individuals struggling with diabetes. *The Diabetes Educator*. 2001;27:703-710.

Kaskutas LA. Alcoholics Anonymous effectiveness: Faith meets science. *Journal of addictive diseases*. 2009;28:145-157.

Keyes SE, Clarke CL, Wilkinson H, et al. "We're all thrown in the same boat...": A qualitative analysis of peer support in dementia care. *Dementia*. 2016;15:560-577.

Kohl 3rd HW, Craig CL, Lambert EV, et al. The pandemic of physical inactivity: global action for public health. *The lancet*. 2012;380:294-305.

Kontis V, Bennett JE, Mathers CD, Li G, Foreman K, Ezzati M. Future life expectancy in 35 industrialised countries: projections with a Bayesian model ensemble. *The Lancet*. 2017;389:1323-1335.

Koorts H, Eakin E, Estabrooks P, Timperio A, Salmon J, Bauman A. Implementation and scale up of population physical activity interventions for clinical and community settings: the PRACTIS guide. *International Journal of Behavioral Nutrition and Physical Activity*. 2018;15:51.

Kraus C, Pavard S, Promislow DE. The size–life span trade-off decomposed: why large dogs die young. *The American Naturalist*. 2013;181:492-505.

Lakshman R, Forouhi NG, Sharp SJ, et al. Early age at menarche associated with cardiovascular disease and mortality. *Journal of Clinical Endocrinology & Metabolism*. 2009;94:4953-4960.

Langhammer B, Bergland A, Rydwik E. The importance of physical activity exercise among older people. In: Hindawi; 2018.

Laurant M, van der Biezen M, Wijers N, Watananirun K, Kontopantelis E, van Vught AJ. Nurses as substitutes for doctors in primary care. *Cochrane Database Syst Rev*. 2018;7:CD001271.

Lawlor DA, Keen S, Neal RD. Can general practitioners influence the nation's health through a population approach to provision of lifestyle advice? *The British journal of general practice : the journal of the Royal College of General Practitioners*. 2000;50:455-459.

Lee I-M, Paffenbarger Jr RS. Associations of light, moderate, and vigorous intensity physical activity with longevity: the Harvard Alumni Health Study. *American journal of epidemiology*. 2000;151:293-299.

Lee I-M, Shiroma EJ, Lobelo F, et al. Effect of physical inactivity on major non-communicable diseases worldwide: an analysis of burden of disease and life expectancy. *The lancet*. 2012;380:219-229.

Leenaars K, Smit E, Wagemakers A, Molleman G, Koelen M. Facilitators and barriers in the collaboration between the primary care and the sport sector in order to promote physical activity: a systematic literature review. *Preventive Medicine*. 2015;81:460-478.

Leijon ME, Bendtsen P, Nilsen P, Ekberg K, Ståhle A. Physical activity referrals in Swedish primary health care—prescriber and patient characteristics, reasons for prescriptions, and prescribed activities. *BMC health services research*. 2008;8:1-9.

Leontieva OV, Paszkiewicz GM, Blagosklonny MV. Mechanistic or mammalian target of rapamycin (mTOR) may determine robustness in young male mice at the cost of accelerated aging. *Aging*. 2012;4:899-916.

Lin Y-P, Huang Y-H, Lu F-H, Wu J-S, Chang C-J, Yang Y-C. Non-leisure time physical activity is an independent predictor of longevity for a Taiwanese elderly population: an eight-year follow-up study. *BMC public health*. 2011;11:1-9.

Lycett JE, Dunbar R, Volland E. Longevity and the costs of reproduction in a historical human population. *Proceedings of the Royal Society of London B: Biological Sciences*. 2000;267:31-35.



Maheer CA, Lewis LK, Ferrar K, Marshall S, De Bourdeaudhuij I, Vandelandotte C. Are health behavior change interventions that use online social networks effective? A systematic review. *Journal of medical Internet research*. 2014;16:e40.

Markus HR, Kitayama S. Culture and the self: Implications for cognition, emotion, and motivation. *Psychological review*. 1991;98:224.

Martinson BC, Crain AL, Sherwood NE, Hayes MG, Pronk NP, O'Connor PJ. Population reach and recruitment bias in a maintenance RCT in physically active older adults. *Journal of Physical Activity and Health*. 2010;7:127-135.

Matz-Costa C, Howard EP, Castaneda-Sceppa C, Diaz-Valdes Iriarte A, Lachman ME. Peer-based strategies to support physical activity interventions for older adults: A typology, conceptual framework, and practice guidelines. *The Gerontologist*. 2019;59:1007-1016.

Mazorra R. Personal information. [https://www.ecured.cu/Raúl\\_Mazorra](https://www.ecured.cu/Raúl_Mazorra). Published 2020. Accessed.

McAuley E, Blissmer B, Marquez DX, Jerome GJ, Kramer AF, Katula J. Social relations, physical activity, and well-being in older adults. *Preventive medicine*. 2000;31:608-617.

McAuley E, Jerome GJ, Elavsky S, Marquez DX, Ramsey SN. Predicting long-term maintenance of physical activity in older adults. *Prev Med*. 2003;37:110-118.

McAuley E, Morris KS, Motl RW, Hu L, Konopack JF, Elavsky S. Long-term follow-up of physical activity behavior in older adults. *Health Psychology*. 2007;26:375.

McKay HA, Sims-Gould J, Nettlefold L, Hoy CL, Bauman AE. Implementing and evaluating an older adult physical activity model at scale: framework for action. *Translational Journal of the American College of Sports Medicine*. 2017;2:10-19.

McLeish J, Redshaw M. Peer support during pregnancy and early parenthood: a qualitative study of models and perceptions. *BMC Pregnancy and Childbirth*. 2015;15:1-14.

McNeill LH, Kreuter MW, Subramanian S. Social environment and physical activity: a review of concepts and evidence. *Social science & medicine*. 2006;63:1011-1022.

Meeüs D. Human longevity at the cost of reproductive success: evidence from global data. *Journal of Evolutionary Biology*. 2000;13:409-414.

Midtgaard J, Rorth M, Stelter R, Adamsen L. The group matters: an explorative study of group cohesion and quality of life in cancer patients participating in physical exercise intervention during treatment. *European journal of cancer care*. 2006;15:25-33.

Milat AJ, Bauman AE, Redman S, Curac N. Public health research outputs from efficacy to dissemination: a bibliometric analysis. *BMC Public Health*. 2011;11:934.

Milat AJ, King L, Newson R, et al. Increasing the scale and adoption of population health interventions: experiences and perspectives of policy makers, practitioners, and researchers. *Health research policy and systems*. 2014;12:18.

Mills KT, Bundy JD, Kelly TN, et al. Global disparities of hypertension prevalence and control: a systematic analysis of population-based studies from 90 countries. *Circulation*. 2016;134:441-450.

Mitchell JH, Haskell W, Snell P, Van Camp SP. Task Force 8: classification of sports. *Journal of the American College of Cardiology*. 2005;45:1364-1367.

Morgan F, Battersby A, Weightman AL, et al. Adherence to exercise referral schemes by participants - what do providers and commissioners need to know? A systematic review of barriers and facilitators. *BMC Public Health*. 2016;16:227.

Morgan F, Battersby A, Weightman AL, et al. Adherence to exercise referral schemes by participants-what do providers and commissioners need to know? A systematic review of barriers and facilitators. *BMC public health*. 2016;16:1-11.

Morgen CS, Sørensen TI. Global trends in the prevalence of overweight and obesity. *Nature Reviews Endocrinology*. 2014;10:513-514.

Moschny A, Platen P, Klaaßen-Mielke R, Trampisch U, Hinrichs T. Barriers to physical activity in older adults in Germany: a cross-sectional study. *International Journal of Behavioral Nutrition and Physical Activity*. 2011;8:1-10.

Muehlenbein MP, Bribiescas RG. Testosterone-mediated immune functions and male life histories. *American journal of human biology: the official journal of the Human Biology Council*. 2005;17:527-558.

Muller AM, Khoo S. Non-face-to-face physical activity interventions in older adults: a systematic review. *Int J Behav Nutr Phys Act*. 2014;11:35.

Muller-Riemenschneider F, Reinhold T, Nocon M, Willich SN. Long-term effectiveness of interventions promoting physical activity: a systematic review. *Prev Med*. 2008;47:354-368.

National Health Statistics and Medical Records Division (CU). Anuario Estadístico de Salud 2018 [Internet]. <https://files.sld.cu/bvscuba/files/2019/04/Anuario-Electrónico-Español-2018-ed-2019-compressed.pdf>. Published 2018. Accessed 2020.

National Health Statistics and Medical Records Division (CU). Indicadores seleccionados del Adulto Mayor, 2018. *Havana: Ministry of Public Health (CU)*. 2019.

Norman GJ, Zabinski MF, Adams MA, Rosenberg DE, Yaroch AL, Atienza AA. A review of eHealth interventions for physical activity and dietary behavior change. *American journal of preventive medicine*. 2007;33:336-345. e316.

Oeppen J, Vaupel JW. Broken limits to life expectancy. *Science*. 2002;296:1029-1031.

Panadero RM, Matos J. Círculos de Abuelos cumplieron 30 años de fundados. <http://www.jit.cu/NewsDetails.aspx?idnoticia=40140>. Published 2017. Accessed 2020.

Patil SJ, Ruppar T, Koopman RJ, et al. Effect of peer support interventions on cardiovascular disease risk factors in adults with diabetes: a systematic review and meta-analysis. *BMC public health*. 2018;18:1-10.

Pavey TG, Taylor AH, Fox KR, et al. Effect of exercise referral schemes in primary care on physical activity and improving health outcomes: systematic review and meta-analysis. *BMJ*. 2011;343:d6462.

Pérez-Escamilla R, Hromi-Fiedler A, Vega-López S, Bermúdez-Millán A, Segura-Pérez S. Impact of peer nutrition education on dietary behaviors and health outcomes among Latinos: a systematic literature review. *Journal of nutrition education and behavior*. 2008;40:208-225.

Persson G, Brorsson A, Ekvall Hansson E, Troein M, Strandberg EL. Physical activity on prescription (PAP) from the general practitioner's perspective - a qualitative study. *BMC family practice*. 2013;14:128.

Pfeiffer PN, Heisler M, Piette JD, Rogers MA, Valenstein M. Efficacy of peer support interventions for depression: a meta-analysis. *General hospital psychiatry*. 2011;33:29-36.

Portacio FG, Corvalan D, Stoutenberg M. Implementation of a Referral Scheme to Text Messaging Programs for Physical Activity and Healthy Eating in Underserved Hispanics. *Translational Journal of the American College of Sports Medicine*. 2021;6:e000144.

Pratt M, Varela AR, Salvo D, Kohl III HW, Ding D. Attacking the pandemic of physical inactivity: what is holding us back? In: BMJ Publishing Group Ltd and British Association of Sport and Exercise Medicine; 2020.

Prince MJ, Wu F, Guo Y, et al. The burden of disease in older people and implications for health policy and practice. *The Lancet*. 2015;385:549-562.

Promislow DE, Harvey PH. Living fast and dying young: A comparative analysis of life-history variation among mammals. *Journal of Zoology*. 1990;220:417-437.

Quiñones RG, de Armas MA. Envejecimiento, políticas sociales y sectoriales en Cuba. *Ponencia presentada en Seminario Internacional sobre Políticas gerontológicas, Buenos Aires, Argentina*. 2010.

Raja S, Teti M, Knauz R, et al. Implementing peer-based interventions in clinic-based settings: Lessons from a multi-site HIV prevention with positives initiative. *Journal of HIV/AIDS & Social Services*. 2008;7:7-26.

Ramchand R, Ahluwalia SC, Xenakis L, Apaydin E, Raaen L, Grimm G. A systematic review of peer-supported interventions for health promotion and disease prevention. *Prev Med*. 2017;101:156-170.

Reingen PH, Kernan JB. Analysis of referral networks in marketing: Methods and illustration. *Journal of marketing research*. 1986;23:370-378.

Richards J, Thorogood M, Hillsdon M, Foster C. Face-to-face versus remote and web 2.0 interventions for promoting physical activity. *Cochrane Database Syst Rev*. 2013;9:Cd010393.

Riley JC. *Rising life expectancy: a global history*. Cambridge University Press; 2001.

Rimmer A. Shortage of doctors across Europe may be caused by migration to UK. *BMJ careers*. 2014.

Rodríguez-Loeches E, Suárez A. Desarrollo regional y envejecimiento poblacional en Cuba. <http://repositorio.geotech.cu/jspui/bitstream/1234/1905/1/Desarrollo%20regional%20y%20envejecimiento%20poblacional%20en%20Cuba.pdf>. Published 2005. Accessed 2020.

Rollo CD. Growth negatively impacts the life span of mammals. *Evolution & development*. 2002;4:55-61.

Rosenstock IM. Historical Origins of the Health Belief Model. *Health Education Monographs*. 1974;2:328-335.

Rosenstock IM. The Health Belief Model and Preventive Health Behavior. *Health Education Monographs*. 1974;2:354-386.

Rossman B. Breastfeeding peer counselors in the United States: helping to build a culture and tradition of breastfeeding. *Journal of midwifery & women's health*. 2007;52:631-637.

Roth GA, Mensah GA, Johnson CO, et al. Global burden of cardiovascular diseases and risk factors, 1990–2019: update from the GBD 2019 study. *Journal of the American College of Cardiology*. 2020;76:2982-3021.

Schutzer KA, Graves BS. Barriers and motivations to exercise in older adults. *Preventive medicine*. 2004;39:1056-1061.

Shaw BA, Spokane LS. Examining the association between education level and physical activity changes during early old age. *Journal of aging and health*. 2008.

Shek DT, Ma C. Longitudinal data analyses using linear mixed models in SPSS: concepts, procedures and illustrations. *The Scientific World Journal*. 2011;11:42-76.

Short CE, Vandelanotte C, Duncan MJ. Individual characteristics associated with physical activity intervention delivery mode preferences among adults. *Int J Behav Nutr Phys Act*. 2014;11:25.

Slootmaker SM, Schuit AJ, Chinapaw MJ, Seidell JC, Van Mechelen W. Disagreement in physical activity assessed by accelerometer and self-report in subgroups of age, gender, education and weight status. *International Journal of Behavioral Nutrition and Physical Activity*. 2009;6:1-10.

Smith GL, Banting L, Eime R, O'Sullivan G, Van Uffelen JG. The association between social support and physical activity in older adults: a systematic review. *International Journal of Behavioral Nutrition and Physical Activity*. 2017;14:56.

Sokol R, Fisher E. Peer support for the hardly reached: a systematic review. *American journal of public health*. 2016;106:e1-e8.

Solomon P. Peer support/peer provided services underlying processes, benefits, and critical ingredients. *Psychiatric rehabilitation journal*. 2004;27:392.

Sotgiu I, Galati D, Manzano M, Rognoni E. Happiness components and their attainment in old age: A cross-cultural comparison between Italy and Cuba. *Journal of Happiness Studies*. 2011;12:353-371.

Sports Reference LLC. Olympics at Sports-Reference.com - Olympic Statistics and History. <http://www.sports-reference.com/>. Accessed April 2014.

Stead LF, Buitrago D, Preciado N, Sanchez G, Hartmann-Boyce J, Lancaster T. Physician advice for smoking cessation. *Cochrane database of systematic reviews*. 2013.

Sugiura Y, Ju Y-S, Yasuoka J, Jimba M. Rapid increase in Japanese life expectancy after World War II. *Biosci Trends*. 2010;4:9-16.

Sun F, Norman IJ, While AE. Physical activity in older people: a systematic review. *BMC public health*. 2013;13:449.

- Sutter NB, Bustamante CD, Chase K, et al. A single IGF1 allele is a major determinant of small size in dogs. *Science*. 2007;316:112-115.
- Taylor A, Cable N, Faulkner G, Hillsdon M, Narici M, Van Der Bij A. Physical activity and older adults: a review of health benefits and the effectiveness of interventions. *Journal of sports sciences*. 2004;22:703-725.
- Taylor D. Physical activity is medicine for older adults. *Postgraduate medical journal*. 2014;90:26-32.
- Thom DH, Ghorob A, Hessler D, De Vore D, Chen E, Bodenheimer TA. Impact of peer health coaching on glycemic control in low-income patients with diabetes: a randomized controlled trial. *The Annals of Family Medicine*. 2013;11:137-144.
- Tracy K, Wallace SP. Benefits of peer support groups in the treatment of addiction. *Substance abuse and rehabilitation*. 2016;7:143.
- Troosters T, Gosselink R, Decramer M. Six minute walking distance in healthy elderly subjects. *The European respiratory journal*. 1999;14:270-274.
- United Nations Statistics Division. UNDATA. <https://data.un.org/>. Published 2014. Accessed 2020.
- van de Vijver P, Schalkwijk F, Numans ME, Slaets JP, van Bodegom D. Self-organizing peer coach groups to increase daily physical activity in community dwelling older adults. *Preventive Medicine Reports*. 2020:101181.
- Van de Vijver PL, Wielens H, Slaets JPJ, Van Bodegom D. Vitality club: a proof-of-principle of peer coaching for daily physical activity by older adults. *Translational behavioral medicine*. 2018;8:204-211.
- van de Vijver PL, Wielens H, Slaets JPJ, van Bodegom D. Vitality club: a proof-of-principle of peer coaching for daily physical activity by older adults. *Translational behavioral medicine*. 2018;8:204-211.
- van der Bij A, Laurant M, Wensing M. Effectiveness of physical activity interventions for older adults: a review. *American journal of preventive medicine*. 2002;22:120.

van der Bij AK, Laurant MG, Wensing M. Effectiveness of physical activity interventions for older adults: a review. *Am J Prev Med.* 2002;22:120-133.

Van Saase J, Noteboom W, Vandenbroucke JP. Longevity of men capable of prolonged vigorous physical exercise: a 32 year follow up of 2259 participants in the Dutch eleven cities ice skating tour. *British Medical Journal.* 1990;301:1409-1411.

Vogel T, Brechat PH, Leprêtre PM, Kaltenbach G, Berthel M, Lonsdorfer J. Health benefits of physical activity in older patients: a review. *International journal of clinical practice.* 2009;63:303-320.

Vogel T, Brechat PH, Leprêtre PM, Kaltenbach G, Berthel M, Lonsdorfer J. Health benefits of physical activity in older patients: a review. *International journal of clinical practice.* 2009;63:303-320.

Wallace J, Raglin J, Jastremski C. Twelve month adherence of adults who joined a fitness program with a spouse vs without a spouse. *The Journal of sports medicine and physical fitness.* 1995;35:206-213.

Wang X, Byars SG, Stearns SC. Genetic links between post-reproductive lifespan and family size in Framingham. *Evolution, medicine, and public health.* 2013;2013:241-253.

Watson KB, Carlson SA, Gunn JP, et al. Physical inactivity among adults aged 50 years and older—United States, 2014. *Morbidity and Mortality Weekly Report.* 2016;65:954-958.

Wensink MJ, van Heemst D, Rosing MP, Westendorp RG. The maintenance gap: a new theoretical perspective on the evolution of aging. *Biogerontology.* 2012;13:197-201.

Westendorp RG, Kirkwood TB. Human longevity at the cost of reproductive success. *Nature.* 1998;396:743-746.

Wiggers LC, Smets EM, Oort FJ, et al. The effect of a minimal intervention strategy in addition to nicotine replacement therapy to support smoking cessation in cardiovascular outpatients: a randomized clinical trial. *European Journal of Cardiovascular Prevention & Rehabilitation.* 2006;13:931-937.

Wilson B. *Alcoholics Anonymous: Big Book.* AA World Services; 2015.



Wolff JK, Warner LM, Ziegelmann JP, Wurm S. What do targeting positive views on ageing add to a physical activity intervention in older adults? Results from a randomised controlled trial. *Psychology & Health*. 2014;29:915-932.

Yazdanyar A, Aziz MM, Enright PL, et al. Association Between 6-Minute Walk Test and All-Cause Mortality, Coronary Heart Disease-Specific Mortality, and Incident Coronary Heart Disease. *Journal of aging and health*. 2014;26:583-599.

Yesalis CE, Bahrke MS. History of doping in sport. *Performance enhancing substances in sport and exercise Champaign: Human Kinetics*. 2002:1-20.

Zhang Y, Pan X-F, Chen J, et al. Combined lifestyle factors and risk of incident type 2 diabetes and prognosis among individuals with type 2 diabetes: a systematic review and meta-analysis of prospective cohort studies. *Diabetologia*. 2020;63:21-33.

Zolnieriek KB, Dimatteo MR. Physician communication and patient adherence to treatment: a meta-analysis. *Med Care*. 2009;47:826-834.

Zwiers R, Zantvoord F, Engelaer F, Van Bodegom D, van der Ouderaa F, Westendorp R. Mortality in former Olympic athletes: retrospective cohort analysis. *BMJ*. 2012;345:e7456.