



Universiteit
Leiden
The Netherlands

Peer coaching as a population approach to increase physical activity in older adults

Vijver, P.L. van de

Citation

Vijver, P. L. van de. (2022, April 12). *Peer coaching as a population approach to increase physical activity in older adults*. Retrieved from <https://hdl.handle.net/1887/3283473>

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/3283473>

Note: To cite this publication please use the final published version (if applicable).



CHAPTER 12

List of references

REFERENCES

Acree LS, Longfors J, Fjeldstad AS, et al. Physical activity is related to quality of life in older adults. *Health and quality of life outcomes*. 2006;4:1-6.

Ades PA, Waldmann ML, McCann WJ, Weaver SO. Predictors of cardiac rehabilitation participation in older coronary patients. *Arch Intern Med*. 1992;152:1033-1035.

Agresti A, Coull BA. Approximate is better than "exact" for interval estimation of binomial proportions. *The American Statistician*. 1998;52:119-126.

Al Tunaiji H, Davis JC, Mackey DC, Khan KM. Population attributable fraction of type 2 diabetes due to physical inactivity in adults: a systematic review. *BMC Public Health*. 2014;14:1-9.

Allen SV, Hopkins WG. Age of peak competitive performance of elite athletes: a systematic review. *Sports Medicine*. 2015;45:1431-1441.

Almeida FA, Smith-Ray RL, Van Den Berg R, et al. Utilizing a simple stimulus control strategy to increase physician referrals for physical activity promotion. *Journal of Sport and Exercise Psychology*. 2005;27:505-514.

Aluttis C, Bishaw T, Frank MW. The workforce for health in a globalized context—global shortages and international migration. *Global health action*. 2014;7:23611.

Arsenijevic J, Groot W. Physical activity on prescription schemes (PARS): do programme characteristics influence effectiveness? Results of a systematic review and meta-analyses. *BMJ open*. 2017;7:e012156.

Barbaresko J, Rienks J, Nöthlings U. Lifestyle indices and cardiovascular disease risk: a meta-analysis. *American journal of preventive medicine*. 2018;55:555-564.

Barreto Ramos J, Morfi Samper R, Reyes Figueroa M, Cabrera Leal G. Diagnóstico del programa de ejercicios físicos realizados en el Círculo de abuelos "Abel Santamaría". *Rev Cubana Enfermer*. 2007;23:1-11.

Barrios Duarte R, Borges Mojaiber R, Cardoso Pérez LdC. Beneficios percibidos por adultos mayores incorporados al ejercicio. *Revista Cubana de Medicina General Integral*. 2003;19:0-0.

Baudisch A. The pace and shape of ageing. *Methods in Ecology and Evolution*. 2011;2:375-382.

Bauman AE, Reis RS, Sallis JF, et al. Correlates of physical activity: why are some people physically active and others not? *The lancet*. 2012;380:258-271.

Beauchamp MR, Carron AV, McCutcheon S, Harper O. Older adults' preferences for exercising alone versus in groups: considering contextual congruence. *Annals of Behavioral Medicine*. 2007;33:200-206.

Becker MH. *The Health belief model and personal health behavior*. Thorofare, N.J.: Slack; 1974.

Beidas RS, Paciotti B, Barg F, et al. A hybrid effectiveness-implementation trial of an evidence-based exercise intervention for breast cancer survivors. *Journal of the National Cancer Institute Monographs*. 2014;2014:338-345.

Benítez Pérez ME. Envejecer en Cuba: mucho más que un indicador demográfico. *Revista Novedades en Población*. 2015;11:10-19.

Benítez Pérez ME. Envejecer en Cuba: mucho más que un indicador demográfico. *Revista Novedades en Población*. 2015;11:0-0.

Berman B. Referral marketing: Harnessing the power of your customers. *Business Horizons*. 2016;59:19-28.

Berryman DE, Christiansen JS, Johannsson G, Thorner MO, Kopchick JJ. Role of the GH/IGF-1 axis in lifespan and healthspan: lessons from animal models. *Growth Hormone & IGF Research*. 2008;18:455-471.

Bethancourt HJ, Rosenberg DE, Beatty T, Arterburn DE. Barriers to and facilitators of physical activity program use among older adults. *Clinical medicine & research*. 2014;12:10-20.

Blagosklonny MV. Why men age faster but reproduce longer than women: mTOR and evolutionary perspectives. *Aging*. 2010;2:265-273.

Blagosklonny MV. Big mice die young but large animals live longer. *Aging*. 2013;5:227-233.

Blagosklonny MV, Hall MN. Growth and aging: a common molecular mechanism. *Aging*. 2009;1:357-362.

Blair SN. Physical inactivity: the biggest public health problem of the 21st century. *British journal of sports medicine*. 2009;43:1-2.

Blake H, Mo P, Malik S, Thomas S. How effective are physical activity interventions for alleviating depressive symptoms in older people? A systematic review. *Clinical rehabilitation*. 2009;23:873-887.

Bloom DE, Canning D, Lubet A. Global population aging: Facts, challenges, solutions & perspectives. *Daedalus*. 2015;144:80-92.

Booth ML, Bauman A, Owen N, Gore CJ. Physical activity preferences, preferred sources of assistance, and perceived barriers to increased activity among physically inactive Australians. *Preventive medicine*. 1997;26:131-137.

Bravo Hernández N, Noa Garbey M, Gómez LLoga T, Soto Martínez J. Repercusión del envejecimiento en la calidad de vida de los adultos mayores. *Revista Información Científica*. 2018;97:596-605.

Britto RR, Probst VS, Andrade AF, et al. Reference equations for the six-minute walk distance based on a Brazilian multicenter study. *Brazilian journal of physical therapy*. 2013;17:556-563.

Buman MP, Giacobbi Jr PR, Dzierzewski JM, et al. Peer volunteers improve long-term maintenance of physical activity with older adults: a randomized controlled trial. *Journal of Physical Activity and Health*. 2011;8:S257-S266.

Buman MP, Giacobbi Jr PR, Dzierzewski JM, et al. Peer volunteers improve long-term maintenance of physical activity with older adults: a randomized controlled trial. *Journal of Physical Activity and Health*. 2011;8:S257-S266.

Buman MP, Giacobbi PR, Jr., Dzierzewski JM, et al. Peer Volunteers Improve Long-Term Maintenance of Physical Activity With Older Adults: A Randomized Controlled Trial. *J Phys Act Health*. 2011;8:S257-S266.

Burton E, Farrier K, Hill KD, Codde J, Airey P, Hill A-M. Effectiveness of peers in delivering programs or motivating older people to increase their participation in physical activity: Systematic review and meta-analysis. *Journal of Sports Sciences*. 2018;36:666-678.

Burton NW, Khan A, Brown WJ. How, where and with whom? Physical activity context preferences of three adult groups at risk of inactivity. *British Journal of Sports Medicine*. 2012;46:1125-1131.

Burtscher J, Burtscher M. Run for your life: tweaking the weekly physical activity volume for longevity. In: BMJ Publishing Group Ltd and British Association of Sport and Exercise Medicine; 2020.

Campbell F, Holmes M, Everson-Hock E, et al. A systematic review and economic evaluation of exercise referral schemes in primary care: a short report. *Health Technol Assess*. 2015;19:1-110.

Castro CM, Pruitt LA, Buman MP, King AC. Physical activity program delivery by professionals versus volunteers: the TEAM randomized trial. *Health Psychology*. 2011;30:285.

Chase J-AD, Phillips LJ, Brown M. Physical activity intervention effects on physical function among community-dwelling older adults: a systematic review and meta-analysis. *Journal of aging and physical activity*. 2017;25:149-170.

Christakis NA, Fowler JH. The spread of obesity in a large social network over 32 years. *New England journal of medicine*. 2007;357:370-379.

Christensen U, Schmidt L, Budtz-Jørgensen E, Avlund K. Group cohesion and social support in exercise classes: Results from a Danish intervention study. *Health education & behavior*. 2006;33:677-689.

Colella TJ, King KM. Peer support. An under-recognized resource in cardiac recovery. *European Journal of Cardiovascular Nursing*. 2004;3:211-217.

Conn VS, Hafdahl AR, Brown LM. Meta-analysis of quality-of-life outcomes from physical activity interventions. *Nursing research*. 2009;58:175.

- Conn VS, Hafdahl AR, Mehr DR. Interventions to increase physical activity among healthy adults: meta-analysis of outcomes. *American journal of public health*. 2011;101:751-758.
- Costello E, Leone JE, Ellzy M, Miller TA. Older adult perceptions of the physicians' role in promoting physical activity. *Disabil Rehabil*. 2013;35:1191-1198.
- Coutin G, MD MSc, Director, Puentes Grandes Polyclinic (1983-1991) and Vice-Director, Municipal Health Assistance Division (1992-1994). In: Havana, Cuba (Personal communication, May 2020).
- Cunningham C, O'Sullivan R, Caserotti P, Tully MA. Consequences of physical inactivity in older adults: A systematic review of reviews and meta-analyses. *Scandinavian journal of medicine & science in sports*. 2020;30:816-827.
- De Ponte G, Mans L, Di Sisto M, Van de Pas R. Health workforce shortages and international mobility in the EU. *Health Workers for all and all for Health Workers*. 2014.
- de Rezende LFM, Rabacow FM, Viscondi JYK, do Carmo Luiz O, Matsudo VKR, Lee I-M. Effect of physical inactivity on major noncommunicable diseases and life expectancy in Brazil. *Journal of Physical Activity and Health*. 2015;12:299-306.
- De Vos P, De Ceukelaire W, Bonet M, Van der Stuyft P. Cuba's health system: challenges ahead. *Health policy and planning*. 2008;23:288-290.
- Devi R, Powell J, Singh S. A web-based program improves physical activity outcomes in a primary care angina population: randomized controlled trial. *Journal of medical Internet research*. 2014;16:e186.
- Donato AJ, Tench K, Glueck DH, Seals DR, Eskurza I, Tanaka H. Declines in physiological functional capacity with age: a longitudinal study in peak swimming performance. *Journal of Applied Physiology*. 2003;94:764-769.
- Dorgo S, King GA, Bader JO, Limon JS. Comparing the effectiveness of peer mentoring and student mentoring in a 35-week fitness program for older adults. *Archives of gerontology and geriatrics*. 2011;52:344-349.

Dorgo S, King GA, Bader JO, Limon JS. Outcomes of a peer mentor implemented fitness program in older adults: A quasi-randomized controlled trial. *International journal of nursing studies*. 2013;50:1156-1165.

Dorgo S, Robinson KM, Bader J. The effectiveness of a peer-mentored older adult fitness program on perceived physical, mental, and social function. *J Am Acad Nurse Pract*. 2009;21:116-122.

Drain PK, Barry M. Fifty Years of US Embargo: Cuba's health Outcomes and lessons. *Science*. 2010;328:572-573.

Dugdill L, Graham RC, McNair F. Exercise referral: the public health panacea for physical activity promotion? A critical perspective of exercise referral schemes; their development and evaluation. *Ergonomics*. 2005;48:1390-1410.

Durlak JA, DuPre EP. Implementation matters: A review of research on the influence of implementation on program outcomes and the factors affecting implementation. *American journal of community psychology*. 2008;41:327-350.

Ekblom-Bak E, Ekblom B, Vikström M, de Faire U, Hellénus M-L. The importance of non-exercise physical activity for cardiovascular health and longevity. *British journal of sports medicine*. 2014;48:233-238.

Ericsson KA. Peak performance and age: an examination of peak performance in sports. In: Baltes PB, Baltes MM, eds. *Successful aging: Perspectives from the behavioral sciences*. Vol 4. Cambridge University Press; 1993:164-196.

Estabrooks PA, Carron AV. Group cohesion in older adult exercisers: Prediction and intervention effects. *Journal of behavioral medicine*. 1999;22:575-588.

Farzadfar F, Finucane MM, Danaei G, et al. National, regional, and global trends in serum total cholesterol since 1980: systematic analysis of health examination surveys and epidemiological studies with 321 country-years and 3·0 million participants. *The Lancet*. 2011;377:578-586.

Fehlings MG, Tetreault L, Nater A, et al. The aging of the global population: the changing epidemiology of disease and spinal disorders. *Neurosurgery*. 2015;77:S1-S5.

- Finch CE. *Longevity, senescence, and the genome*. University of Chicago Press; 1994.
- Finger JD, Busch MA, Heidemann C, Lange C, Mensink GB, Schienkiewitz A. Time trends in healthy lifestyle among adults in Germany: Results from three national health interview and examination surveys between 1990 and 2011. *PloS one*. 2019;14:e0222218.
- Fink B, Neave N, Seydel H. Male facial appearance signals physical strength to women. *American Journal of Human Biology*. 2007;19:82-87.
- Fisher EB, Boothroyd RI, Coufal MM, et al. Peer support for self-management of diabetes improved outcomes in international settings. *Health affairs*. 2012;31:130-139.
- French DP, Olander EK, Chisholm A, Mc Sharry J. Which behaviour change techniques are most effective at increasing older adults' self-efficacy and physical activity behaviour? A systematic review. *Annals of behavioral medicine*. 2014;48:225-234.
- Gidlow C, Johnston LH, Crone D, James D. Attendance of exercise referral schemes in the UK: a systematic review. *Health Education Journal*. 2005;64:168-186.
- Ginis KAM, Nigg CR, Smith AL. Peer-delivered physical activity interventions: an overlooked opportunity for physical activity promotion. *Translational behavioral medicine*. 2013;3:434-443.
- Giustini D, Ali SM, Fraser M, Boulos MNK. Effective uses of social media in public health and medicine: a systematic review of systematic reviews. *Online journal of public health informatics*. 2018;10.
- Gomes M, Figueiredo D, Teixeira L, et al. Physical inactivity among older adults across Europe based on the SHARE database. *Age and ageing*. 2017;46:71-77.
- González Ramos RM, Madrazo Ordaz DE, Osorio Núñez M. Conocimientos sobre salud bucal en los círculos de abuelos. *Revista Cubana de Estomatología*. 2013;50:284-291.
- Gorry C. Cuba's Family Doctor-and-Nurse Teams: A Day in the Life. *MEDICC review*. 2017;19:6-9.

Graham R, Dugdill L, Cable N. Health professionals' perspectives in exercise referral: implications for the referral process. *Ergonomics*. 2005;48:1411-1422.

Graham RC, Dugdill L, Cable NT. Health professionals' perspectives in exercise referral: implications for the referral process. *Ergonomics*. 2005;48:1411-1422.

Greer KA, Canterberry SC, Murphy KE. Statistical analysis regarding the effects of height and weight on life span of the domestic dog. *Research in veterinary science*. 2007;82:208-214.

Gremeaux V, Gayda M, Lepers R, Sosner P, Juneau M, Nigam A. Exercise and longevity. *Maturitas*. 2012;73:312-317.

Groessl EJ, Kaplan RM, Blair SN, et al. A cost analysis of a physical activity intervention for older adults. *Journal of Physical Activity and Health*. 2009;6:767-774.

Guthold R, Ono T, Strong KL, Chatterji S, Morabia A. Worldwide variability in physical inactivity: a 51-country survey. *American journal of preventive medicine*. 2008;34:486-494.

Halaweh H, Willen C, Grimby-Ekman A, Svantesson U. Physical activity and health-related quality of life among community dwelling elderly. *Journal of clinical medicine research*. 2015;7:845.

Hall KS, Sloane R, Pieper CF, et al. Long-term changes in physical activity following a one-year home-based physical activity counseling program in older adults with multiple morbidities. *Journal of aging research*. 2010;2011.

Hall KS, Sloane R, Pieper CF, et al. Long-term changes in physical activity following a one-year home-based physical activity counseling program in older adults with multiple morbidities. *J Aging Res*. 2010;2011:308407.

Hall KS, Sloane R, Pieper CF, et al. Long-term changes in physical activity following a one-year home-based physical activity counseling program in older adults with multiple morbidities. *Journal of aging research*. 2011.

Hallal PC, Andersen LB, Bull FC, et al. Global physical activity levels: surveillance progress, pitfalls, and prospects. *The lancet*. 2012;380:247-257.

Han M, Lee E. Effectiveness of mobile health application use to improve health behavior changes: a systematic review of randomized controlled trials. *Healthcare informatics research*. 2018;24:207.

Harding JL, Pavkov ME, Magliano DJ, Shaw JE, Gregg EW. Global trends in diabetes complications: a review of current evidence. *Diabetologia*. 2019;62:3-16.

Harland J, White M, Drinkwater C, Chinn D, Farr L, Howel D. The Newcastle exercise project: a randomised controlled trial of methods to promote physical activity in primary care. *Bmj*. 1999;319:828-832.

Harvey PH, Zammuto RM. Patterns of mortality and age at first reproduction in natural populations of mammals. *Nature*. 1985;315:319-320.

Hernandez AR. Circulo de abuelos -La luz de la esperanza-. <https://www.monografias.com/trabajos93/circulo-abuelos-luz-esperanza/circulo-abuelos-luz-esperanza.shtml>. Published 2011. Accessed 2019.

Ho JY, Hendi AS. Recent trends in life expectancy across high income countries: retrospective observational study. *bmj*. 2018;362.

Hobbs N, Godfrey A, Lara J, et al. Are behavioral interventions effective in increasing physical activity at 12 to 36 months in adults aged 55 to 70 years? A systematic review and meta-analysis. *BMC medicine*. 2013;11:1-12.

Hoey LM, Ieropoli SC, White VM, Jefford M. Systematic review of peer-support programs for people with cancer. *Patient education and counseling*. 2008;70:315-337.

Holt RI, Erotokritou-Mulligan I, Sönksen PH. The history of doping and growth hormone abuse in sport. *Growth Hormone & IGF Research*. 2009;19:320-326.

Hulteen RM, Waldhauser KJ, Beauchamp MR. Promoting health-enhancing physical activity: A state-of-the-art review of peer-delivered interventions. *Current obesity reports*. 2019;8:341-353.

Humphreys K, Blodgett JC, Wagner TH. Estimating the efficacy of Alcoholics Anonymous without self-selection bias: An instrumental variables re-analysis of randomized clinical trials. *Alcoholism: Clinical and Experimental Research*. 2014;38:2688-2694.

Hupin D, Roche F, Gremeaux V, et al. Even a low-dose of moderate-to-vigorous physical activity reduces mortality by 22% in adults aged ≥ 60 years: a systematic review and meta-analysis. *British journal of sports medicine*. 2015;49:1262-1267.

Hupkens C, Swinkels H. Around three-quarters of population see GP and dentist once a year. Statistics Netherlands (CBS). Published 2013. Accessed 23 september, 2019.

Ibrahim JG, Molenberghs G. Missing data methods in longitudinal studies: a review. *Test*. 2009;18:1-43.

Ingle L, Cleland JG, Clark AL. The long-term prognostic significance of 6-minute walk test distance in patients with chronic heart failure. *BioMed research international*. 2014.

Ingram DK, Reynolds MA, Les EP. The relationship of genotype, sex, body weight, and growth parameters to lifespan in inbred and hybrid mice. *Mechanisms of ageing and development*. 1982;20:253-266.

International Association of Athletics Federation. IAAF: Disciplines. <http://www.iaaf.org/disciplines>. Accessed April 2016.

Iwama AM, Andrade GNd, Shima P, Tanni SE, Godoy Id, Dourado VZ. The six-minute walk test and body weight-walk distance product in healthy Brazilian subjects. *Brazilian Journal of Medical and Biological Research*. 2009;42:1080-1085.

Jacobsen B, Oda K, Knutsen S, Fraser G. Age at menarche, total mortality and mortality from ischaemic heart disease and stroke: the Adventist Health Study, 1976–88. *International journal of epidemiology*. 2009;38:245-252.

Jacobsen BK, Heuch I, Kvåle G. Association of low age at menarche with increased all-cause mortality: a 37-year follow-up of 61,319 Norwegian women. *American journal of epidemiology*. 2007;166:1431-1437.

Jagannathan R, Patel SA, Ali MK, Narayan KV. Global updates on cardiovascular disease mortality trends and attribution of traditional risk factors. *Current diabetes reports*. 2019;19:1-12.

James DV, Johnston LH, Crone D, et al. Factors associated with physical activity referral uptake and participation. *Journal of sports sciences*. 2008;26:217-224.

Jesús E. Not Infected but Physically and Mentally Affected: Older Cubans and COVID-19. *MEDICC review*. 2020;22:83-84.

Johansson H, Stenlund H, Lundstrom L, Weinehall L. Reorientation to more health promotion in health services - a study of barriers and possibilities from the perspective of health professionals. *J Multidiscip Healthc*. 2010;3:213-224.

Joseph DH, Griffin M, Hall RF, Sullivan ED. Peer coaching: an intervention for individuals struggling with diabetes. *The Diabetes Educator*. 2001;27:703-710.

Kaskutas LA. Alcoholics Anonymous effectiveness: Faith meets science. *Journal of addictive diseases*. 2009;28:145-157.

Keyes SE, Clarke CL, Wilkinson H, et al. "We're all thrown in the same boat...": A qualitative analysis of peer support in dementia care. *Dementia*. 2016;15:560-577.

Kohl 3rd HW, Craig CL, Lambert EV, et al. The pandemic of physical inactivity: global action for public health. *The lancet*. 2012;380:294-305.

Kontis V, Bennett JE, Mathers CD, Li G, Foreman K, Ezzati M. Future life expectancy in 35 industrialised countries: projections with a Bayesian model ensemble. *The Lancet*. 2017;389:1323-1335.

Koorts H, Eakin E, Estabrooks P, Timperio A, Salmon J, Bauman A. Implementation and scale up of population physical activity interventions for clinical and community settings: the PRACTIS guide. *International Journal of Behavioral Nutrition and Physical Activity*. 2018;15:51.

Kraus C, Pavard S, Promislow DE. The size–life span trade-off decomposed: why large dogs die young. *The American Naturalist*. 2013;181:492-505.

Lakshman R, Forouhi NG, Sharp SJ, et al. Early age at menarche associated with cardiovascular disease and mortality. *Journal of Clinical Endocrinology & Metabolism*. 2009;94:4953-4960.

Langhammer B, Bergland A, Rydwik E. The importance of physical activity exercise among older people. In: Hindawi; 2018.

Laurant M, van der Biezen M, Wijers N, Watananirun K, Kontopantelis E, van Vught AJ. Nurses as substitutes for doctors in primary care. *Cochrane Database Syst Rev*. 2018;7:CD001271.

Lawlor DA, Keen S, Neal RD. Can general practitioners influence the nation's health through a population approach to provision of lifestyle advice? *The British journal of general practice : the journal of the Royal College of General Practitioners*. 2000;50:455-459.

Lee I-M, Paffenbarger Jr RS. Associations of light, moderate, and vigorous intensity physical activity with longevity: the Harvard Alumni Health Study. *American journal of epidemiology*. 2000;151:293-299.

Lee I-M, Shiroma EJ, Lobelo F, et al. Effect of physical inactivity on major non-communicable diseases worldwide: an analysis of burden of disease and life expectancy. *The lancet*. 2012;380:219-229.

Leenaars K, Smit E, Wagemakers A, Molleman G, Koelen M. Facilitators and barriers in the collaboration between the primary care and the sport sector in order to promote physical activity: a systematic literature review. *Preventive Medicine*. 2015;81:460-478.

Leijon ME, Bendtsen P, Nilsen P, Ekberg K, Ståhle A. Physical activity referrals in Swedish primary health care—prescriber and patient characteristics, reasons for prescriptions, and prescribed activities. *BMC health services research*. 2008;8:1-9.

Leontieva OV, Paszkiewicz GM, Blagosklonny MV. Mechanistic or mammalian target of rapamycin (mTOR) may determine robustness in young male mice at the cost of accelerated aging. *Aging*. 2012;4:899-916.

Lin Y-P, Huang Y-H, Lu F-H, Wu J-S, Chang C-J, Yang Y-C. Non-leisure time physical activity is an independent predictor of longevity for a Taiwanese elderly population: an eight-year follow-up study. *BMC public health*. 2011;11:1-9.

Lycett JE, Dunbar R, Volland E. Longevity and the costs of reproduction in a historical human population. *Proceedings of the Royal Society of London B: Biological Sciences*. 2000;267:31-35.

- Maher CA, Lewis LK, Ferrar K, Marshall S, De Bourdeaudhuij I, Vandelandotte C. Are health behavior change interventions that use online social networks effective? A systematic review. *Journal of medical Internet research*. 2014;16:e40.
- Markus HR, Kitayama S. Culture and the self: Implications for cognition, emotion, and motivation. *Psychological review*. 1991;98:224.
- Martinson BC, Crain AL, Sherwood NE, Hayes MG, Pronk NP, O'Connor PJ. Population reach and recruitment bias in a maintenance RCT in physically active older adults. *Journal of Physical Activity and Health*. 2010;7:127-135.
- Matz-Costa C, Howard EP, Castaneda-Sceppa C, Diaz-Valdes Iriarte A, Lachman ME. Peer-based strategies to support physical activity interventions for older adults: A typology, conceptual framework, and practice guidelines. *The Gerontologist*. 2019;59:1007-1016.
- Mazorra R. Personal information. https://www.ecured.cu/Raúl_Mazorra. Published 2020. Accessed.
- McAuley E, Blissmer B, Marquez DX, Jerome GJ, Kramer AF, Katula J. Social relations, physical activity, and well-being in older adults. *Preventive medicine*. 2000;31:608-617.
- McAuley E, Jerome GJ, Elavsky S, Marquez DX, Ramsey SN. Predicting long-term maintenance of physical activity in older adults. *Prev Med*. 2003;37:110-118.
- McAuley E, Morris KS, Motl RW, Hu L, Konopack JF, Elavsky S. Long-term follow-up of physical activity behavior in older adults. *Health Psychology*. 2007;26:375.
- McKay HA, Sims-Gould J, Nettlefold L, Hoy CL, Bauman AE. Implementing and evaluating an older adult physical activity model at scale: framework for action. *Translational Journal of the American College of Sports Medicine*. 2017;2:10-19.
- McLeish J, Redshaw M. Peer support during pregnancy and early parenthood: a qualitative study of models and perceptions. *BMC Pregnancy and Childbirth*. 2015;15:1-14.
- McNeill LH, Kreuter MW, Subramanian S. Social environment and physical activity: a review of concepts and evidence. *Social science & medicine*. 2006;63:1011-1022.

Meeüs D. Human longevity at the cost of reproductive success: evidence from global data. *Journal of Evolutionary Biology*. 2000;13:409-414.

Midtgaard J, Rorth M, Stelter R, Adamsen L. The group matters: an explorative study of group cohesion and quality of life in cancer patients participating in physical exercise intervention during treatment. *European journal of cancer care*. 2006;15:25-33.

Milat AJ, Bauman AE, Redman S, Curac N. Public health research outputs from efficacy to dissemination: a bibliometric analysis. *BMC Public Health*. 2011;11:934.

Milat AJ, King L, Newson R, et al. Increasing the scale and adoption of population health interventions: experiences and perspectives of policy makers, practitioners, and researchers. *Health research policy and systems*. 2014;12:18.

Mills KT, Bundy JD, Kelly TN, et al. Global disparities of hypertension prevalence and control: a systematic analysis of population-based studies from 90 countries. *Circulation*. 2016;134:441-450.

Mitchell JH, Haskell W, Snell P, Van Camp SP. Task Force 8: classification of sports. *Journal of the American College of Cardiology*. 2005;45:1364-1367.

Morgan F, Battersby A, Weightman AL, et al. Adherence to exercise referral schemes by participants - what do providers and commissioners need to know? A systematic review of barriers and facilitators. *BMC Public Health*. 2016;16:227.

Morgan F, Battersby A, Weightman AL, et al. Adherence to exercise referral schemes by participants-what do providers and commissioners need to know? A systematic review of barriers and facilitators. *BMC public health*. 2016;16:1-11.

Morgen CS, Sørensen TI. Global trends in the prevalence of overweight and obesity. *Nature Reviews Endocrinology*. 2014;10:513-514.

Moschny A, Platen P, Klaaßen-Mielke R, Trampisch U, Hinrichs T. Barriers to physical activity in older adults in Germany: a cross-sectional study. *International Journal of Behavioral Nutrition and Physical Activity*. 2011;8:1-10.

Muehlenbein MP, Bribiescas RG. Testosterone-mediated immune functions and male life histories. *American journal of human biology: the official journal of the Human Biology Council*. 2005;17:527-558.

Muller AM, Khoo S. Non-face-to-face physical activity interventions in older adults: a systematic review. *Int J Behav Nutr Phys Act*. 2014;11:35.

Muller-Riemenschneider F, Reinhold T, Nocon M, Willich SN. Long-term effectiveness of interventions promoting physical activity: a systematic review. *Prev Med*. 2008;47:354-368.

National Health Statistics and Medical Records Division (CU). Anuario Estadístico de Salud 2018 [Internet]. <https://files.sld.cu/bvscuba/files/2019/04/Anuario-Electrónico-Español-2018-ed-2019-compressed.pdf>. Published 2018. Accessed 2020.

National Health Statistics and Medical Records Division (CU). Indicadores seleccionados del Adulto Mayor, 2018. *Havana: Ministry of Public Health (CU)*. 2019.

Norman GJ, Zabinski MF, Adams MA, Rosenberg DE, Yaroch AL, Atienza AA. A review of eHealth interventions for physical activity and dietary behavior change. *American journal of preventive medicine*. 2007;33:336-345. e316.

Oeppen J, Vaupel JW. Broken limits to life expectancy. *Science*. 2002;296:1029-1031.

Panadero RM, Matos J. Círculos de Abuelos cumplieron 30 años de fundados. <http://www.jit.cu/NewsDetails.aspx?idnoticia=40140>. Published 2017. Accessed 2020.

Patil SJ, Ruppar T, Koopman RJ, et al. Effect of peer support interventions on cardiovascular disease risk factors in adults with diabetes: a systematic review and meta-analysis. *BMC public health*. 2018;18:1-10.

Pavey TG, Taylor AH, Fox KR, et al. Effect of exercise referral schemes in primary care on physical activity and improving health outcomes: systematic review and meta-analysis. *BMJ*. 2011;343:d6462.

Pérez-Escamilla R, Hromi-Fiedler A, Vega-López S, Bermúdez-Millán A, Segura-Pérez S. Impact of peer nutrition education on dietary behaviors and health outcomes among Latinos: a systematic literature review. *Journal of nutrition education and behavior*. 2008;40:208-225.

Persson G, Brorsson A, Ekvall Hansson E, Troein M, Strandberg EL. Physical activity on prescription (PAP) from the general practitioner's perspective - a qualitative study. *BMC family practice*. 2013;14:128.

Pfeiffer PN, Heisler M, Piette JD, Rogers MA, Valenstein M. Efficacy of peer support interventions for depression: a meta-analysis. *General hospital psychiatry*. 2011;33:29-36.

Portacio FG, Corvalan D, Stoutenberg M. Implementation of a Referral Scheme to Text Messaging Programs for Physical Activity and Healthy Eating in Underserved Hispanics. *Translational Journal of the American College of Sports Medicine*. 2021;6:e000144.

Pratt M, Varela AR, Salvo D, Kohl III HW, Ding D. Attacking the pandemic of physical inactivity: what is holding us back? In: BMJ Publishing Group Ltd and British Association of Sport and Exercise Medicine; 2020.

Prince MJ, Wu F, Guo Y, et al. The burden of disease in older people and implications for health policy and practice. *The Lancet*. 2015;385:549-562.

Promislow DE, Harvey PH. Living fast and dying young: A comparative analysis of life-history variation among mammals. *Journal of Zoology*. 1990;220:417-437.

Quiñones RG, de Armas MA. Envejecimiento, políticas sociales y sectoriales en Cuba. *Ponencia presentada en Seminario Internacional sobre Políticas gerontológicas, Buenos Aires, Argentina*. 2010.

Raja S, Teti M, Knauz R, et al. Implementing peer-based interventions in clinic-based settings: Lessons from a multi-site HIV prevention with positives initiative. *Journal of HIV/AIDS & Social Services*. 2008;7:7-26.

Ramchand R, Ahluwalia SC, Xenakis L, Apaydin E, Raaen L, Grimm G. A systematic review of peer-supported interventions for health promotion and disease prevention. *Prev Med*. 2017;101:156-170.

Reingen PH, Kernan JB. Analysis of referral networks in marketing: Methods and illustration. *Journal of marketing research*. 1986;23:370-378.

Richards J, Thorogood M, Hillsdon M, Foster C. Face-to-face versus remote and web 2.0 interventions for promoting physical activity. *Cochrane Database Syst Rev*. 2013;9:Cd010393.

Riley JC. *Rising life expectancy: a global history*. Cambridge University Press; 2001.

Rimmer A. Shortage of doctors across Europe may be caused by migration to UK. *BMJ careers*. 2014.

Rodríguez-Loeches E, Suárez A. Desarrollo regional y envejecimiento poblacional en Cuba. <http://repositorio.geotech.cu/jspui/bitstream/1234/1905/1/Desarrollo%20regional%20y%20envejecimiento%20poblacional%20en%20Cuba.pdf>. Published 2005. Accessed 2020.

Rollo CD. Growth negatively impacts the life span of mammals. *Evolution & development*. 2002;4:55-61.

Rosenstock IM. Historical Origins of the Health Belief Model. *Health Education Monographs*. 1974;2:328-335.

Rosenstock IM. The Health Belief Model and Preventive Health Behavior. *Health Education Monographs*. 1974;2:354-386.

Rossman B. Breastfeeding peer counselors in the United States: helping to build a culture and tradition of breastfeeding. *Journal of midwifery & women's health*. 2007;52:631-637.

Roth GA, Mensah GA, Johnson CO, et al. Global burden of cardiovascular diseases and risk factors, 1990–2019: update from the GBD 2019 study. *Journal of the American College of Cardiology*. 2020;76:2982-3021.

Schutzer KA, Graves BS. Barriers and motivations to exercise in older adults. *Preventive medicine*. 2004;39:1056-1061.

Shaw BA, Spokane LS. Examining the association between education level and physical activity changes during early old age. *Journal of aging and health*. 2008.

Shek DT, Ma C. Longitudinal data analyses using linear mixed models in SPSS: concepts, procedures and illustrations. *The Scientific World Journal*. 2011;11:42-76.

Short CE, Vandelanotte C, Duncan MJ. Individual characteristics associated with physical activity intervention delivery mode preferences among adults. *Int J Behav Nutr Phys Act*. 2014;11:25.

Slootmaker SM, Schuit AJ, Chinapaw MJ, Seidell JC, Van Mechelen W. Disagreement in physical activity assessed by accelerometer and self-report in subgroups of age, gender, education and weight status. *International Journal of Behavioral Nutrition and Physical Activity*. 2009;6:1-10.

Smith GL, Banting L, Eime R, O'Sullivan G, Van Uffelen JG. The association between social support and physical activity in older adults: a systematic review. *International Journal of Behavioral Nutrition and Physical Activity*. 2017;14:56.

Sokol R, Fisher E. Peer support for the hardly reached: a systematic review. *American journal of public health*. 2016;106:e1-e8.

Solomon P. Peer support/peer provided services underlying processes, benefits, and critical ingredients. *Psychiatric rehabilitation journal*. 2004;27:392.

Sotgiu I, Galati D, Manzano M, Rognoni E. Happiness components and their attainment in old age: A cross-cultural comparison between Italy and Cuba. *Journal of Happiness Studies*. 2011;12:353-371.

Sports Reference LLC. Olympics at Sports-Reference.com - Olympic Statistics and History. <http://www.sports-reference.com/>. Accessed April 2014.

Stead LF, Buitrago D, Preciado N, Sanchez G, Hartmann-Boyce J, Lancaster T. Physician advice for smoking cessation. *Cochrane database of systematic reviews*. 2013.

Sugiura Y, Ju Y-S, Yasuoka J, Jimba M. Rapid increase in Japanese life expectancy after World War II. *Biosci Trends*. 2010;4:9-16.

Sun F, Norman IJ, While AE. Physical activity in older people: a systematic review. *BMC public health*. 2013;13:449.

- Sutter NB, Bustamante CD, Chase K, et al. A single IGF1 allele is a major determinant of small size in dogs. *Science*. 2007;316:112-115.
- Taylor A, Cable N, Faulkner G, Hillsdon M, Narici M, Van Der Bij A. Physical activity and older adults: a review of health benefits and the effectiveness of interventions. *Journal of sports sciences*. 2004;22:703-725.
- Taylor D. Physical activity is medicine for older adults. *Postgraduate medical journal*. 2014;90:26-32.
- Thom DH, Ghorob A, Hessler D, De Vore D, Chen E, Bodenheimer TA. Impact of peer health coaching on glycemic control in low-income patients with diabetes: a randomized controlled trial. *The Annals of Family Medicine*. 2013;11:137-144.
- Tracy K, Wallace SP. Benefits of peer support groups in the treatment of addiction. *Substance abuse and rehabilitation*. 2016;7:143.
- Troosters T, Gosselink R, Decramer M. Six minute walking distance in healthy elderly subjects. *The European respiratory journal*. 1999;14:270-274.
- United Nations Statistics Division. UNDATA. <https://data.un.org/>. Published 2014. Accessed 2020.
- van de Vijver P, Schalkwijk F, Numans ME, Slaets JP, van Bodegom D. Self-organizing peer coach groups to increase daily physical activity in community dwelling older adults. *Preventive Medicine Reports*. 2020:101181.
- Van de Vijver PL, Wielens H, Slaets JPJ, Van Bodegom D. Vitality club: a proof-of-principle of peer coaching for daily physical activity by older adults. *Translational behavioral medicine*. 2018;8:204-211.
- van de Vijver PL, Wielens H, Slaets JPJ, van Bodegom D. Vitality club: a proof-of-principle of peer coaching for daily physical activity by older adults. *Translational behavioral medicine*. 2018;8:204-211.
- van der Bij A, Laurant M, Wensing M. Effectiveness of physical activity interventions for older adults: a review. *American journal of preventive medicine*. 2002;22:120.

van der Bij AK, Laurant MG, Wensing M. Effectiveness of physical activity interventions for older adults: a review. *Am J Prev Med.* 2002;22:120-133.

Van Saase J, Noteboom W, Vandenbroucke JP. Longevity of men capable of prolonged vigorous physical exercise: a 32 year follow up of 2259 participants in the Dutch eleven cities ice skating tour. *British Medical Journal.* 1990;301:1409-1411.

Vogel T, Brechat PH, Leprêtre PM, Kaltenbach G, Berthel M, Lonsdorfer J. Health benefits of physical activity in older patients: a review. *International journal of clinical practice.* 2009;63:303-320.

Vogel T, Brechat PH, Leprêtre PM, Kaltenbach G, Berthel M, Lonsdorfer J. Health benefits of physical activity in older patients: a review. *International journal of clinical practice.* 2009;63:303-320.

Wallace J, Raglin J, Jastremski C. Twelve month adherence of adults who joined a fitness program with a spouse vs without a spouse. *The Journal of sports medicine and physical fitness.* 1995;35:206-213.

Wang X, Byars SG, Stearns SC. Genetic links between post-reproductive lifespan and family size in Framingham. *Evolution, medicine, and public health.* 2013;2013:241-253.

Watson KB, Carlson SA, Gunn JP, et al. Physical inactivity among adults aged 50 years and older—United States, 2014. *Morbidity and Mortality Weekly Report.* 2016;65:954-958.

Wensink MJ, van Heemst D, Rosing MP, Westendorp RG. The maintenance gap: a new theoretical perspective on the evolution of aging. *Biogerontology.* 2012;13:197-201.

Westendorp RG, Kirkwood TB. Human longevity at the cost of reproductive success. *Nature.* 1998;396:743-746.

Wiggers LC, Smets EM, Oort FJ, et al. The effect of a minimal intervention strategy in addition to nicotine replacement therapy to support smoking cessation in cardiovascular outpatients: a randomized clinical trial. *European Journal of Cardiovascular Prevention & Rehabilitation.* 2006;13:931-937.

Wilson B. *Alcoholics Anonymous: Big Book.* AA World Services; 2015.

Wolff JK, Warner LM, Ziegelmann JP, Wurm S. What do targeting positive views on ageing add to a physical activity intervention in older adults? Results from a randomised controlled trial. *Psychology & Health*. 2014;29:915-932.

Yazdanyar A, Aziz MM, Enright PL, et al. Association Between 6-Minute Walk Test and All-Cause Mortality, Coronary Heart Disease-Specific Mortality, and Incident Coronary Heart Disease. *Journal of aging and health*. 2014;26:583-599.

Yesalis CE, Bahrke MS. History of doping in sport. *Performance enhancing substances in sport and exercise Champaign: Human Kinetics*. 2002:1-20.

Zhang Y, Pan X-F, Chen J, et al. Combined lifestyle factors and risk of incident type 2 diabetes and prognosis among individuals with type 2 diabetes: a systematic review and meta-analysis of prospective cohort studies. *Diabetologia*. 2020;63:21-33.

Zolnieriek KB, Dimatteo MR. Physician communication and patient adherence to treatment: a meta-analysis. *Med Care*. 2009;47:826-834.

Zwiers R, Zantvoord F, Engelaer F, Van Bodegom D, van der Ouderaa F, Westendorp R. Mortality in former Olympic athletes: retrospective cohort analysis. *BMJ*. 2012;345:e7456.