



Universiteit
Leiden
The Netherlands

Reproductive and sexual health care in oncology: current practice and challenges

Krouwel, E.M.

Citation

Krouwel, E. M. (2022, May 12). *Reproductive and sexual health care in oncology: current practice and challenges*. Retrieved from <https://hdl.handle.net/1887/3303552>

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/3303552>

Note: To cite this publication please use the final published version (if applicable).



Chapter 1

General introduction and thesis outline

GENERAL INTRODUCTION

Cancer and sexuality

Being confronted with a cancer diagnosis of any kind is a life-changing event, with significant impact on well-being, quality of life and couple relationships (1). Cancer treatments and outcomes have dramatically improved in recent years but have the potential to impair endocrine, reproductive and sexual function (2-5).

Sexual function alterations

Sexual functioning is a central aspect of human being, according to the World Health Organization, and involves several aspects like desire, activity, gender identity, sexual orientation, pleasure, intimacy and reproduction (6, 7). Also, for most cancer patients, sexual function is a proven, important aspect of quality of life, regardless of age and type of cancer (8-14). Among 41.2% of patients with one of the ten most commonly occurring cancers, sexual dysfunction is a concern approximately one year after being diagnosed (12). Cancer diagnosis and treatment regimens may have a severe impact on sexual function, both functional as well as emotional effects (15-17). Sexual side effects are wide-ranging and go beyond cancer treatment of solely the pelvic or breast organs (9, 18-20). Alterations in sexual function of cancer patients and survivors are complex, and several circumstances may lead to changes in physiologic, psychological and social dimensions of sexuality, as displayed in Figure 1 (21, 22). Not only direct effects may alter sexual function, also symptoms like fatigue, pain, incontinence, depression, but anxiety and disfigurement may interfere with patients' and their partners' perception of perceived sexual appeal (19, 23, 24). Correspondingly, a patients' partner status has to be considered (single, partnered or widowed). Couples' relationships could be impacted by illness when communication with the partner is poor (25). Unpartnered patients may have substantial concerns about changes in body image and how to notify a new partner about the cancer and its' consequences.




Figure 1. Dimensions of sexuality.

Source Tierney DK. Sexuality: A Quality-of-Life Issue for Cancer Survivors. *Seminars in Oncology Nursing*. 2008;24(2):71-9. (21).

Treatment characteristics

Surgery is frequently part of cancer treatment but may lead to sexual dysfunction resulting from nerve damage, temporary or permanent body deformation, changes in bowel or bladder function and physical weakness (26-28). Body image, for its part, plays a substantial role as a part of mental health and sexual function (29, 30). Radiation effects can deteriorate sexual function due to connective tissue fibrosis (e.g. vaginal stenosis), skin changes and tenderness, (chronic) pain, nerve damage, lymphedema, altered bladder and bowel function, fatigue, ovarian failure, erectile dysfunction due to small-vessel injury and ejaculatory issues (31-37). Furthermore, radiation can have a negative impact on long-term cosmetic outcomes in breast cancer (38, 39). Chemotherapy has the ability to cause mucositis, which induces vaginal irritation, lubrication issues and pain with intercourse (40, 41).

Furthermore, short and long term effects like nausea, fatigue, hair loss, erectile dysfunction and premature menopause may also result in altered sexual function (42-44). In women, antihormonal therapy is associated with a lower frequency of sexual activity, less satisfaction and more discomfort during sexual activity (45, 46). As for men, typical side effects like hot flashes, gynecomastia, loss of libido, erectile dysfunction and fatigue may occur from androgen deprivation therapy (47, 48).

Sexual health care needs

Due to the increase in the number of cancer survivors, attention for cancer survivorship is increasing correspondingly. For most patients, cancer survivorship includes maintaining a satisfactory quality of life, along with the ability to function appropriately sexually (49). However, sexual function is not only an issue for patients treated with curative intent. Palliative patients unanimously agreed that care should include the counselling of the impact of their illness on sexual function and are often even more affected than other cancer patients (50-52). Nonetheless, for various reasons, sexual function is frequently omitted and underreported by oncology health care professionals (53-60). Patients and their partners may find it challenging to initiate questions about sexual function, although a significant group would be interested in receiving sexual counselling (61, 62). Few cancer patients recall discussing possible sexual side effects before commencing their treatment. Neither do they remember discussing treatment options for sexual issues after treatment (26, 56). Coping with sexual concerns during and after cancer treatment seems to remain a delicate business for health care professionals, patients and their partners. A surge of literature has come up in the past decade highlighting the importance of sexual function in cancer patients. To which amount consideration is paid to sexual concerns of cancer patients in the Dutch oncology practice remained unidentified so far and hence the incentive for this thesis.

Fertility impairment due to cancer treatment

Cancer treatment may result in impaired fertility and influence family planning in patients of reproductive age (defined by the WHO as 15-49 years) (63). In the Netherlands, close to one in ten cancer diagnoses affects an individual of reproductive age (64). Not only will various cancer treatments alter reproductive potential in groups like testicular cancer and lymphoma patients, but fertility may also already be decreased before treatment has started (65-68).

Treatment characteristics

Systemic chemotherapy targets rapidly dividing cells, and as a result, gonadal function may be impaired after treatment (69, 70). Radiotherapy causes ionising harm to primordial and growing follicles in the ovary, spermatogonia in the testes or the hypothalamic-pituitary-gonadal axis (71, 72). Furthermore, due to total body irradiation or pelvic radiotherapy, the uterus' vascularisation may be harmed, leading to an increased risk of miscarriage, low birth weight infants and premature births (73). Female cancer survivors have 39% less chance of becoming pregnant than the general population, as depicted in Figure 2 (74). Future fertility perspectives are somewhat better in male survivors, with a 26% lower post-cancer pregnancy rate in comparison with the general population (74).




Figure 2. Chances of subsequent pregnancy depend on the type of cancer—analysis adjusted for age, previous parity and level of education. Data adapted from a population-based study from Norway, which included 16 105 female cancer survivors and 85 500 controls (74).

Source Peccatori FA, Azim HA, Orecchia R, Hoekstra HJ, Pavlidis N, Kesic V, et al. Cancer, pregnancy and fertility: ESMO Clinical Practice Guidelines for diagnosis, treatment and follow-up†. Annals of Oncology. 2013;24:vi160-vi70. (75).

Fertility preservation

A variety of options has come available in the past decades, providing us with rapid and effective methods to cryopreserve gametes, embryos and reproductive tissue for patients about to commence cancer treatment (76). For males who are scheduled for treatments that may affect their chances of future fertility, sperm cryopreservation should be performed before treatment initiation (77). Sperm cryopreservation is considered the most cost-effective strategy for fertility preservation in male cancer patients (78). If sperm cryopreservation is not possible due to sperm abnormalities, testicular sperm extraction (TESE) is available (79). Young women desiring future fertility have embryo or oocyte cryopreservation options as the main available methods to preserve fertility, yet ovarian stimulation may take up to three weeks (80). Freezing ovarian tissue is an alternative without causing cancer treatment delay as it does not require ovarian stimulation but implies two surgical interventions and is still considered experimental (81). In the case of pelvic radiation, ovarian transposition can be considered. However, this does not protect the uterus from radiation-induced damage (82). In some cases, there may be an advantage of combining different preservation approaches (80).

Counselling and decision-making in fertility concerns

Several international guidelines, networks and foundations have been established in recent times, highlighting the importance of timely discussion of potential fertility deterioration resulting from cancer treatments (75, 76, 80, 83). Despite these developments, practice behaviour and attitudes of health care professionals have been reported to vary, influenced by several barriers to discussing this delicate subject with cancer patients of reproductive age (5, 84-86). Among clinicians, knowledge of fertility-preserving options and when they should be offered is suggested to be varying and not always clear (87-89). In a survey among 560 women of reproductive age who received treatments that could potentially harm fertility, 61% was counselled by their oncology health care professionals, 5% by a fertility specialist and 4% performed fertility preservation (90). A review regarding fertility concerns in cancer survivors mentioned a recall for counselling fertility risks ranging from 34 to 72% (86). Fortunately, a positive trend regarding referral for semen cryo-preservation has been demonstrated, as the number of male cancer patients substantially increased during the past decades, as shown in Figure 3 (68).

The long-term emotional impact of not being able to conceive a child is a severe source of distress to people treated for cancer during childbearing age (91). Loss of fertility is the most distressing long-term outcome of cancer treatment and linked with reduced quality of life and mental health issues (91, 92). Although literature demonstrated that future fertility is a major concern for men and women diagnosed with cancer, insufficient knowledge and attitudinal barriers among health care professionals may prevent patients from receiving the required care and referral to a fertility specialist (86).




Figure 3. The number of men referred for semen cryopreservation according to the year of referral.

Source van Casteren NJ, Boellaard WP, Romijn JC, Dohle GR. Gonadal dysfunction in male cancer patients before cytotoxic treatment. *International Journal of andrology*. 2010;33(1):73-9. (68).

Considering the significant consequences of losing reproductive opportunities, health care professionals should be knowledgeable about fertility impairment associated with cancer treatment and proactively counsel fertility and preservation options with all patients of childbearing age (93). Counselling about reproductive loss and fertility preservation by the treating physician and a fertility specialist is associated with less regret and greater quality of life for cancer survivors (90). Oncology clinicians play an essential role in future reproductive abilities by working closely with fertility specialists, providing patients with extensive information about fertility preservation options before the start of cancer treatment.

The intention emerged to investigate whether patients are well informed about infertility risks and fertility preservation options and if sufficient support is provided for guiding them in their reproductive decision-making before treatment. By assembling this knowledge from the perspective of both doctors, nurses and patients, recommendations can be composed for improvements in clinical care for this vulnerable group at risk of losing their reproductive capability.

OUTLINE OF THIS THESIS

This thesis is divided into two parts. **The first part** focuses on discussing the effects of cancer and its treatment on sexual functioning by oncology health care providers. The main research questions concerned to what extent concerns regarding sexual function are discussed and per-

ceived barriers to the consultation of sexual function. Other objectives included determining the responsibility for discussing sexual function and potential problems, present knowledge and interest for additional training. Quantitative, nationwide evaluations have been performed among oncology health care professionals in pursuance of addressing these research questions. We evaluated Dutch oncology nurses, surgical oncologists, radiation oncologists, medical oncologists, urology residents and plastic reconstructive surgeons. Furthermore, urology and radiation departments have been approached in order to investigate the current information provision and counselling with regards to sexual function and prostate cancer treatments.

Following the assessment of the discussion of sexual function, the question arose regarding the management of fertility issues in oncology practice. For this reason, **the second part** of this thesis focuses on the counselling of altered fertility due to cancer treatment. We aimed to investigate both patients' and health care professionals' perspectives on fertility-related issues. Data displayed in the second part have also been collected using questionnaires among both health care professionals and testicular cancer patients. We assessed the current practice of oncology nurses and medical oncologists in the counselling of impaired fertility with their patients. Furthermore, the current level of knowledge regarding the influence of cancer drugs on reproductive and sexual function was examined among medical oncologists.

Finally, **in part three**, the findings of the work presented in this thesis are discussed and placed in a broader perspective. Moreover, future perspectives are represented. Summaries of the studies reported in this thesis are provided in both English and Dutch.

REFERENCES

1. Hauken MA, Grue M, Dyregrov A. "It's been a life-changing experience!" A qualitative study of young adult cancer survivors' experiences of the coexistence of negative and positive outcomes after cancer treatment. *Scandinavian journal of psychology*. 2019;60(6):577-84.
2. Sadosky R, Basson R, Krychman M, Morales AM, Schover L, Wang R, et al. Cancer and sexual problems. *The journal of sexual medicine*. 2010;7(1 Pt 2):349-73.
3. Poorvu PD, Frazier AL, Feraco AM, Manley PE, Ginsburg ES, Laufer MR, et al. Cancer Treatment-Related Infertility: A Critical Review of the Evidence. *JNCI Cancer Spectrum*. 2019;3(1).
4. Goldfarb S, Mulhall J, Nelson C, Kelvin J, Dickler M, Carter J. Sexual and reproductive health in cancer survivors. *Seminars in oncology*. 2013;40(6):726-44.
5. Huyghe E, Sui D, Odensky E, Schover LR. Needs Assessment Survey to Justify Establishing a Reproductive Health Clinic at a Comprehensive Cancer Center. *The journal of sexual medicine*. 2009;6(1):149-63.
6. Fielder R. Sexual Functioning. In: Gellman MD, Turner JR, editors. *Encyclopedia of Behavioral Medicine*. New York, NY: Springer New York; 2013. p. 1774-7.
7. World Health Organization 2021 [Sexual Health Working Definitions]. Available from: https://www.who.int/health-topics/sexual-health#tab=tab_1.
8. Perz J, Ussher JM, Gilbert E. Feeling well and talking about sex: psycho-social predictors of sexual functioning after cancer. *BMC cancer*. 2014;14:228.
9. Low C, Fullarton M, Parkinson E, O'Brien K, Jackson SR, Lowe D, et al. Issues of intimacy and sexual dysfunction following major head and neck cancer treatment. *Oral Oncology*. 2009;45(10):898-903.
10. Bolte S, Zebrack B. Sexual Issues in Special Populations: Adolescents and Young Adults. *Seminars in Oncology Nursing*. 2008;24(2):115-9.
11. Reese JB, Shelby RA, Keefe FJ, Porter LS, Abernethy AP. Sexual concerns in cancer patients: a comparison of GI and breast cancer patients. *Supportive Care in Cancer*. 2010;18(9):1179-89.
12. Baker F, Denniston M, Smith T, West MM. Adult cancer survivors: how are they faring? *Cancer*. 2005;104(11 Suppl):2565-76.
13. Flynn KE, Jeffery DD, Keefe FJ, Porter LS, Shelby RA, Fawzy MR, et al. Sexual functioning along the cancer continuum: focus group results from the Patient-Reported Outcomes Measurement Information System (PROMIS®). *Psycho-oncology*. 2011;20(4):378-86.
14. Kyrдалen AE, Dahl AA, Hernes E, Småstuen MC, Fosså SD. A national study of adverse effects and global quality of life among candidates for curative treatment for prostate cancer. *BJU international*. 2013;111(2):221-32.
15. Krychman M, Millheiser LS. Sexual Health Issues in Women with Cancer. *The journal of sexual medicine*. 2013;10(S1):5-15.
16. Den Oudsten BL, Traa MJ, Thong MSY, Martijn H, De Hingh IHJT, Bosscha K, et al. Higher prevalence of sexual dysfunction in colon and rectal cancer survivors compared with the normative population: A population-based study. *European Journal of Cancer*. 2012;48(17):3161-70.
17. Twitchell DK, Wittmann DA, Hotaling JM, Pastuszak AW. Psychological Impacts of Male Sexual Dysfunction in Pelvic Cancer Survivorship. *Sexual Medicine Reviews*. 2019;7(4):614-26.
18. Surbeck W, Herbet G, Duffau H. Sexuality after surgery for diffuse low-grade glioma. *Neuro-oncology*. 2015;17(4):574-9.
19. Bersvendsen HS, Haugnes HS, Dahl AA, Fagerli UM, Fluge Ø, Holte H, et al. Sexual function in long-term male lymphoma survivors after high-dose therapy with autologous stem-cell transplantation. Bone marrow transplantation. 2020;55(5):891-905.

20. Ben Charif A, Bouhnik A-D, Courbière B, Rey D, Préau M, Bendiane M-K, et al. Sexual health problems in French cancer survivors 2 years after diagnosis—the national VICAN survey. *Journal of Cancer Survivorship*. 2016;10(3):600-9.
21. Tierney DK. Sexuality: A Quality-of-Life Issue for Cancer Survivors. *Seminars in Oncology Nursing*. 2008;24(2):71-9.
22. Bae H, Park H. Sexual function, depression, and quality of life in patients with cervical cancer. *Supportive care in cancer : official journal of the Multinational Association of Supportive Care in Cancer*. 2016;24(3):1277-83.
23. De Sousa A, Sonavane S, Mehta J. Psychological aspects of prostate cancer: a clinical review. *Prostate Cancer and Prostatic Diseases*. 2012;15(2):120-7.
24. Grondhuis Palacios LA, Krouwel EM, den Ouden BL, den Ouden MEM, Kloens GJ, van Duijn G, et al. Suitable sexual health care according to men with prostate cancer and their partners. *Supportive Care in Cancer*. 2018;26(12):4169-76.
25. Rolland JS. IN SICKNESS AND IN HEALTH: THE IMPACT OF ILLNESS ON COUPLES' RELATIONSHIPS. *Journal of Marital and Family Therapy*. 1994;20(4):327-47.
26. Hendren SK, O'Connor BI, Liu M, Asano T, Cohen Z, Swallow CJ, et al. Prevalence of male and female sexual dysfunction is high following surgery for rectal cancer. *Ann Surg*. 2005;242(2):212-23.
27. Krouse R, Grant M, Ferrell B, Dean G, Nelson R, Chu D. Quality of Life Outcomes in 599 Cancer and Non-Cancer Patients with Colostomies. *Journal of Surgical Research*. 2007;138(1):79-87.
28. Traa MJ, De Vries J, Roukema JA, Den Oudsten BL. Sexual (dys)function and the quality of sexual life in patients with colorectal cancer: a systematic review. *Annals of Oncology*. 2012;23(1):19-27.
29. Figueiredo MI, Cullen J, Hwang YT, Rowland JH, Mandelblatt JS. Breast cancer treatment in older women: does getting what you want improve your long-term body image and mental health? *Journal of clinical oncology : official journal of the American Society of Clinical Oncology*. 2004;22(19):4002-9.
30. Fobair P, Stewart SL, Chang S, D'Onofrio C, Banks PJ, Bloom JR. Body image and sexual problems in young women with breast cancer. *Psycho-oncology*. 2006;15(7):579-94.
31. Incrocci L, Jensen PT. Pelvic radiotherapy and sexual function in men and women. *The journal of sexual medicine*. 2013;10 Suppl 1:53-64.
32. Mirabeau-Beale KL, Viswanathan AN. Quality of life (QOL) in women treated for gynecologic malignancies with radiation therapy: A literature review of patient - reported outcomes. *Gynecologic Oncology*. 2014;134(2):403-9.
33. Albornoz CR, Matros E, McCarthy CM, Klassen A, Cano SJ, Alderman AK, et al. Implant breast reconstruction and radiation: a multicenter analysis of long-term health-related quality of life and satisfaction. *Annals of surgical oncology*. 2014;21(7):2159-64.
34. Viswanathan AN, Lee LJ, Eswara JR, Horowitz NS, Konstantinopoulos PA, Mirabeau-Beale KL, et al. Complications of pelvic radiation in patients treated for gynecologic malignancies. *Cancer*. 2014;120(24):3870-83.
35. Karri J, Lachman L, Hanania A, Marathe A, Singh M, Zacharias N, et al. Radiotherapy-Specific Chronic Pain Syndromes in the Cancer Population: An Evidence-Based Narrative Review. *Advances in therapy*. 2021;38(3):1425-46.
36. Marijnen CA, van de Velde CJ, Putter H, van den Brink M, Maas CB, Martijn H, et al. Impact of short-term preoperative radiotherapy on health-related quality of life and sexual functioning in primary rectal cancer: report of a multicenter randomized trial. *Journal of clinical oncology : official journal of the American Society of Clinical Oncology*. 2005;23(9):1847-58.

37. Adams E, Boulton MG, Horne A, Rose PW, Durrant L, Collingwood M, et al. The Effects of Pelvic Radiotherapy on Cancer Survivors: Symptom Profile, Psychological Morbidity and Quality of Life. *Clinical Oncology*. 2014;26(1):10-7.
38. Vrieling C, Collette L, Fourquet A, Hoogenraad WJ, Horiot J-C, Jager JJ, et al. The influence of the boost in breast-conserving therapy on cosmetic outcome in the eortc “boost versus no boost” trial. *International Journal of Radiation Oncology*Biolog*Physics*. 1999;45(3):677-85.
39. Kelemen G, Varga Z, Lázár G, Thurzó L, Kahán Z. Cosmetic outcome 1-5 years after breast conservative surgery, irradiation and systemic therapy. *Pathology oncology research : POR*. 2012;18(2):421-7.
40. Ganz PA, Desmond KA, Leedham B, Rowland JH, Meyerowitz BE, Belin TR. Quality of life in long-term, disease-free survivors of breast cancer: a follow-up study. *Journal of the National Cancer Institute*. 2002;94(1):39-49.
41. Krychman ML, Carter J, Aghajanian CA, Dizon DS, Castiel M. Chemotherapy-induced dyspareunia: a case study of vaginal mucositis and pegylated liposomal doxorubicin injection in advanced stage ovarian carcinoma. *Gynecol Oncol*. 2004;93(2):561-3.
42. Arora NK, Gustafson DH, Hawkins RP, McTavish F, Cella DF, Pingree S, et al. Impact of surgery and chemotherapy on the quality of life of younger women with breast carcinoma. *Cancer*. 2001;92(5):1288-98.
43. Schover LR. Premature Ovarian Failure and Its Consequences: Vasomotor Symptoms, Sexuality, and Fertility. *Journal of Clinical Oncology*. 2008;26(5):753-8.
44. Jonker-Pool G, van Basten JP, Hoekstra HJ, van Driel MF, Sleijfer DT, Koops HS, et al. Sexual functioning after treatment for testicular cancer: comparison of treatment modalities. *Cancer*. 1997;80(3):454-64.
45. Mayer S, Iborra S, Grimm D, Steinsiek L, Mahner S, Bossart M, et al. Sexual activity and quality of life in patients after treatment for breast and ovarian cancer. *Archives of gynecology and obstetrics*. 2019;299(1):191-201.
46. Baumgart J, Nilsson K, Evers AS, Kallak TK, Poromaa IS. Sexual dysfunction in women on adjuvant endocrine therapy after breast cancer. *Menopause (New York, NY)*. 2013;20(2):162-8.
47. Donovan KA, Gonzalez BD, Nelson AM, Fishman MN, Zachariah B, Jacobsen PB. Effect of androgen deprivation therapy on sexual function and bother in men with prostate cancer: A controlled comparison. *Psycho-oncology*. 2018;27(1):316-24.
48. Thompson CA, Shanafelt TD, Loprinzi CL. Andropause: symptom management for prostate cancer patients treated with hormonal ablation. *The oncologist*. 2003;8(5):474-87.
49. DeSimone M, Spriggs E, Gass JS, Carson SA, Krychman ML, Dizon DS. Sexual Dysfunction in Female Cancer Survivors. *American Journal of Clinical Oncology*. 2014;37(1).
50. Lemieux L, Kaiser S, Pereira J, Meadows LM. Sexuality in palliative care: patient perspectives. *Palliative Medicine*. 2004;18(7):630-7.
51. Mercadante S, Vitrano V, Catania V. Sexual issues in early and late stage cancer: a review. *Supportive Care in Cancer*. 2010;18(6):659-65.
52. Ananth H, Jones L, King M, Tookman A. The impact of cancer on sexual function: a controlled study. *Palliative Medicine*. 2003;17(2):202-5.
53. Flynn KE, Reese JB, Jeffery DD, Abernethy AP, Lin L, Shelby RA, et al. Patient experiences with communication about sex during and after treatment for cancer. *Psycho-oncology*. 2012;21(6):594-601.
54. Vistad I, Cvancarova M, Fosså SD, Kristensen GB. Postradiotherapy morbidity in long-term survivors after locally advanced cervical cancer: how well do physicians' assessments agree with those of their patients? *International journal of radiation oncology, biology, physics*. 2008;71(5):1335-42.

55. Stead ML, Brown JM, Fallowfield L, Selby P. Lack of communication between healthcare professionals and women with ovarian cancer about sexual issues. *British journal of cancer*. 2003;88(5):666-71.
56. Hordern AJ, Street AF. Constructions of sexuality and intimacy after cancer: Patient and health professional perspectives. *Social Science & Medicine*. 2007;64(8):1704-18.
57. Forbat L, White I, Marshall-Lucette S, Kelly D. Discussing the sexual consequences of treatment in radiotherapy and urology consultations with couples affected by prostate cancer. *BJU international*. 2012;109(1):98-103.
58. White ID, Allan H, Faithfull S. Assessment of treatment-induced female sexual morbidity in oncology: is this a part of routine medical follow-up after radical pelvic radiotherapy? *British journal of cancer*. 2011;105(7):903-10.
59. Ben Charif A, Bouhnik A-D, Courbiere B, Rey D, Préau M, Bendiane M-K, et al. Patient Discussion About Sexual Health With Health Care Providers After Cancer—A National Survey. *The journal of sexual medicine*. 2016;13(11):1686-94.
60. Sporn NJ, Smith KB, Pirl WF, Lennes IT, Hyland KA, Park ER. Sexual health communication between cancer survivors and providers: how frequently does it occur and which providers are preferred? *Psycho-oncology*. 2015;24(9):1167-73.
61. Traa MJ, De Vries J, Roukema JA, Rutten HJT, Den Oudsten BL. The sexual health care needs after colorectal cancer: the view of patients, partners, and health care professionals. *Supportive Care in Cancer*. 2014;22(3):763-72.
62. Hill EK, Sandbo S, Abramssohn E, Makelarski J, Wroblewski K, Wenrich ER, et al. Assessing gynecologic and breast cancer survivors' sexual health care needs. *Cancer*. 2011;117(12):2643-51.
63. terminology. WHOIda. 2021 [Available from: <https://www.who.int/teams/sexual-and-reproductive-health-and-research/key-areas-of-work/fertility-care/infertility-definitions-and-terminology>].
64. Netherlands Comprehensive Cancer Organisation (IKNL); Netherlands Cancer Registry (NCR). National Incidence of all malignancies in the period 2018-2020 dbag. [Available from: https://iknl.nl/nkr-cijfers?fs%7Cepidemiologie_id=506&fs%7Ctumor_id=1&fs%7Cregio_id=530&fs%7Cperiode_id=543%2C542%2C541&fs%7Cgeslacht_id=622&fs%7Cleeftijdsgroep_id=655%2C637%2C638%2C639%2C640%2C641%2C642%2C643&fs%7Cjaren_na_diagnose_id=665&fs%7Ceenheid_id=681&cs%7Ctype=line&cs%7CxAxis=periode_id&cs%7Cseries=leeftijdsgroep_id&ts%7CrownDimensions=periode_id&ts%7CcolumnDimensions=leeftijdsgroep_id&lang%7Clanguage=nl].
65. Bahadur G, Ozturk O, Muneer A, Wafa R, Ashraf A, Jaman N, et al. Semen quality before and after gonadotoxic treatment. *Human Reproduction*. 2005;20(3):774-81.
66. Bahadur G, Ling KLE, Hart R, Ralph D, Wafa R, Ashraf A, et al. Semen quality and cryopreservation in adolescent cancer patients. *Human Reproduction*. 2002;17(12):3157-61.
67. Lawrenz B, Fehm T, von Wolff M, Soekler M, Huebner S, Henes J, et al. Reduced pretreatment ovarian reserve in premenopausal female patients with Hodgkin lymphoma or non-Hodgkin-lymphoma--evaluation by using antimüllerian hormone and retrieved oocytes. *Fertility and sterility*. 2012;98(1):141-4.
68. van Casteren NJ, Boellaard WP, Romijn JC, Dohle GR. Gonadal dysfunction in male cancer patients before cytotoxic treatment. *International journal of andrology*. 2010;33(1):73-9.
69. Delessard M, Saulnier J, Rives A, Dumont L, Rondanino C, Rives N. Exposure to Chemotherapy During Childhood or Adulthood and Consequences on Spermatogenesis and Male Fertility. 2020;21(4):1454.
70. Spears N, Lopes F, Stefansdottir A, Rossi V, De Felici M, Anderson RA, et al. Ovarian damage from chemotherapy and current approaches to its protection. *Human reproduction update*. 2019;25(6):673-93.

71. De Felice F, Marchetti C, Marampon F, Casciulli G, Muzii L, Tombolini V. Radiation effects on male fertility. *Andrology*. 2019;7(1):2-7.
72. Larsen EC, Müller J, Schmiegelow K, Rechnitzer C, Andersen AN. Reduced ovarian function in long-term survivors of radiation- and chemotherapy-treated childhood cancer. *The Journal of clinical endocrinology and metabolism*. 2003;88(11):5307-14.
73. Wo JY, Viswanathan AN. Impact of radiotherapy on fertility, pregnancy, and neonatal outcomes in female cancer patients. *International journal of radiation oncology, biology, physics*. 2009;73(5):1304-12.
74. Stensheim H, Cvancarova M, Møller B, Fosså SD. Pregnancy after adolescent and adult cancer: A population-based matched cohort study. *International journal of cancer*. 2011;129(5):1225-36.
75. Peccatori FA, Azim HA, Orecchia R, Hoekstra HJ, Pavlidis N, Kesic V, et al. Cancer, pregnancy and fertility: ESMO Clinical Practice Guidelines for diagnosis, treatment and follow-up†. *Annals of Oncology*. 2013;24:vi160-vi70.
76. Oktay K, Harvey BE, Partridge AH, Quinn GP, Reinecke J, Taylor HS, et al. Fertility Preservation in Patients With Cancer: ASCO Clinical Practice Guideline Update. *Journal of clinical oncology : official journal of the American Society of Clinical Oncology*. 2018;36(19):1994-2001.
77. Valipour A, Osowski S, Rey J, Ochsendorf F, Weberschock T. Semen cryopreservation in adolescent and adult men undergoing fertility compromising cancer treatment: A systematic review. *Andrologia*. 2019;51(11):e13392.
78. Gilbert K, Nangia AK, Dupree JM, Smith JF, Mehta A. Fertility preservation for men with testicular cancer: Is sperm cryopreservation cost effective in the era of assisted reproductive technology? *Urologic oncology*. 2018;36(3):92.e1-.e9.
79. Furuhashi K, Ishikawa T, Hashimoto H, Yamada S, Ogata S, Mizusawa Y, et al. Onco-testicular sperm extraction: testicular sperm extraction in azoospermic and very severely oligozoospermic cancer patients. *Andrologia*. 2013;45(2):107-10.
80. Preservation TEGGoFF, Anderson RA, Amant F, Braat D, D'Angelo A, Chuva de Sousa Lopes SM, et al. ESHRE guideline: female fertility preservation†. *Human Reproduction Open*. 2020;2020(4).
81. Donnez J, Dolmans MM. Ovarian cortex transplantation: 60 reported live births brings the success and worldwide expansion of the technique towards routine clinical practice. *Journal of assisted reproduction and genetics*. 2015;32(8):1167-70.
82. Moawad NS, Santamaria E, Rhoton-Vlasak A, Lightsey JL. Laparoscopic Ovarian Transposition Before Pelvic Cancer Treatment: Ovarian Function and Fertility Preservation. *Journal of Minimally Invasive Gynecology*. 2017;24(1):28-35.
83. Woodruff TK. The Oncofertility Consortium—addressing fertility in young people with cancer. *Nature Reviews Clinical Oncology*. 2010;7(8):466-75.
84. Vindrola-Padros C, Dyer KE, Cyrus J, Lubker IM. Healthcare professionals' views on discussing fertility preservation with young cancer patients: a mixed method systematic review of the literature. *Psycho-oncology*. 2017;26(1):4-14.
85. Goossens J, Delbaere I, Van Lancker A, Beeckman D, Verhaeghe S, Van Hecke A. Cancer patients' and professional caregivers' needs, preferences and factors associated with receiving and providing fertility-related information: A mixed-methods systematic review. *International Journal of Nursing Studies*. 2014;51(2):300-19.
86. Tschudin S, Bitzer J. Psychological aspects of fertility preservation in men and women affected by cancer and other life-threatening diseases. *Human reproduction update*. 2009;15(5):587-97.

87. Schover LR, Brey K, Lichtin A, Lipshultz LI, Jeha S. Oncologists' attitudes and practices regarding banking sperm before cancer treatment. *Journal of clinical oncology : official journal of the American Society of Clinical Oncology*. 2002;20(7):1890-7.
88. Duffy C, Allen SM, Dube C, Dickersin K. Oncologists' confidence in knowledge of fertility issues for young women with cancer. *J Cancer Educ*. 2012;27(2):369-76.
89. Adams E, Hill E, Watson E. Fertility preservation in cancer survivors: a national survey of oncologists' current knowledge, practice and attitudes. *British journal of cancer*. 2013;108(8):1602-15.
90. Letourneau JM, Ebbel EE, Katz PP, Katz A, Ai WZ, Chien AJ, et al. Pretreatment fertility counseling and fertility preservation improve quality of life in reproductive age women with cancer. *Cancer*. 2012;118(6):1710-7.
91. Logan S, Perz J, Ussher JM, Peate M, Anazodo A. Systematic review of fertility-related psychological distress in cancer patients: Informing on an improved model of care. *Psycho-oncology*. 2019;28(1):22-30.
92. Wenzel L, Dogan-Ates A, Habbal R, Berkowitz R, Goldstein DP, Bernstein M, et al. Defining and measuring reproductive concerns of female cancer survivors. *Journal of the National Cancer Institute Monographs*. 2005(34):94-8.
93. Benedict C, Thom B, Kelvin JF. Fertility preservation and cancer: challenges for adolescent and young adult patients. *Current opinion in supportive and palliative care*. 2016;10(1):87-94.

