



Universiteit
Leiden

The Netherlands

Strategies for braiding and ground state preparation in digital quantum hardware

Herasymenko, Y.

Citation

Herasymenko, Y. (2022, April 20). *Strategies for braiding and ground state preparation in digital quantum hardware*. *Casimir PhD Series*. Retrieved from <https://hdl.handle.net/1887/3283760>

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/3283760>

Note: To cite this publication please use the final published version (if applicable).

Strategies for braiding and ground state preparation in digital quantum hardware

PROEFSCHRIFT

TER VERKRIJGING VAN
DE GRAAD VAN DOCTOR AAN DE UNIVERSITEIT LEIDEN,
OP GEZAG VAN RECTOR MAGNIFICUS PROF.DR.IR. H. BIJL,
VOLGENS BESLUIT VAN HET COLLEGE VOOR PROMOTIES
TE VERDEDIGEN OP WOENSDAG 20 APRIL 2022
KLOKKE 15.00 UUR

DOOR

Yaroslav Romanovych Herasymenko

GEBOREN TE KYIV (OEKRAÏNE)
IN 1995

Promotor: prof.dr. C.W.J. Beenakker
Co-promotor: dr. T.E. O'Brien (Google Quantum AI, Munich, Germany)

Promotiecommissie: prof.dr. Y. Gefen (Weizmann Institute, Israel)
prof.dr. B.M. Terhal (Technische Universiteit Delft)
prof.dr. J. Aarts
dr. W. Löffler
prof.dr. J. Zaanen

Casimir PhD series Delft-Leiden 2022-10
ISBN 978-90-8593-521-6



This work originates as part of the research programme of the Foundation for Fundamental Research on Matter (FOM), and falls as of April 1, 2017 under the responsibility of Foundation for Nederlandse Wetenschappelijk Onderzoek Instituten (NWO-I), which is part of the Dutch Research Council (NWO).

Cover: An interlacing of colored threads which illustrates braiding and the notion of a quantum ground state. Regions with regular patterns represent the onset of order at low energies. The orange-to-blue gradient on the threads shows the transition from hot to cold as one moves closer to the ground state.

To my family and to Marina.

Contents

1	Introduction	1
1.1	Preface	1
1.2	Topological matter and braiding	2
1.2.1	Topological superconductivity	3
1.2.2	Majorana anyons: bulk and boundary	4
1.2.3	Fractional Quantum Hall Effect. Laughlin quasiparticles	6
1.3	Preparing ground states with a quantum computer	8
1.3.1	Variational quantum algorithms	9
1.3.2	Dissipative quantum algorithms	13
1.4	This thesis	14
2	Deterministic creation and braiding of chiral edge vortices	19
2.1	Introduction	19
2.2	Edge vortex injection	20
2.3	Braiding of an edge vortex with a bulk vortex	21
2.4	Detection of the fermion-parity switch	22
2.5	Mapping onto a scattering problem	23
2.6	Transferred charge	24
2.7	Transferred particle number	26
2.8	Discussion	26
2.A	Calculation of the scattering phase shift	28
2.A.1	Single Josephson junction	28
2.A.2	Double Josephson junction	32
2.B	Details of the numerical simulation	33
3	Electrical detection of the Majorana fusion rule for chiral edge vortices in a topological superconductor	37
3.1	Introduction	37
3.2	Edge vortex injection and fusion in a four-terminal Josephson junction	39
3.3	Scattering formula for the fermion parity	41
3.3.1	Construction of the fermion parity operator	41

3.3.2	Klich formula for particle-hole conjugate Majorana operators	43
3.3.3	Fermion parity as the determinant of a scattering matrix product	44
3.3.4	Simplification in the adiabatic regime	46
3.4	Vanishing of the average fermion parity	47
3.4.1	Frozen scattering matrix of the Josephson junction	48
3.4.2	Reduction of the fermion parity to a Toeplitz determinant	49
3.4.3	Fisher-Hartwig asymptotics	49
3.5	Transferred charge	51
3.5.1	Average charge	51
3.5.2	Charge correlations	52
3.6	Conclusion	54
3.A	Calculation of the frozen scattering matrix	55
3.B	Derivation of the Klich formula	57
3.C	Scattering formulas for charge correlators	58
3.C.1	General expressions for first and second moments	58
3.C.2	Adiabatic approximation	60
4	Bounds on nonlocal correlations in the presence of signaling and their application to topological zero modes	63
4.1	Introduction	63
4.2	Analytic results for correlations of general non-Hermitian non-commuting operators	66
4.2.1	Proofs of analytic bounds	69
4.3	Investigating the bounds in the system of parafermions	71
4.3.1	Parafermion physics and algebra	72
4.3.2	Alice's and Bob's observables	74
4.3.3	Numerical results for correlations of parafermions	77
4.4	Discussion	78
4.A	Relation between the correlation functions $C(X, Y)$ and joint probability distributions	80
4.B	Measuring parafermionic observables	81
4.C	How to measure correlations of non-commuting observables	82
4.C.1	Measuring correlations of non-commuting parafermionic observables	82
4.C.2	Measuring correlations of non-commuting observables with weak measurements	84
4.D	Extra numerical data on the bounds for correlations in the system of parafermions	87

5	A diagrammatic approach to variational quantum ansatz construction	89
5.1	Introduction	89
5.2	Variational quantum eigensolvers	90
5.2.1	Variational manifolds	93
5.3	Stabilizer ansatzes	94
5.4	Children ansatzes and their construction	97
5.4.1	Ansatz compression and hierarchical construction	97
5.4.2	Compression over symmetries	98
5.4.3	Size-extensivity of a variational ansatz	99
5.5	Perturbative construction for digital size-extensive ansatzes	100
5.5.1	Diagrammatic expansion of the ground state . . .	102
5.5.2	Taylor expansion of the variational ansatz	106
5.5.3	Equating ansatz and perturbative terms	107
5.5.4	The perturbative construction	111
5.6	Application: transverse-field Ising model	113
5.6.1	Example perturbative construction on four sites .	115
5.6.2	Low-order construction for a large chain	117
5.6.3	Alternative hierarchies and circuit ordering	117
5.6.4	VQE performance	119
5.7	Conclusion	122
5.A	Background	125
5.B	Example of compression over symmetries: the unitary coupled cluster ansatz	126
5.C	Multivariate Dyson series	128
5.D	Separability of disconnected contributions	132
5.E	Convergence speed of classical optimization of QCA . . .	134
6	Quantum digital cooling	137
6.1	Introduction	137
6.2	Cooling a system with a single fridge qubit	138
6.3	De-exciting a single transition: the 1+1 model	140
6.3.1	Elementary approaches to digital cooling: strong and weak-coupling	141
6.3.2	Common symmetries and the coupling alternation method	143
6.4	Scalable QDC protocols	145
6.4.1	The BangBang protocol	146
6.4.2	The LogSweep protocol	149
6.5	Conclusion	156
6.A	Proof of Eq. (6.4.2)	158

Contents

6.B	Asymptotic reheating and cooling probabilities for QDC protocols	158
6.C	Optimizing energy spacing in LogSweep protocol	162
6.D	Cooling rate for LogSweep protocol in a large system	162
6.E	Effect of banding on QDC protocols	164
7	Measurement-driven navigation in many-body Hilbert space	167
7.1	Introduction	167
7.2	Measurement-driven state preparation	170
7.2.1	Generalities	170
7.2.2	Passive steering: Single qubit	174
7.2.3	Selection criteria for system-detector couplings	175
7.3	Types of system-detector couplings	179
7.3.1	Mutually commuting couplings	179
7.3.2	Frustrated system-detector couplings	182
7.4	Quantum compass: Cost-function policies	184
7.4.1	Discussion: orthogonality catastrophe and alternative cost functions	186
7.5	Hilbert-space orienteering map: Quantum State Machine	188
7.5.1	QSM generalities	188
7.5.2	Quantum subgraphs in a QSM	191
7.5.3	Coarse-grained QSM. Semiclassical heuristic for navigation	192
7.5.4	W-state preparation	197
7.6	Discussion and conclusions	199
	Bibliography	203
	Samenvatting	223
	Summary	225
	Curriculum Vitæ	227
	List of publications	229