

Optimal decision-making under constraints and uncertainty Latour, A.L.D.

Citation

Latour, A. L. D. (2022, September 13). *Optimal decision-making under constraints and uncertainty*. *SIKS Dissertation Series*. Retrieved from https://hdl.handle.net/1887/3455662

Version: Publisher's Version

Licence agreement concerning inclusion of doctoral

License: thesis in the Institutional Repository of the University

of Leiden

Downloaded from: https://hdl.handle.net/1887/3455662

Note: To cite this publication please use the final published version (if applicable).

Bibliography

- [1] A. M. Abdelbar and S. M. Hedetniemi. Approximating MAPs for belief networks is NP-hard and other theorems. *Artificial Intelligence*, 102(1):21–38, 1998.
- [2] C. C. Aggarwal and J. Han, editors. Frequent Pattern Mining. Springer, 2014.
- [3] C. Ansótegui, Y. Malitsky, H. Samulowitz, M. Sellmann, and K. Tierney. Model-based genetic algorithms for algorithm configuration. In *Proceedings of the 24th International Joint Conference on Artificial Intelligence (IJCAI-15)*, pages 733–739. AAAI Press, 2015.
- [4] A. Antonucci and T. Tiotto. Approximate MMAP by marginal search. In R. Barták and E. Bell, editors, Proceedings of the 33rd International Florida Artificial Intelligence Research Society Conference (FLAIRS-20), pages 181–184. AAAI Press, 2020.
- [5] U. Apsel and R. I. Brafman. Lifted MEU by weighted model counting. In *Proceedings of the 26th AAAI Conference on Artificial Intelligence (AAAI-12)*. AAAI Press, 2012.
- [6] S. Arora and B. Barak. Computational Complexity A Modern Approach. Cambridge University Press, 2009.

- [7] B. Babaki, T. Guns, and L. De Raedt. Stochastic constraint programming with AND-OR branch-and-bound. In *Proceedings of the 26th International Joint Conference on Artificial Intelligence (IJCAI-17)*, pages 539–545. IJCAI, 2017.
- [8] F. Bacchus, S. Dalmao, and T. Pitassi. Algorithms and complexity results for #SAT and Bayesian inference. In *44th Symposium on Foundations of Computer Science (FOCS-03)*, pages 340–351. IEEE Computer Society, 2003.
- [9] F. Bacchus, S. Dalmao, and T. Pitassi. DPLL with caching: A new algorithm for #SAT and Bayesian inference. *Electronic Colloquium on Computational Complexity (ECCC)*, 10(003), 2003.
- [10] F. Bacchus and T. Walsh. Propagating logical combinations of constraints. In *Proceedings of the 19th International Joint Conference on Artificial Intelligence (IJCAI-05)*, pages 35–40. Professional Book Center, 2005.
- [11] R. I. Bahar, E. A. Frohm, C. M. Gaona, G. D. Hachtel, E. Macii, A. Pardo, and F. Somenzi. Algebraic decision diagrams and their applications. *Formal Methods in System Design*, 10(2/3):171–206, 1997.
- [12] P. Balaprakash, M. Birattari, and T. Stützle. Improvement strategies for the F-Race algorithm: Sampling design and iterative refinement. In *Proceedings of Hybrid Metaheuristics*, 4th International Workshop (HM-07), pages 108–122. Springer, 2007.
- [13] A. Bart, F. Koriche, J. Lagniez, and P. Marquis. An improved CNF encoding scheme for probabilistic inference. In 22nd European Conference on Artificial Intelligence (ECAI-16), including Prestigious Applications of Artificial Intelligence (PAIS-16), volume 285 of Frontiers in Artificial Intelligence and Applications, pages 613–621. IOS Press, 2016.
- [14] M. Ben-Ari. *Mathematical Logic for Computer Science, 3rd Edition*. Springer, 2012.
- [15] C. Bessière and P. V. Hentenryck. To be or not to be ... a global constraint. In *Proceedings of the 9th International Conference on Principles and Practice of Constraint Programming (CP-03)*, volume 2833 of *Lecture Notes in Computer Science*, pages 789–794. Springer, 2003.
- [16] A. Biere, M. Heule, H. van Maaren, and T. Walsh, editors. *Handbook of Satisfiability*, volume 185 of *Frontiers in Artificial Intelligence and Applications*. IOS Press, 2009.

- [17] M. Birattari, Z. Yuan, P. Balaprakash, and T. Stützle. F-race and iterated f-race: An overview. In *Experimental Methods for the Analysis of Optimization Algorithms*, pages 311–336. Springer, 2010.
- [18] S. Bistarelli and F. Rossi. Semiring-based soft constraints. In *Concurrency, Graphs and Models*, volume 5065 of *Lecture Notes in Computer Science*, pages 155–173. Springer, 2008.
- [19] V. Blondel, J.-L. Guillaume, R. Lambiotte, and E. Lefebvre. Fast unfolding of communities in large networks. *Journal of Statistical Mechanics Theory and Experiment*, 2008, 04 2008.
- [20] H. L. Bodlaender, F. van den Eijkhof, and L. C. van der Gaag. On the complexity of the MPA problem in probabilistic networks. In *Proceedings of the 15th European Conference on Artificial Intelligence (ECAI-02)*, pages 675–679. IOS Press, 2002.
- [21] B. Bollig, M. Löbbing, and I. Wegener. Simulated annealing to improve variable orderings for OBDDs. In *International Workshop on Logic and Synthesis*, page 5, 1995.
- [22] B. Bollig and I. Wegener. Improving the variable ordering of OBDDs is NP-complete. *IEEE Transactions on Computers*, 45(9):993–1002, 1996.
- [23] C. Borgs, M. Brautbar, J. T. Chayes, and B. Lucier. Maximizing social influence in nearly optimal time. In *Proceedings of the 25th Annual ACM-SIAM Symposium on Discrete Algorithms (SODA-14)*, pages 946–957. SIAM, 2014.
- [24] S. Bova. SDDs are exponentially more succinct than OBDDs. In *Proceedings* of the 30th AAAI Conference on Artificial Intelligence (AAAI-16), pages 929–935. AAAI Press, 2016.
- [25] S. P. Bradley, A. C. Hax, and T. L. Magnanti. *Applied Mathematical Programming*. Addison-Wesley, 1977.
- [26] R. E. Bryant. Graph-based algorithms for Boolean function manipulation. *IEEE Transactions on Computers*, 35(8):677–691, 1986.
- [27] Y. Caseau and F. Laburthe. Solving various weighted matching problems with constraints. *Constraints*, 5(1/2):141–160, 2000.
- [28] S. Chakraborty, D. J. Fremont, K. S. Meel, S. A. Seshia, and M. Y. Vardi. Distribution-aware sampling and weighted model counting for SAT. In

- Proceedings of the 28th AAAI Conference on Artificial Intelligence (AAAI-14), pages 1722–1730. AAAI Press, 2014.
- [29] S. Chakraborty, D. Fried, K. S. Meel, and M. Y. Vardi. From weighted to unweighted model counting. In *Proceedings of the 24th International Joint Conference on Artificial Intelligence (IJCAI-15)*, pages 689–695. AAAI Press, 2015.
- [30] S. Chakraborty, K. S. Meel, and M. Y. Vardi. Algorithmic improvements in approximate counting for probabilistic inference: From linear to logarithmic SAT calls. In *Proceedings of the 25th International Joint Conference on Artificial Intelligence (IJCAI-16)*, pages 3569–3576. IJCAI/AAAI Press, 2016.
- [31] A. Charnes and W. W. Cooper. Chance-constrained programming. *Management Science*, 6(1):73–79, 1959.
- [32] M. Chavira and A. Darwiche. Compiling Bayesian networks with local structure. In *Proceedings of the 20th International Joint Conference on Artificial Intelligence (IJCAI-07)*, pages 1306–1312. Professional Book Center, 2005.
- [33] M. Chavira and A. Darwiche. On probabilistic inference by weighted model counting. *Artificial Intelligence*, 172(6-7):772–799, 2008.
- [34] M. Chavira, A. Darwiche, and M. Jaeger. Compiling relational Bayesian networks for exact inference. *International Journal of Approximate Reasoning*, 42(1-2):4–20, 2006.
- [35] Q. Cheng, F. Chen, J. Dong, W. Xu, and A. T. Ihler. Approximating the sum operation for marginal-MAP inference. In *Proceedings of the 26th AAAI Conference on Artificial Intelligence (AAAI-12)*. AAAI Press, 2012.
- [36] A. Choi and A. Darwiche. Dynamic minimization of sentential decision diagrams. In *Proceedings of the 27th AAAI Conference on Artificial Intelligence (AAAI-13)*. AAAI Press, 2013.
- [37] A. Choi, D. Kisa, and A. Darwiche. Compiling probabilistic graphical models using sentential decision diagrams. In *Proceedings of the 12th European Conference on Symbolic and Quantitative Approaches to Reasoning with Uncertainty (ECSQARU-13)*, volume 7958 of *Lecture Notes in Computer Science*, pages 121–132. Springer, 2013.
- [38] S. A. Cook. The complexity of theorem-proving procedures. In *Proceedings* of the 3rd Annual ACM Symposium on Theory of Computing, STOC 1971, pages 151–158, New York, NY, USA, 1971. ACM.

- [39] H. Cui, R. Marinescu, and R. Khardon. From stochastic planning to marginal MAP. In Advances in Neural Information Processing Systems 31: Annual Conference on Neural Information Processing Systems (NeurIPS-18), pages 3085–3095, 2018.
- [40] G. H. Dal, A. W. Laarman, and P. J. F. Lucas. Parallel probabilistic inference by weighted model counting. In *International Conference on Probabilistic Graphical Models (PGM-18)*, volume 72 of *Proceedings of Machine Learning Research*, pages 97–108. PMLR, 2018.
- [41] G. H. Dal and P. J. F. Lucas. Weighted positive binary decision diagrams for exact probabilistic inference. *International Journal of Approximate Reasoning*, 90:411–432, 2017.
- [42] A. Darwiche. On the tractable counting of theory models and its application to truth maintenance and belief revision. *Journal of Applied Non-Classical Logics*, 11(1-2):11–34, 2001.
- [43] A. Darwiche. A logical approach to factoring belief networks. In *Proceedings* of the 8th International Conference on Principles and Knowledge Representation and Reasoning (KR-02), pages 409–420. Morgan Kaufmann, 2002.
- [44] A. Darwiche. A differential approach to inference in Bayesian networks. *Journal of the ACM*, 50(3):280–305, 2003.
- [45] A. Darwiche. *Modeling and Reasoning with Bayesian Networks*. Cambridge University Press, 2009.
- [46] A. Darwiche. SDD: A new canonical representation of propositional knowledge bases. In *Proceedings of the 22nd International Joint Conference on Artificial Intelligence (IJCAI-11)*, pages 819–826. IJCAI/AAAI, 2011.
- [47] A. Darwiche. Three modern roles for logic in AI. In *Proceedings of the 39th ACM SIGMOD-SIGACT-SIGAI Symposium on Principles of Database Systems* (PODS-20), pages 229–243. ACM, 2020.
- [48] A. Darwiche and P. Marquis. A knowledge compilation map. *Journal of Artificial Intelligence Research*, 17:229–264, 2002.
- [49] M. Davis, G. Logemann, and D. W. Loveland. A machine program for theorem-proving. *Communications of the ACM*, 5(7):394–397, 1962.

- [50] L. De Raedt, K. Kersting, A. Kimmig, K. Revoredo, and H. Toivonen. Compressing probabilistic Prolog programs. *Machine Learning*, 70(2-3):151–168, 2008.
- [51] L. De Raedt and A. Kimmig. Probabilistic (logic) programming concepts. *Machine Learning*, 100(1):5–47, 2015.
- [52] L. De Raedt, A. Kimmig, and H. Toivonen. Problog: A probabilistic Prolog and its application in link discovery. In *Proceedings of the 20th International Joint Conference on Artificial Intelligence (IJCAI-07)*, pages 2462–2467, 2007.
- [53] R. Dechter. Bucket elimination: A unifying framework for reasoning. *Artificial Intelligence*, 113(1):41 85, 1999.
- [54] R. Dechter and I. Rish. Mini-buckets: A general scheme for bounded inference. *Journal of the ACM*, 50(2):107–153, 2003.
- [55] S. Demassey, G. Pesant, and L. Rousseau. A cost-regular based hybrid column generation approach. *Constraints An Int. J.*, 11(4):315–333, 2006.
- [56] P. M. Domingos and M. Richardson. Mining the network value of customers. In *Proceedings of the 7th ACM SIGKDD international conference on Knowledge discovery and data mining (KDD-01)*, pages 57–66. ACM, 2001.
- [57] C. Domshlak and J. Hoffmann. Probabilistic planning via heuristic forward search and weighted model counting. *Journal of Artificial Intelligence Research*, 30:565–620, 2007.
- [58] R. Drechsler, B. Becker, and N. Gockel. Genetic algorithm for variable ordering of OBDDs. *IEEE Computers and Digital Techniques*, 143(6):364–368, 1996.
- [59] DTAI Research Group, KU Leuven. ProbLog Python library. https://github.com/ML-KULeuven/problog, 2015–2019.
- [60] J. M. Dudek, V. Phan, and M. Y. Vardi. ADDMC: weighted model counting with algebraic decision diagrams. In *The 34th AAAI Conference on Artificial Intelligence (AAAI-20)*, pages 1468–1476. AAAI Press, 2020.
- [61] L. Dueñas-Osorio, K. S. Meel, R. Paredes, and M. Y. Vardi. Counting-based reliability estimation for power-transmission grids. In *Proceedings of the 31st AAAI Conference on Artificial Intelligence (AAAI-17)*, pages 4488–4494. AAAI Press, 2017.

- [62] J. K. Fichte, M. Hecher, S. Woltran, and M. Zisser. Weighted model counting on the GPU by exploiting small treewidth. In *Proceedings of the 26th Annual European Symposium on Algorithms (ESA-18)*, volume 112 of *LIPIcs*, pages 28:1–28:16. Schloss Dagstuhl Leibniz-Zentrum für Informatik, 2018.
- [63] J. K. Fichte, M. Hecher, and M. Zisser. An improved GPU-based SAT model counter. In *Proceedings of the 25th International Conference on Principles and Practice of Constraint Programming (CP-19)*, volume 11802 of *Lecture Notes in Computer Science*, pages 491–509. Springer, 2019.
- [64] D. Fierens, G. Van den Broeck, J. Renkens, D. S. Shterionov, B. Gutmann, I. Thon, G. Janssens, and L. De Raedt. Inference and learning in probabilistic logic programs using weighted Boolean formulas. *Theory and Practice of Logic Programming*, 15(3):358–401, 2015.
- [65] D. Fierens, G. Van den Broeck, I. Thon, B. Gutmann, and L. De Raedt. Inference in probabilistic logic programs using weighted CNF's. In *Proceedings of the 27th Conference on Uncertainty in Artificial Intelligence (UAI-11)*, pages 211–220. AUAI Press, 2011.
- [66] P. A. Flach. *Simply logical intelligent reasoning by example*. Wiley professional computing. Wiley, 1994.
- [67] N. Flerova, R. Marinescu, and R. Dechter. Weighted heuristic anytime search: new schemes for optimization over graphical models. *Annals of Mathematics and Artificial Intelligence*, 79(1-3):77–128, 2017.
- [68] N. Fuhr. Probabilistic datalog: Implementing logical information retrieval for advanced applications. *Journal of the American Society for Information Science*, 51(2):95–110, 2000.
- [69] G. Gange, P. J. Stuckey, and P. V. Hentenryck. Explaining propagators for edge-valued decision diagrams. In C. Schulte, editor, *Proceedings of the 19th International Conference on Principles and Practice of Constraint Programming* (CP-13), volume 8124 of *Lecture Notes in Computer Science*, pages 340–355. Springer, 2013.
- [70] G. Gange, P. J. Stuckey, and V. Lagoon. Fast set bounds propagation using a BDD-SAT hybrid. *Journal of Artificial Intelligence Research*, 38:307–338, 2010.
- [71] M. R. Garey and D. S. Johnson. *Computers and Intractability: A Guide to the Theory of NP-Completeness*. W. H. Freeman, 1979.

- [72] M. Gjoka, M. Kurant, C. T. Butts, and A. Markopoulou. Walking in face-book: A case study of unbiased sampling of OSNs. In *Proceedings of the 29th IEEE International Conference on Computer Communications (INFOCOM-10)*, pages 2498–2506. IEEE, 2010.
- [73] S. W. Golomb and L. D. Baumert. Backtrack programming. *Journal of the ACM*, 12(4):516–524, 1965.
- [74] C. P. Gomes, J. Hoffmann, A. Sabharwal, and B. Selman. From sampling to model counting. In *Proceedings of the 20th International Joint Conference on Artificial Intelligence (IJCAI-07)*, pages 2293–2299, 2007.
- [75] C. P. Gomes, A. Sabharwal, and B. Selman. Model counting: A new strategy for obtaining good bounds. In *Proceedings of the 21st National Conference on Artificial Intelligence (AAAI-06)*, pages 54–61. AAAI Press, 2006.
- [76] R. Gomory. Outline of an Algorithm for Integer Solutions to Linear Programs. *Bulletin of the American Mathematical Society*, 64:275–278, 1958.
- [77] P. Hawkins and P. J. Stuckey. A hybrid BDD and SAT finite domain constraint solver. In *Proceedings of the 8th International Symposium on Practical Aspects of Declarative Languages (PADL-06)*, volume 3819 of *Lecture Notes in Computer Science*, pages 103–117. Springer, 2006.
- [78] D. Hemmi, G. Tack, and M. Wallace. A recursive scenario decomposition algorithm for combinatorial multistage stochastic optimisation problems. In *Proceedings of the 32nd AAAI Conference on Artificial Intelligence (AAAI-18)*, pages 1322–1329, 2018.
- [79] H. H. Hoos. Automated algorithm configuration and parameter tuning. In *Autonomous Search*, pages 37–71. Springer, 2012.
- [80] H. H. Hoos. Programming by optimization. *Communications of the ACM*, 55(2):70–80, 2012.
- [81] A. Horn. On sentences which are true of direct unions of algebras. *Journal of Symbolic Logic*, 16(1):14–21, 1951.
- [82] J. Huang. Combining knowledge compilation and search for conformant probabilistic planning. In *Proceedings of the 16th International Conference on Automated Planning and Scheduling, (ICAPS-06)*, pages 253–262. AAAI, 2006.

- [83] J. Huang, M. Chavira, and A. Darwiche. Solving MAP exactly by searching on compiled arithmetic circuits. In *Proceedings of the 21st National Conference* on Artificial Intelligence (AAAI-06), pages 1143–1148. AAAI Press, 2006.
- [84] M. Huth and M. Ryan. *Logic in computer science : modelling and reasoning about systems*. Cambridge University Press, Cambridge [U.K.]; New York, 2004.
- [85] F. Hutter, H. H. Hoos, and K. Leyton-Brown. Automated configuration of mixed integer programming solvers. In *Proceedings of the 7th International Conference Integration of AI and OR Techniques in Constraint Programming for Combinatorial Optimization Problems*, volume 6140 of *Lecture Notes in Computer Science*, pages 186–202. Springer, 2010.
- [86] F. Hutter, H. H. Hoos, and K. Leyton-Brown. Sequential model-based optimization for general algorithm configuration. In *Proceedings of the 5th International Conference on Learning and Intelligent Optimization (LION-11)*, pages 507–523. Springer, 2011.
- [87] F. Hutter, H. H. Hoos, K. Leyton-Brown, and T. Stützle. Paramils: An automatic algorithm configuration framework. *Journal of Artificial Intelligence Research*, 36:267–306, 2009.
- [88] F. Hutter, H. H. Hoos, and T. Stützle. Automatic algorithm configuration based on local search. In *Proceedings of the 22nd AAAI Conference on Artificial Intelligence (AAAI-07)*, pages 1152–1157. AAAI Press, 2007.
- [89] N. Ishiura, H. Sawada, and S. Yajima. Minimization of binary decision diagrams based on exchanges of variables. In *Proceedings of IEEE/ACM International Conference on Computer-Aided Design (ICCAD-91)*, pages 472–475. IEEE, 1991.
- [90] F. V. Jensen, K. G. Olesen, and S. K. Andersen. An algebra of Bayesian belief universes for knowledge-based systems. *Networks*, 20(5):637–659, 1990.
- [91] J. Jiang, P. Rai, and H. Daumé III. Message-passing for approximate MAP inference with latent variables. In *Advances in Neural Information Processing Systems* 24: 25th Annual Conference on Neural Information Processing Systems (NIPS-11), pages 1197–1205, 2011.
- [92] D. Kempe, J. M. Kleinberg, and É. Tardos. Maximizing the spread of influence through a social network. In *Proceedings of the Ninth ACM SIGKDD*

- International Conference on Knowledge Discovery and Data Mining (KDD-03), pages 137–146. ACM, 2003.
- [93] K. Kersting and L. De Raedt. Bayesian logic programs. *CoRR*, cs.AI/0111058, 2001.
- [94] K. Kersting and L. De Raedt. Basic principles of learning Bayesian logic programs. In *Probabilistic Inductive Logic Programming*, volume 4911 of *Lecture Notes in Computer Science*, pages 189–221. Springer, 2008.
- [95] A. Kimmig, G. V. den Broeck, and L. D. Raedt. Algebraic model counting. *Journal of Applied Logic*, 22:46–62, 2017.
- [96] A. Kimmig, G. Van den Broeck, and L. De Raedt. An algebraic Prolog for reasoning about possible worlds. In *Proceedings of the 25th AAAI Conference on Artificial Intelligence (AAAI-11)*. AAAI Press, 2011.
- [97] D. Koller and N. Friedman. *Probabilistic Graphical Models Principles and Techniques*. MIT Press, 2009.
- [98] F. Koriche, J. Lagniez, P. Marquis, and S. Thomas. Knowledge compilation for model counting: Affine decision trees. In F. Rossi, editor, *Proceedings of the 23rd International Joint Conference on Artificial Intelligence (IJCAI-13)*, pages 947–953. IJCAI/AAAI, 2013.
- [99] L. Kotthoff. Constraint solvers: An empirical evaluation of design decisions. *CoRR*, abs/1002.0134, 2010.
- [100] J. Kwisthout. Complexity results for enumerating MPE and Partial MAP. In *European Workshop on Probabilistic Graphical Models*, 2008.
- [101] S. L. Lauritzen and D. J. Spiegelhalter. Local computations with probabilities on graphical structures and their application to expert systems. *Journal of the Royal Statistical Society. Series B (Methodological)*, 50(2):157–224, 1988.
- [102] J. Lee, A. T. Ihler, and R. Dechter. Generalized dual decomposition for bounding maximum expected utility of influence diagrams with perfect recall. In *The Workshops of the The 32nd AAAI Conference on Artificial Intelligence AAAI Workshops (AAAI-18 Workshops)*, volume WS-18 of *AAAI Workshops*, pages 674–681. AAAI Press, 2018.
- [103] J. Lee, A. T. Ihler, and R. Dechter. Join graph decomposition bounds for influence diagrams. In *Proceedings of the 34th Conference on Uncertainty in Artificial Intelligence (UAI-18)*, pages 1053–1062. AUAI Press, 2018.

- [104] J. Lee, R. Marinescu, R. Dechter, and A. T. Ihler. From exact to anytime solutions for marginal MAP. In *Proceedings of the 30th AAAI Conference on Artificial Intelligence (AAAI-16)*, pages 3255–3262. AAAI Press, 2016.
- [105] J. Leskovec and C. Faloutsos. Sampling from large graphs. In *Proceedings of the 12th ACM SIGKDD International Conference on Knowledge Discovery and Data Mining (KDD-06)*, pages 631–636. ACM, 2006.
- [106] L. A. Levin. Universal sequential search problems. *Problems of Information Transmission*, 9(3), 1973.
- [107] P. Liberatore. On the complexity of choosing the branching literal in DPLL. *Artificial Intelligence*, 116(1-2):315–326, 2000.
- [108] V. Lifschitz. Answer Set Programming. Springer, 2019.
- [109] G. Lindner, C. L. Staudt, M. Hamann, H. Meyerhenke, and D. Wagner. Structure-preserving sparsification of social networks. In *Social Network Analysis and Mining*, pages 448–454. ACM, 2015.
- [110] M. L. Littman, J. Goldsmith, and M. Mundhenk. The computational complexity of probabilistic planning. *Journal of Artificial Intelligence Research*, 9:1–36, 1998.
- [111] M. L. Littman, S. M. Majercik, and T. Pitassi. Stochastic boolean satisfiability. *Journal of Automated Reasoning*, 27(3):251–296, 2001.
- [112] Q. Liu and A. T. Ihler. Variational algorithms for marginal MAP. *Journal of Machine Learning Research*, 14(1):3165–3200, 2013.
- [113] M. Lombardi and M. Milano. Allocation and scheduling of conditional task graphs. *Artificial Intelligence*, 174(7-8):500–529, 2010.
- [114] A. K. Mackworth. Consistency in networks of relations. *Artificial Intelligence*, 8(1):99–118, 1977.
- [115] R. Marinescu and R. Dechter. AND/OR branch-and-bound search for combinatorial optimization in graphical models. *Artificial Intelligence*, 173(16-17):1457–1491, 2009.
- [116] R. Marinescu and R. Dechter. Memory intensive AND/OR search for combinatorial optimization in graphical models. *Artificial Intelligence*, 173(16-17):1492–1524, 2009.

- [117] R. Marinescu, R. Dechter, and A. T. Ihler. AND/OR search for marginal MAP. In *Proceedings of the 30th Conference on Uncertainty in Artificial Intelligence (UAI-14)*, pages 563–572. AUAI Press, 2014.
- [118] R. Marinescu, R. Dechter, and A. T. Ihler. Pushing forward marginal MAP with best-first search. In *Proceedings of the 24th International Joint Conference on Artificial Intelligence (IJCAI-15)*, pages 696–702. AAAI Press, 2015.
- [119] R. Marinescu, R. Dechter, and A. T. Ihler. Stochastic anytime search for bounding marginal MAP. In *Proceedings of the 27th International Joint Conference on Artificial Intelligence (IJCAI-18)*, pages 5074–5081. ijcai.org, 2018.
- [120] R. Marinescu, A. Kishimoto, A. Botea, R. Dechter, and A. T. Ihler. Anytime recursive best-first search for bounding marginal MAP. In *Proceedings of the* 33rd AAAI Conference on Artificial Intelligence (AAAI-19), pages 7924–7932. AAAI Press, 2019.
- [121] R. Marinescu, J. Lee, R. Dechter, and A. T. Ihler. AND/OR search for marginal MAP. *Journal of Artificial Intelligence Research*, 63:875–921, 2018.
- [122] R. Marinescu, J. Lee, A. T. Ihler, and R. Dechter. Anytime best+depth-first search for bounding marginal MAP. In *Proceedings of the 31st AAAI Conference on Artificial Intelligence (AAAI-17)*, pages 3775–3782. AAAI Press, 2017.
- [123] P. Marquis. Knowledge compilation using theory prime implicates. In *Proceedings of the Fourteenth International Joint Conference on Artificial Intelligence* (*IJCAI-95*), pages 837–845. Morgan Kaufmann, 1995.
- [124] J. C. Martin. *Introduction to Languages and the Theory of Computation*. McGraw-Hill, fourth edition, 2011.
- [125] R. Mateescu and R. Dechter. Mixed deterministic and probabilistic networks. *Annals of Mathematics and Artificial Intelligence*, 54(1-3):3–51, 2008.
- [126] D. D. Mauá and C. P. de Campos. Anytime marginal MAP inference. In *Proceedings of the 29th International Conference on Machine Learning (ICML-12)*. icml.cc / Omnipress, 2012.
- [127] K. I. M. McKinnon and H. P. Williams. Constructing integer programming models by the predicate calculus. *Annals of Operations Research*, 21(1):227–245, Dec 1989.
- [128] K. S. Meel and S. Akshay. Sparse hashing for scalable approximate model counting: Theory and practice. In H. Hermanns, L. Zhang, N. Kobayashi,

- and D. Miller, editors, *Proceedings of the 35th Annual ACM/IEEE Symposium on Logic in Computer Science (LICS-20)*, pages 728–741. ACM, 2020.
- [129] S. Muggleton. Learning stochastic logic programs. *Electronic Transactions on Artificial Intelligence*, 4(B):141–153, 2000.
- [130] N. Nethercote, P. J. Stuckey, R. Becket, S. Brand, G. J. Duck, and G. Tack. Minizinc: Towards a standard CP modelling language. In C. Bessiere, editor, *Proceedings of the 13th International Conference on Principles and Practice of Constraint Programming (CP-07)*, volume 4741 of *Lecture Notes in Computer Science*, pages 529–543. Springer, 2007.
- [131] M. E. Newman. The Structure of Scientific Collaboration Networks. *Proceedings of the National Academy of Sciences*, 98(2):404–409, 2001.
- [132] OscaR Team. OscaR: Scala in OR, 2012. Available from bitbucket.org/oscarlib/oscar.
- [133] O. Ourfali, T. Shlomi, T. Ideker, E. Ruppin, and R. Sharan. SPINE: A framework for signaling-regulatory pathway inference from cause-effect experiments. In *Proceedings of the 15th International Conference on Intelligent Systems for Molecular Biology (ISMB) & 6th European Conference on Computational Biology (ISMB/ECCB-07, Supplement of Bioinformatics)*, pages 359–366, 2007.
- [134] U. Oztok and A. Darwiche. An exhaustive DPLL algorithm for model counting. *Journal of Artificial Intelligence Research*, 62:1–32, 2018.
- [135] S. Panda and F. Somenzi. Who are the variables in your neighborhood. In *Proceedings of the 1995 IEEE/ACM International Conference on Computer-Aided Design (ICCAD-95)*, pages 74–77. IEEE Computer Society / ACM, 1995.
- [136] S. Panda, F. Somenzi, and B. Plessier. Symmetry detection and dynamic variable ordering of decision diagrams. In *Proceedings of the 1994 IEEE/ACM International Conference on Computer-Aided Design (ICCAD-94)*, pages 628–631. IEEE Computer Society / ACM, 1994.
- [137] C. H. Papadimitriou. Games against nature. *Journal of Computer and System Sciences*, 31(2):288–301, 1985.
- [138] J. D. Park and A. Darwiche. Solving MAP exactly using systematic search. In *Proceedings of the 19th Conference in Uncertainty in Artificial Intelligence (UAI-03)*, pages 459–468. Morgan Kaufmann, 2003.

- [139] J. D. Park and A. Darwiche. Complexity results and approximation strategies for MAP explanations. *Journal of Artificial Intelligence Research*, 21:101–133, 2004.
- [140] J. Pearl. *Probabilistic reasoning in intelligent systems Networks of plausible inference*. Morgan Kaufmann series in representation and reasoning. Morgan Kaufmann, 1989.
- [141] G. Perez and J. Régin. MDDs: Sampling and probability constraints. In *Proceedings of the 23rd International Conference on Principles and Practice of Constraint Programming (CP-17)*, volume 10416 of *Lecture Notes in Computer Science*, pages 226–242. Springer, 2017.
- [142] G. Perez and J. Régin. Soft and cost MDD propagators. In S. Singh and S. Markovitch, editors, *Proceedings of the 31st Conference on Artificial Intelligence (AAAI-17)*, pages 3922–3928. AAAI Press, 2017.
- [143] W. Ping, Q. Liu, and A. T. Ihler. Decomposition bounds for marginal MAP. In *Advances in Neural Information Processing Systems 28: Annual Conference on Neural Information Processing Systems (NIPS-15)*, pages 3267–3275, 2015.
- [144] K. Pipatsrisawat and A. Darwiche. New compilation languages based on structured decomposability. In *Proceedings of the 33rd AAAI Conference on Artificial Intelligence (AAAI-08)*, pages 517–522. AAAI Press, 2008.
- [145] K. Pipatsrisawat and A. Darwiche. A new d-DNNF-based bound computation algorithm for functional E-MAJSAT. In *Proceedings of the 21st International Joint Conference on Artificial Intelligence (IJCAI-09)*, pages 590–595, 2009.
- [146] D. Poole. Probabilistic Horn abduction and Bayesian networks. *Artificial Intelligence*, 64(1):81–129, 1993.
- [147] D. Poole. Exploiting the rule structure for decision making within the independent choice logic. In *Proceedings of the 11th Annual Conference on Uncertainty in Artificial Intelligence (UAI-95)*, pages 454–463. Morgan Kaufmann, 1995.
- [148] D. Poole. The independent choice logic and beyond. In *Probabilistic Inductive Logic Programming*, volume 4911 of *Lecture Notes in Computer Science*, pages 222–243. Springer, 2008.

- [149] T. Rainforth, T. A. Le, J. van de Meent, M. A. Osborne, and F. D. Wood. Bayesian optimization for probabilistic programs. In *Advances in Neural Information Processing Systems* 29: Annual Conference on Neural Information Processing Systems (NIPS-16), pages 280–288, 2016.
- [150] A. Rendl, G. Tack, and P. J. Stuckey. Stochastic MiniZinc. In *Proceedings of the 20th International Conference on Principles and Practice of Constraint Programming (CP-14)*, volume 8656 of *Lecture Notes in Computer Science*, pages 636–645. Springer, 2014.
- [151] J. Renkens, A. Kimmig, and L. De Raedt. Lazy explanation-based approximation for probabilistic logic programming. *CoRR*, abs/1507.02873, 2015.
- [152] J. Renkens, A. Kimmig, G. Van den Broeck, and L. De Raedt. Explanation-based approximate weighted model counting for probabilistic logics. In *Proceedings of the 28th AAAI Conference on Artificial Intelligence (AAAI-14)*, pages 2490–2496. AAAI Press, 2014.
- [153] S. Riedel. Improving the accuracy and efficiency of MAP inference for Markov logic. In *Proceedings of the 24th Conference in Uncertainty in Artificial Intelligence (UAI-08)*, pages 468–475. AUAI Press, 2008.
- [154] F. Rossi, P. van Beek, and T. Walsh, editors. *Handbook of Constraint Programming*, volume 2 of *Foundations of Artificial Intelligence*. Elsevier, 2006.
- [155] D. Roth. On the hardness of approximate reasoning. *Artificial Intelligence*, 82(1-2):273–302, 1996.
- [156] R. Rudell. Dynamic variable ordering for ordered binary decision diagrams. In *Proceedings of the 1993 IEEE/ACM International Conference on Computer-Aided Design (ICCAD-93)*, pages 42–47. IEEE, 1993.
- [157] T. Sang, F. Bacchus, P. Beame, H. A. Kautz, and T. Pitassi. Combining component caching and clause learning for effective model counting. In *Online Proceedings of the 7th International Conference on Theory and Applications of Satisfiability Testing (SAT-04)*, 2004.
- [158] T. Sang, P. Beame, and H. A. Kautz. Performing Bayesian inference by weighted model counting. In *Proceedings of the 20th National Conference on Artificial Intelligence (AAAI-05)*, pages 475–482. AAAI Press / The MIT Press, 2005.

- [159] T. Sang, P. Beame, and H. A. Kautz. A dynamic approach for MPE and weighted MAX-SAT. In *Proceedings of the 20th International Joint Conference on Artificial Intelligence (IJCAI-07)*, pages 173–179, 2007.
- [160] T. Sato. A statistical learning method for logic programs with distribution semantics. In *Proceedings of the 12th International Conference on Logic Programming (ICLP-95)*, pages 715–729. MIT Press, 1995.
- [161] T. Sato and Y. Kameya. PRISM: A language for symbolic-statistical modeling. In *Proceedings of the 15th International Joint Conference on Artificial Intelligence (IJCAI-97)*, pages 1330–1339. Morgan Kaufmann, 1997.
- [162] T. Sato and Y. Kameya. Parameter learning of logic programs for symbolicstatistical modeling. *Journal of Artificial Intelligence Research*, 15:391–454, 2001.
- [163] V. Satuluri, S. Parthasarathy, and Y. Ruan. Local graph sparsification for scalable clustering. In *Proceedings of the ACM SIGMOD International Conference on Management of Data (SIGMOD-11)*, pages 721–732. ACM, 2011.
- [164] P. Schaus, J. O. R. Aoga, and T. Guns. CoverSize: A global constraint for frequency-based itemset mining. In *Proceedings of the 23rd International Con*ference on Principles and Practice of Constraint Programming (CP-17), volume 10416 of Lecture Notes in Computer Science, pages 529–546. Springer, 2017.
- [165] B. Selman and H. A. Kautz. Knowledge compilation and theory approximation. *Journal of the ACM*, 43(2):193–224, 1996.
- [166] S. Sharma, S. Roy, M. Soos, and K. S. Meel. GANAK: A scalable probabilistic exact model counter. In *Proceedings of the Twenty-Eighth International Joint Conference on Artificial Intelligence (IJCAI-19)*, pages 1169–1176. ijcai.org, 2019.
- [167] S. E. Shimony. Finding MAPs for belief networks is NP-hard. *Artificial Intelligence*, 68(2):399–410, 1994.
- [168] F. Somenzi. CUDD: CU Decision Diagram package-release 2.4.0, 2004. University of Colorado at Boulder.
- [169] M. Soos and K. S. Meel. BIRD: engineering an efficient CNF-XOR SAT solver and its applications to approximate model counting. In *Proceedings of the 33rd AAAI Conference on Artificial Intelligence (AAAI-19)*, pages 1592–1599. AAAI Press, 2019.

- [170] D. Suciu, D. Olteanu, C. Ré, and C. Koch. *Probabilistic Databases*. Synthesis Lectures on Data Management. Morgan & Claypool Publishers, 2011.
- [171] A. Tarim, S. Manandhar, and T. Walsh. Stochastic constraint programming: A scenario-based approach. *Constraints*, 11(1):53–80, 2006.
- [172] S. A. Tarim, B. Hnich, S. D. Prestwich, and R. Rossi. Finding reliable solutions: event-driven probabilistic constraint programming. *Annals of Operations Research*, 171(1):77–99, 2009.
- [173] M. Thurley. sharpSAT counting models with advanced component caching and implicit BCP. In *Proceedings of the 9th International Conference on Theory and Applications of Satisfiability Testing (SAT-06)*, volume 4121 of *Lecture Notes in Computer Science*, pages 424–429. Springer, 2006.
- [174] L. Trujillo, E. Álvarez González, E. Galván, J. J. Tapia, and A. Ponsich. On the analysis of hyper-parameter space for a genetic programming system with iterated F-Race. *Soft computing (Berlin, Germany)*, 24(19):14757–14770, 2020.
- [175] E. Tsamoura, V. Gutiérrez-Basulto, and A. Kimmig. Beyond the grounding bottleneck: Datalog techniques for inference in probabilistic logic programs. In *Proceedings of the 34th AAAI Conference on Artificial Intelligence* (AAAI-20), pages 10284–10291. AAAI Press, 2020.
- [176] L. G. Valiant. The complexity of computing the permanent. *Theoretical Computer Science*, 8:189–201, 1979.
- [177] L. G. Valiant. The complexity of enumeration and reliability problems. *SIAM Journal on Computing*, 8(3):410–421, 1979.
- [178] G. Van den Broeck, I. Thon, M. van Otterlo, and L. De Raedt. DTProbLog: A decision-theoretic probabilistic Prolog. In *Proceedings of the 24th AAAI Conference on Artificial Intelligence (AAAI-10)*. AAAI Press, 2010.
- [179] H. Verhaeghe, C. Lecoutre, and P. Schaus. Compact-MDD: Efficiently filtering (s)MDD constraints with reversible sparse bit-sets. In *Proceedings of the 27th International Joint Conference on Artificial Intelligence (IJCAI-18)*, pages 1383–1389, 2018.
- [180] B. Viswanath, A. Mislove, M. Cha, and K. Gummadi. On the evolution of user interaction in Facebook. In *Proceedings of the 2nd ACM Workshop on Online Social Networks (WOSN-09)*, pages 37–42, 2009.

- [181] T. Walsh. Stochastic constraint programming. In *Proceedings of the 15th European Conference on Artificial Intelligence (ECAI-02)*, pages 111–115. IOS Press, 2002.
- [182] W. Wei and B. Selman. A new approach to model counting. In *Proceedings* of the 8th International Conference on Theory and Applications of Satisfiability Testing (SAT-05), volume 3569 of Lecture Notes in Computer Science, pages 324–339. Springer, 2005.
- [183] B. Wiegmans. Gridkit: European and North-American extracts, 2016.
- [184] Y. Xue, Z. Li, S. Ermon, C. P. Gomes, and B. Selman. Solving marginal MAP problems with NP oracles and parity constraints. In D. D. Lee, M. Sugiyama, U. von Luxburg, I. Guyon, and R. Garnett, editors, *Advances* in Neural Information Processing Systems 29: Annual Conference on Neural Information Processing Systems (NIPS-16), pages 1127–1135, 2016.
- [185] Y. Xue, X. Wu, D. Morin, B. Dilkina, A. Fuller, J. A. Royle, and C. P. Gomes. Dynamic optimization of landscape connectivity embedding spatial-capture-recapture information. In *Proceedings of the 31st AAAI Conference on Artificial Intelligence (AAAI-17)*, pages 4552–4558. AAAI Press, 2017.
- [186] C. Yuan and E. A. Hansen. Efficient computation of jointree bounds for systematic MAP search. In *Proceedings of the 21st International Joint Conference on Artificial Intelligence (IJCAI-09)*, pages 1982–1989, 2009.
- [187] N. L. Zhang and D. Poole. A simple approach to Bayesian network computations. In *Proceedings of the 10th Canadian Conference on Artificial Intelligence*, 1994.

Appendices



Pseudocode of partial-sweep algorithm

Because the pseudo code for our partial-sweep SCMD propagation algorithm is too lengthy to include in the main part of this paper, we provide it in this appendix.

Note that OscaR [132] uses *reversible data structures* that provide very convenient support for backtracking. We do not include any 'undo' operations for backtracking in our algorithm, as those mechanisms are already provided by the reversible data structures implemented in OscaR.

A.1 Notation and terminology

We use r to refer to a node in the *ordered binary decision diagram (OBDD)*, and r^- and r^+ to its lo and hi child, respectively. We use var(r) to indicate variable that labels a node r, and we use w(r) to indicate its weight in case var(r) is a stochas-

tic variable. The path weight of r is denoted by $\pi(r)$, and its score according to Equation 2.11 by s(r).

We assume that the nodes of the OBDD are indexed in a topological way, such that any path from a root to a leaf corresponds to a series of increasing indices. In most of the top-down and bottom-up sweep algorithms we use queues to limit the number of nodes we visit during the sweep. In our pseudo code, a queue corresponding to a downward sweep is represented by $\mathcal Q$ (such that elements in the queue are sorted in increasing order of OBDD node index), while a queue used for an upward sweep is denoted with $\mathcal U$ (with elements in the queue sorted in decreasing order of OBDD node index). Note that we treat these queues as sets: they only contain unique elements.

We often iterate over OBDD nodes that are labelled with a particular decision variable D. We denote this set of particular decision nodes with OBDD $_D$.

For compactness, we refer to a node labelled with a stochastic variable as a *stochastic node*. We use similar shorthands for *free* or *unbound decision nodes*, *bound decision nodes*, *true decision nodes* and *false decision nodes*.

In the case of decision nodes, we define the *active child* of a node as follows. A child of a decision node is active if it is the hi child of a free or true decision node, or if it is the lo child of a false decision node (see Algorithm 9).

We think of propagation as the act of *removing* outgoing arcs of decision nodes when we fix the corresponding decision variable (recall Figure 6.2 in Section 6.4.3). Specifically, we remove an OBDD arc (p,c) from a parent p to child c if we fix var(p) to true and c is p's lo child, or if we fix var(p) to false and c is p's hi child (see Algorithm 9).

Through this process of removing arcs, we effectively remove *valid paths* (recall the definition of a valid path from Section 6.4.2) from the OBDD. Valid paths from OBDD roots to internal OBDD nodes, or to or from active decision nodes can determine whether or not we consider OBDD nodes to still be *relevant*, given the current partial strategy and corresponding removed arcs.

There are two ways in which a node r can be relevant. In the first case, it is a free decision node and it is reachable through a valid path from an OBDD root. In the second case, it is itself not a free decision node, but there is at least one valid path from a free decision node above r in the diagram down to r and there is a valid path from r itself down to a free decision node below it (see Algorithm 9).

In order to determine if a node is relevant, and to keep track of the part of the OBDD that is active (see Section 6.4.3), we associate three counters with each node r:

Reachable [r] Indicates the number of valid paths from the artificial root (see be-

low) of the OBDD down to r. The counter for this artificial root itself (and for the actual OBDD roots) is always 1.

FreeIn[r] Indicates the number of incoming arcs that are a part of a valid path from free decision nodes above r in the OBDD. This counter can take the values 0-|parents(r)|.

FreeOut [r] Indicates the number of arcs outgoing of r that are a part of a valid path from r down to free decision nodes below r. For each node of the OBDD, this counter can take the values 0–2. For the leaves, this counter is always equal to 0.

In the general case, an OBDD may have multiple roots, each one corresponding to a query in the original. In order to define the Reachable counter in our implementation, we have added an artificial root to the OBDD, with one outgoing arc to each of the original roots.

The intuition behind the Reachable counter is the following: during search and propagation, assignments to decision variables may disconnect part of the OBDD from the root, because we remove arcs accordingly (**O6** in Section 6.4.3). This happens for example in Figure 6.2b.

The FreeIn counter of a node r has a value in the same domain as the Reachable counter, but represents a different concept. As addressed in $\mathbf{O4}$ in Section 6.4.3, only score changes in nodes that are descendants of free decision nodes, can influence the scores of those decision nodes. Therefore, during the bottom-up traversal of the OBDD to update the scores (Algorithm 4), we do not always need to propagate all the way to the roots. Once we encounter a node r whose score has changed due to recent value assignment to decision variables, but from which there is no valid path back to the artificial OBDD root that passes through a free decision node, we do not need to enqueue the parents of r for score updates. We keep track of this by counting how many of the incoming arcs of node r are on such a path.

The logic behind the FreeOut counter is similar to that of the FreeIn counter. However: instead of stopping an upward sweep, it serves to stop the downward sweep for path weight computation, to address $\mathbf{O5}$ in Section 6.4.3. The value of the FreeOut counter for a node r is either 0, 1 or 2, as it represent the number of children of the FreeOut counter that are on valid paths down to free decision nodes. Observe that if a node r is a fixed decision node, the value of its FreeOut counter can never exceed 1, as one of the outgoing arcs of r is removed by fixing the corresponding decision variable.

A.2 An SCPMD solving algorithm

Algorithm 1 shows the basic steps needed for solving an SCPMD in the *maximise expectation* setting (to which both problems described in Examples 4.2.1 and 4.2.2 belong).

Recall that these problems seek to maximise an expected score. We use the *stochastic constraint on monotonic distributions (SCMD)* for solving these problems by solving the constraint

$$\sum_{r \in \text{roots}} \rho_r \cdot P(r \mid \sigma) > \theta, \tag{A.1}$$

and, as soon as we have found a solution with score s^* , we update θ to take that value, and continue the search until we find a new solution, with a larger score.

A.3 Initialisation

Before the search for a solution to the stochastic constraint of Equation 1.1 begins, we initialise the data structures needed for enforcing the SCMD with the function INITIALISESCMD(OBDD, **D**), as given in Algorithm 2.

A.4 Partial-sweep propagation algorithm

During the search, as more and more decision variables become fixed, we repeatedly call the PROPAGATESCMD function in Algorithm 3 to recompute scores, path weights, partial derivatives and the score of the partial strategy, but also to keep track of the relevant part of the OBDD.

We first update arrays that record the current scores and path weights of the nodes in the OBDD, using the functions in Algorithms 4 and 5. Then, we detect currently free decision variables that must be fixed to *true* in order to obtain a score larger than the current value of θ with the ENFORCEDOMAINCONSISTENCY function in Algorithm 6. This function also fixes these variables accordingly. Finally, we maintain the relevant part of the OBDD by updating the counters presented in Section A.1, using the functions in Algorithms 7 and 8. To increase the readability of our pseudocode, we use the helper functions specified in Algorithm 9.

Algorithm 1 Solving an *stochastic constraint (optimisation) problem on monotonic distributions (SCPMD)*, in the *maximise expectation* setting.

Input: an OBDD, a set of decision variables \mathbf{D} , a maximum cardinality k. These are all considered to be global variables.

Output: the optimal strategy σ^* and its corresponding score $s(\sigma^*)$.

```
1: procedure BRANCH(\sigma', D, a)
         \mathbf{D}_{\text{free}} \leftarrow \mathbf{D}_{\text{free}} \setminus \{D\}
         F \leftarrow \{D\} \triangleright The set of decision variables that are fixed in this call to the
 3:
    BRANCH function.
        \sigma' \leftarrow \sigma' \cup \{D = a\}
                                                                        ▶ Update partial strategy.
 4:
         (conflict, \sigma', F) \leftarrow PROPAGATESCMD(\sigma', F)
                                                                                ⊳ See Algorithm 3.
 5:
        if conflict then return and BACKTRACK end if
 6:
         (conflict, \sigma', F) \leftarrow PROPAGATECARDINALITYCONSTRAINT(\sigma', F)
 7:
                                                                                                       \triangleright
    Assumed given, outside the scope of this work.
         if conflict then return and BACKTRACK end if
 8:
 9:
         SOLVE(\sigma')
10: procedure SOLVE(\sigma')
        if \mathbf{D}_{\mathrm{free}} = \varnothing and s(\sigma') > s^* then
11:
             \sigma^* \leftarrow \sigma'
12:
             s^* \leftarrow s(\sigma^*)
                                   ▷ Score is computed incrementally (see Algorithm 3).
13:
             UPDATESCMDTHRESHOLD(s^*)
14:
15:
             return and BACKTRACK
         for D \in \mathbf{D}_{\text{free}} do \triangleright There are different selection strategies for determining
16:
    which D to branch on next.
             a \leftarrow \text{SELECTVALUE}(dom(D))
                                                                   ▶ And different strategies for
17:
    determining on which value to branch.
18:
             BRANCH(\sigma', D, a)
             BRANCH(\sigma', D, \bar{a})
19:
```

20: INITIALISESCMD

- ⊳ See Algorithm 2.
- 21: INITIALISECARDINALITYCONSTRAINT(\mathbf{D} , k) \triangleright Assumed given, outside the scope of this work.
- 22: $\mathbf{D}_{\text{free}} \leftarrow \mathbf{D}$ \triangleright Set of free decision variables, global variable.
- 23: $\sigma^* \leftarrow \{D = \bot \mid D \in \mathbf{D}\}, s^* \leftarrow 0$ > Optimal strategy and corresponding score, global variables.
- 24: $\sigma' \leftarrow \text{EnforceDomainConsistency}(\mathbf{D}_{free}) \triangleright \text{Fix those variables that must}$ be *true* to obtain partial strategy (Algorithm 6).
- 25: SOLVE(σ')
- 26: **return** σ^* , $s(\sigma^*)$

Algorithm 2 Initialisation of data structures. Note that OBDD and **D** are considered to be global variables.

```
1: procedure INITIALISEFREEIN
        for r \in \text{OBDD} do \text{FreeIn}[r] \leftarrow 0 end for
        for r \in SORTED(OBDD) do
 3:
                                                                      Downward sweep. ▷
 4:
            if var(r) is decision OR FreeIn[r] > 0 then
                FreeIn[r^-] \leftarrow FreeIn[r^-] + 1
 5:
                FreeIn[r^+] \leftarrow FreeIn[r^+] + 1
 6:
 7: procedure InitialiseFreeOut
 8:
        for r \in \text{OBDD} do FreeOut[r] \leftarrow 0 end for
        for r \in \text{REVERSED}(\text{SORTED}(\text{OBDD})) do
                                                                         ▷ Upward sweep.
 9:
            if var(r) is decision OR FreeOut[r] > 0 then
10:
                for p \in PARENTS(r) do FreeOut[p] \leftarrow FreeOut[p] + 1 end for
11:
12: procedure INITIALISEREACHABLE
        for r \in \text{OBDD} do Reachable[r] \leftarrow 0 end for
13:
        Reachable[root] \leftarrow 1
14:
        for r \in SORTED(OBDD) do
                                                                      Downward sweep. ▷
15:
            Reachable[r^-] \leftarrow FreeIn[r^-] + 1
16:
            Reachable[r^+] \leftarrow FreeIn[r^+] + 1
17:
18: procedure INITIALISESCORES
        for r \in \text{REVERSED}(\text{SORTED}(\text{OBDD})) do
                                                                         ▷ Upward sweep.
19:
            if var(r) is decision then
20:
                s(r) \leftarrow s(r^+)
21:
            else
22:
               s(r) \leftarrow w(r) \cdot s(r^+) + (1 - w(r)) \cdot s(r^-)
23:
```

```
24: procedure INITIALISEPATHWEIGHTS
       for r ∈ OBDD do \pi(r) ← 0 end for
       for r \in SORTED(OBDD) do
                                                                   Downward sweep.
26.
           if r is an original root of the OBDD then
27:
               \pi(r) \leftarrow \pi(r) + \rho_r
28:
           else
29:
30:
               for p \in PARENTS(r) do
                   if var(p) is decision then
31:
                       if r is hi child of p then w \leftarrow 1 else w \leftarrow 0
32:
                   else
33:
                       if r is hi child of p then w \leftarrow w(p) else w \leftarrow (1 - w(p))
34:
                   \pi(r) \leftarrow \pi(r) + \pi(p) \cdot w
35.
36: procedure INITIALISESCMD
37:
       INITIALISEFREEIN
       INITIALISEFREEOUT
38:
39:
       INITIALISEREACHABLE
       INITIALISESCORES
40:
       INITIALISE PATHWEIGHTS
41:
       \theta \leftarrow 0
                                                       ▶ The current best score to beat.
42:
```

Algorithm 3 SCMD propagation algorithm for propagating the consequences of a given partial strategy σ' . Note that the set of currently free decision variables \mathbf{D}_{free} is a global variable.

```
1: procedure PROPAGATESCMD(\sigma', s_{old}, F)

    Score of previous partial strategy.

        s \leftarrow s_{old}
                                         \triangleright \delta is sum of derivatives of decision variables
        \delta \leftarrow \text{UPDATeScores}(F)
    that were recently fixed to false, see also Algorithm 4.
        s \leftarrow s - \delta
                                                    \triangleright score of current partial strategy \sigma'
        if s < \theta then return (true, \sigma', F) end if
                                                                  ▶ If we cannot satisfy the
    constraint, we must return and backtrack.
        UPDATEPATHWEIGHTS(F)
                                                                          ⊳ See Algorithm 5.
        (\sigma', F) \leftarrow \text{EnforceDomainConsistency}(\sigma', F, s)
                                                                          ⊳ See Algorithm 6.
        UPDATEREACHABLEFREEIN(F)
                                                                          ⊳ See Algorithm 7.
 8:
        UPDATEFREEOUT(F)
                                                                          ⊳ See Algorithm 8.
 9:
        return (false, \sigma', F)
10:
```

Algorithm 4 Given a set *F* of decision variables that were recently fixed (either by branching or by propagation), update the node scores (using Equation 2.11 on page 39) that may have changed due to these new truth assignments. See Algorithm 9 for helper functions.

```
1: procedure UPDATESCORES(F)
                                                                                          ▷ Upward sweep.
         \mathcal{U} \leftarrow \{r \mid var(r) \in F \land var(r) = \bot \land \mathtt{Reachable}[r] > 0\} \triangleright \mathtt{Max} \text{ heap (treat)}
    as set).
         \delta \leftarrow 0 \, \triangleright The combined derivative for all variables that are fixed to false in
 3:
     this round.
                                                                        ▷ Old score of an OBDD node.
         s_{old} \leftarrow 0
 4:
          while \mathcal{U} \neq \emptyset do
 5:
              r \leftarrow \mathcal{U}. DEQUEUE
 6:
 7:
              s_{old} \leftarrow s(r)
              if var(r) \in \mathbf{D} then
                                                                                    \triangleright r is a decision node.
 8:
                   s(r) \leftarrow s (ACTIVECHILD(r))
 9:
                   if var(r) \in F and var(r) is false then
10:
                        \delta \leftarrow \delta + \pi(r) \cdot (s(r^+) - s(r^-))
11:
              else
                                                                                  \triangleright r is a stochastic node.
12:
                   s_{new} \leftarrow w(r) \cdot s(r^+) + (1 - w(r)) \cdot s(r^-)
13:
              if s_{new} \neq s_{old} then \triangleright We do not need to continue the propagation if the
14:
    score for r has not changed.
                   s(r) \leftarrow s_{new}
15:
                   for p \in PARENTS(r) do
16:
17:
                        if not REMOVED(p, r) then ENQUEUERELEVANT(\mathcal{U}, p) end if
         return \delta
18:
```

Algorithm 5 Given a set *F* of decision variables that were fixed (either by branching or by propagation), update the path weights that may have changed due to this. See Algorithm 9 for helper functions.

```
1: procedure UPDATEPATHWEIGHTS(F)
                                                                            Downward sweep. ▷
 2:
         Q \leftarrow \emptyset
                                                                       ▶ Min heap (treat as set).
         for r \in \{r \mid var(r) \in F \land \texttt{Reachable}[r] > 0\} do
 3:
             if var(r) is false then
                  Q.ENOUEUE(r^{-})
 5:
                  Q.ENOUEUE(r^+)
 6:
        while Q \neq \emptyset do
 7:
             r \leftarrow \mathcal{Q}. Dequeue
 9.
             \pi_{old} \leftarrow \pi(r)
             if r is an original root of the OBDD then \pi_{new} \leftarrow \rho_r else \pi_{new} \leftarrow 0
10:
    \triangleright Roots have a path weight of \rho_r, which is the utility of the corresponding
    query.
             for p \in PARENTS(r) do
11:
12:
                 if var(p) is decision variable then
                                                                            \triangleright r is a decision node
13:
                      if ACTIVECHILD(p) = r then w \leftarrow 1 else w \leftarrow 0
                 else
                                                                          \triangleright r is a stochastic node
14:
                      if r is hi child of p then w \leftarrow w(p) else w \leftarrow (1 - w(p))
15:
                  \pi_{new} \leftarrow \pi_{new} + \pi(p) \cdot w
16:
             if \pi_{new} \neq \pi_{old} then \triangleright We do not need to continue the propagation if
17:
    the path weight has not changed.
                 \pi(r) \leftarrow \pi_{new}
18:
                 if var(r) is stochastic variable then
                                                                         \triangleright r is a stochastic node.
19:
20:
                      ENQUEUERELEVANT(Q, r^-)
                      ENQUEUERELEVANT(Q, r^+)
21:
                 else
                                                                           \triangleright r is a decision node.
22:
                      ENQUEUERELEVANT(Q, ACTIVECHILD(r))
23:
```

Algorithm 6 Enforce domain consistency by fixing free variables to *true* if we find that fixing them to *false* cannot lead to a solution to the stochastic constraint.

```
1: procedure ENFORCEDOMAINCONSISTENCY(\sigma', F, s)
 2:
         for D \in \mathbf{D}_{free} do
              \Delta \leftarrow 0
                                               ▷ Partial derivative for free decision variable D.
 3:
              for r \in \{r \in OBDD_D \mid Reachable[r]\}\ do
 4:
                   \Delta \leftarrow \Delta + \pi(r) \cdot (s(r^-) - s(r^+)) \triangleright \text{Update the partial derivative for}
 5:
     D.
              if s - \Delta \le \theta then \triangleright The current partial strategy cannot be extended to
 6:
    a valid solution if we fix D to false.
                   \sigma' \leftarrow \sigma' \cup \{d = true\}
                                                                            ▷ Infer that D must be true.
 7:
                   \mathbf{D}_{free} \leftarrow \mathbf{D}_{free} \setminus \{D\}
 8:
                   F \leftarrow F \cup \{D\}
 9:
         return (\sigma', F)
10:
```

Algorithm 7 Update the Reachable and FreeIn counters after fixing decision variables *F*. See Algorithm 9 for helper functions.

```
1: procedure UPDATEREACHABLEFREEIN(F)
                                                                    Downward sweep.
        \mathcal{Q} \leftarrow \emptyset
 2:
                                                               ▶ Min heap (treat as set).
        procedure ENQUEUEIFNEEDTOPROPAGATE(r)
 3:
           if FreeOut[r] > 0 and (FreeIn[r] = 0 OR Reachable = 0) then
 4:
 5:
                Q.ENOUEUE(r)
        S \leftarrow \{r \mid var(r) \in F \text{ and } \text{Reachable}[r] > 0 \text{ and } \text{FreeOut}[r] > 0\}
 6:
        for r \in S do
 7:
           a \leftarrow ACTIVECHILD(r)
 8:
           i \leftarrow \text{INACTIVECHILD}(r)
 9:
10:
           if a is not a leaf and FreeIn[r] = 0 then
               FreeIn[a] \leftarrow FreeIn[a] - 1
11:
               if a \notin S then ENQUEUEIFNEEDTOPROPAGATE(a) end if
12:
           if i is not a leaf then
13:
               FreeIn[i] \leftarrow FreeIn[i] - 1
14:
               Reachable[i] \leftarrow Reachable[i] - 1
15:
               if i \notin S then ENQUEUEIFNEEDTOPROPAGATE(i) end if
16:
        while Q \neq \emptyset do
17:
           r \leftarrow \mathcal{Q}. DEQUEUE
18:
           if Reachable [r] = 0 then
19:
               for c \in CHILDREN(r) do
20:
                   if c is not a leaf and REMOVED(r, c) then
21:
                       FreeIn[c] \leftarrow FreeIn[c] - 1
22:
                       Reachable[c] \leftarrow Reachable[c] - 1
23:
                       ENQUEUEIFNEEDTOPROPAGATE(c)
24.
           else
25:
26:
               if FreeIn[r] = 0 and var(r) is decision and var(r) is bound then
                   for c \in CHILDREN(r) do
27:
                       if c is not a leaf and not REMOVED(r, c) then
28:
                           FreeIn[c] \leftarrow FreeIn[c] - 1
29:
                           ENQUEUEIFNEEDTOPROPAGATE(c)
30:
```

Algorithm 8 Update the FreeOut counter after fixing decision variables V. See Algorithm 9 for helper functions.

```
1: procedure UPDATEFREEOUT(V)
                                                                            ▷ Upward sweep.
        \mathcal{U} \leftarrow \{r \mid var(r) \in V \land \mathtt{Reachable}[r] > 0 \land \mathtt{FreeIn}[r] > 0\}
                                                                                    (treat as set).
        while \mathcal{U} \neq \emptyset do
 3:
            r \leftarrow \mathcal{U}. Dequeue
 4:
            if var(r) \in V then
 5:
                if FreeOut[ACTIVECHILD(r)] > 0 then FreeOut[r] \leftarrow 1 else
    FreeOut[r] \leftarrow 0
            if FreeOut[r] = 0 and (var(r)) is stochastic variable OR var(r) is bound)
 7:
    then
                for p \in PARENTS(r) do
 8:
 9:
                     if not REMOVED(p, r) and RELEVANT(p) then
                         \texttt{FreeOut}[p] \leftarrow \texttt{FreeOut}[p] - 1
10:
                         \mathcal{U}.ENQUEUE(p)
11:
```

Algorithm 9 Helper functions for the update algorithms.

Upon finding a solution with score s, update the threshold θ , which is the next score to beat.

```
1: procedure UPDATESCMDTHRESHOLD(s)
2: \theta \leftarrow s
```

For free and *true* variables, the hi child is active. For *false* variables the lo child is active. This function returns the active child of node *r*.

```
3: procedure ACTIVECHILD(r)
4: switch var(r) do
5: case var(r) is free
6: return r^+
7: case var(r) is true
8: return r^+
9: case var(r) is false
10: return r^-
```

Fixing variables to values corresponds to removing their other outgoing arc (corresponding to the opposite value) from the diagram. This function checks if an arc is removed.

```
11: procedure REMOVED(p, r)
12: if var(p) is not free and ACTIVECHILD(p) ≠ r then
13: return true
14: return false
```

A node is relevant if it corresponds to a free decision variable that has a connection to the root, or if the node corresponds to a stochastic variable and is on a path from one free decision node to another.

```
15: procedure RELEVANT(r)
      if var(r) is free and Reachable [r] > 0 then
16:
17:
          return true
      else if FreeIn[r] > 0 and FreeOut[r] > 0 then
18:
          return true
19:
20:
      else
21:
          return false
22: procedure ENQUEUERELEVANT(Q, r)
      if RELEVANT(r) then Q.ENQUEUE(r) end if
23:
```

В

SIKS Dissertation Series

- 2011 01 Botond Cseke (RUN), Variational Algorithms for Bayesian Inference in Latent Gaussian Models
 - 02 Nick Tinnemeier (UU), Organizing Agent Organizations. Syntax and Operational Semantics of an Organization-Oriented Programming Language
 - 03 Jan Martijn van der Werf (TUE), Compositional Design and Verification of Component-Based Information Systems
 - 04 Hado van Hasselt (UU), Insights in Reinforcement Learning; Formal analysis and empirical evaluation of temporal-difference
 - 05 Bas van der Raadt (VU), Enterprise Architecture Coming of Age Increasing the Performance of an Emerging Discipline.
 - 06 Yiwen Wang (TUE), Semantically-Enhanced Recommendations in Cultural Heritage
 - 07 Yujia Cao (UT), Multimodal Information Presentation for High Load Human Computer Interaction

- 08 Nieske Vergunst (UU), BDI-based Generation of Robust Task-Oriented Dialogues
- 09 Tim de Jong (OU), Contextualised Mobile Media for Learning
- 10 Bart Bogaert (UvT), Cloud Content Contention
- 11 Dhaval Vyas (UT), Designing for Awareness: An Experience-focused HCI Perspective
- 12 Carmen Bratosin (TUE), Grid Architecture for Distributed Process Mining
- 13 Xiaoyu Mao (UvT), Airport under Control. Multiagent Scheduling for Airport Ground Handling
- 14 Milan Lovric (EUR), Behavioral Finance and Agent-Based Artificial Markets
- 15 Marijn Koolen (UvA), The Meaning of Structure: the Value of Link Evidence for Information Retrieval
- 16 Maarten Schadd (UM), Selective Search in Games of Different Complexity
- 17 Jiyin He (UVA), Exploring Topic Structure: Coherence, Diversity and Relatedness
- 18 Mark Ponsen (UM), Strategic Decision-Making in complex games
- 19 Ellen Rusman (OU), The Mind's Eye on Personal Profiles
- 20 Qing Gu (VU), Guiding service-oriented software engineering A view-based approach
- 21 Linda Terlouw (TUD), Modularization and Specification of Service-Oriented Systems
- 22 Junte Zhang (UVA), System Evaluation of Archival Description and Access
- 23 Wouter Weerkamp (UVA), Finding People and their Utterances in Social Media
- 24 Herwin van Welbergen (UT), Behavior Generation for Interpersonal Coordination with Virtual Humans On Specifying, Scheduling and Realizing Multimodal Virtual Human Behavior
- 25 Syed Waqar ul Qounain Jaffry (VU), Analysis and Validation of Models for Trust Dynamics
- Matthijs Aart Pontier (VU), Virtual Agents for Human Communication
 Emotion Regulation and Involvement-Distance Trade-Offs in Embodied Conversational Agents and Robots
- 27 Aniel Bhulai (VU), Dynamic website optimization through autonomous management of design patterns
- 28 Rianne Kaptein (UVA), Effective Focused Retrieval by Exploiting Query Context and Document Structure
- 29 Faisal Kamiran (TUE), Discrimination-aware Classification

- 30 Egon van den Broek (UT), Affective Signal Processing (ASP): Unraveling the mystery of emotions
- 31 Ludo Waltman (EUR), Computational and Game-Theoretic Approaches for Modeling Bounded Rationality
- 32 Nees-Jan van Eck (EUR), Methodological Advances in Bibliometric Mapping of Science
- 33 Tom van der Weide (UU), Arguing to Motivate Decisions
- 34 Paolo Turrini (UU), Strategic Reasoning in Interdependence: Logical and Game-theoretical Investigations
- 35 Maaike Harbers (UU), Explaining Agent Behavior in Virtual Training
- 36 Erik van der Spek (UU), Experiments in serious game design: a cognitive approach
- 37 Adriana Burlutiu (RUN), Machine Learning for Pairwise Data, Applications for Preference Learning and Supervised Network Inference
- 38 Nyree Lemmens (UM), Bee-inspired Distributed Optimization
- 39 Joost Westra (UU), Organizing Adaptation using Agents in Serious Games
- 40 Viktor Clerc (VU), Architectural Knowledge Management in Global Software Development
- 41 Luan Ibraimi (UT), Cryptographically Enforced Distributed Data Access Control
- 42 Michal Sindlar (UU), Explaining Behavior through Mental State Attribution
- 43 Henk van der Schuur (UU), Process Improvement through Software Operation Knowledge
- 44 Boris Reuderink (UT), Robust Brain-Computer Interfaces
- 45 Herman Stehouwer (UvT), Statistical Language Models for Alternative Sequence Selection
- 46 Beibei Hu (TUD), Towards Contextualized Information Delivery: A Rule-based Architecture for the Domain of Mobile Police Work
- 47 Azizi Bin Ab Aziz (VU), Exploring Computational Models for Intelligent Support of Persons with Depression
- 48 Mark Ter Maat (UT), Response Selection and Turn-taking for a Sensitive Artificial Listening Agent
- 49 Andreea Niculescu (UT), Conversational interfaces for task-oriented spoken dialogues: design aspects influencing interaction quality
- 2012 01 Terry Kakeeto (UvT), Relationship Marketing for SMEs in Uganda
 - 02 Muhammad Umair (VU), Adaptivity, emotion, and Rationality in Human and Ambient Agent Models
 - 03 Adam Vanya (VU), Supporting Architecture Evolution by Mining Software Repositories

- 04 Jurriaan Souer (UU), Development of Content Management Systembased Web Applications
- 05 Marijn Plomp (UU), Maturing Interorganisational Information Systems
- 06 Wolfgang Reinhardt (OU), Awareness Support for Knowledge Workers in Research Networks
- 07 Rianne van Lambalgen (VU), When the Going Gets Tough: Exploring Agent-based Models of Human Performance under Demanding Conditions
- 08 Gerben de Vries (UVA), Kernel Methods for Vessel Trajectories
- 09 Ricardo Neisse (UT), Trust and Privacy Management Support for Context-Aware Service Platforms
- 10 David Smits (TUE), Towards a Generic Distributed Adaptive Hypermedia Environment
- 11 J.C.B. Rantham Prabhakara (TUE), Process Mining in the Large: Preprocessing, Discovery, and Diagnostics
- 12 Kees van der Sluijs (TUE), Model Driven Design and Data Integration in Semantic Web Information Systems
- 13 Suleman Shahid (UvT), Fun and Face: Exploring non-verbal expressions of emotion during playful interactions
- 14 Evgeny Knutov (TUE), Generic Adaptation Framework for Unifying Adaptive Web-based Systems
- 15 Natalie van der Wal (VU), Social Agents. Agent-Based Modelling of Integrated Internal and Social Dynamics of Cognitive and Affective Processes
- 16 Fiemke Both (VU), Helping people by understanding them Ambient Agents supporting task execution and depression treatment
- 17 Amal Elgammal (UvT), Towards a Comprehensive Framework for Business Process Compliance
- 18 Eltjo Poort (VU), Improving Solution Architecting Practices
- 19 Helen Schonenberg (TUE), What's Next? Operational Support for Business Process Execution
- 20 Ali Bahramisharif (RUN), Covert Visual Spatial Attention, a Robust Paradigm for Brain-Computer Interfacing
- 21 Roberto Cornacchia (TUD), Querying Sparse Matrices for Information Retrieval
- 22 Thijs Vis (UvT), Intelligence, politie en veiligheidsdienst: verenigbare grootheden?
- 23 Christian Muehl (UT), Toward Affective Brain-Computer Interfaces: Exploring the Neurophysiology of Affect during Human Media Interaction

- 24 Laurens van der Werff (UT), Evaluation of Noisy Transcripts for Spoken Document Retrieval
- 25 Silja Eckartz (UT), Managing the Business Case Development in Inter-Organizational IT Projects: A Methodology and its Application
- 26 Emile de Maat (UVA), Making Sense of Legal Text
- 27 Hayrettin Gurkok (UT), Mind the Sheep! User Experience Evaluation & Brain-Computer Interface Games
- 28 Nancy Pascall (UvT), Engendering Technology Empowering Women
- 29 Almer Tigelaar (UT), Peer-to-Peer Information Retrieval
- 30 Alina Pommeranz (TUD), Designing Human-Centered Systems for Reflective Decision Making
- 31 Emily Bagarukayo (RUN), A Learning by Construction Approach for Higher Order Cognitive Skills Improvement, Building Capacity and Infrastructure
- 32 Wietske Visser (TUD), Qualitative multi-criteria preference representation and reasoning
- 33 Rory Sie (OUN), Coalitions in Cooperation Networks (COCOON)
- 34 Pavol Jancura (RUN), Evolutionary analysis in PPI networks and applications
- 35 Evert Haasdijk (VU), Never Too Old To Learn On-line Evolution of Controllers in Swarm- and Modular Robotics
- 36 Denis Ssebugwawo (RUN), Analysis and Evaluation of Collaborative Modeling Processes
- 37 Agnes Nakakawa (RUN), A Collaboration Process for Enterprise Architecture Creation
- 38 Selmar Smit (VU), Parameter Tuning and Scientific Testing in Evolutionary Algorithms
- 39 Hassan Fatemi (UT), Risk-aware design of value and coordination networks
- 40 Agus Gunawan (UvT), Information Access for SMEs in Indonesia
- 41 Sebastian Kelle (OU), Game Design Patterns for Learning
- 42 Dominique Verpoorten (OU), Reflection Amplifiers in self-regulated Learning
- 43 Withdrawn
- 44 Anna Tordai (VU), On Combining Alignment Techniques
- 45 Benedikt Kratz (UvT), A Model and Language for Business-aware Transactions
- 46 Simon Carter (UVA), Exploration and Exploitation of Multilingual Data for Statistical Machine Translation
- 47 Manos Tsagkias (UVA), Mining Social Media: Tracking Content and Predicting Behavior

- 48 Jorn Bakker (TUE), Handling Abrupt Changes in Evolving Time-series
 Data
- 49 Michael Kaisers (UM), Learning against Learning Evolutionary dynamics of reinforcement learning algorithms in strategic interactions
- 50 Steven van Kervel (TUD), Ontologogy driven Enterprise Information Systems Engineering
- 51 Jeroen de Jong (TUD), Heuristics in Dynamic Sceduling; a practical framework with a case study in elevator dispatching
- 2013 01 Viorel Milea (EUR), News Analytics for Financial Decision Support
 - 02 Erietta Liarou (CWI), MonetDB/DataCell: Leveraging the Columnstore Database Technology for Efficient and Scalable Stream Processing
 - 03 Szymon Klarman (VU), Reasoning with Contexts in Description Logics
 - 04 Chetan Yadati (TUD), Coordinating autonomous planning and scheduling
 - 05 Dulce Pumareja (UT), Groupware Requirements Evolutions Patterns
 - 06 Romulo Goncalves (CWI), The Data Cyclotron: Juggling Data and Queries for a Data Warehouse Audience
 - 07 Giel van Lankveld (UvT), Quantifying Individual Player Differences
 - 08 Robbert-Jan Merk (VU), Making enemies: cognitive modeling for opponent agents in fighter pilot simulators
 - 09 Fabio Gori (RUN), Metagenomic Data Analysis: Computational Methods and Applications
 - 10 Jeewanie Jayasinghe Arachchige (UvT), A Unified Modeling Framework for Service Design.
 - 11 Evangelos Pournaras (TUD), Multi-level Reconfigurable Selforganization in Overlay Services
 - 12 Marian Razavian (VU), Knowledge-driven Migration to Services
 - 13 Mohammad Safiri (UT), Service Tailoring: User-centric creation of integrated IT-based homecare services to support independent living of elderly
 - 14 Jafar Tanha (UVA), Ensemble Approaches to Semi-Supervised Learning Learning
 - 15 Daniel Hennes (UM), Multiagent Learning Dynamic Games and Applications
 - 16 Eric Kok (UU), Exploring the practical benefits of argumentation in multi-agent deliberation
 - 17 Koen Kok (VU), The PowerMatcher: Smart Coordination for the Smart Electricity Grid
 - 18 Jeroen Janssens (UvT), Outlier Selection and One-Class Classification

- 19 Renze Steenhuizen (TUD), Coordinated Multi-Agent Planning and Scheduling
- 20 Katja Hofmann (UvA), Fast and Reliable Online Learning to Rank for Information Retrieval
- 21 Sander Wubben (UvT), Text-to-text generation by monolingual machine translation
- 22 Tom Claassen (RUN), Causal Discovery and Logic
- 23 Patricio de Alencar Silva (UvT), Value Activity Monitoring
- 24 Haitham Bou Ammar (UM), Automated Transfer in Reinforcement Learning
- 25 Agnieszka Anna Latoszek-Berendsen (UM), Intention-based Decision Support. A new way of representing and implementing clinical guidelines in a Decision Support System
- 26 Alireza Zarghami (UT), Architectural Support for Dynamic Homecare Service Provisioning
- 27 Mohammad Huq (UT), Inference-based Framework Managing Data Provenance
- 28 Frans van der Sluis (UT), When Complexity becomes Interesting: An Inquiry into the Information eXperience
- 29 Iwan de Kok (UT), Listening Heads
- 30 Joyce Nakatumba (TUE), Resource-Aware Business Process Management: Analysis and Support
- 31 Dinh Khoa Nguyen (UvT), Blueprint Model and Language for Engineering Cloud Applications
- 32 Kamakshi Rajagopal (OUN), Networking For Learning; The role of Networking in a Lifelong Learner's Professional Development
- 33 Qi Gao (TUD), User Modeling and Personalization in the Microblogging Sphere
- 34 Kien Tjin-Kam-Jet (UT), Distributed Deep Web Search
- 35 Abdallah El Ali (UvA), Minimal Mobile Human Computer Interaction
- 36 Than Lam Hoang (TUe), Pattern Mining in Data Streams
- 37 Dirk Börner (OUN), Ambient Learning Displays
- 38 Eelco den Heijer (VU), Autonomous Evolutionary Art
- 39 Joop de Jong (TUD), A Method for Enterprise Ontology based Design of Enterprise Information Systems
- 40 Pim Nijssen (UM), Monte-Carlo Tree Search for Multi-Player Games
- 41 Jochem Liem (UVA), Supporting the Conceptual Modelling of Dynamic Systems: A Knowledge Engineering Perspective on Qualitative Reasoning
- 42 Léon Planken (TUD), Algorithms for Simple Temporal Reasoning

- 43 Marc Bron (UVA), Exploration and Contextualization through Interaction and Concepts
- 2014 01 Nicola Barile (UU), Studies in Learning Monotone Models from Data
 - 02 Fiona Tuliyano (RUN), Combining System Dynamics with a Domain Modeling Method
 - 03 Sergio Raul Duarte Torres (UT), Information Retrieval for Children: Search Behavior and Solutions
 - 04 Hanna Jochmann-Mannak (UT), Websites for children: search strategies and interface design Three studies on children's search performance and evaluation
 - 05 Jurriaan van Reijsen (UU), Knowledge Perspectives on Advancing Dynamic Capability
 - 06 Damian Tamburri (VU), Supporting Networked Software Development
 - 07 Arya Adriansyah (TUE), Aligning Observed and Modeled Behavior
 - 08 Samur Araujo (TUD), Data Integration over Distributed and Heterogeneous Data Endpoints
 - 09 Philip Jackson (UvT), Toward Human-Level Artificial Intelligence: Representation and Computation of Meaning in Natural Language
 - 10 Ivan Salvador Razo Zapata (VU), Service Value Networks
 - 11 Janneke van der Zwaan (TUD), An Empathic Virtual Buddy for Social Support
 - 12 Willem van Willigen (VU), Look Ma, No Hands: Aspects of Autonomous Vehicle Control
 - 13 Arlette van Wissen (VU), Agent-Based Support for Behavior Change: Models and Applications in Health and Safety Domains
 - 14 Yangyang Shi (TUD), Language Models With Meta-information
 - 15 Natalya Mogles (VU), Agent-Based Analysis and Support of Human Functioning in Complex Socio-Technical Systems: Applications in Safety and Healthcare
 - 16 Krystyna Milian (VU), Supporting trial recruitment and design by automatically interpreting eligibility criteria
 - 17 Kathrin Dentler (VU), Computing healthcare quality indicators automatically: Secondary Use of Patient Data and Semantic Interoperability
 - 18 Mattijs Ghijsen (UVA), Methods and Models for the Design and Study of Dynamic Agent Organizations
 - 19 Vinicius Ramos (TUE), Adaptive Hypermedia Courses: Qualitative and Quantitative Evaluation and Tool Support
 - 20 Mena Habib (UT), Named Entity Extraction and Disambiguation for Informal Text: The Missing Link

- 21 Kassidy Clark (TUD), Negotiation and Monitoring in Open Environments
- 22 Marieke Peeters (UU), Personalized Educational Games Developing agent-supported scenario-based training
- 23 Eleftherios Sidirourgos (UvA/CWI), Space Efficient Indexes for the Big Data Era
- 24 Davide Ceolin (VU), Trusting Semi-structured Web Data
- 25 Martijn Lappenschaar (RUN), New network models for the analysis of disease interaction
- 26 Tim Baarslag (TUD), What to Bid and When to Stop
- 27 Rui Jorge Almeida (EUR), Conditional Density Models Integrating Fuzzy and Probabilistic Representations of Uncertainty
- 28 Anna Chmielowiec (VU), Decentralized k-Clique Matching
- 29 Jaap Kabbedijk (UU), Variability in Multi-Tenant Enterprise Software
- 30 Peter de Cock (UvT), Anticipating Criminal Behaviour
- 31 Leo van Moergestel (UU), Agent Technology in Agile Multiparallel Manufacturing and Product Support
- 32 Naser Ayat (UvA), On Entity Resolution in Probabilistic Data
- 33 Tesfa Tegegne (RUN), Service Discovery in eHealth
- 34 Christina Manteli (VU), The Effect of Governance in Global Software Development: Analyzing Transactive Memory Systems.
- 35 Joost van Ooijen (UU), Cognitive Agents in Virtual Worlds: A Middleware Design Approach
- 36 Joos Buijs (TUE), Flexible Evolutionary Algorithms for Mining Structured Process Models
- 37 Maral Dadvar (UT), Experts and Machines United Against Cyberbullying
- 38 Danny Plass-Oude Bos (UT), Making brain-computer interfaces better: improving usability through post-processing.
- 39 Jasmina Maric (UvT), Web Communities, Immigration, and Social Capital
- 40 Walter Omona (RUN), A Framework for Knowledge Management Using ICT in Higher Education
- 41 Frederic Hogenboom (EUR), Automated Detection of Financial Events in News Text
- 42 Carsten Eijckhof (CWI/TUD), Contextual Multidimensional Relevance Models
- 43 Kevin Vlaanderen (UU), Supporting Process Improvement using Method Increments
- 44 Paulien Meesters (UvT), Intelligent Blauw. Met als ondertitel: Intelligence-gestuurde politiezorg in gebiedsgebonden eenheden.

- 45 Birgit Schmitz (OUN), Mobile Games for Learning: A Pattern-Based Approach
- 46 Ke Tao (TUD), Social Web Data Analytics: Relevance, Redundancy, Diversity
- 47 Shangsong Liang (UVA), Fusion and Diversification in Information Retrieval
- 2015 01 Niels Netten (UvA), Machine Learning for Relevance of Information in Crisis Response
 - 02 Faiza Bukhsh (UvT), Smart auditing: Innovative Compliance Checking in Customs Controls
 - 03 Twan van Laarhoven (RUN), Machine learning for network data
 - 04 Howard Spoelstra (OUN), Collaborations in Open Learning Environments
 - 05 Christoph Bösch (UT), Cryptographically Enforced Search Pattern Hiding
 - 06 Farideh Heidari (TUD), Business Process Quality Computation Computing Non-Functional Requirements to Improve Business Processes
 - 07 Maria-Hendrike Peetz (UvA), Time-Aware Online Reputation Analysis
 - 08 Jie Jiang (TUD), Organizational Compliance: An agent-based model for designing and evaluating organizational interactions
 - 09 Randy Klaassen (UT), HCI Perspectives on Behavior Change Support Systems
 - 10 Henry Hermans (OUN), OpenU: design of an integrated system to support lifelong learning
 - 11 Yongming Luo (TUE), Designing algorithms for big graph datasets: A study of computing bisimulation and joins
 - 12 Julie M. Birkholz (VU), Modi Operandi of Social Network Dynamics: The Effect of Context on Scientific Collaboration Networks
 - 13 Giuseppe Procaccianti (VU), Energy-Efficient Software
 - 14 Bart van Straalen (UT), A cognitive approach to modeling bad news conversations
 - 15 Klaas Andries de Graaf (VU), Ontology-based Software Architecture Documentation
 - 16 Changyun Wei (UT), Cognitive Coordination for Cooperative Multi-Robot Teamwork
 - 17 André van Cleeff (UT), Physical and Digital Security Mechanisms: Properties, Combinations and Trade-offs
 - 18 Holger Pirk (CWI), Waste Not, Want Not! Managing Relational Data in Asymmetric Memories
 - 19 Bernardo Tabuenca (OUN), Ubiquitous Technology for Lifelong Learners

- 20 Lois Vanhée (UU), Using Culture and Values to Support Flexible Coordination
- 21 Sibren Fetter (OUN), Using Peer-Support to Expand and Stabilize Online Learning
- 22 Zhemin Zhu (UT), Co-occurrence Rate Networks
- 23 Luit Gazendam (VU), Cataloguer Support in Cultural Heritage
- 24 Richard Berendsen (UVA), Finding People, Papers, and Posts: Vertical Search Algorithms and Evaluation
- 25 Steven Woudenberg (UU), Bayesian Tools for Early Disease Detection
- 26 Alexander Hogenboom (EUR), Sentiment Analysis of Text Guided by Semantics and Structure
- 27 Sándor Héman (CWI), Updating compressed colomn stores
- 28 Janet Bagorogoza (TiU), Knowledge Management and High Performance; The Uganda Financial Institutions Model for HPO
- 29 Hendrik Baier (UM), Monte-Carlo Tree Search Enhancements for One-Player and Two-Player Domains
- 30 Kiavash Bahreini (OU), Real-time Multimodal Emotion Recognition in E-Learning
- 31 Yakup Koç (TUD), On the robustness of Power Grids
- 32 Jerome Gard (UL), Corporate Venture Management in SMEs
- 33 Frederik Schadd (TUD), Ontology Mapping with Auxiliary Resources
- 34 Victor de Graaf (UT), Gesocial Recommender Systems
- 35 Jungxao Xu (TUD), Affective Body Language of Humanoid Robots: Perception and Effects in Human Robot Interaction
- 2016 01 Syed Saiden Abbas (RUN), Recognition of Shapes by Humans and Machines
 - 02 Michiel Christiaan Meulendijk (UU), Optimizing medication reviews through decision support: prescribing a better pill to swallow
 - 03 Maya Sappelli (RUN), Knowledge Work in Context: User Centered Knowledge Worker Support
 - 04 Laurens Rietveld (VU), Publishing and Consuming Linked Data
 - 05 Evgeny Sherkhonov (UVA), Expanded Acyclic Queries: Containment and an Application in Explaining Missing Answers
 - 06 Michel Wilson (TUD), Robust scheduling in an uncertain environment
 - 07 Jeroen de Man (VU), Measuring and modeling negative emotions for virtual training
 - 08 Matje van de Camp (TiU), A Link to the Past: Constructing Historical Social Networks from Unstructured Data
 - 09 Archana Nottamkandath (VU), Trusting Crowdsourced Information on Cultural Artefacts

- 10 George Karafotias (VUA), Parameter Control for Evolutionary Algorithms
- 11 Anne Schuth (UVA), Search Engines that Learn from Their Users
- 12 Max Knobbout (UU), Logics for Modelling and Verifying Normative Multi-Agent Systems
- 13 Nana Baah Gyan (VU), The Web, Speech Technologies and Rural Development in West Africa An ICT4D Approach
- 14 Ravi Khadka (UU), Revisiting Legacy Software System Modernization
- 15 Steffen Michels (RUN), Hybrid Probabilistic Logics Theoretical Aspects, Algorithms and Experiments
- 16 Guangliang Li (UVA), Socially Intelligent Autonomous Agents that Learn from Human Reward
- 17 Berend Weel (VU), Towards Embodied Evolution of Robot Organisms
- 18 Albert Meroño Peñuela (VU), Refining Statistical Data on the Web
- 19 Julia Efremova (Tu/e), Mining Social Structures from Genealogical Data
- 20 Daan Odijk (UVA), Context & Semantics in News & Web Search
- 21 Alejandro Moreno Célleri (UT), From Traditional to Interactive Playspaces: Automatic Analysis of Player Behavior in the Interactive Tag Playground
- 22 Grace Lewis (VU), Software Architecture Strategies for Cyber-Foraging Systems
- 23 Fei Cai (UVA), Query Auto Completion in Information Retrieval
- 24 Brend Wanders (UT), Repurposing and Probabilistic Integration of Data; An Iterative and data model independent approach
- 25 Julia Kiseleva (TU/e), Using Contextual Information to Understand Searching and Browsing Behavior
- 26 Dilhan Thilakarathne (VU), In or Out of Control: Exploring Computational Models to Study the Role of Human Awareness and Control in Behavioural Choices, with Applications in Aviation and Energy Management Domains
- 27 Wen Li (TUD), Understanding Geo-spatial Information on Social Media
- 28 Mingxin Zhang (TUD), Large-scale Agent-based Social Simulation A study on epidemic prediction and control
- 29 Nicolas Höning (TUD), Peak reduction in decentralised electricity systems Markets and prices for flexible planning
- 30 Ruud Mattheij (UvT), The Eyes Have It
- 31 Mohammad Khelghati (UT), Deep web content monitoring
- 32 Eelco Vriezekolk (UT), Assessing Telecommunication Service Availability Risks for Crisis Organisations

- 33 Peter Bloem (UVA), Single Sample Statistics, exercises in learning from just one example
- 34 Dennis Schunselaar (TUE), Configurable Process Trees: Elicitation, Analysis, and Enactment
- 35 Zhaochun Ren (UVA), Monitoring Social Media: Summarization, Classification and Recommendation
- 36 Daphne Karreman (UT), Beyond R2D2: The design of nonverbal interaction behavior optimized for robot-specific morphologies
- 37 Giovanni Sileno (UvA), Aligning Law and Action a conceptual and computational inquiry
- 38 Andrea Minuto (UT), Materials that Matter Smart Materials meet Art & Interaction Design
- 39 Merijn Bruijnes (UT), Believable Suspect Agents; Response and Interpersonal Style Selection for an Artificial Suspect
- 40 Christian Detweiler (TUD), Accounting for Values in Design
- 41 Thomas King (TUD), Governing Governance: A Formal Framework for Analysing Institutional Design and Enactment Governance
- 42 Spyros Martzoukos (UVA), Combinatorial and Compositional Aspects of Bilingual Aligned Corpora
- 43 Saskia Koldijk (RUN), Context-Aware Support for Stress Self-Management: From Theory to Practice
- 44 Thibault Sellam (UVA), Automatic Assistants for Database Exploration
- 45 Bram van de Laar (UT), Experiencing Brain-Computer Interface Control
- 46 Jorge Gallego Perez (UT), Robots to Make you Happy
- 47 Christina Weber (UL), Real-time foresight Preparedness for dynamic innovation networks
- 48 Tanja Buttler (TUD), Collecting Lessons Learned
- 49 Gleb Polevoy (TUD), Participation and Interaction in Projects. A Game-Theoretic Analysis
- 50 Yan Wang (UVT), The Bridge of Dreams: Towards a Method for Operational Performance Alignment in IT-enabled Service Supply Chains
- 2017 01 Jan-Jaap Oerlemans (UL), Investigating Cybercrime
 - 02 Sjoerd Timmer (UU), Designing and Understanding Forensic Bayesian Networks using Argumentation
 - 03 Daniël Harold Telgen (UU), Grid Manufacturing; A Cyber-Physical Approach with Autonomous Products and Reconfigurable Manufacturing Machines
 - 04 Mrunal Gawade (CWI), Multi-core Parallelism in a Column-store
 - 05 Mahdieh Shadi (UVA), Collaboration Behavior

- 06 Damir Vandic (EUR), Intelligent Information Systems for Web Product Search
- 07 Roel Bertens (UU), Insight in Information: from Abstract to Anomaly
- 08 Rob Konijn (VU) , Detecting Interesting Differences:Data Mining in Health Insurance Data using Outlier Detection and Subgroup Discovery
- 09 Dong Nguyen (UT), Text as Social and Cultural Data: A Computational Perspective on Variation in Text
- 10 Robby van Delden (UT), (Steering) Interactive Play Behavior
- 11 Florian Kunneman (RUN), Modelling patterns of time and emotion in Twitter #anticipointment
- 12 Sander Leemans (TUE), Robust Process Mining with Guarantees
- 13 Gijs Huisman (UT), Social Touch Technology Extending the reach of social touch through haptic technology
- 14 Shoshannah Tekofsky (UvT), You Are Who You Play You Are: Modelling Player Traits from Video Game Behavior
- 15 Peter Berck (RUN), Memory-Based Text Correction
- 16 Aleksandr Chuklin (UVA), Understanding and Modeling Users of Modern Search Engines
- 17 Daniel Dimov (UL), Crowdsourced Online Dispute Resolution
- 18 Ridho Reinanda (UVA), Entity Associations for Search
- 19 Jeroen Vuurens (UT), Proximity of Terms, Texts and Semantic Vectors in Information Retrieval
- 20 Mohammadbashir Sedighi (TUD), Fostering Engagement in Knowledge Sharing: The Role of Perceived Benefits, Costs and Visibility
- 21 Jeroen Linssen (UT), Meta Matters in Interactive Storytelling and Serious Gaming (A Play on Worlds)
- 22 Sara Magliacane (VU), Logics for causal inference under uncertainty
- 23 David Graus (UVA), Entities of Interest Discovery in Digital Traces
- 24 Chang Wang (TUD), Use of Affordances for Efficient Robot Learning
- 25 Veruska Zamborlini (VU), Knowledge Representation for Clinical Guidelines, with applications to Multimorbidity Analysis and Literature Search
- 26 Merel Jung (UT), Socially intelligent robots that understand and respond to human touch
- 27 Michiel Joosse (UT), Investigating Positioning and Gaze Behaviors of Social Robots: People's Preferences, Perceptions and Behaviors
- 28 John Klein (VU), Architecture Practices for Complex Contexts

- 29 Adel Alhuraibi (UvT), From IT-BusinessStrategic Alignment to Performance: A Moderated Mediation Model of Social Innovation, and Enterprise Governance of IT"
- 30 Wilma Latuny (UvT), The Power of Facial Expressions
- 31 Ben Ruijl (UL), Advances in computational methods for QFT calculations
- 32 Thaer Samar (RUN), Access to and Retrievability of Content in Web Archives
- 33 Brigit van Loggem (OU), Towards a Design Rationale for Software Documentation: A Model of Computer-Mediated Activity
- 34 Maren Scheffel (OU), The Evaluation Framework for Learning Analytics
- 35 Martine de Vos (VU), Interpreting natural science spreadsheets
- 36 Yuanhao Guo (UL), Shape Analysis for Phenotype Characterisation from High-throughput Imaging
- 37 Alejandro Montes Garcia (TUE), WiBAF: A Within Browser Adaptation Framework that Enables Control over Privacy
- 38 Alex Kayal (TUD), Normative Social Applications
- 39 Sara Ahmadi (RUN), Exploiting properties of the human auditory system and compressive sensing methods to increase noise robustness in ASR
- 40 Altaf Hussain Abro (VUA), Steer your Mind: Computational Exploration of Human Control in Relation to Emotions, Desires and Social Support For applications in human-aware support systems
- 41 Adnan Manzoor (VUA), Minding a Healthy Lifestyle: An Exploration of Mental Processes and a Smart Environment to Provide Support for a Healthy Lifestyle
- 42 Elena Sokolova (RUN), Causal discovery from mixed and missing data with applications on ADHD datasets
- 43 Maaike de Boer (RUN), Semantic Mapping in Video Retrieval
- 44 Garm Lucassen (UU), Understanding User Stories Computational Linguistics in Agile Requirements Engineering
- 45 Bas Testerink (UU), Decentralized Runtime Norm Enforcement
- 46 Jan Schneider (OU), Sensor-based Learning Support
- 47 Jie Yang (TUD), Crowd Knowledge Creation Acceleration
- 48 Angel Suarez (OU), Collaborative inquiry-based learning
- 2018 01 Han van der Aa (VUA), Comparing and Aligning Process Representations
 - 02 Felix Mannhardt (TUE), Multi-perspective Process Mining

- 03 Steven Bosems (UT), Causal Models For Well-Being: Knowledge Modeling, Model-Driven Development of Context-Aware Applications, and Behavior Prediction
- 04 Jordan Janeiro (TUD), Flexible Coordination Support for Diagnosis Teams in Data-Centric Engineering Tasks
- 05 Hugo Huurdeman (UVA), Supporting the Complex Dynamics of the Information Seeking Process
- 06 Dan Ionita (UT), Model-Driven Information Security Risk Assessment of Socio-Technical Systems
- 07 Jieting Luo (UU), A formal account of opportunism in multi-agent systems
- 08 Rick Smetsers (RUN), Advances in Model Learning for Software Systems
- 09 Xu Xie (TUD), Data Assimilation in Discrete Event Simulations
- 10 Julienka Mollee (VUA), Moving forward: supporting physical activity behavior change through intelligent technology
- 11 Mahdi Sargolzaei (UVA), Enabling Framework for Service-oriented Collaborative Networks
- 12 Xixi Lu (TUE), Using behavioral context in process mining
- 13 Seyed Amin Tabatabaei (VUA), Computing a Sustainable Future
- 14 Bart Joosten (UVT), Detecting Social Signals with Spatiotemporal Gabor Filters
- 15 Naser Davarzani (UM), Biomarker discovery in heart failure
- 16 Jaebok Kim (UT), Automatic recognition of engagement and emotion in a group of children
- 17 Jianpeng Zhang (TUE), On Graph Sample Clustering
- 18 Henriette Nakad (UL), De Notaris en Private Rechtspraak
- 19 Minh Duc Pham (VUA), Emergent relational schemas for RDF
- 20 Manxia Liu (RUN), Time and Bayesian Networks
- 21 Aad Slootmaker (OUN), EMERGO: a generic platform for authoring and playing scenario-based serious games
- 22 Eric Fernandes de Mello Araujo (VUA), Contagious: Modeling the Spread of Behaviours, Perceptions and Emotions in Social Networks
- 23 Kim Schouten (EUR), Semantics-driven Aspect-Based Sentiment Analvsis
- 24 Jered Vroon (UT), Responsive Social Positioning Behaviour for Semi-Autonomous Telepresence Robots
- 25 Riste Gligorov (VUA), Serious Games in Audio-Visual Collections
- 26 Roelof Anne Jelle de Vries (UT), Theory-Based and Tailor-Made: Motivational Messages for Behavior Change Technology

- 27 Maikel Leemans (TUE), Hierarchical Process Mining for Scalable Software Analysis
- 28 Christian Willemse (UT), Social Touch Technologies: How they feel and how they make you feel
- 29 Yu Gu (UVT), Emotion Recognition from Mandarin Speech
- 30 Wouter Beek, The "K" in "semantic web" stands for "knowledge": scaling semantics to the web
- 2019 01 Rob van Eijk (UL), Web privacy measurement in real-time bidding systems. A graph-based approach to RTB system classification
 - 02 Emmanuelle Beauxis Aussalet (CWI, UU), Statistics and Visualizations for Assessing Class Size Uncertainty
 - 03 Eduardo Gonzalez Lopez de Murillas (TUE), Process Mining on Databases: Extracting Event Data from Real Life Data Sources
 - 04 Ridho Rahmadi (RUN), Finding stable causal structures from clinical data
 - 05 Sebastiaan van Zelst (TUE), Process Mining with Streaming Data
 - 06 Chris Dijkshoorn (VU), Nichesourcing for Improving Access to Linked Cultural Heritage Datasets
 - 07 Soude Fazeli (TUD), Recommender Systems in Social Learning Platforms
 - 08 Frits de Nijs (TUD), Resource-constrained Multi-agent Markov Decision Processes
 - 09 Fahimeh Alizadeh Moghaddam (UVA), Self-adaptation for energy efficiency in software systems
 - 10 Qing Chuan Ye (EUR), Multi-objective Optimization Methods for Allocation and Prediction
 - 11 Yue Zhao (TUD), Learning Analytics Technology to Understand Learner Behavioral Engagement in MOOCs
 - 12 Jacqueline Heinerman (VU), Better Together
 - 13 Guanliang Chen (TUD), MOOC Analytics: Learner Modeling and Content Generation
 - 14 Daniel Davis (TUD), Large-Scale Learning Analytics: Modeling Learner Behavior & Improving Learning Outcomes in Massive Open Online Courses
 - 15 Erwin Walraven (TUD), Planning under Uncertainty in Constrained and Partially Observable Environments
 - 16 Guangming Li (TUE), Process Mining based on Object-Centric Behavioral Constraint (OCBC) Models
 - 17 Ali Hurriyetoglu (RUN), Extracting actionable information from microtexts
 - 18 Gerard Wagenaar (UU), Artefacts in Agile Team Communication

- 19 Vincent Koeman (TUD), Tools for Developing Cognitive Agents
- 20 Chide Groenouwe (UU), Fostering technically augmented human collective intelligence
- 21 Cong Liu (TUE), Software Data Analytics: Architectural Model Discovery and Design Pattern Detection
- 22 Martin van den Berg (VU),Improving IT Decisions with Enterprise Architecture
- 23 Qin Liu (TUD), Intelligent Control Systems: Learning, Interpreting, Verification
- 24 Anca Dumitrache (VU), Truth in Disagreement Crowdsourcing Labeled Data for Natural Language Processing
- 25 Emiel van Miltenburg (VU), Pragmatic factors in (automatic) image description
- 26 Prince Singh (UT), An Integration Platform for Synchromodal Transport
- 27 Alessandra Antonaci (OUN), The Gamification Design Process applied to (Massive) Open Online Courses
- 28 Esther Kuindersma (UL), Cleared for take-off: Game-based learning to prepare airline pilots for critical situations
- 29 Daniel Formolo (VU), Using virtual agents for simulation and training of social skills in safety-critical circumstances
- 30 Vahid Yazdanpanah (UT), Multiagent Industrial Symbiosis Systems
- 31 Milan Jelisavcic (VU), Alive and Kicking: Baby Steps in Robotics
- 32 Chiara Sironi (UM), Monte-Carlo Tree Search for Artificial General Intelligence in Games
- 33 Anil Yaman (TUE), Evolution of Biologically Inspired Learning in Artificial Neural Networks
- 34 Negar Ahmadi (TUE), EEG Microstate and Functional Brain Network Features for Classification of Epilepsy and PNES
- 35 Lisa Facey-Shaw (OUN), Gamification with digital badges in learning programming
- 36 Kevin Ackermans (OUN), Designing Video-Enhanced Rubrics to Master Complex Skills
- 37 Jian Fang (TUD), Database Acceleration on FPGAs
- 38 Akos Kadar (OUN), Learning visually grounded and multilingual representations
- 2020 01 Armon Toubman (UL), Calculated Moves: Generating Air Combat Behaviour
 - 02 Marcos de Paula Bueno (UL), Unraveling Temporal Processes using Probabilistic Graphical Models

- 03 Mostafa Deghani (UvA), Learning with Imperfect Supervision for Language Understanding
- 04 Maarten van Gompel (RUN), Context as Linguistic Bridges
- 05 Yulong Pei (TUE), On local and global structure mining
- 06 Preethu Rose Anish (UT), Stimulation Architectural Thinking during Requirements Elicitation An Approach and Tool Support
- 07 Wim van der Vegt (OUN), Towards a software architecture for reusable game components
- 08 Ali Mirsoleimani (UL),Structured Parallel Programming for Monte Carlo Tree Search
- 09 Myriam Traub (UU), Measuring Tool Bias and Improving Data Quality for Digital Humanities Research
- 10 Alifah Syamsiyah (TUE), In-database Preprocessing for Process Mining
- 11 Sepideh Mesbah (TUD), Semantic-Enhanced Training Data AugmentationMethods for Long-Tail Entity Recognition Models
- 12 Ward van Breda (VU), Predictive Modeling in E-Mental Health: Exploring Applicability in Personalised Depression Treatment
- 13 Marco Virgolin (CWI), Design and Application of Gene-pool Optimal Mixing Evolutionary Algorithms for Genetic Programming
- 14 Mark Raasveldt (CWI/UL), Integrating Analytics with Relational Databases
- 15 Konstantinos Georgiadis (OUN), Smart CAT: Machine Learning for Configurable Assessments in Serious Games
- 16 Ilona Wilmont (RUN), Cognitive Aspects of Conceptual Modelling
- 17 Daniele Di Mitri (OUN), The Multimodal Tutor: Adaptive Feedback from Multimodal Experiences
- 18 Georgios Methenitis (TUD), Agent Interactions & Mechanisms in Markets with Uncertainties: Electricity Markets in Renewable Energy Systems
- 19 Guido van Capelleveen (UT), Industrial Symbiosis Recommender Systems
- 20 Albert Hankel (VU), Embedding Green ICT Maturity in Organisations
- 21 Karine da Silva Miras de Araujo (VU), Where is the robot?: Life as it could be
- 22 Maryam Masoud Khamis (RUN), Understanding complex systems implementation through a modeling approach: the case of e-government in Zanzibar
- 23 Rianne Conijn (UT), The Keys to Writing: A writing analytics approach to studying writing processes using keystroke logging
- 24 Lenin da Nobrega Medeiros (VUA/RUN), How are you feeling, human? Towards emotionally supportive chatbots

- 25 Xin Du (TUE), The Uncertainty in Exceptional Model Mining
- 26 Krzysztof Leszek Sadowski (UU), GAMBIT: Genetic Algorithm for Model-Based mixed-Integer opTimization
- 27 Ekaterina Muravyeva (TUD), Personal data and informed consent in an educational context
- 28 Bibeg Limbu (TUD), Multimodal interaction for deliberate practice: Training complex skills with augmented reality
- 29 Ioan Gabriel Bucur (RUN), Being Bayesian about Causal Inference
- 30 Bob Zadok Blok (UL), Creatief, Creatieve, Creatiefst
- 31 Gongjin Lan (VU), Learning better From Baby to Better
- 32 Jason Rhuggenaath (TUE), Revenue management in online markets: pricing and online advertising
- 33 Rick Gilsing (TUE), Supporting service-dominant business model evaluation in the context of business model innovation
- 34 Anna Bon (MU), Intervention or Collaboration? Redesigning Information and Communication Technologies for Development
- 35 Siamak Farshidi (UU), Multi-Criteria Decision-Making in Software Production
- 2021 01 Francisco Xavier Dos Santos Fonseca (TUD), Location-based Games for Social Interaction in Public Space
 - 02 Rijk Mercuur (TUD), Simulating Human Routines:Integrating Social Practice Theory in Agent-Based Models
 - 03 Seyyed Hadi Hashemi (UVA), Modeling Users Interacting with Smart Devices
 - 04 Ioana Jivet (OU), The Dashboard That Loved Me: Designing adaptive learning analytics for self-regulated learning
 - 05 Davide Dell'Anna (UU), Data-Driven Supervision of Autonomous Systems
 - 06 Daniel Davison (UT), "Hey robot, what do you think?" How children learn with a social robot
 - 07 Armel Lefebvre (UU), Research data management for open science
 - 08 Nardie Fanchamps (OU), The Influence of Sense-Reason-Act Programming on Computational Thinking
 - Oristina Zaga (UT), The Design of Robothings. Non-Anthropomorphic and Non-Verbal Robots to Promote Children's Collaboration Through Play
 - 10 Quinten Meertens (UvA), Misclassification Bias in Statistical Learning
 - 11 Anne van Rossum (UL), Nonparametric Bayesian Methods in Robotic Vision
 - 12 Lei Pi (UL), External Knowledge Absorption in Chinese SMEs

- 13 Bob R. Schadenberg (UT), Robots for Autistic Children: Understanding and Facilitating Predictability for Engagement in Learning
- 14 Negin Samaeemofrad (UL), Business Incubators: The Impact of Their Support
- 15 Onat Ege Adali (TU/e), Transformation of Value Propositions into Resource Re-Configurations through the Business Services Paradigm
- 16 Esam A. H. Ghaleb (UM), BIMODAL EMOTION RECOGNITION FROM AUDIO-VISUAL CUES
- 17 Dario Dotti (UM), Human Behavior Understanding from motion and bodily cues using deep neural networks
- 18 Remi Wieten (UU), Bridging the Gap Between Informal Sense-Making Tools and Formal Systems - Facilitating the Construction of Bayesian Networks and Argumentation Frameworks
- 19 Roberto Verdecchia (VU), Architectural Technical Debt: Identification and Management
- 20 Masoud Mansoury (TU/e), Understanding and Mitigating Multi-Sided Exposure Bias in Recommender Systems
- 21 Pedro Thiago Timbó Holanda (CWI), Progressive Indexes
- 22 Sihang Qiu (TUD), Conversational Crowdsourcing
- 23 Hugo Manuel Proena (LIACS), Robust rules for prediction and description
- 24 Kaijie Zhu (TUE), On Efficient Temporal Subgraph Query Processing
- 25 Eoin Martino Grua (VUA), The Future of E-Health is Mobile: Combining AI and Self-Adaptation to Create Adaptive E-Health Mobile Applications
- 26 Benno Kruit (CWI & VUA), Reading the Grid: Extending Knowledge Bases from Human-readable Tables
- 27 Jelte van Waterschoot (UT), Personalized and Personal Conversations: Designing Agents Who Want to Connect With You
- 28 Christoph Selig (UL), Understanding the Heterogeneity of Corporate Entrepreneurship Programs
- 2022 1 Judith van Stegeren (UT), Flavor text generation for role-playing video games
 - 2 Paulo da Costa (TU/e), Data-driven Prognostics and Logistics Optimisation: A Deep Learning Journey
 - 3 Ali el Hassouni (VUA), A Model A Day Keeps The Doctor Away: Reinforcement Learning For Personalized Healthcare
 - 4 Ünal Aksu (UU), A Cross-Organizational Process Mining Framework
 - 5 Shiwei Liu (TU/e), Sparse Neural Network Training with In-Time Over-Parameterization

- 6 Reza Refaei Afshar (TU/e), Machine Learning for Ad Publishers in Real Time Bidding
- 7 Sambit Praharaj (OU), Measuring the Unmeasurable? Towards Automatic Co-located Collaboration Analytics
- 8 Maikel L. van Eck (TU/e), Process Mining for Smart Product Design
- 9 Oana Andreea Inel (VUA), Understanding Events: A Diversity-driven Human-Machine Approach
- 10 Felipe Moraes Gomes (TUD), Examining the Effectiveness of Collaborative Search Engines
- 11 Mirjam de Haas (UT), Staying engaged in child-robot interaction, a quantitative approach to studying preschoolers' engagement with robots and tasks during second-language tutoring
- 12 Guanyi Chen (UU), Computational Generation of Chinese Noun Phrases
- 13 Xander Wilcke (VUA), Machine Learning on Multimodal Knowledge Graphs: Opportunities, Challenges, and Methods for Learning on Real-World Heterogeneous and Spatially-Oriented Knowledge
- 14 Michiel Overeem (UU), Evolution of Low-Code Platforms
- 15 Jelmer Jan Koorn (UU), Work in Process: Unearthing Meaning using Process Mining
- 16 Pieter Gijsbers (TU/e), Systems for AutoML Research
- 17 Laura van der Lubbe (VUA), Empowering vulnerable people with serious games and gamification
- 18 Paris Mavromoustakos Blom (TiU), Player Affect Modelling and Video Game Personalisation
- 19 Bilge Yigit Ozkan (UU), Cybersecurity Maturity Assessment and Standardisation
- 20 Fakhra Jabeen (VUA), Dark Side of the Digital Media Computational Analysis of Negative Human Behaviors on Social Media
- 21 Seethu Mariyam Christopher (UM), Intelligent Toys for Physical and Cognitive Assessments
- 22 Alexandra Sierra Rativa (TiU), Virtual Character Design and its potential to foster Empathy, Immersion, and Collaboration Skills in Video Games and Virtual Reality Simulations
- 23 Ilir Kola (TUD), Enabling Social Situation Awareness in Support Agents
- 24 Samaneh Heidari (UU), Agents with Social Norms and Values A framework for agent based social simulations with social norms and personal values

Curriculum Vitae

Anna Latour was born in Leiden to parents who fully expected her to study arts or literature. Instead, after completing her high school education at the Haags Montessori Lyceum, she obtained a Bachelor's degree in Physics and Astrophysics from the University of Amsterdam. She then worked at the IT department of a pharmaceutical company before starting a pre-Master program at Leiden University to prepare herself for a Master in Artificial Intelligence at that same university.

Anna did the research for her Master thesis at Declarative Languages and Artificial Intelligence (DTAI) group of KU Leuven in Belgium, under the supervision of Dr. Siegfried Nijssen and the DTAI team. She graduated from the Master's program cum laude in 2016 and was awarded with the thesis award from the Koninklijke Nederlandse Vereniging voor Informatieprofessionals (KNVI) and the Koninklijke Hollandsche Maatschappij der Wetenschappen (KHMW) for her Master thesis: *Incremental algorithms for solving stochastic constraint optimisation problems with probabilistic logic programming*.

In 2017, Anna started as a PhD student of Leiden University, under the supervision of Prof. Dr. Joost N. Kok and Dr. Siegfried Nijssen. Her research was funded by an NWO TOP grant awarded to Dr. Nijssen for his PRObabilistic Features for Intelligent Declarative Data Science (PROFIDDS) project. Anna spent the first year of her PhD with the Artificial Intelligence & Algorithms (AIA) group at the Institute of Information and Communication Technologies, Electronics and Applied Mathematics (ICTEAM) at Université catholique de Louvain in Louvain-la-Neuve, Belgium. After moving back to The Netherlands in 2018, she joined Prof. Dr. Holger H. Hoos's Automated Design of Algorithms (ADA) group at Leiden University. In 2019, Anna visited Prof. Dr. Fahiem Bacchus's group at the University of Toronto to work on weighted model counting techniques.

During her PhD, Anna was a member of the Klankbordgroep Diversiteitsbeleid, the diversity policy feedback group of Leiden University. Additionally, she was a member of Leiden University's Studium Generale programme committee.

In 2018, Anna was awarded Google's Women Techmakers Scholarship for having demonstrated 'outstanding academic achievement, leadership and community involvement', in part for her efforts to increase the diversity, equity and inclusion in STEM (science, technology, engineering and mathematics). Anna's other awards include a research pitch prize for presenting her research 'with great clarity, content and charisma' (ranking highest in the jury report and receiving three times as many audience votes as the runner-up) and the AAAI 2021 outstanding reviewer award, for the 'exceptional care, thoroughness, and thoughtfulness' with which she approached the reviews and discussions of the papers assigned to her.

Anna started the next chapter of her scientific career in February 2022, as a Research Fellow in Prof. Dr. Kuldeep Meel's research group at the School of Computing (SoC) of the National University of Singapore (NUS). She is working on topics related to Boolean satisfiability and the field of *Beyond* \mathcal{NP} , and aims to pursue a career in academia.

There are few things that make Anna happier than the opportunity to search for geocaches and Annunciations while travelling for work.



List of Publications

Conference papers

- Anna L.D. Latour, Behrouz Babaki, Anton Dries, Angelika Kimmig, Guy Van den Broeck, and Siegfried Nijssen. 'Combining Stochastic Constraint Optimization and Probabilistic Programming: From Knowledge Compilation to Constraint Solving'. In: Principles and Practice of Constraint Programming: 23rd International Conference (CP 2017). 2017, pp. 495–511.
- Anna Louise D. Latour, Behrouz Babaki, Siegfried Nijssen. 'Stochastic Constraint Propagation for Mining Probabilistic Networks'. In: *Proceedings of the Twenty-Eighth International Joint Conference on Artificial Intelligence (IJCAI 2019)*. 2019, pp. 1137–1145.

Journal papers

Anna L.D. Latour, Behrouz Babaki, Daniël Fokkinga, Marie Anastacio, Holger H. Hoos, and Siegfried Nijssen. 'Exact Stochastic Constraint Optimisation with Applications in Network Analysis'. In: Artificial Intelligence, vol 304, 2022.

Workshop papers

- Anna L.D. Latour, Behrouz Babaki, and Siegfried Nijssen. 'Stochastic Constraint Optimization using Propagation on Ordered Binary Decision Diagrams'. In: Eighth International Workshop on Statistical Relational AI (StarAI 2018), colocated with IJCAI 2018, Stockholm, Sweden, 2018.
- Daniël Fokkinga, Anna Louise D. Latour, Marie Anastacio, Siegfried Nijssen, and Holger Hoos. 'Programming a Stochastic Constraint Optimisation Algorithm, by Optimisation'. In: *Data Science meets Optimization workshop* 2019 (DSO 2019), colocated with IJCAI 2019, Macao, 2019.

Extended abstracts

- Anna Louise D. Latour, Behrouz Babaki, and Siegfried Nijssen. 'Stochastic Constraint Propagation for Mining Probabilistic Networks'. In: Proceedings of the Reference AI & ML Conference for Belgium, Netherlands & Luxembourg, BNAIC/BENELEARN 2019, Brussels, 2019.
- Anna L.D. Latour, Behrouz Babaki, Daniël Fokkinga, Marie Anastacio, Holger H. Hoos, and Siegfried Nijssen. 'Stochastic Constraint Optimisation with Applications in Network Analysis'. In: International Workshop on Model Counting (MCW), colocated with SAT 2020.
- Jeroen G. Rook, Anna L.D. Latour, Siegfried Nijssen, and Holger H. Hoos.
 'Better Caching for Better Model Counting'. In: International Workshop on Model Counting (MCW), colocated with SAT 2020.
- Jeroen G. Rook, Anna L.D. Latour, Siegfried Nijssen, and Holger H. Hoos. 'Caching in Model Counters: A Journey through Space and Time'. In: *International Workshop on Counting and Sampling, colocated with SAT 2021*.