



Universiteit
Leiden
The Netherlands

Shaping massive galaxies: the structural evolution of galaxies across $0 < z < 1$

Graaff, A.G. de

Citation

Graaff, A. G. de. (2022, September 15). *Shaping massive galaxies: the structural evolution of galaxies across $0 < z < 1$* . Retrieved from <https://hdl.handle.net/1887/3458576>

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/3458576>

Note: To cite this publication please use the final published version (if applicable).

Shaping Massive Galaxies

- The structural evolution of galaxies across $0 < z < 1$ -

Proefschrift

ter verkrijging van
de graad van doctor aan de Universiteit Leiden,
op gezag van rector magnificus prof. dr. ir. H. Bijl,
volgens besluit van het college voor promoties
te verdedigen op donderdag 15 september 2022
klokke 16.15 uur
door

Anna Geraldine de Graaff

geboren te Aberdeen, Schotland
in 1995

Promotor: Prof. dr. M. Franx

Co-promotor: Dr. R. Bezanson

Promotiecommissie: Prof. dr. H. J. A. Röttgering

Prof. dr. M. Kriek

Prof. dr. J. Schaye

Dr. M. Maseda (University of Wisconsin-Madison)

Prof. dr. A. van der Wel (Universiteit Gent)

ISBN: 978-94-6423-924-9

Cover:

Design and layout by Mantas Zilinskas and author

*Ten thousand flowers in spring, the moon in autumn,
a cool breeze in summer, snow in winter.
If your mind isn't clouded by unnecessary things,
this is the best season of your life.*

– Wumen Huikai

CONTENTS

| | | |
|----------|--|-----------|
| 1 | Introduction | 1 |
| 1.1 | The rich diversity of galaxies | 1 |
| 1.2 | Hierarchical formation of structure | 2 |
| 1.3 | Assembly and evolution of massive galaxies | 3 |
| 1.3.1 | Probing galaxy evolution | 3 |
| 1.3.2 | From light to mass | 4 |
| 1.3.3 | Measuring mass assembly | 5 |
| 1.3.4 | The Fundamental Plane | 7 |
| 1.3.5 | Towards a holistic view of the FP | 9 |
| 1.4 | Thesis summary | 10 |
| 2 | The Fundamental Plane in the LEGA-C Survey: unravelling the M/L variations of massive star-forming and quiescent galaxies at $z \sim 0.8$ | 15 |
| 2.1 | Introduction | 16 |
| 2.2 | Data | 18 |
| 2.2.1 | The LEGA-C Survey | 18 |
| 2.2.2 | Ancillary data to LEGA-C | 19 |
| 2.2.3 | Sample selection at $z \sim 0.8$ | 20 |
| 2.2.4 | Comparison sample at $z \sim 0$ | 22 |
| 2.3 | Luminosity Fundamental Plane | 23 |
| 2.3.1 | Tilt of the FP | 24 |
| 2.3.2 | Correlations between residuals from the FP and stellar population properties | 26 |
| 2.4 | Mass Fundamental Plane | 30 |
| 2.4.1 | Tilt of the mass FP | 30 |
| 2.4.2 | Edge-on view of the mass FP | 31 |
| 2.4.3 | Are the residuals from the mass FP correlated with stellar population properties? | 32 |
| 2.4.4 | Structural non-homology | 34 |
| 2.4.5 | Inclination effects | 36 |
| 2.4.6 | Environment | 38 |
| 2.5 | Discussion | 40 |
| 2.5.1 | Stellar populations | 40 |
| 2.5.2 | Structural non-homology | 43 |
| 2.6 | Summary and conclusions | 45 |

| | |
|--|-----------|
| Appendices | 47 |
| 2.A Comparison of stellar mass estimates | 47 |
| 2.B Comparison of structural parameter estimates for the SDSS | 49 |
| 2.C Velocity dispersion aperture corrections | 51 |
| 2.D Tilt of the Fundamental Plane | 53 |
| 2.D.1 Direct measurement of M_{dyn}/L_g vs. M_{dyn} | 54 |
| 2.D.2 Direct measurement of M_{dyn}/M_* vs. M_{dyn} | 56 |
| 3 Tightly coupled morpho-kinematic evolution for massive star-forming and quiescent galaxies across 7 Gyr of cosmic time | 59 |
| 3.1 Introduction | 60 |
| 3.2 Data | 61 |
| 3.2.1 LEGA-C Survey | 61 |
| 3.2.2 SDSS | 61 |
| 3.3 Evolution in M_{dyn}/L | 62 |
| 3.3.1 Quiescent galaxies | 63 |
| 3.3.2 Star-forming galaxies | 64 |
| 3.4 Evolution in M_{dyn}/M_* | 65 |
| 3.5 Discussion and Conclusions | 67 |
| 4 Observed structural parameters of EAGLE galaxies: reconciling the mass-size relation in simulations with local observations | 71 |
| 4.1 Introduction | 72 |
| 4.2 Data | 74 |
| 4.2.1 EAGLE simulations | 74 |
| 4.2.2 Galaxy images | 75 |
| 4.3 Methods | 76 |
| 4.3.1 SDSS mock images | 76 |
| 4.3.1.1 Optical images | 76 |
| 4.3.1.2 Stellar mass images | 78 |
| 4.3.2 Sérsic modelling | 79 |
| 4.3.2.1 Initial parameter estimation | 80 |
| 4.3.2.2 Sérsic profile fitting | 81 |
| 4.3.2.3 Flags | 81 |
| 4.3.2.4 Measurement uncertainties | 82 |
| 4.3.2.5 Sky background estimation | 83 |
| 4.4 Galaxy sizes | 84 |
| 4.4.1 Do simulated galaxies follow Sérsic profiles? | 84 |
| 4.4.2 Comparing different measures of size | 86 |
| 4.4.3 Stellar mass-size relation | 91 |
| 4.5 Galaxy morphologies | 95 |
| 4.5.1 Sérsic indices | 95 |
| 4.5.2 Axis ratios | 97 |
| 4.6 Discussion | 99 |
| 4.6.1 The importance of apples-to-apples comparisons | 99 |
| 4.6.2 Mismatched density profiles and intrinsic shapes | 100 |

| | | |
|----------|--|------------|
| 4.7 | Conclusions | 104 |
| | Appendices | 106 |
| 4.A | Impact of particle smoothing | 106 |
| 4.B | Functional form of the PSF | 106 |
| 4.C | Comparing Sérsic model stellar masses with aperture measurements | 109 |
| 5 | A common origin for the Fundamental Plane of quiescent and star-forming galaxies in the EAGLE simulations | 111 |
| 5.1 | Introduction | 112 |
| 5.1.1 | Interpreting the luminosity FP | 112 |
| 5.1.2 | The stellar mass FP | 114 |
| 5.1.3 | The FP in cosmological simulations | 115 |
| 5.2 | Data and methods | 116 |
| 5.2.1 | EAGLE simulations | 116 |
| 5.2.2 | Galaxy sizes and masses | 117 |
| 5.2.3 | Sample selection | 118 |
| 5.2.4 | Velocity dispersion measurements | 119 |
| 5.3 | The simulated Fundamental Plane | 122 |
| 5.3.1 | Dynamical tracers of the total galaxy mass | 122 |
| 5.3.2 | Effects of non-homology | 126 |
| 5.3.3 | Variations in the dark matter fraction | 131 |
| 5.4 | Observing the Fundamental Plane | 135 |
| 5.4.1 | Impact of projection effects and measurement biases | 135 |
| 5.4.2 | Selection bias | 139 |
| 5.4.3 | Contribution of IMF variations | 142 |
| 5.5 | Discussion | 147 |
| 5.5.1 | Interpreting the tilt and scatter of the FP | 147 |
| 5.5.2 | Reconciling the FP with the TF relation | 150 |
| 5.5.2.1 | Star-forming galaxies can simultaneously obey the FP and TF relation | 150 |
| 5.5.2.2 | A TF relation for quiescent galaxies? | 153 |
| 5.6 | Conclusions | 156 |
| | Appendices | 158 |
| 5.A | High-resolution simulation results | 158 |
| 5.B | Stellar mass FP with circularised sizes | 162 |
| 5.C | Effects of luminosity-weighting on the FP | 165 |
| | Bibliography | 167 |
| | Nederlandse samenvatting | 179 |
| | Publications | 187 |
| | Curriculum Vitae | 189 |
| | Acknowledgements | 191 |

