



Universiteit
Leiden
The Netherlands

Vitamin D deficiency in asthma and chronic obstructive pulmonary disease a chicken-or-egg story

Hiemstra, P.S.; Jongh, R.T. de

Citation

Hiemstra, P. S., & Jongh, R. T. de. (2020). Vitamin D deficiency in asthma and chronic obstructive pulmonary disease a chicken-or-egg story. *American Journal Of Respiratory And Critical Care Medicine*, 202(3), 312-313. doi:10.1164/rccm.202004-1012ED

Version: Publisher's Version

License: [Creative Commons CC BY-NC-ND 4.0 license](#)

Downloaded from: <https://hdl.handle.net/1887/3184033>

Note: To cite this publication please use the final published version (if applicable).

4. Edwards BA, Eckert DJ, McSharry DG, Sands SA, Desai A, Kehlmann G, *et al.* Clinical predictors of the respiratory arousal threshold in patients with obstructive sleep apnea. *Am J Respir Crit Care Med* 2014;190:1293–1300.
5. Jordan AS, McSharry DG, Malhotra A. Adult obstructive sleep apnoea. *Lancet* 2014;383:736–747.
6. Dres M, Younes M, Rittayamai N, Kendzerska T, Telias I, Grieco DL, *et al.* Sleep and pathological wakefulness at the time of liberation from mechanical ventilation (SLEEWE): a prospective multicenter physiological study. *Am J Respir Crit Care Med* 2019;199:1106–1115.
7. Amatoury J, Azarbarzin A, Younes M, Jordan AS, Wellman A, Eckert DJ. Arousal intensity is a distinct pathophysiological trait in obstructive sleep apnea. *Sleep (Basel)* 2016;39:2091–2100.
8. Azarbarzin A, Sands SA, Stone KL, Taranto-Montemurro L, Messineo L, Terrill PI, *et al.* The hypoxic burden of sleep apnoea predicts cardiovascular disease-related mortality: the osteoporotic fractures in men study and the Sleep Heart Health Study. *Eur Heart J* 2019;40:1149–1157.
9. Edwards BA, Redline S, Sands SA, Owens RL. More than the sum of the respiratory events: personalized medicine approaches for obstructive sleep apnea. *Am J Respir Crit Care Med* 2019;200:691–703.
10. Malhotra A, Nokes B, DeYoung P, Owens R. Why do we sometimes ignore the chief complaint in patients evaluated for obstructive sleep apnea? *J Clin Sleep Med* 2020;16:657–659.
11. Veterans Health Administration. Opportunities missed to contain spending on sleep apnea devices and improve veterans' outcomes [accessed 2020 Jun 29]. <https://www.va.gov/oig/pubs/VAOIG-19-00021-41.pdf>.
12. Federal Motor Carrier Safety Administration. Driving when you have sleep apnea [accessed 2020 May 21]. Available from: <https://www.fmcsa.dot.gov/driver-safety/sleep-apnea/driving-when-you-have-sleep-apnea>.
13. Deyoung PN, Bakker JP, Sands SA, Batool-Anwar S, Connolly JG, Butler JP, *et al.* Acoustic pharyngometry measurement of minimal cross-sectional airway area is a significant independent predictor of moderate-to-severe obstructive sleep apnea. *J Clin Sleep Med* 2013;9:1161–1164.
14. Benjafield AV, Ayas NT, Eastwood PR, Heinzer R, Ip MSM, Morrell MJ, *et al.* Estimation of the global prevalence and burden of obstructive sleep apnoea: a literature-based analysis. *Lancet Respir Med* 2019;7:687–698.
15. Gooneratne NS, Gehrman PR, Nkwuo JE, Bellamy SL, Schutte-Rodin S, Dinges DF, *et al.* Consequences of comorbid insomnia symptoms and sleep-related breathing disorder in elderly subjects. *Arch Intern Med* 2006;166:1732–1738.

Copyright © 2020 by the American Thoracic Society



⦿ Vitamin D Deficiency in Asthma and Chronic Obstructive Pulmonary Disease A Chicken-or-Egg Story

Whereas, traditionally, vitamin D has been considered as a main regulator of calcium and phosphate homeostasis, it has become increasingly clear that vitamin D is also an important regulator of immunity and host defense against infections in various tissues, including the lung (1–3). Asthma and chronic obstructive pulmonary disease (COPD) are both characterized by chronic inflammation, and exacerbations of these diseases are associated with respiratory infections. Therefore, the growing interest in the role of vitamin D in asthma and COPD is well justified. Patients with (severe) asthma and COPD are characterized by low circulating levels of 25-hydroxyvitamin D (25 [OH]D), the main circulating but inactive form of vitamin D (3–6). However, the most important question that remains to be answered is the chicken and egg question: does vitamin D deficiency contribute to the development of asthma and COPD and their exacerbations, or is it solely a consequence of the disease (reverse causality)?

In this issue of the *Journal*, Jolliffe and coworkers (pp. 371–382) shed light on this issue through the study of vitamin D metabolism in patients with asthma and COPD as compared with healthy control subjects (7). The metabolism of vitamin D is complex, with enzymes regulating the formation of the active form

of vitamin D, 1,25-dihydroxyvitamin D (1,25[OH]₂D), and various enzymes being involved in its catabolism. Two cytochrome P450 (CYP) enzymes take center stage in the balance between 25(OH)D and 1,25(OH)₂D: CYP24A1 catabolizes both 25(OH)D and 1,25(OH)₂D, whereas CYP27B1 is crucial for the generation of 1,25(OH)₂D through its 1-hydroxylase activity (8). Whereas these enzymes were initially considered to be mainly expressed in the liver and kidney, also cells of the immune system, and, for example, airway epithelial cells express these enzymes where they may contribute to local vitamin D metabolism (8, 9). Importantly, mechanistic studies have indicated that inflammatory mediators may increase activity of CYP24A1 and CYP27B1, which may result in lower local 25(OH)D concentrations (10–12).

The authors used samples collected in three clinical trials in which patients with asthma or COPD, or healthy control subjects, received high-dose vitamin D₃ supplementation every two months (7). They used serum samples obtained at baseline, after 2 months, and after 12 months for a detailed analysis of vitamin D₃, 25(OH)D₃, and the vitamin D metabolites 1,25(OH)₂D₃, 24R,25(OH)₂D₃, and 4β,25(OH)₂D₃. They assessed a panel of 19 SNPs in DNA extracted from whole blood that may help to explain differences in serum 25(OH)D levels. They combined this analysis with that of available gene expression in 14 data sets from seven different studies to assess expression of vitamin D pathway genes in tissue from the respiratory tract and blood from patients with asthma and COPD, and control subjects.

The authors present interesting and sometimes unexpected findings. First, they observed that vitamin D₃

⦿This article is open access and distributed under the terms of the Creative Commons Attribution Non-Commercial No Derivatives License 4.0 (<http://creativecommons.org/licenses/by-nc-nd/4.0/>). For commercial usage and reprints, please contact Diane Gern (dgern@thoracic.org).

Originally Published in Press as DOI: 10.1164/rccm.202004-1012ED on April 30, 2020

supplementation-induced increases in circulating 25(OH)D were lower in patients with asthma or COPD compared with control subjects. This would still be compatible with catabolism induced by inflammation. In line with this, they show that genetic variation in the vitamin D pathway as assessed by the SNP analysis is not a likely explanation for their findings. The first surprise comes in with the analyses of ratios of the vitamin D metabolites. They found that the 25(OH)D₃-to-vitamin D₃ ratio was significantly lower at baseline and after supplementation, whereas 1,25(OH)₂D₃-to-25(OH)D₃ ratios were higher in asthma and COPD. Gene profiling demonstrated reduced 25-hydroxylase CYP27A1 expression in lung tissue, indicating a potential inhibition of production of 25(OH)₂D₃ in asthma and COPD. The second surprise is the absence of a difference in 24R,25(OH)₂D₃-to-25(OH)D₃ and 4β,25(OH)₂D₃-to-25(OH)D₃ ratios between groups. This suggests that catabolism of 25(OH)D₃ leading to generation of these two metabolites does not contribute to lower levels of 25(OH)D₃. In line with this, but in contrast with previous *in vitro* findings, gene expression in respiratory tract tissue did not support increased catabolism. The authors therefore conclude that not increased catabolism but potentially hampered production or, for example, sequestration in other depots such as adipose tissue may lower 25(OH)D₃ levels in asthma and COPD. Collectively, these results do provide strong evidence for altered vitamin D₃ metabolism in asthma and COPD, and therefore point to reverse causality. Based on the combination of their data sets, the authors conclude that the interaction between vitamin D deficiency and airway inflammation may be bidirectional. When reviewing these results, it is important to keep in mind that circulating and not local lung metabolites were assessed, and that the rate of their clearance may differ.

The present study unfortunately does not provide an unequivocal answer to the chicken-and-egg question regarding vitamin D deficiency in asthma and COPD. Important new research questions need to be addressed before these findings can be properly put into clinical perspective. For instance, it remains to be determined whether higher supplementation dosages of cholecalciferol (vitamin D₃) or supplementation with 25-hydroxycholecalciferol (calcidiol; 25[OH]D₃) may be required in patients with asthma or COPD to aim for certain 25(OH)D₃ concentrations in contrast to in healthy individuals. Also, a crucial issue to be solved first is the finding of the optimal level of circulating 25(OH)D₃ in these patients regarding inflammation, immunity, and host defense outcomes. Therefore, more information on local vitamin D metabolism and levels of vitamin D metabolites in lung tissue are needed. In addition, for instance, mechanistic studies on the impact of medication on vitamin D metabolism are required. Vitamin D supplementation trials demonstrate a reduction in the number of asthma and COPD exacerbations but especially in those with baseline levels of 25(OH)D below 25 nmol/L and based on *post hoc* analyses. Therefore, there is an urgent need to perform randomized controlled trials in predefined patients with vitamin D deficiency, such as the ongoing PRECOVID (Ongoing Prevention of Exacerbations in

Patients with COPD and Vitamin D Deficiency) study in COPD (13). ■

Author disclosures are available with the text of this article at www.atsjournals.org.

Pieter S. Hiemstra, Ph.D.
Department of Pulmonology
Leiden University Medical Center
Leiden, the Netherlands

Renate T. de Jongh, M.D., Ph.D.
Department of Internal Medicine and Endocrinology
Amsterdam University Medical Center
Amsterdam, the Netherlands

ORCID IDs: 0000-0002-0238-5982 (P.S.H.); 0000-0001-8414-3938 (R.T.d.J.).

References

- Holick MF. Vitamin D deficiency. *N Engl J Med* 2007;357:266–281.
- Foong RE, Zosky GR. Vitamin D deficiency and the lung: disease initiator or disease modifier? *Nutrients* 2013;5:2880–2900.
- Janssens W, Decramer M, Mathieu C, Korf H. Vitamin D and chronic obstructive pulmonary disease: hype or reality? *Lancet Respir Med* 2013;1:804–812.
- Jolliffe DA, Greenberg L, Hooper RL, Mathysen C, Rafiq R, de Jongh RT, *et al*. Vitamin D to prevent exacerbations of COPD: systematic review and meta-analysis of individual participant data from randomised controlled trials. *Thorax* 2019;74:337–345.
- Jolliffe DA, Greenberg L, Hooper RL, Griffiths CJ, Camargo CA Jr, Kerley CP, *et al*. Vitamin D supplementation to prevent asthma exacerbations: a systematic review and meta-analysis of individual participant data. *Lancet Respir Med* 2017;5:881–890.
- Pfeffer PE, Hawrylowicz CM. Vitamin D in asthma: mechanisms of action and considerations for clinical trials. *Chest* 2018;153:1229–1239.
- Jolliffe DA, Stefanidis C, Wang Z, Kermani NZ, Dimitrov V, White JH, *et al*. Vitamin D metabolism is dysregulated in asthma and chronic obstructive pulmonary disease. *Am J Respir Crit Care Med* 2020;202:371–382.
- Bikle DD. Vitamin D metabolism, mechanism of action, and clinical applications. *Chem Biol* 2014;21:319–329.
- Jones G, Prosser DE, Kaufmann M. Cytochrome P450-mediated metabolism of vitamin D. *J Lipid Res* 2014;55:13–31.
- Schrumpf JA, Amatngalim GD, Veldkamp JB, Verhoosel RM, Ninaber DK, Ordonez SR, *et al*. Proinflammatory cytokines impair vitamin D-induced host defense in cultured airway epithelial cells. *Am J Respir Cell Mol Biol* 2017;56:749–761.
- Schrumpf JA, Ninaber DK, van der Does AM, Hiemstra PS. TGF-β1 impairs vitamin D-induced and constitutive airway epithelial host defense mechanisms. *J Innate Immun* 2020;12:74–89.
- Wang J, Liu X, Wang H, Li Y, Lan N, Yuan X, *et al*. Allergen specific immunotherapy enhanced defense against bacteria via TGF-β1-induced CYP27B1 in asthma. *Oncotarget* 2017;8:68681–68695.
- Rafiq R, Aleva FE, Schrumpf JA, Heijdra YF, Taube C, Daniels JM, *et al*. Prevention of exacerbations in patients with COPD and vitamin D deficiency through vitamin D supplementation (PRECOVID): a study protocol. *BMC Pulm Med* 2015;15:106.

Copyright © 2020 by the American Thoracic Society