



Universiteit
Leiden
The Netherlands

Knowledge discovery from patient forums: gaining novel medical insights from patient experiences

Dirkson, A.R.

Citation

Dirkson, A. R. (2022, December 6). *Knowledge discovery from patient forums: gaining novel medical insights from patient experiences*. SIKS Dissertation Series. Retrieved from <https://hdl.handle.net/1887/3492655>

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/3492655>

Note: To cite this publication please use the final published version (if applicable).

ACKNOWLEDGEMENTS

There are many people who helped shape this thesis and who made my Ph.D. easier and more rewarding. One person without whom this thesis would not exist is my supervisor, Suzan. Thank you for helping me tame the chaotic tsunami of ideas in my head into concrete plans and for motivating me in moments of uncertainty. Your advice and steady pragmatism gave me renewed energy and purpose.

I would also like to give a big thank you to my other supervisors, Wessel, Hans, and Gerard, for their guidance and unwavering enthusiasm. I would also like to thank Abeed Sarker who helped me get to grips with the niche community of medical social media mining and Dide den Hollander and Olga Husson for giving me a valuable medical perspective on my work.

I was fortunate to be able to share my PhD struggles and victories with other PhD students around me. Prajit, thanks for transforming my initially dreary lonely office into a den of gossip and fun in my first year. Alex, thanks for dropping your own work to help me with any text mining or web server questions I might have, or just to hang out and chat. Daniela, thanks for making me feel less out of place at LIACS, going on writing retreats with me, and helping me with motivational fairies whenever I was stuck. Also, a special thank you to both of you for being amazing colleagues and friends during the pandemic. Our daily updates and shared suffering on slack kept me going. Hugo, thanks for the fun conversations on the train home when we still worked at the office, the food tips for the Hague, and the coffees in the park when we no longer worked at the office. Gineke, thank you for the cappuccinos (both inside and outside the office), going to the chocolate museum in Cologne with me, and for being the only other non-Greek on the Greek island. Iris, thanks for sharing your post-PhD wisdom during our writing retreats and all our other conversations about life, academia, and burnout.

I also would like to thank all my colleagues in the Data Science Program with a special thank you to both Wouters, Gineke, Daniela, Hugo, Alex, Manon, Marieke, Annelieke, and Shannon. Thank you for the table football competitions, pubquiz on Tuesdays, broodje kroket on Fridays, being happy for me when I got engaged although you didn't know me at all, the eternal talk about how we were going to make a talking fish, joining my murder mystery parties, and coffee chats at our illegal coffee machine. Thank you to the Greek Island crew, Antonis and Manolis, for including me even if I was not Greek.

I also want to thank the other PhD students at LIACS for the geeky and fun conversations during lunch. Sander, I know it was your job, but you really went out of your way to help me with the Data Science cluster, thank you. Another thank you goes to the other members of the "best office" at LIACS: Antonio, Gerrit-Jan, Xue, and Yuchen. I would like to thank Gerrit-Jan specifically for getting me hooked up with the supercomputers, setting up my LIACS website, and helping me with all sorts of other technical struggles at the start.

Of course, I would not have felt half as supported during this PhD without my friends and family. Thank you Corine, Dominic, Bas, Tessa, Wing, Joyce, Hanna, Dirk, and Alex for dragging me out into normal life, celebrating my victories with me, helping me with my imposter syndrome, and just being great friends who reminded me that there is life outside of and after a PhD. Thank you for my loving family who may not have always understood what I was up to, but supported me nonetheless. A special thank you to my grandma who was always asking about what I was up to even though she grew up in an era without computers, let alone machine learning. A second special thank you goes to my sister-in-law Gaby whose great design skills went into making the cover of this book.

Finally, I want to thank my husband, Ralph. Thank you for being there when things got tough, for making me feel accomplished and capable, for being my colleague during the last two years working at home, but most of all thank you for making me happy. Without you, I could not have done this.

APPENDICES

A

TECHNICAL DETAILS OF ADE EXTRACTION

In Appendix A, we will elaborate on the technical details of how we preprocessed our data (Section A.0.1), how we trained and evaluated models to extract adverse drug events (ADE) (Section A.0.2), how we trained and evaluated machine learning models to map ADEs to the medical ontology SNOMED-CT (Section A.0.3) and how we linked reported ADEs to the medication for which the patient reports them (Section A.0.4). The Python code is publicly available at <https://github.com/AnneDirkson/CHyMer>.

A.0.1. DATA PREPROCESSING

We preprocess the data with the pipeline described in Chapter 2 that includes replacing URLs and email addresses with the strings -URL- and -EMAIL- with regular expressions, lower-casing and tokenizing the text using NLTK, converting British to American English, expanding abbreviations to their full form (e.g., lol to laughing out loud) and expanding contractions (e.g., I'm to I am). Spelling mistakes were corrected using a combination of relative Levenshtein edit distance (i.e., how many insertions, deletions, and replacements are necessary to change one word into another word relative to the length of the word) and cosine similarity based on a static (or context independent) word2vec language model. A word2vec language model represents words based on how they are used, meaning that words used in similar contexts are closer together in the model and therefore have a lower cosine similarity. We excluded drug names in the FDA database of drugs¹ from spelling correction to prevent common drug names from replacing uncommon, similar drug names. Removing empty messages (567) and messages in a language other than English (1,493) left 121,516 messages. We also normalized drug names to their generic forms using the FDA database. We manually added experimental names before FDA approval for novel GIST drugs (BLU-285 for Avapritinib and DCC-2618 for Ripretinib).

¹Downloaded from: <https://www.fda.gov/drugs/drug-approvals-and-databases/drugsfda-data-files>

	F ₁	Precision	Specificity	Sensitivity/Recall
Token level performance	0.626	0.723	0.995	0.553
Entity level performance	0.716	0.739	0.998	0.695

Table A.1: The performance of the ADE extraction model on the held-out test set. Here the entity-level performance is lenient: an entity is regarded as true positive if at least one token has been retrieved correctly.

A.0.2. EXTRACTING ADEs FROM TEXT

The task of extracting words from a text that contain a certain concept (like an Adverse Drug Event) is called Named Entity Recognition. For Named Entity Recognition, entities are represented using the BIO scheme (B-Beginning, I-Inside and O-Outside). By default, this representation is not able to represent entities that overlap with other entities (e.g., hand and foot pain) or are split (eyes are feeling dry). These entities are termed discontinuous entities. We converted annotated data labels to the FuzzyBIO annotation scheme (described in Chapter 7) to deal with these entity types. Discontinuous entities are transformed into continuous sequences that the BIO scheme can handle by annotating the non-entity words in between.

We make use of a state-of-the-art machine learning model for named entity recognition (BERT [84]) that has been trained on a large data set of English medical social media (EnDR BERT [303]). BERT models are a type of transfer learning model. Transfer learning models reuse a model trained on one (usually larger) data set as a starting point for training a model on another (usually smaller) data set to perform a task such as named entity recognition. For our model, we experimented with BERT models trained on biomedical text (i.e., PubmedBERT [119], BioBERT [174], and SciBERT[28]), but they did not perform as well as EnDR BERT.

The initialization of such models is stochastic (i.e., has a degree of randomness). This can result in suboptimal models [336]. To reduce this effect and create a more robust model, we use an ensemble of 10 models trained with different initialization seeds (1, 2, 4, 8, 16, 32, 64, 128, 256 and 512) following Weissenbacher et al. [336] and Miftahutdinov and Tutubalina [206]. We split our labeled data into training (80%), a validation (penultimate most recent 10% of the data), and a test set (most recent 10% of the data). We added a second publicly available data set of patient forum texts labeled for ADEs (CADEC [151]) to the training set. We also tried using PsyTAR [353] to increase the amount of data, but this was not beneficial. For each of the 10 models, we train for 3 or 4 epochs based on the results of the model on the first validation data. We use a one-cycle learning rate (LR) policy (max LR of 5^{-5}) to train the models. We average the output of the 10 models using majority voting.

Table A.1 reports the performance of the extraction of ADEs from text. The metrics used to calculate performance are recall, precision, and the F₁ score. Recall is the percentage of true positives that have been found. Precision is the percentage of true positives among the retrieved instances. The F₁ score is a measure of the overall performance: it is the harmonic mean of precision and recall.

Here, tokens are relevant words that are part of an ADE. Our algorithm was able to retrieve 55.3% of all true positive tokens (“Recall”) in a held-out test set and 72.3% of

the retrieved tokens are true positives (“Precision”). An entity is another term for the full concept e.g., “pain in chest” is an entity while “pain”, “in” and “chest” are the tokens belonging to the entity. Our algorithm was able to retrieve 52.3% of all entities fully and 16.6% partially. On average, 69.5% of all retrieved entities were true positives. With this performance, our model performs better than state-of-the-art models on this task [194, 337]. It still falls below human performance (average mutual $F_1 = 0.80$).

In addition to good performance, a model needs to be able to find entities that it has not seen in the training data [304]. We find that 40.2% of the true positive entities that our model finds are not present in the training data, indicating that our model is able to find novel entities in unlabeled data.

A.0.3. ADE NORMALIZATION

Normalization of adverse drug responses is the mapping of the text containing the ADE to concepts in an ontology (e.g., “cannot sleep” to Insomnia in SNOMED-CT). We use the current state-of-the-art method BioSyn [291] for normalizing the entities. We used the default parameters of BioSyn. BioSyn uses BioBERT [174] (a BERT model trained on biomedical text) to rank all possible concept labels for an extracted ADE. The highest ranking label is selected. As was done in Sung et al. [291], we split composite mentions to separate mentions using heuristic rules by D’ Souza and Ng [70] (e.g., non-familial breast and ovarian cancers into non-familial breast cancer and ovarian cancers).

Our data does not contain annotations for normalization (i.e., the relevant concept IDs for each ADE mention). We rely on three publicly available data sets for training our normalization model: CADEC [151], PsyTAR [353] and the Clinical Findings subset of the COMETA corpus [20].

We choose a curated subset of SNOMED, the CORE Problem List Subset as our target ontology. We try to map the concepts in the data sets to synonymous concepts in the CORE subset if possible. We do so by checking for a direct mapping in the community-based mappings in BioPortal [220] between the original concept. We also map the concept to its parent if the parent is in the CORE (e.g., “moderate anxiety” to “anxiety”). As target concepts, we include all concepts of the CORE subset. SNOMED concepts present in the training data that could not be mapped to a CORE concept and SNOMED concepts present in the registration trial data that could not be mapped to a CORE concept as candidates. We also removed all concepts that are not in the Clinical Findings of SNOMED CT (e.g., procedures like knee replacement). This results in a total of 5813 concepts. To employ the BioSyn method, we need to collect all synonyms of the target SNOMED concepts. Synonyms for each concept are retrieved from the community based mappings in BioPortal [220] using the REST API and from the UMLS using pymedtermino [170].

The performance of the normalization model is shown in Table A.2. On average, the model could accurately label 64.5% of the ADEs when tested on a different data set than those on which the model was trained. For an additional 14.6% of the cases, the correct label was included in the top 5. We manually inspected these cases and found that 53 of 100 randomly selected cases, we would consider the first label to be correct or even better than the gold label. For example, the mention “severe abdominal pain” has the gold label “painful” (i.e., the label given by humans) and the predicted label “abdominal pain”. Moreover, we inspected 100 random cases in which the correct label was not included in

Trained on	Tested on	Acc @1	Acc @5
CADEC & COMETA	PsyTAR	0.586	0.771
COMETA & PsyTAR	CADEC	0.663	0.807
CADEC & PsyTAR	COMETA	0.688	0.795
		0.645	0.791

Table A.2: The performance of our normalization model on a held-out data set. As the normalization model provides a ranking of candidate labels, Acc @1 and Acc @5 indicate the percentage of cases with the correct label in the top 1 and top 5, respectively. The bold numbers indicate mean values

Category	Frequency	Example
Correct concept	67	-
Extraction errors	22	“feet”, “nose”, “losing”
Predicted concept is related	6	“kidney issues” instead of “nephrosis”
No SNOMED equivalent	2	“comfy eyes, woozy face”
Wrong but no clear reason	2	

Table A.3: Manual analysis of 100 randomly selected found ADEs in the GIST data

the top 5 and found that for 36 of those we would consider the predicted label as correct. Thus, the performance in Table A.2 is likely an underestimation.

One concern is the propagation of errors in the pipeline (i.e., errors from extraction will influence normalization). Previous work has shown that ADE normalization is mainly hampered by errors made during extraction [337]. To evaluate the pipeline end-to-end, we manually inspect 100 of the ADEs found in the GIST data. As can be seen in Table A.3, we find that 67 of the 100 cases are correct, while 22 of the 100 are incorrect due to extraction errors prior to normalization. Thus, extraction appears to still be the major bottleneck.

Another concern is that the normalization model should be able to predict new types of ADEs that are absent in the training data. The BioSyn model should theoretically be able to do so because all the concepts of the SNOMED CT are considered as possible targets for mapping. Our normalization model is indeed able to predict classes that were not part of the training data at an Accuracy@1 of 0.417 on average and an Accuracy@5 of 0.612 on average for the external data sets. On our own GIST data, we also see empirically that 15.0% of the predicted concepts are not part of the training data.

Manual analysis of the predicted concepts in the GIST data revealed that some ADEs for tyrosine kinase inhibitors (TKIs) (e.g. split nails, hair color change, and hand-foot syndrome) were not included in the target concepts. We manually added 5 concepts and 2 synonyms to existing concepts to improve normalization.

A.0.4. LINKING ADEs TO MEDICATION

First, we identify all drugs mentioned in each message using a dictionary based on the RxNORM [313]. During preprocessing, we already converted all brand names to their generic equivalents (e.g., Gleevec to Imatinib).

We use heuristic rules to determine which drug is linked to each ADE. Whenever possible, we select the drug mentioned prior to the ADE in the message. If there is

none, we select the drug mentioned after the ADE in the message. If there are no drugs mentioned in the message, we select the first drug mentioned in the conversational thread prior to the message. These rules were determined based on further manual annotation of our annotated subset by the first author. In some cases, it was not clear which drug the patient believed was causing the ADE and these cases were excluded. In this data set, our rules were 93% accurate if we restricted the possible drugs for linking to a predetermined list (Imatinib, Sunitinib, Regorafenib, Avapritinib, Ripretinib, Nilotinib, Pazopanib, Ponatinib, Sorafenib).

thread_id	post_id	word	tag
7581	155	I	O
7581	155	really	O
7581	155	do	O
7581	155	not	O
7581	155	know	O
7581	155	what	O
7581	155	I	O
7581	155	would	O
7581	155	do	O
7581	155	without	O
7581	155	you	O
7581	155	guys	O
7581	155	!!	O
7581	155	I	O
7581	155	started	O
7581	155	sunitinib	O
7581	155	12	O
7581	155	days	O
7581	155	ago	O
7581	155	and	O
7581	155	now	O
7581	155	have	O
7581	155	some	O
7581	155	crazy	O
7581	155	rash	B-ADR
7581	155	all	I-ADR
7581	155	over	I-ADR
7581	155	my	I-ADR
7581	155	chest	I-ADR
7581	155	and	I-ADR
7581	155	back	I-ADR
7581	155	.	O
7581	155	They	O
7581	155	are	O
7581	155	little	O
7581	155	red	B-ADR
7581	155	elevated	I-ADR
7581	155	bumps	I-ADR
7581	155	all	O
7581	155	over	O
7581	155	that	O
7581	155	itch	O
7581	155	.	O
7581	155	Has	O
7581	155	anyone	O
7581	155	else	O
7581	155	had	O

7581	155	this	0
7581	155	issue	0
7581	155	?	0
7581	156	My	0
7581	156	husband	0
7581	156	has	0
7581	156	it	0
7581	156	but	0
7581	156	not	0
7581	156	itchy	0
7581	156	and	0
7581	156	his	0
7581	156	is	0
7581	156	from	0
7581	156	imatinib	0
7581	157	"	0
7581	157	I	0
7581	157	did	0
7581	157	,	0
7581	157	it	0
7581	157	only	0
7581	157	showed	0
7581	157	up	0
7581	157	on	0
7581	157	my	0
7581	157	legs	0
7581	157	and	0
7581	157	but	0
7581	157	it	0
7581	157	did	0
7581	157	not	0
7581	157	itch	0
7581	157	.	0
7581	157	I	0
7581	157	went	0
7581	157	to	0
7581	157	the	0
7581	157	emergency	0
7581	157	room	0
7581	157	,	0
7581	157	just	0
7581	157	in	0
7581	157	case	0
7581	157	it	0
7581	157	was	0
7581	157	an	0
7581	157	allergic	0
7581	157	reaction	0
7581	157	,	0

7581	157	but	O
7581	157	it	O
7581	157	ended	O
7581	157	up	O
7581	157	being	O
7581	157	“	O
7581	157	nothing	O
7581	157	“.”	O
7581	158	Yes	O
7581	158	I	O
7581	158	had	O
7581	158	some	O
7581	158	of	O
7581	158	that	O
7581	158	plus	O
7581	158	it	O
7581	158	dried	B-ADR
7581	158	out	I-ADR
7581	158	my	I-ADR
7581	158	hands	I-ADR
7581	158	and	I-ADR
7581	158	feet	I-ADR
7581	158	I	O
7581	158	fought	O
7581	158	that	O
7581	158	with	O
7581	158	immunotherapy	O
7581	158	by	O
7581	158	putting	O
7581	158	it	O
7581	158	on	O
7581	158	my	O
7581	158	feet	O
7581	158	then	O
7581	158	socks	O
7581	158	and	O
7581	158	put	O
7581	158	it	O
7581	158	on	O
7581	158	my	O
7581	158	hands	O
7581	158	with	O
7581	158	cotton	O
7581	158	gloves	O
7581	158	with	O
7581	158	the	O
7581	158	blue	O
7581	158	plastic	O
7581	158	gloves	O

7581	158	on	O
7581	158	top	O
7581	159	My	O
7581	159	mouth	B-ADR
7581	159	is	I-ADR
7581	159	constantly	I-ADR
7581	159	on	I-ADR
7581	159	fire	I-ADR
7581	159	too	O
7581	159	.	O
7581	159	Stuff	O
7581	159	that	O
7581	159	is	O
7581	159	not	O
7581	159	even	O
7581	159	spicy	O
7581	159	burns	O
7581	159	!!!	O
7581	159	I	O
7581	159	was	O
7581	159	just	O
7581	159	trying	O
7581	159	to	O
7581	159	eat	O
7581	159	some	O
7581	159	cheese	O
7581	159	Doritos	O
7581	159	with	O
7581	159	melted	O
7581	159	colby	O
7581	159	jack	O
7581	159	cheese	O
7581	159	on	O
7581	159	them	O
7581	159	and	O
7581	159	my	O
7581	159	mouth	O
7581	159	is	O
7581	159	on	O
7581	159	fire	O
7581	159	.	O
7581	159	My	O
7581	159	first	O
7581	159	9	O
7581	159	days	O
7581	159	on	O
7581	159	it	O
7581	159	were	O
7581	159	really	O

7581	159	good	O
7581	159	but	O
7581	159	I	O
7581	159	think	O
7581	159	the	O
7581	159	sunitinib	O
7581	159	side	O
7581	159	effects	O
7581	159	are	O
7581	159	way	O
7581	159	worse	O
7581	159	than	O
7581	159	imatinib	O
7581	159	!!	O
7581	160	"	O
7581	160	Yes	O
7581	160	I	O
7581	160	get	O
7581	160	rash	B-ADR
7581	160	on	I-ADR
7581	160	my	I-ADR
7581	160	neck	I-ADR
7581	160	and	I-ADR
7581	160	chest	I-ADR
7581	160	,	O
7581	160	some	O
7581	160	mornings	O
7581	160	I	O
7581	160	wake	O
7581	160	with	O
7581	160	eyes	B-ADR
7581	160	so	I-ADR
7581	160	swollen	I-ADR
7581	160	I	O
7581	160	can	O
7581	160	hardly	O
7581	160	see	O
7581	160	"	O
7581	161	Had	O
7581	161	rash	B-ADR
7581	161	and	O
7581	161	it	O
7581	161	took	O
7581	161	a	O
7581	161	bit	O
7581	161	for	O
7581	161	me	O
7581	161	to	O
7581	161	adjust	O

7581	161	to	0
7581	161	sunitinib	0
7581	161	-	0
7581	161	rash	0
7581	161	finally	0
7581	161	gone	0
7581	162	"	0
7581	162	My	0
7581	162	wife	0
7581	162	had	0
7581	162	similar	0
7581	162	issues	0
7581	162	when	0
7581	162	she	0
7581	162	initially	0
7581	162	started	0
7581	162	on	0
7581	162	imatinib	0
7581	162	,	0
7581	162	but	0
7581	162	went	0
7581	162	away	0
7581	162	after	0
7581	162	1	0
7581	162	.	0
7581	162	5	0
7581	162	weeks	0
7581	162	.	0
7581	162	What	0
7581	162	helped	0
7581	162	was	0
7581	162	that	0
7581	162	her	0
7581	162	oncologist	0
7581	162	prescribed	0
7581	162	some	0
7581	162	steroid	0
7581	162	,	0
7581	162	and	0
7581	162	also	0
7581	162	I	0
7581	162	had	0
7581	162	her	0
7581	162	taking	0
7581	162	Epsom	0
7581	162	Salt	0
7581	162	with	0
7581	162	Baking	0
7581	162	Powder	0

7581	162	baths	O
7581	162	.	O
7581	162	It	O
7581	162	helped	O
7581	162	pull	O
7581	162	toxins	O
7581	162	out	O
7581	162	of	O
7581	162	the	O
7581	162	skin	O
7581	162	and	O
7581	162	relieve	O
7581	162	itching	O
7581	162	and	O
7581	162	discomfort	O
7581	162	almost	O
7581	162	immediately	O
7581	162	.	O
7581	162	She	O
7581	162	took	O
7581	162	these	O
7581	162	baths	O
7581	162	x2	O
7581	162	per	O
7581	162	day	O
7581	162	."	O

Table A.4: Example annotation of NER data for ADE extraction

B

SUPPLEMENTARY FILES FOR CHAPTER 8

thread_id	post_id	word	tag	concept
5065	1873	"	O	-
5065	1873	On	O	-
5065	1873	day	O	-
5065	1873	4	O	-
5065	1873	of	O	-
5065	1873	imatinib	O	-
5065	1873	,	O	-
5065	1873	was	O	-
5065	1873	very	O	-
5065	1873	nauseous	B-ADR	-
5065	1873	all	O	-
5065	1873	day	O	-
5065	1873	.	O	-
5065	1873	Previous	O	-
5065	1873	days	O	-
5065	1873	I	O	-
5065	1873	had	O	-
5065	1873	taken	O	-
5065	1873	the	O	-
5065	1873	imatinib	O	-
5065	1873	with	O	-
5065	1873	yogurt	O	-
5065	1873	.	O	-
5065	1873	But	O	-
5065	1873	was	O	-
5065	1873	out	O	-
5065	1873	last	O	-
5065	1873	night	O	-
5065	1873	so	O	-
5065	1873	I	O	-
5065	1873	took	O	-
5065	1873	it	O	-
5065	1873	with	O	-
5065	1873	something	O	-
5065	1873	else	O	-
5065	1873	.	O	-
5065	1873	Going	O	-
5065	1873	to	O	-
5065	1873	try	O	-
5065	1873	yogurt	O	-
5065	1873	again	O	-
5065	1873	tonight	O	-
5065	1873	and	O	-
5065	1873	see	O	-
5065	1873	if	O	-
5065	1873	it	O	-
5065	1873	makes	O	-

5065	1873	a	O	-
5065	1873	difference	O	-
5065	1873	.	O	-
5065	1873	Only	O	-
5065	1873	other	O	-
5065	1873	side	O	-
5065	1873	effect	O	-
5065	1873	is	O	-
5065	1873	cold	B-ADR	-
5065	1873	hands	I-ADR	-
5065	1873	and	I-ADR	-
5065	1873	feet	I-ADR	-
5065	1873	while	O	-
5065	1873	the	O	-
5065	1873	rest	O	-
5065	1873	of	O	-
5065	1873	the	O	-
5065	1873	body	O	-
5065	1873	is	O	-
5065	1873	warm	O	-
5065	1873	.	O	-
5065	1873	These	O	-
5065	1873	side	O	-
5065	1873	effects	O	-
5065	1873	are	O	-
5065	1873	workable	O	-
5065	1873	!	O	-
5065	1873	Do	O	-
5065	1873	you	O	-
5065	1873	take	O	-
5065	1873	it	O	-
5065	1873	with	O	-
5065	1873	a	O	-
5065	1873	certain	O	-
5065	1873	food	O	-
5065	1873	every	O	-
5065	1873	night	O	-
5065	1873	?"	O	-
5065	1874	I	O	-
5065	1874	have	O	-
5065	1874	been	O	-
5065	1874	taking	O	-
5065	1874	mine	O	-
5065	1874	at	O	-
5065	1874	night	O	-
5065	1874	around	O	-
5065	1874	11pm	O	-
5065	1874	with	O	-
5065	1874	a	O	-

5065	1874	couple	O	-
5065	1874	cookies	O	-
5065	1874	and	O	-
5065	1874	a	O	-
5065	1874	large	O	-
5065	1874	glass	O	-
5065	1874	of	O	-
5065	1874	water	O	-
5065	1874	and	O	-
5065	1874	then	O	-
5065	1874	I	O	-
5065	1874	drink	O	-
5065	1874	a	O	-
5065	1874	bottle	O	-
5065	1874	of	O	-
5065	1874	ensure	O	-
5065	1874	after	O	-
5065	1874	it	O	-
5065	1874	.	O	-
5065	1874	It	O	-
5065	1874	seems	O	-
5065	1874	to	O	-
5065	1874	work	O	-
5065	1874	I	O	-
5065	1874	have	O	-
5065	1874	not	O	-
5065	1874	felt	O	-
5065	1874	nauseous	O	-
5065	1874	just	O	-
5065	1874	a	O	-
5065	1874	lot	O	-
5065	1874	of	O	-
5065	1874	tummy	O	-
5065	1874	rumbling	O	-
5065	1874	.	O	-
5065	1874	it	O	-
5065	1874	will	O	-
5065	1874	be	O	-
5065	1874	my	O	-
5065	1874	6th	O	-
5065	1874	day	O	-
5065	1874	tonight	O	-
5065	1875	Hey	O	-
5065	1875	NAME	O	-
5065	1875	...	O	-
5065	1875	I	O	-
5065	1875	take	O	-
5065	1875	mine	O	-
5065	1875	about	O	-

5065	1875	an	O	-
5065	1875	hour	O	-
5065	1875	before	O	-
5065	1875	bedtime	O	-
5065	1875	.	O	-
5065	1875	I	O	-
5065	1875	have	O	-
5065	1875	tried	O	-
5065	1875	numerous	O	-
5065	1875	things	O	-
5065	1875	to	O	-
5065	1875	see	O	-
5065	1875	which	O	-
5065	1875	works	O	-
5065	1875	best	O	-
5065	1875	.	O	-
5065	1875	I	O	-
5065	1875	am	O	-
5065	1875	now	O	-
5065	1875	taking	O	-
5065	1875	my	O	-
5065	1875	imatinib	O	-
5065	1875	with	O	-
5065	1875	a	O	-
5065	1875	glass	O	-
5065	1875	of	O	-
5065	1875	dark	B-STR	CS06033
5065	1875	chocolate	I-STR	CS06033
5065	1875	almond	I-STR	CS06033
5065	1875	milk	I-STR	CS06033
5065	1875	with	O	-
5065	1875	much	O	-
5065	1875	success	O	-
5065	1875	.	O	-
5065	1875	Dark	B-STR	CS05345
5065	1875	chocolate	I-STR	CS05345
5065	1875	also	O	-
5065	1875	helps	O	-
5065	1875	with	O	-
5065	1875	nausea	B-ADR	-
5065	1875	and	O	-
5065	1875	the	O	-
5065	1875	almond	O	-
5065	1875	milk	O	-
5065	1875	has	O	-
5065	1875	lots	O	-
5065	1875	do	O	-
5065	1875	health	O	-
5065	1875	benefits	O	-

5065	1875	.	O	-
5065	1875	I	O	-
5065	1875	try	O	-
5065	1875	to	O	-
5065	1875	stay	B-STR	CS03264
5065	1875	away	I-STR	CS03264
5065	1875	from	I-STR	CS03264
5065	1875	dairy	I-STR	CS03264
5065	1875	as	O	-
5065	1875	much	O	-
5065	1875	as	O	-
5065	1875	possible	O	-

Table B.1: Example of real annotated data for NER and entity linking of coping strategies.

thread_id	Text	Label*
5065	" On day 4 of imatinib , was very nauseous all day . Previous days I had taken the imatinib with yogurt . But was out last night so I took it with something else . Going to try yogurt again tonight and see if it makes a difference . Only other side effect is cold hands and feet while the rest of the body is warm . These side effects are workable ! Do you take it with a certain food every night ?" , 'I have been taking mine at night around 11pm with a couple cookies and a large glass of water and then I drink a bottle of ensure after it . It seems to work I have not felt nauseous just a lot of tummy rumbling . it will be my 6th day tonight ' , 'Hey NAME ... I take mine about an hour before bedtime . I have tried numerous things to see which works best . I am now taking my imatinib with a glass of dark chocolate almond milk with much success . Dark chocolate also helps with nausea and the almond milk has lots do health benefits . I try to <i>stay away from dairy</i> as much as possible'	1
5065	" On day 4 of imatinib , was very nauseous all day . Previous days I had taken the imatinib with yogurt . But was out last night so I took it with something else . Going to try yogurt again tonight and see if it makes a difference . Only other side effect is cold hands and feet while the rest of the body is warm . These side effects are workable ! Do you take it with a certain food every night ?" , 'I have been taking mine at night around 11pm with a couple cookies and a large glass of water and then I drink a bottle of ensure after it . It seems to work I have not felt nauseous just a lot of tummy rumbling . it will be my 6th day tonight ' , 'Hey NAME ... I take mine about an hour before bedtime . I have tried numerous things to see which works best . I am now taking my imatinib with a glass of dark chocolate almond milk with much success . Dark chocolate also helps with nausea and the almond milk has lots do health benefits . I try to <i>stay away from dairy</i> as much as possible'	0

5065	<p>" On day 4 of imatinib , was very nauseous all day . Previous days I had taken the imatinib with yogurt . But was out last night so I took it with something else . Going to try yogurt again tonight and see if it makes a difference . Only other side effect is cold hands and feet while the rest of the body is warm . These side effects are workable ! Do you take it with a certain food every night ?" ; 'I have been taking mine at night around 11pm with a couple cookies and a large glass of water and then I drink a bottle of ensure after it . It seems to work I have not felt nauseous just a lot of tummy rumbling . it will be my 6th day tonight ' , 'Hey NAME ... I take mine about an hour before bedtime . I have tried numerous things to see which works best . I am now taking my imatinib with a glass of dark chocolate almond milk with much success . Dark chocolate also helps with nausea and the almond milk has lots do health benefits . I try to stay away from dairy as much as possible ' , 'I take mine nightly after a full meal normally diner but if I take later I normally have a peanut butter sandwich and then my pill . Sometimes I will have a couple Heresy kisses after taking my pill have had little or no nausea since I started my imatinib almost 9 months ago . ' , 'My husband has been taking 400 mg for 6 years . He started breaking it in 1 / 2 and <i>taking one half in the morning after breakfast and the other half at night with dinner</i> . That seems to have helped his nausea .'</p>	1
5065	<p>" On day 4 of imatinib , was very nauseous all day . Previous days I had taken the imatinib with yogurt . But was out last night so I took it with something else . Going to try yogurt again tonight and see if it makes a difference . Only other side effect is cold hands and feet while the rest of the body is warm . These side effects are workable ! Do you take it with a certain food every night ?" ; 'I have been taking mine at night around 11pm with a couple cookies and a large glass of water and then I drink a bottle of ensure after it . It seems to work I have not felt nauseous just a lot of tummy rumbling . it will be my 6th day tonight ' , 'Hey NAME ... I take mine about an hour before bedtime . I have tried numerous things to see which works best . I am now taking my imatinib with a glass of dark chocolate almond milk with much success . Dark chocolate also helps with nausea and the almond milk has lots do health benefits . I try to stay away from dairy as much as possible ' , 'I take mine nightly after a full meal normally diner but if I take later I normally have a peanut butter sandwich and then my pill . Sometimes I will have a couple Heresy kisses after taking my pill have had little or no nausea since I started my imatinib almost 9 months ago . ' , 'My husband has been taking 400 mg for 6 years . He started breaking it in 1 / 2 and <i>taking one half in the morning after breakfast and the other half at night with dinner</i> . That seems to have helped his nausea .'</p>	0

Table B.2: Example of real annotated data for CS-ADE relation extraction. *1 indicates true CS-ADE relation. **Bold** indicates the ADE mentions and ***bold italic*** indicates the coping strategy (CS).




Figure B.1: **Top 10 coping strategies for Fatigue.** Manual examination of messages shows that patients recommend taking B12 or iron pills as a supplement. They also recommend naps (“bed rest”). Energy therapy appears to be a false positive and concerns messages about energy levels. Strategies regarding dosage (“Dosage”, “Change to other medication”, “Take whole dosage at once”, “Moderate-dose treatment”, “Other chemotherapy”) do not appear to be about fatigue although they do relate to dosage.




Figure B.2: **Top 10 coping strategies for Pain.** Manual examination of messages shows that patients recommend reducing the dosage of the primary medication (“moderate-dose treatment”), using gabapentin (“Gabapentin”) or other pain medication (“Pain management method”), getting a massage (“massage therapy”) or exercising (“Exercise pain management”). Small meals and toothpaste do concern messages around these topics but do not appear to be about pain management. Other categories related to dosage (“Other chemotherapy”, “Take whole dosage at once”) are not insightful.




Figure B.3: **Top 10 coping strategies for Alopecia (hair loss)**. Manual examination of messages reveals several true positives: Patients recommend using Biotin, using special shampoos, washing one's hair less, and wearing a wig. Other categories (e.g. "Hair dye", "Hair removal" and "Hair weaving") are false positives. The category "Hair dye" specifically mainly concerns messages where patients relay that their hair color has changed due to medication.




Figure B.4: **Top 10 coping strategies for Eruption (Rash).** Manual examination of messages shows that patients recommend cream, lotion, steroid creams, seeing a dermatologist, staying out of the sun and using sunscreen. The category “taking whole dosage at once” mainly contains the advice to the contrary i.e. split the dosage




Figure B.5: **Top 10 coping strategies for a painful mouth.** Manual analysis of the messages relating to these coping strategies showed that patients recommend certain mouthwashes (e.g. magic mouthwash), using or avoiding certain toothpastes, and rinsing with saline water.




Figure B.6: **Top 10 coping strategies for Periorbital Edema.** Manual examination of messages shows patients recommend certain eye products including eye drops, or eye washes. They also discuss home remedies like cucumber and cotton pads with chamomile for on the eyes. Low salt food is also recommended.

C

SUPPLEMENTARY TABLES FOR CHAPTER 10

	Sunitinib (n=6)	Regorafenib (n=6)	Ripretinib (n=3)
Age (mean \pm SD (range))	74.4 \pm 8.0 (64-86)	65.5 \pm 4.3 (60-71)	64.9 \pm 4.6 (60-69)
Time since diagnosis in years (mean \pm SD (range))	6.0 \pm 2.1 (3.8-9.4)	5.8 \pm 1.8 (3.8 – 8.2)	3.4 \pm 1.2 (2.1-4.6)
Sex			
– Male	2 (33.3%)	5 (83.3%)	2 (66.7%)
– Female	4 (66.7%)	1 (16.7%)	1 (33.3%)
Highest formal education			
– Primary school only	0	1 (16.7%)	0
– High school	1 (16.7%)	2 (33.3%)	0
– College or university	5 (83.3%)	3 (50%)	3 (100%)
Relationship status			
– Single	0	0	0
– Married/relationship	4 (66.7%)	5 (83.3%)	3 (100%)
– Separated/divorced	0	0	0
– Widowed	2 (33.3%)	1 (16.7%)	0
Comorbidities			
– None	2 (33.3%)	3 (50%)	1 (33.3%)
– One	1 (16.7%)	2 (33.3%)	1 (33.3%)
– Two or more	3 (50%)	1 (16.7%)	1 (33.3%)

Table C.1: Patient characteristics from the survey study for different tyrosine kinase inhibitors than imatinib

	Sunitinib (n=6)	Regorafenib (n=6)	Ripretinib (n=3)
Symptoms	Prevalence (%)	Prevalence (%)	Prevalence (%)
Swelling of the face or around the eyes	3 (50)	2 (33)	0 (0)
Swelling in any part of the body	1 (18)	1 (18)	0 (0)
Muscle aches, pains, or cramps	4 (67)	4 (67)	3 (100)
Aches or pains in joints	4 (67)	2 (33)	1 (33)
Food and drink tasting different from usual	5 (83)	4 (67)	0 (0)
Pain or soreness in mouth	5 (83)	2 (33)	0 (0)
Indigestion or heartburn	5 (83)	1 (18)	1 (33)
Skin problems (e.g. itchy skin, dry skin, skin discoloration)	5 (83)	4 (67)	2 (67)
Hand-foot syndrome	3 (50)	3 (50)	0 (0)
Problems because of changed appearance	2 (33)	0 (0)	3 (100)
Feeling confused	1 (18)	1 (18)	0 (0)
Trouble speaking	2 (33)	1 (18)	0 (0)
Auditory hallucinations	0 (0)	0 (0)	0 (0)
Visual hallucinations	1 (18)	0 (0)	0 (0)
Shortness of breath	1 (18)	4 (67)	1 (33)
Pain	4 (67)	3 (50)	2 (67)
Feeling weak	5 (83)	4 (67)	1 (33)
Appetite loss	4 (67)	2 (33)	1 (33)
Nausea	5 (83)	1 (18)	0 (0)
Vomiting	2 (33)	1 (18)	0 (0)
Constipation	3 (50)	1 (18)	2 (67)
Diarrhea	4 (67)	2 (33)	1 (33)
Fatigue	6 (100)	5 (83)	3 (100)
Problems with concentrating	3 (50)	1 (18)	1 (33)
Problems with remembering things	3 (50)	2 (33)	1 (33)

Table C.2: Prevalence scores for symptoms in the survey study for different tyrosine kinase inhibitors (TKI) than imatinib. Prevalence is based on percentage of patients with this symptom out of the total number of patients taking each TKI.

	Sunitinib (n=6)	Regorafenib (n=6)	Ripretinib (n=3)
Symptoms	Prevalence (%)	Prevalence (%)	Prevalence (%)
Fatigue	184 (8.0)	117 (9.5)	40 (12.6)
Nausea	111 (4.8)	35 (2.8)	14 (4.4)
Cramp	32 (1.4)	30 (2.4)	14 (4.4)
Disorder of skin	59 (2.6)	36 (2.9)	12 (3.8)
Edema	-	-	-
Pain ^a	92 (4.0)	80 (6.5)	13 (4.1)
Alopecia	90 (3.9)	72 (5.8)	42 (13.4)
Altered bowel function ^b	121 (5.2)	42 (3.4)	5 (1.6)
Pain in limb ^c	137 (5.9)	87 (7.1)	13 (4.1)
Facial swelling	-	-	-
Painful mouth	142 (6.1%)	27 (2.2)	-
Weight loss	20 (0.9)	38 (3.1)	6 (1.9)
Hand-foot syndrome	27 (1.2)	58 (4.7)	10 (3.1)
Hypertensive disorder	86 (3.8)	-	26 (2.1)
Taste sense altered	77 (3.3)	-	-

Table C.3: Prevalence scores for symptoms in the forum study for different tyrosine kinase inhibitors (TKI) than imatinib. Forum data was adapted from <https://dashboard-gist-adr.herokuapp.com/> accessed on July 14, 2021. Prevalence is based on the percentages of each symptom out of the total number of symptoms for each TKI were calculated. ^aincludes: chronic pain and generalized aches and pains ^bincludes: constipation and diarrhea ^cincludes: any pain in upper or lower limb, excludes: cramp, muscle pain, hand-foot syndrome

Rank	Survey	Rank	Forum
1.	Fatigue	1.	Fatigue
2.	Pain or soreness in mouth*	2.	Painful mouth
	Indigestion or heart burn*	3.	Pain in limb
	Skin problems *	4.	Altered bowel function
	Nausea*	5.	Nausea
	Food and drink tasting different than usual*	6.	Pain
	Feeling weak*	7.	Alopecia
8.	Muscle aches, pains or cramps #	8.	Hypertensive disorder
	Aches and pains in joints#	9.	Taste sense altered
	Pain#	10.	Disorder of skin
	Appetite loss #		
	Diarrhea#		

Table C.4: Ranking of prevalence of symptoms related to sunitinib in survey study and forum study. * same prevalence (83%) # same prevalence (67%)

Rank	Survey	Rank	Forum
1.	Fatigue	1.	Fatigue
2.	Muscle aches, pains or cramps*	2.	Pain in limb
	Shortness of breath*	3.	Pain
	Skin problems *	4.	Alopecia
	Feeling weak*	5.	Hand-foot syndrome
	Food and drink tasting different from usual*	6.	Altered bowel function
7.	Hand-foot syndrome#	7.	Weight loss
	Pain #	8.	Disorder of skin
9.	†	9.	Nausea
		10.	Cramp

Table C.5: Ranking of prevalence of symptoms related to regorafenib in survey study and forum study. * same prevalence (67%) # same prevalence (50%) † six symptoms with same prevalence (33%)

CURRICULUM VITÆ

Anne DIRKSON

- 2022–present Scientist
Netherlands Forensics Institute
- 2018–2022 PhD. Computer Science
Leiden Institute of Advanced Computer Science
Universiteit Leiden
- 2016–2017 Junior Teaching Fellow
University College Maastricht
- 2014–2016 MSc Neuroscience
Vrije Universiteit Amsterdam
- 2011–2014 BA Liberal Arts & Sciences
University College Maastricht
- 2005–2011 Secondary education (Bilingual VWO)
Stedelijk College Eindhoven

LIST OF PUBLICATIONS

14. **Anne Dirkson**, Suzan Verberne, Gerard van Oortmerssen, Hans Gelderblom and Wessel Kraaij (2022). *How do others cope? Extracting coping mechanisms for adverse drug events from social media*. Journal of Biomedical Informatics.
13. **Anne Dirkson**, Dide den Hollander, Suzan Verberne, Ingrid Desar, Olga Husson, Winette T.A. van der Graaf, Astrid Oosten, An Reyners, Neeltje Steeghs, Wouter van Loon, Hans Gelderblom and Wessel Kraaij (2022). *Sample bias in online patient generated health data of Gastrointestinal Stromal Tumor patients: Survey study*. JMIR Formative Research.
12. **Anne Dirkson**, Suzan Verberne, Wessel Kraaij, Gerard van Oortmerssen and Hans Gelderblom (2022). *Automated gathering of real-world data from online patient forums can complement pharmacovigilance for rare cancers*. Scientific Reports, 12 (10317).
11. Dide den Hollander, **Anne Dirkson**, Suzan Verberne, Wessel Kraaij, Gerard van Oortmerssen, Hans Gelderblom, Astrid Oosten, Anna K.L. Reyners, Neeltje Steeghs, Winette T.A. van der Graaf, Ingrid Desar and Olga Husson (2022). *Symptoms reported by Gastrointestinal Stromal Tumour (GIST) patients on imatinib treatment: combining questionnaire and forum data*. Supportive Care in Cancer.
10. Arjun Magge, Elena Tutubalina, Zulfat Miftahutdinov, Ilseyar Alimova, **Anne Dirkson**, Suzan Verberne, Davy Weissenbacher & Graciela Gonzalez-Hernandez (2021). *DeepADEMiner: a deep learning pharmacovigilance pipeline for extraction and normalization of adverse drug event mentions on Twitter*. Journal of the American Medical Informatics Association 28 (10). 2184–2192.
9. **Anne Dirkson**, Suzan Verberne & Wessel Kraaij (2021). *FuzzyBIO: a proposal for fuzzy representation of discontinuous entities*. Proceedings of the 12th International Workshop on Health Text Mining and Information Analysis. 77–82.
8. Johan de Graaf, Friso de Vries, **Anne Dirkson**, Olaf Hiort, Alberto Pereira, Márta Korbonits & Martine Cools on behalf of Research and Science Work Package of Endo-ERN (2021). *Patients with rare endocrine conditions have corresponding views on unmet needs in clinical research*. Endocrine 71. 561–568
7. **Anne Dirkson**, Suzan Verberne & Wessel Kraaij (2020). *Conversation-aware Filtering from Online Patient Forums*. Proceedings of the Fifth Social Media Mining for Health Applications (SMM4H) Workshop @ COLING.
6. Gautam Kishari, **Anne Dirkson** & Tim Majchrzak (2020). *An Exploratory Study of COVID-19 Misinformation on Twitter*. Online Social Networks and Media.
5. **Anne Dirkson**, Suzan Verberne, Abeed Sarker & Wessel Kraaij (2019), *Data-Driven Lexical Normalization for Medical Social Media*, Multimodal Technologies and Interaction 3(3): 60.

4. **Anne Dirkson** & Suzan Verberne (2019), Transfer Learning for Health-related Twitter Data. Proceedings of the Fourth Social Media Mining for Health Applications (SMM4H) Workshop & Task. Association for Computational Linguistics. 89-92.
3. **Anne Dirkson**, Suzan Verberne & Wessel Kraaij (2019), *Lexical Normalization of User-Generated Medical Text: Association for Computational Linguistics*. Proceedings of the Fourth Social Media Mining for Health Applications (SMM4H) Workshop & Task. Association for Computational Linguistics. 11-20.
2. **Anne Dirkson** (2019), *Knowledge Discovery and Hypothesis Generation from Online Patient Forums: A Research Proposal*. Student Research Workshop, Association for Computational Linguistics. 64-73.
1. **Anne Dirkson**, Suzan Verberne & Wessel Kraaij (2019), *Narrative Detection in Online Patient Communities*. Proceedings of Text2Story — Second Workshop on Narrative Extraction From Texts co-located with 41th European Conference on Information Retrieval (ECIR 2019). 21-28.

SIKS DISSERTATION SERIES

-
- 2011 01 Botond Cseke (RUN), Variational Algorithms for Bayesian Inference in Latent Gaussian Models
- 02 Nick Tinnemeier (UU), Organizing Agent Organizations. Syntax and Operational Semantics of an Organization-Oriented Programming Language
- 03 Jan Martijn van der Werf (TUE), Compositional Design and Verification of Component-Based Information Systems
- 04 Hado van Hasselt (UU), Insights in Reinforcement Learning; Formal analysis and empirical evaluation of temporal-difference
- 05 Bas van der Raadt (VU), Enterprise Architecture Coming of Age - Increasing the Performance of an Emerging Discipline.
- 06 Yiwon Wang (TUE), Semantically-Enhanced Recommendations in Cultural Heritage
- 07 Yujia Cao (UT), Multimodal Information Presentation for High Load Human Computer Interaction
- 08 Nieske Vergunst (UU), BDI-based Generation of Robust Task-Oriented Dialogues
- 09 Tim de Jong (OU), Contextualised Mobile Media for Learning
- 10 Bart Bogaert (UvT), Cloud Content Contention
- 11 Dhaval Vyas (UT), Designing for Awareness: An Experience-focused HCI Perspective
- 12 Carmen Bratosin (TUE), Grid Architecture for Distributed Process Mining
- 13 Xiaoyu Mao (UvT), Airport under Control. Multiagent Scheduling for Airport Ground Handling
- 14 Milan Lovric (EUR), Behavioral Finance and Agent-Based Artificial Markets
- 15 Marijn Koolen (UvA), The Meaning of Structure: the Value of Link Evidence for Information Retrieval
- 16 Maarten Schadd (UM), Selective Search in Games of Different Complexity
- 17 Jiyin He (UVA), Exploring Topic Structure: Coherence, Diversity and Relatedness
- 18 Mark Ponsen (UM), Strategic Decision-Making in complex games
- 19 Ellen Rusman (OU), The Mind's Eye on Personal Profiles
- 20 Qing Gu (VU), Guiding service-oriented software engineering - A view-based approach
- 21 Linda Terlouw (TUD), Modularization and Specification of Service-Oriented Systems
- 22 Junte Zhang (UVA), System Evaluation of Archival Description and Access
- 23 Wouter Weerkamp (UVA), Finding People and their Utterances in Social Media
- 24 Herwin van Welbergen (UT), Behavior Generation for Interpersonal Coordination with Virtual Humans On Specifying, Scheduling and Realizing Multimodal Virtual Human Behavior
- 25 Syed Waqar ul Qounain Jaffry (VU), Analysis and Validation of Models for Trust Dynamics
- 26 Matthijs Aart Pontier (VU), Virtual Agents for Human Communication - Emotion Regulation and Involvement-Distance Trade-Offs in Embodied Conversational Agents and Robots
- 27 Aniel Bhulai (VU), Dynamic website optimization through autonomous management of design patterns
- 28 Rianne Kaptein (UVA), Effective Focused Retrieval by Exploiting Query Context and Document Structure

-
- 29 Faisal Kamiran (TUE), Discrimination-aware Classification
 - 30 Egon van den Broek (UT), Affective Signal Processing (ASP): Unraveling the mystery of emotions
 - 31 Ludo Waltman (EUR), Computational and Game-Theoretic Approaches for Modeling Bounded Rationality
 - 32 Nees-Jan van Eck (EUR), Methodological Advances in Bibliometric Mapping of Science
 - 33 Tom van der Weide (UU), Arguing to Motivate Decisions
 - 34 Paolo Turrini (UU), Strategic Reasoning in Interdependence: Logical and Game-theoretical Investigations
 - 35 Maaïke Harbers (UU), Explaining Agent Behavior in Virtual Training
 - 36 Erik van der Spek (UU), Experiments in serious game design: a cognitive approach
 - 37 Adriana Burlutiu (RUN), Machine Learning for Pairwise Data, Applications for Preference Learning and Supervised Network Inference
 - 38 Nyree Lemmens (UM), Bee-inspired Distributed Optimization
 - 39 Joost Westra (UU), Organizing Adaptation using Agents in Serious Games
 - 40 Viktor Clerc (VU), Architectural Knowledge Management in Global Software Development
 - 41 Luan Ibraimi (UT), Cryptographically Enforced Distributed Data Access Control
 - 42 Michal Sindlar (UU), Explaining Behavior through Mental State Attribution
 - 43 Henk van der Schuur (UU), Process Improvement through Software Operation Knowledge
 - 44 Boris Reuderink (UT), Robust Brain-Computer Interfaces
 - 45 Herman Stehouwer (UvT), Statistical Language Models for Alternative Sequence Selection
 - 46 Beibei Hu (TUD), Towards Contextualized Information Delivery: A Rule-based Architecture for the Domain of Mobile Police Work
 - 47 Azizi Bin Ab Aziz (VU), Exploring Computational Models for Intelligent Support of Persons with Depression
 - 48 Mark Ter Maat (UT), Response Selection and Turn-taking for a Sensitive Artificial Listening Agent
 - 49 Andreea Niculescu (UT), Conversational interfaces for task-oriented spoken dialogues: design aspects influencing interaction quality
-
- 2012 01 Terry Kakeeto (UvT), Relationship Marketing for SMEs in Uganda
 - 02 Muhammad Umair (VU), Adaptivity, emotion, and Rationality in Human and Ambient Agent Models
 - 03 Adam Vanya (VU), Supporting Architecture Evolution by Mining Software Repositories
 - 04 Jurriaan Souer (UU), Development of Content Management System-based Web Applications
 - 05 Marijn Plomp (UU), Maturing Interorganisational Information Systems
 - 06 Wolfgang Reinhardt (OU), Awareness Support for Knowledge Workers in Research Networks
 - 07 Rianne van Lambalgen (VU), When the Going Gets Tough: Exploring Agent-based Models of Human Performance under Demanding Conditions
 - 08 Gerben de Vries (UVA), Kernel Methods for Vessel Trajectories
 - 09 Ricardo Neisse (UT), Trust and Privacy Management Support for Context-Aware Service Platforms
 - 10 David Smits (TUE), Towards a Generic Distributed Adaptive Hypermedia Environment
 - 11 J.C.B. Rantham Prabhakara (TUE), Process Mining in the Large: Preprocessing, Discovery, and Diagnostics
 - 12 Kees van der Sluijs (TUE), Model Driven Design and Data Integration in Semantic Web Information Systems
 - 13 Suleman Shahid (UvT), Fun and Face: Exploring non-verbal expressions of emotion during playful interactions

- 14 Evgeny Knutov (TUE), Generic Adaptation Framework for Unifying Adaptive Web-based Systems
- 15 Natalie van der Wal (VU), Social Agents. Agent-Based Modelling of Integrated Internal and Social Dynamics of Cognitive and Affective Processes.
- 16 Fiemke Both (VU), Helping people by understanding them - Ambient Agents supporting task execution and depression treatment
- 17 Amal Elgammal (UvT), Towards a Comprehensive Framework for Business Process Compliance
- 18 Eltjo Poort (VU), Improving Solution Architecting Practices
- 19 Helen Schonenberg (TUE), What's Next? Operational Support for Business Process Execution
- 20 Ali Bahramisharif (RUN), Covert Visual Spatial Attention, a Robust Paradigm for Brain-Computer Interfacing
- 21 Roberto Cornacchia (TUD), Querying Sparse Matrices for Information Retrieval
- 22 Thijs Vis (UvT), Intelligence, politie en veiligheidsdienst: verenigbare grootheden?
- 23 Christian Muehl (UT), Toward Affective Brain-Computer Interfaces: Exploring the Neurophysiology of Affect during Human Media Interaction
- 24 Laurens van der Werff (UT), Evaluation of Noisy Transcripts for Spoken Document Retrieval
- 25 Silja Eckartz (UT), Managing the Business Case Development in Inter-Organizational IT Projects: A Methodology and its Application
- 26 Emile de Maat (UVA), Making Sense of Legal Text
- 27 Hayrettin Gurkok (UT), Mind the Sheep! User Experience Evaluation & Brain-Computer Interface Games
- 28 Nancy Pascall (UvT), Engendering Technology Empowering Women
- 29 Almer Tigelaar (UT), Peer-to-Peer Information Retrieval
- 30 Alina Pommeranz (TUD), Designing Human-Centered Systems for Reflective Decision Making
- 31 Emily Bagarukayo (RUN), A Learning by Construction Approach for Higher Order Cognitive Skills Improvement, Building Capacity and Infrastructure
- 32 Wietske Visser (TUD), Qualitative multi-criteria preference representation and reasoning
- 33 Rory Sie (OUN), Coalitions in Cooperation Networks (COCOON)
- 34 Pavol Jancura (RUN), Evolutionary analysis in PPI networks and applications
- 35 Evert Haasdijk (VU), Never Too Old To Learn – On-line Evolution of Controllers in Swarm- and Modular Robotics
- 36 Denis Ssebugawo (RUN), Analysis and Evaluation of Collaborative Modeling Processes
- 37 Agnes Nakakawa (RUN), A Collaboration Process for Enterprise Architecture Creation
- 38 Selmar Smit (VU), Parameter Tuning and Scientific Testing in Evolutionary Algorithms
- 39 Hassan Fatemi (UT), Risk-aware design of value and coordination networks
- 40 Agus Gunawan (UvT), Information Access for SMEs in Indonesia
- 41 Sebastian Kelle (OU), Game Design Patterns for Learning
- 42 Dominique Verpoorten (OU), Reflection Amplifiers in self-regulated Learning
- 43 Withdrawn
- 44 Anna Tordai (VU), On Combining Alignment Techniques
- 45 Benedikt Kratz (UvT), A Model and Language for Business-aware Transactions
- 46 Simon Carter (UVA), Exploration and Exploitation of Multilingual Data for Statistical Machine Translation
- 47 Manos Tsagkias (UVA), Mining Social Media: Tracking Content and Predicting Behavior
- 48 Jorn Bakker (TUE), Handling Abrupt Changes in Evolving Time-series Data

-
- 49 Michael Kaisers (UM), Learning against Learning - Evolutionary dynamics of reinforcement learning algorithms in strategic interactions
- 50 Steven van Kervel (TUD), Ontology driven Enterprise Information Systems Engineering
- 51 Jeroen de Jong (TUD), Heuristics in Dynamic Scheduling; a practical framework with a case study in elevator dispatching
-
- 2013 01 Viorel Milea (EUR), News Analytics for Financial Decision Support
- 02 Erietta Liarou (CWI), MonetDB/DataCell: Leveraging the Column-store Database Technology for Efficient and Scalable Stream Processing
- 03 Szymon Klarman (VU), Reasoning with Contexts in Description Logics
- 04 Chetan Yadati (TUD), Coordinating autonomous planning and scheduling
- 05 Dulce Pumareja (UT), Groupware Requirements Evolutions Patterns
- 06 Romulo Goncalves (CWI), The Data Cyclotron: Juggling Data and Queries for a Data Warehouse Audience
- 07 Giel van Lankveld (UvT), Quantifying Individual Player Differences
- 08 Robbert-Jan Merk (VU), Making enemies: cognitive modeling for opponent agents in fighter pilot simulators
- 09 Fabio Gori (RUN), Metagenomic Data Analysis: Computational Methods and Applications
- 10 Jeewanie Jayasinghe Arachchige (UvT), A Unified Modeling Framework for Service Design.
- 11 Evangelos Pournaras (TUD), Multi-level Reconfigurable Self-organization in Overlay Services
- 12 Marian Razavian (VU), Knowledge-driven Migration to Services
- 13 Mohammad Safiri (UT), Service Tailoring: User-centric creation of integrated IT-based homecare services to support independent living of elderly
- 14 Jafar Tanha (UVA), Ensemble Approaches to Semi-Supervised Learning Learning
- 15 Daniel Hennes (UM), Multiagent Learning - Dynamic Games and Applications
- 16 Eric Kok (UU), Exploring the practical benefits of argumentation in multi-agent deliberation
- 17 Koen Kok (VU), The PowerMatcher: Smart Coordination for the Smart Electricity Grid
- 18 Jeroen Janssens (UvT), Outlier Selection and One-Class Classification
- 19 Renze Steenhuizen (TUD), Coordinated Multi-Agent Planning and Scheduling
- 20 Katja Hofmann (UvA), Fast and Reliable Online Learning to Rank for Information Retrieval
- 21 Sander Wubben (UvT), Text-to-text generation by monolingual machine translation
- 22 Tom Claassen (RUN), Causal Discovery and Logic
- 23 Patricio de Alencar Silva (UvT), Value Activity Monitoring
- 24 Haitham Bou Ammar (UM), Automated Transfer in Reinforcement Learning
- 25 Agnieszka Anna Latoszek-Berendsen (UM), Intention-based Decision Support. A new way of representing and implementing clinical guidelines in a Decision Support System
- 26 Alireza Zarghami (UT), Architectural Support for Dynamic Homecare Service Provisioning
- 27 Mohammad Huq (UT), Inference-based Framework Managing Data Provenance
- 28 Frans van der Sluis (UT), When Complexity becomes Interesting: An Inquiry into the Information eXperience
- 29 Iwan de Kok (UT), Listening Heads
- 30 Joyce Nakatumba (TUE), Resource-Aware Business Process Management: Analysis and Support
- 31 Dinh Khoa Nguyen (UvT), Blueprint Model and Language for Engineering Cloud Applications
- 32 Kamakshi Rajagopal (OUN), Networking For Learning: The role of Networking in a Lifelong Learner's Professional Development
- 33 Qi Gao (TUD), User Modeling and Personalization in the Microblogging Sphere
- 34 Kien Tjin-Kam-Jet (UT), Distributed Deep Web Search

-
- 35 Abdallah El Ali (UvA), Minimal Mobile Human Computer Interaction
 - 36 Than Lam Hoang (TUE), Pattern Mining in Data Streams
 - 37 Dirk Börner (OUN), Ambient Learning Displays
 - 38 Eelco den Heijer (VU), Autonomous Evolutionary Art
 - 39 Joop de Jong (TUD), A Method for Enterprise Ontology based Design of Enterprise Information Systems
 - 40 Pim Nijssen (UM), Monte-Carlo Tree Search for Multi-Player Games
 - 41 Jochem Liem (UVA), Supporting the Conceptual Modelling of Dynamic Systems: A Knowledge Engineering Perspective on Qualitative Reasoning
 - 42 Léon Planken (TUD), Algorithms for Simple Temporal Reasoning
 - 43 Marc Bron (UVA), Exploration and Contextualization through Interaction and Concepts
-
- 2014 01 Nicola Barile (UU), Studies in Learning Monotone Models from Data
 - 02 Fiona Tuliayano (RUN), Combining System Dynamics with a Domain Modeling Method
 - 03 Sergio Raul Duarte Torres (UT), Information Retrieval for Children: Search Behavior and Solutions
 - 04 Hanna Jochmann-Mannak (UT), Websites for children: search strategies and interface design - Three studies on children's search performance and evaluation
 - 05 Jurriaan van Reijssen (UU), Knowledge Perspectives on Advancing Dynamic Capability
 - 06 Damian Tamburri (VU), Supporting Networked Software Development
 - 07 Arya Adriansyah (TUE), Aligning Observed and Modeled Behavior
 - 08 Samur Araujo (TUD), Data Integration over Distributed and Heterogeneous Data Endpoints
 - 09 Philip Jackson (UvT), Toward Human-Level Artificial Intelligence: Representation and Computation of Meaning in Natural Language
 - 10 Ivan Salvador Razo Zapata (VU), Service Value Networks
 - 11 Janneke van der Zwaan (TUD), An Empathic Virtual Buddy for Social Support
 - 12 Willem van Willigen (VU), Look Ma, No Hands: Aspects of Autonomous Vehicle Control
 - 13 Arlette van Wissen (VU), Agent-Based Support for Behavior Change: Models and Applications in Health and Safety Domains
 - 14 Yangyang Shi (TUD), Language Models With Meta-information
 - 15 Natalya Mogles (VU), Agent-Based Analysis and Support of Human Functioning in Complex Socio-Technical Systems: Applications in Safety and Healthcare
 - 16 Krystyna Milian (VU), Supporting trial recruitment and design by automatically interpreting eligibility criteria
 - 17 Kathrin Dentler (VU), Computing healthcare quality indicators automatically: Secondary Use of Patient Data and Semantic Interoperability
 - 18 Mattijs Ghijsen (UVA), Methods and Models for the Design and Study of Dynamic Agent Organizations
 - 19 Vinicius Ramos (TUE), Adaptive Hypermedia Courses: Qualitative and Quantitative Evaluation and Tool Support
 - 20 Mena Habib (UT), Named Entity Extraction and Disambiguation for Informal Text: The Missing Link
 - 21 Cassidy Clark (TUD), Negotiation and Monitoring in Open Environments
 - 22 Marieke Peeters (UU), Personalized Educational Games - Developing agent-supported scenario-based training
 - 23 Eleftherios Sidirourgos (UvA/CWI), Space Efficient Indexes for the Big Data Era
 - 24 Davide Ceolin (VU), Trusting Semi-structured Web Data
 - 25 Martijn Lappenschaar (RUN), New network models for the analysis of disease interaction
 - 26 Tim Baarslag (TUD), What to Bid and When to Stop

-
- 27 Rui Jorge Almeida (EUR), Conditional Density Models Integrating Fuzzy and Probabilistic Representations of Uncertainty
 - 28 Anna Chmielowiec (VU), Decentralized k-Clique Matching
 - 29 Jaap Kabbedijk (UU), Variability in Multi-Tenant Enterprise Software
 - 30 Peter de Cock (UvT), Anticipating Criminal Behaviour
 - 31 Leo van Moergestel (UU), Agent Technology in Agile Multiparallel Manufacturing and Product Support
 - 32 Naser Ayat (UvA), On Entity Resolution in Probabilistic Data
 - 33 Tesfa Tegegne (RUN), Service Discovery in eHealth
 - 34 Christina Manteli (VU), The Effect of Governance in Global Software Development: Analyzing Transactive Memory Systems.
 - 35 Joost van Ooijen (UU), Cognitive Agents in Virtual Worlds: A Middleware Design Approach
 - 36 Joos Buijs (TUE), Flexible Evolutionary Algorithms for Mining Structured Process Models
 - 37 Maral Dadvar (UT), Experts and Machines United Against Cyberbullying
 - 38 Danny Plass-Oude Bos (UT), Making brain-computer interfaces better: improving usability through post-processing.
 - 39 Jasmina Maric (UvT), Web Communities, Immigration, and Social Capital
 - 40 Walter Omona (RUN), A Framework for Knowledge Management Using ICT in Higher Education
 - 41 Frederic Hogenboom (EUR), Automated Detection of Financial Events in News Text
 - 42 Carsten Eijckhof (CWI/TUD), Contextual Multidimensional Relevance Models
 - 43 Kevin Vlaanderen (UU), Supporting Process Improvement using Method Increments
 - 44 Paulien Meesters (UvT), Intelligent Blauw. Met als ondertitel: Intelligence-gestuurde politiezorg in gebiedsgebonden eenheden.
 - 45 Birgit Schmitz (OUN), Mobile Games for Learning: A Pattern-Based Approach
 - 46 Ke Tao (TUD), Social Web Data Analytics: Relevance, Redundancy, Diversity
 - 47 Shangsong Liang (UVA), Fusion and Diversification in Information Retrieval
-
- 2015 01 Niels Netten (UvA), Machine Learning for Relevance of Information in Crisis Response
 - 02 Faiza Bukhsh (UvT), Smart auditing: Innovative Compliance Checking in Customs Controls
 - 03 Twan van Laarhoven (RUN), Machine learning for network data
 - 04 Howard Spoelstra (OUN), Collaborations in Open Learning Environments
 - 05 Christoph Bösch (UT), Cryptographically Enforced Search Pattern Hiding
 - 06 Farideh Heidari (TUD), Business Process Quality Computation - Computing Non-Functional Requirements to Improve Business Processes
 - 07 Maria-Hendrike Peetz (UvA), Time-Aware Online Reputation Analysis
 - 08 Jie Jiang (TUD), Organizational Compliance: An agent-based model for designing and evaluating organizational interactions
 - 09 Randy Klaassen (UT), HCI Perspectives on Behavior Change Support Systems
 - 10 Henry Hermans (OUN), OpenU: design of an integrated system to support lifelong learning
 - 11 Yongming Luo (TUE), Designing algorithms for big graph datasets: A study of computing bisimulation and joins
 - 12 Julie M. Birkholz (VU), Modi Operandi of Social Network Dynamics: The Effect of Context on Scientific Collaboration Networks
 - 13 Giuseppe Procaccianti (VU), Energy-Efficient Software
 - 14 Bart van Straalen (UT), A cognitive approach to modeling bad news conversations
 - 15 Klaas Andries de Graaf (VU), Ontology-based Software Architecture Documentation
 - 16 Changyun Wei (UT), Cognitive Coordination for Cooperative Multi-Robot Teamwork
 - 17 André van Cleeff (UT), Physical and Digital Security Mechanisms: Properties, Combinations and Trade-offs

-
- 18 Holger Pirk (CWI), Waste Not, Want Not! - Managing Relational Data in Asymmetric Memories
- 19 Bernardo Tabuenca (OUN), Ubiquitous Technology for Lifelong Learners
- 20 Lois Vanhée (UU), Using Culture and Values to Support Flexible Coordination
- 21 Sibren Fetter (OUN), Using Peer-Support to Expand and Stabilize Online Learning
- 22 Zhemin Zhu (UT), Co-occurrence Rate Networks
- 23 Luit Gazendam (VU), Cataloguer Support in Cultural Heritage
- 24 Richard Berendsen (UVA), Finding People, Papers, and Posts: Vertical Search Algorithms and Evaluation
- 25 Steven Woudenberg (UU), Bayesian Tools for Early Disease Detection
- 26 Alexander Hogenboom (EUR), Sentiment Analysis of Text Guided by Semantics and Structure
- 27 Sándor Héman (CWI), Updating compressed column stores
- 28 Janet Bagorogoza (TiU), Knowledge Management and High Performance; The Uganda Financial Institutions Model for HPO
- 29 Hendrik Baier (UM), Monte-Carlo Tree Search Enhancements for One-Player and Two-Player Domains
- 30 Kiavash Bahreini (OU), Real-time Multimodal Emotion Recognition in E-Learning
- 31 Yakup Koç (TUD), On the robustness of Power Grids
- 32 Jerome Gard (UL), Corporate Venture Management in SMEs
- 33 Frederik Schadd (TUD), Ontology Mapping with Auxiliary Resources
- 34 Victor de Graaf (UT), Gesocial Recommender Systems
- 35 Jungxao Xu (TUD), Affective Body Language of Humanoid Robots: Perception and Effects in Human Robot Interaction
-
- 2016 01 Syed Saiden Abbas (RUN), Recognition of Shapes by Humans and Machines
- 02 Michiel Christiaan Meulendijk (UU), Optimizing medication reviews through decision support: prescribing a better pill to swallow
- 03 Maya Sappelli (RUN), Knowledge Work in Context: User Centered Knowledge Worker Support
- 04 Laurens Rietveld (VU), Publishing and Consuming Linked Data
- 05 Evgeny Sherkhonov (UVA), Expanded Acyclic Queries: Containment and an Application in Explaining Missing Answers
- 06 Michel Wilson (TUD), Robust scheduling in an uncertain environment
- 07 Jeroen de Man (VU), Measuring and modeling negative emotions for virtual training
- 08 Matje van de Camp (TiU), A Link to the Past: Constructing Historical Social Networks from Unstructured Data
- 09 Archana Nottamkandath (VU), Trusting Crowdsourced Information on Cultural Artefacts
- 10 George Karafotias (VUA), Parameter Control for Evolutionary Algorithms
- 11 Anne Schuth (UVA), Search Engines that Learn from Their Users
- 12 Max Knobbout (UU), Logics for Modelling and Verifying Normative Multi-Agent Systems
- 13 Nana Baah Gyan (VU), The Web, Speech Technologies and Rural Development in West Africa - An ICT4D Approach
- 14 Ravi Khadka (UU), Revisiting Legacy Software System Modernization
- 15 Steffen Michels (RUN), Hybrid Probabilistic Logics - Theoretical Aspects, Algorithms and Experiments
- 16 Guangliang Li (UVA), Socially Intelligent Autonomous Agents that Learn from Human Reward
- 17 Berend Weel (VU), Towards Embodied Evolution of Robot Organisms
- 18 Albert Meroño Peñuela (VU), Refining Statistical Data on the Web

-
- 19 Julia Efremova (Tu/e), Mining Social Structures from Genealogical Data
 - 20 Daan Odijk (UVA), Context & Semantics in News & Web Search
 - 21 Alejandro Moreno Céleri (UT), From Traditional to Interactive Playspaces: Automatic Analysis of Player Behavior in the Interactive Tag Playground
 - 22 Grace Lewis (VU), Software Architecture Strategies for Cyber-Foraging Systems
 - 23 Fei Cai (UVA), Query Auto Completion in Information Retrieval
 - 24 Brend Wanders (UT), Repurposing and Probabilistic Integration of Data; An Iterative and data model independent approach
 - 25 Julia Kiseleva (TU/e), Using Contextual Information to Understand Searching and Browsing Behavior
 - 26 Dilhan Thilakarathne (VU), In or Out of Control: Exploring Computational Models to Study the Role of Human Awareness and Control in Behavioural Choices, with Applications in Aviation and Energy Management Domains
 - 27 Wen Li (TUD), Understanding Geo-spatial Information on Social Media
 - 28 Mingxin Zhang (TUD), Large-scale Agent-based Social Simulation - A study on epidemic prediction and control
 - 29 Nicolas Höning (TUD), Peak reduction in decentralised electricity systems - Markets and prices for flexible planning
 - 30 Ruud Mattheij (UvT), The Eyes Have It
 - 31 Mohammad Khelghati (UT), Deep web content monitoring
 - 32 Eelco Vriezolk (UT), Assessing Telecommunication Service Availability Risks for Crisis Organisations
 - 33 Peter Bloem (UVA), Single Sample Statistics, exercises in learning from just one example
 - 34 Dennis Schunselaar (TUE), Configurable Process Trees: Elicitation, Analysis, and Enactment
 - 35 Zhaochun Ren (UVA), Monitoring Social Media: Summarization, Classification and Recommendation
 - 36 Daphne Karreman (UT), Beyond R2D2: The design of nonverbal interaction behavior optimized for robot-specific morphologies
 - 37 Giovanni Sileno (UvA), Aligning Law and Action - a conceptual and computational inquiry
 - 38 Andrea Minuto (UT), Materials that Matter - Smart Materials meet Art & Interaction Design
 - 39 Merijn Bruijnes (UT), Believable Suspect Agents; Response and Interpersonal Style Selection for an Artificial Suspect
 - 40 Christian Detweiler (TUD), Accounting for Values in Design
 - 41 Thomas King (TUD), Governing Governance: A Formal Framework for Analysing Institutional Design and Enactment Governance
 - 42 Spyros Martzoukos (UVA), Combinatorial and Compositional Aspects of Bilingual Aligned Corpora
 - 43 Saskia Koldijk (RUN), Context-Aware Support for Stress Self-Management: From Theory to Practice
 - 44 Thibault Sellam (UVA), Automatic Assistants for Database Exploration
 - 45 Bram van de Laar (UT), Experiencing Brain-Computer Interface Control
 - 46 Jorge Gallego Perez (UT), Robots to Make you Happy
 - 47 Christina Weber (UL), Real-time foresight - Preparedness for dynamic innovation networks
 - 48 Tanja Buttler (TUD), Collecting Lessons Learned
 - 49 Gleb Polevoy (TUD), Participation and Interaction in Projects. A Game-Theoretic Analysis
 - 50 Yan Wang (UVT), The Bridge of Dreams: Towards a Method for Operational Performance Alignment in IT-enabled Service Supply Chains
-
- 2017 01 Jan-Jaap Oerlemans (UL), Investigating Cybercrime

- 02 Sjoerd Timmer (UU), Designing and Understanding Forensic Bayesian Networks using Argumentation
- 03 Daniël Harold Telgen (UU), Grid Manufacturing; A Cyber-Physical Approach with Autonomous Products and Reconfigurable Manufacturing Machines
- 04 Mrunal Gawade (CWI), Multi-core Parallelism in a Column-store
- 05 Mahdieh Shadi (UVA), Collaboration Behavior
- 06 Damir Vandic (EUR), Intelligent Information Systems for Web Product Search
- 07 Roel Bertens (UU), Insight in Information: from Abstract to Anomaly
- 08 Rob Konijn (VU) , Detecting Interesting Differences:Data Mining in Health Insurance Data using Outlier Detection and Subgroup Discovery
- 09 Dong Nguyen (UT), Text as Social and Cultural Data: A Computational Perspective on Variation in Text
- 10 Robby van Delden (UT), (Steering) Interactive Play Behavior
- 11 Florian Kunneman (RUN), Modelling patterns of time and emotion in Twitter #anticipointment
- 12 Sander Leemans (TUE), Robust Process Mining with Guarantees
- 13 Gijs Huisman (UT), Social Touch Technology - Extending the reach of social touch through haptic technology
- 14 Shoshannah Tekofsky (UvT), You Are Who You Play You Are: Modelling Player Traits from Video Game Behavior
- 15 Peter Berck (RUN), Memory-Based Text Correction
- 16 Aleksandr Chuklin (UVA), Understanding and Modeling Users of Modern Search Engines
- 17 Daniel Dimov (UL), Crowdsourced Online Dispute Resolution
- 18 Ridho Reinanda (UVA), Entity Associations for Search
- 19 Jeroen Vuurens (UT), Proximity of Terms, Texts and Semantic Vectors in Information Retrieval
- 20 Mohammadbashir Sedighi (TUD), Fostering Engagement in Knowledge Sharing: The Role of Perceived Benefits, Costs and Visibility
- 21 Jeroen Linssen (UT), Meta Matters in Interactive Storytelling and Serious Gaming (A Play on Worlds)
- 22 Sara Magliacane (VU), Logics for causal inference under uncertainty
- 23 David Graus (UVA), Entities of Interest — Discovery in Digital Traces
- 24 Chang Wang (TUD), Use of Affordances for Efficient Robot Learning
- 25 Veruska Zamborlini (VU), Knowledge Representation for Clinical Guidelines, with applications to Multimorbidity Analysis and Literature Search
- 26 Merel Jung (UT), Socially intelligent robots that understand and respond to human touch
- 27 Michiel Joosse (UT), Investigating Positioning and Gaze Behaviors of Social Robots: People's Preferences, Perceptions and Behaviors
- 28 John Klein (VU), Architecture Practices for Complex Contexts
- 29 Adel Alhuraibi (UvT), From IT-BusinessStrategic Alignment to Performance: A Moderated Mediation Model of Social Innovation, and Enterprise Governance of IT"
- 30 Wilma Latuny (UvT), The Power of Facial Expressions
- 31 Ben Ruijl (UL), Advances in computational methods for QFT calculations
- 32 Thaer Samar (RUN), Access to and Retrieval of Content in Web Archives
- 33 Brigit van Loggem (OU), Towards a Design Rationale for Software Documentation: A Model of Computer-Mediated Activity
- 34 Maren Scheffel (OU), The Evaluation Framework for Learning Analytics
- 35 Martine de Vos (VU), Interpreting natural science spreadsheets

-
- 36 Yuanhao Guo (UL), Shape Analysis for Phenotype Characterisation from High-throughput Imaging
 - 37 Alejandro Montes Garcia (TUE), WiBAF: A Within Browser Adaptation Framework that Enables Control over Privacy
 - 38 Alex Kayal (TUD), Normative Social Applications
 - 39 Sara Ahmadi (RUN), Exploiting properties of the human auditory system and compressive sensing methods to increase noise robustness in ASR
 - 40 Altaf Hussain Abro (VUA), Steer your Mind: Computational Exploration of Human Control in Relation to Emotions, Desires and Social Support For applications in human-aware support systems
 - 41 Adnan Manzoor (VUA), Minding a Healthy Lifestyle: An Exploration of Mental Processes and a Smart Environment to Provide Support for a Healthy Lifestyle
 - 42 Elena Sokolova (RUN), Causal discovery from mixed and missing data with applications on ADHD datasets
 - 43 Maaikje de Boer (RUN), Semantic Mapping in Video Retrieval
 - 44 Garm Lucassen (UU), Understanding User Stories - Computational Linguistics in Agile Requirements Engineering
 - 45 Bas Testerink (UU), Decentralized Runtime Norm Enforcement
 - 46 Jan Schneider (OU), Sensor-based Learning Support
 - 47 Jie Yang (TUD), Crowd Knowledge Creation Acceleration
 - 48 Angel Suarez (OU), Collaborative inquiry-based learning
-
- 2018 01 Han van der Aa (VUA), Comparing and Aligning Process Representations
 - 02 Felix Mannhardt (TUE), Multi-perspective Process Mining
 - 03 Steven Bosems (UT), Causal Models For Well-Being: Knowledge Modeling, Model-Driven Development of Context-Aware Applications, and Behavior Prediction
 - 04 Jordan Janeiro (TUD), Flexible Coordination Support for Diagnosis Teams in Data-Centric Engineering Tasks
 - 05 Hugo Huurdeman (UVA), Supporting the Complex Dynamics of the Information Seeking Process
 - 06 Dan Ionita (UT), Model-Driven Information Security Risk Assessment of Socio-Technical Systems
 - 07 Jieting Luo (UU), A formal account of opportunism in multi-agent systems
 - 08 Rick Smetsers (RUN), Advances in Model Learning for Software Systems
 - 09 Xu Xie (TUD), Data Assimilation in Discrete Event Simulations
 - 10 Julienka Mollee (VUA), Moving forward: supporting physical activity behavior change through intelligent technology
 - 11 Mahdi Sargolzaei (UVA), Enabling Framework for Service-oriented Collaborative Networks
 - 12 Xixi Lu (TUE), Using behavioral context in process mining
 - 13 Seyed Amin Tabatabaei (VUA), Computing a Sustainable Future
 - 14 Bart Joosten (UVT), Detecting Social Signals with Spatiotemporal Gabor Filters
 - 15 Naser Davarzani (UM), Biomarker discovery in heart failure
 - 16 Jaebok Kim (UT), Automatic recognition of engagement and emotion in a group of children
 - 17 Jianpeng Zhang (TUE), On Graph Sample Clustering
 - 18 Henriette Nakad (UL), De Notaris en Private Rechtspraak
 - 19 Minh Duc Pham (VUA), Emergent relational schemas for RDF
 - 20 Manxia Liu (RUN), Time and Bayesian Networks
 - 21 Aad Slotmaker (OUN), EMERGO: a generic platform for authoring and playing scenario-based serious games

- 22 Eric Fernandes de Mello Araujo (VUA), Contagious: Modeling the Spread of Behaviours, Perceptions and Emotions in Social Networks
 - 23 Kim Schouten (EUR), Semantics-driven Aspect-Based Sentiment Analysis
 - 24 Jered Vroon (UT), Responsive Social Positioning Behaviour for Semi-Autonomous Telepresence Robots
 - 25 Riste Gligorov (VUA), Serious Games in Audio-Visual Collections
 - 26 Roelof Anne Jelle de Vries (UT), Theory-Based and Tailor-Made: Motivational Messages for Behavior Change Technology
 - 27 Maikel Leemans (TUE), Hierarchical Process Mining for Scalable Software Analysis
 - 28 Christian Willemse (UT), Social Touch Technologies: How they feel and how they make you feel
 - 29 Yu Gu (UVT), Emotion Recognition from Mandarin Speech
 - 30 Wouter Beek, The "K" in "semantic web" stands for "knowledge": scaling semantics to the web
-
- 2019 01 Rob van Eijk (UL), Web privacy measurement in real-time bidding systems. A graph-based approach to RTB system classification
 - 02 Emmanuelle Beauxis Aussalet (CWI, UU), Statistics and Visualizations for Assessing Class Size Uncertainty
 - 03 Eduardo Gonzalez Lopez de Murillas (TUE), Process Mining on Databases: Extracting Event Data from Real Life Data Sources
 - 04 Ridho Rahmadi (RUN), Finding stable causal structures from clinical data
 - 05 Sebastiaan van Zelst (TUE), Process Mining with Streaming Data
 - 06 Chris Dijkshoorn (VU), Nichesourcing for Improving Access to Linked Cultural Heritage Datasets
 - 07 Soude Fazeli (TUD), Recommender Systems in Social Learning Platforms
 - 08 Frits de Nijs (TUD), Resource-constrained Multi-agent Markov Decision Processes
 - 09 Fahimeh Alizadeh Moghaddam (UVA), Self-adaptation for energy efficiency in software systems
 - 10 Qing Chuan Ye (EUR), Multi-objective Optimization Methods for Allocation and Prediction
 - 11 Yue Zhao (TUD), Learning Analytics Technology to Understand Learner Behavioral Engagement in MOOCs
 - 12 Jacqueline Heinerma (VU), Better Together
 - 13 Guanliang Chen (TUD), MOOC Analytics: Learner Modeling and Content Generation
 - 14 Daniel Davis (TUD), Large-Scale Learning Analytics: Modeling Learner Behavior & Improving Learning Outcomes in Massive Open Online Courses
 - 15 Erwin Walraven (TUD), Planning under Uncertainty in Constrained and Partially Observable Environments
 - 16 Guangming Li (TUE), Process Mining based on Object-Centric Behavioral Constraint (OCBC) Models
 - 17 Ali Hurriyetoglu (RUN), Extracting actionable information from microtexts
 - 18 Gerard Wagenaar (UU), Artefacts in Agile Team Communication
 - 19 Vincent Koeman (TUD), Tools for Developing Cognitive Agents
 - 20 Chide Groenouwe (UU), Fostering technically augmented human collective intelligence
 - 21 Cong Liu (TUE), Software Data Analytics: Architectural Model Discovery and Design Pattern Detection
 - 22 Martin van den Berg (VU), Improving IT Decisions with Enterprise Architecture
 - 23 Qin Liu (TUD), Intelligent Control Systems: Learning, Interpreting, Verification
 - 24 Anca Dumitrache (VU), Truth in Disagreement - Crowdsourcing Labeled Data for Natural Language Processing

-
- 25 Emiel van Miltenburg (VU), Pragmatic factors in (automatic) image description
 - 26 Prince Singh (UT), An Integration Platform for Synchromodal Transport
 - 27 Alessandra Antonaci (OUN), The Gamification Design Process applied to (Massive) Open Online Courses
 - 28 Esther Kuindersma (UL), Cleared for take-off: Game-based learning to prepare airline pilots for critical situations
 - 29 Daniel Formolo (VU), Using virtual agents for simulation and training of social skills in safety-critical circumstances
 - 30 Vahid Yazdanpanah (UT), Multiagent Industrial Symbiosis Systems
 - 31 Milan Jelisavcic (VU), Alive and Kicking: Baby Steps in Robotics
 - 32 Chiara Sironi (UM), Monte-Carlo Tree Search for Artificial General Intelligence in Games
 - 33 Anil Yaman (TUE), Evolution of Biologically Inspired Learning in Artificial Neural Networks
 - 34 Negar Ahmadi (TUE), EEG Microstate and Functional Brain Network Features for Classification of Epilepsy and PNES
 - 35 Lisa Facey-Shaw (OUN), Gamification with digital badges in learning programming
 - 36 Kevin Ackermans (OUN), Designing Video-Enhanced Rubrics to Master Complex Skills
 - 37 Jian Fang (TUD), Database Acceleration on FPGAs
 - 38 Akos Kadar (OUN), Learning visually grounded and multilingual representations
-
- 2020 01 Armon Toubman (UL), Calculated Moves: Generating Air Combat Behaviour
 - 02 Marcos de Paula Bueno (UL), Unraveling Temporal Processes using Probabilistic Graphical Models
 - 03 Mostafa Deghani (UvA), Learning with Imperfect Supervision for Language Understanding
 - 04 Maarten van Gompel (RUN), Context as Linguistic Bridges
 - 05 Yulong Pei (TUE), On local and global structure mining
 - 06 Preethu Rose Anish (UT), Stimulation Architectural Thinking during Requirements Elicitation - An Approach and Tool Support
 - 07 Wim van der Vegt (OUN), Towards a software architecture for reusable game components
 - 08 Ali Mirsoleimani (UL), Structured Parallel Programming for Monte Carlo Tree Search
 - 09 Myriam Traub (UU), Measuring Tool Bias and Improving Data Quality for Digital Humanities Research
 - 10 Alifah Syamsiyah (TUE), In-database Preprocessing for Process Mining
 - 11 Sepideh Mesbah (TUD), Semantic-Enhanced Training Data Augmentation Methods for Long-Tail Entity Recognition Models
 - 12 Ward van Breda (VU), Predictive Modeling in E-Mental Health: Exploring Applicability in Personalised Depression Treatment
 - 13 Marco Virgolin (CWI), Design and Application of Gene-pool Optimal Mixing Evolutionary Algorithms for Genetic Programming
 - 14 Mark Raasveldt (CWI/UL), Integrating Analytics with Relational Databases
 - 15 Konstantinos Georgiadis (OUN), Smart CAT: Machine Learning for Configurable Assessments in Serious Games
 - 16 Ilona Wilmont (RUN), Cognitive Aspects of Conceptual Modelling
 - 17 Daniele Di Mitri (OUN), The Multimodal Tutor: Adaptive Feedback from Multimodal Experiences
 - 18 Georgios Methenitis (TUD), Agent Interactions & Mechanisms in Markets with Uncertainties: Electricity Markets in Renewable Energy Systems
 - 19 Guido van Capelleveen (UT), Industrial Symbiosis Recommender Systems
 - 20 Albert Hankel (VU), Embedding Green ICT Maturity in Organisations
 - 21 Karine da Silva Miras de Araujo (VU), Where is the robot?: Life as it could be

-
- 22 Maryam Masoud Khamis (RUN), Understanding complex systems implementation through a modeling approach: the case of e-government in Zanzibar
 - 23 Rianne Conijn (UT), The Keys to Writing: A writing analytics approach to studying writing processes using keystroke logging
 - 24 Lenin da Nobrega Medeiros (VUA/RUN), How are you feeling, human? Towards emotionally supportive chatbots
 - 25 Xin Du (TUE), The Uncertainty in Exceptional Model Mining
 - 26 Krzysztof Leszek Sadowski (UU), GAMBIT: Genetic Algorithm for Model-Based mixed-Integer optimization
 - 27 Ekaterina Muravyeva (TUD), Personal data and informed consent in an educational context
 - 28 Bibeg Limbu (TUD), Multimodal interaction for deliberate practice: Training complex skills with augmented reality
 - 29 Ioan Gabriel Bucur (RUN), Being Bayesian about Causal Inference
 - 30 Bob Zadok Blok (UL), Creatief, Creatieve, Creatiefst
 - 31 Gongjin Lan (VU), Learning better – From Baby to Better
 - 32 Jason Rhuggenaath (TUE), Revenue management in online markets: pricing and online advertising
 - 33 Rick Gilsing (TUE), Supporting service-dominant business model evaluation in the context of business model innovation
 - 34 Anna Bon (MU), Intervention or Collaboration? Redesigning Information and Communication Technologies for Development
 - 35 Siamak Farshidi (UU), Multi-Criteria Decision-Making in Software Production
-
- 2021 01 Francisco Xavier Dos Santos Fonseca (TUD), Location-based Games for Social Interaction in Public Space
 - 02 Rijk Mercuur (TUD), Simulating Human Routines: Integrating Social Practice Theory in Agent-Based Models
 - 03 Seyyed Hadi Hashemi (UVA), Modeling Users Interacting with Smart Devices
 - 04 Ioana Jivet (OU), The Dashboard That Loved Me: Designing adaptive learning analytics for self-regulated learning
 - 05 Davide Dell'Anna (UU), Data-Driven Supervision of Autonomous Systems
 - 06 Daniel Davison (UT), "Hey robot, what do you think?" How children learn with a social robot
 - 07 Armel Lefebvre (UU), Research data management for open science
 - 08 Nardie Fanchamps (OU), The Influence of Sense-Reason-Act Programming on Computational Thinking
 - 09 Cristina Zaga (UT), The Design of Robotings. Non-Anthropomorphic and Non-Verbal Robots to Promote Children's Collaboration Through Play
 - 10 Quinten Meertens (UvA), Misclassification Bias in Statistical Learning
 - 11 Anne van Rossum (UL), Nonparametric Bayesian Methods in Robotic Vision
 - 12 Lei Pi (UL), External Knowledge Absorption in Chinese SMEs
 - 13 Bob R. Schadenberg (UT), Robots for Autistic Children: Understanding and Facilitating Predictability for Engagement in Learning
 - 14 Negin Samaeemofrad (UL), Business Incubators: The Impact of Their Support
 - 15 Onat Ege Adali (TU/e), Transformation of Value Propositions into Resource Re-Configurations through the Business Services Paradigm
 - 16 Esam A. H. Ghaleb (UM), BIMODAL EMOTION RECOGNITION FROM AUDIO-VISUAL CUES
 - 17 Dario Dotti (UM), Human Behavior Understanding from motion and bodily cues using deep neural networks

-
- 18 Remi Wieten (UU), Bridging the Gap Between Informal Sense-Making Tools and Formal Systems - Facilitating the Construction of Bayesian Networks and Argumentation Frameworks
 - 19 Roberto Verdecchia (VU), Architectural Technical Debt: Identification and Management
 - 20 Masoud Mansoury (TU/e), Understanding and Mitigating Multi-Sided Exposure Bias in Recommender Systems
 - 21 Pedro Thiago Timbò Holanda (CWI), Progressive Indexes
 - 22 Sihang Qiu (TUD), Conversational Crowdsourcing
 - 23 Hugo Manuel Proença (LIACS), Robust rules for prediction and description
 - 24 Kaijie Zhu (TUE), On Efficient Temporal Subgraph Query Processing
 - 25 Eoin Martino Grua (VUA), The Future of E-Health is Mobile: Combining AI and Self-Adaptation to Create Adaptive E-Health Mobile Applications
 - 26 Benno Kruit (CWI & VUA), Reading the Grid: Extending Knowledge Bases from Human-readable Tables
 - 27 Jelte van Waterschoot (UT), Personalized and Personal Conversations: Designing Agents Who Want to Connect With You
 - 28 Christoph Selig (UL), Understanding the Heterogeneity of Corporate Entrepreneurship Programs
-
- 2022 1 Judith van Stegeren (UT), Flavor text generation for role-playing video games
 - 2 Paulo da Costa (TU/e), Data-driven Prognostics and Logistics Optimisation: A Deep Learning Journey
 - 3 Ali el Hassouni (VUA), A Model A Day Keeps The Doctor Away: Reinforcement Learning For Personalized Healthcare
 - 4 Ünal Aksu (UU), A Cross-Organizational Process Mining Framework
 - 5 Shiwei Liu (TU/e), Sparse Neural Network Training with In-Time Over-Parameterization
 - 6 Reza Refaei Afshar (TU/e), Machine Learning for Ad Publishers in Real Time Bidding
 - 7 Sambit Praharaaj (OU), Measuring the Unmeasurable? Towards Automatic Co-located Collaboration Analytics
 - 8 Maikel L. van Eck (TU/e), Process Mining for Smart Product Design
 - 9 Oana Andreea Inel (VUA), Understanding Events: A Diversity-driven Human-Machine Approach
 - 10 Felipe Moraes Gomes (TUD), Examining the Effectiveness of Collaborative Search Engines
 - 11 Mirjam de Haas (UT), Staying engaged in child-robot interaction, a quantitative approach to studying preschoolers' engagement with robots and tasks during second-language tutoring
 - 12 Guanyi Chen (UU), Computational Generation of Chinese Noun Phrases
 - 13 Xander Wilcke (VUA), Machine Learning on Multimodal Knowledge Graphs: Opportunities, Challenges, and Methods for Learning on Real-World Heterogeneous and Spatially-Oriented Knowledge
 - 14 Michiel Overeem (UU), Evolution of Low-Code Platforms
 - 15 Jelmer Jan Koorn (UU), Work in Process: Unearthing Meaning using Process Mining
 - 16 Pieter Gijsbers (TU/e), Systems for AutoML Research
 - 17 Laura van der Lubbe (VUA), Empowering vulnerable people with serious games and gamification
 - 18 Paris Mavromoustakos Blom (TiU), Player Affect Modelling and Video Game Personalisation
 - 19 Bilge Yigit Ozkan (UU), Cybersecurity Maturity Assessment and Standardisation
 - 20 Fakhra Jabeen (VUA), Dark Side of the Digital Media - Computational Analysis of Negative Human Behaviors on Social Media
 - 21 Seethu Mariyam Christopher (UM), Intelligent Toys for Physical and Cognitive Assessments
 - 22 Alexandra Sierra Rativa (TiU), Virtual Character Design and its potential to foster Empathy, Immersion and Collaboration Skills in Video Games and Virtual Reality Simulations

-
- 23 Ilir Kola (TUD), Enabling Social Situation Awareness in Support Agents
 - 24 Samaneh Heidari (UU), Agents with Social Norms and Values - A framework for agent based social simulations with social norms and personal values
 - 25 Anna Latour (UL), Optimal decision-making under constraints and uncertainty
-