



Universiteit  
Leiden  
The Netherlands

## A 55-year-old man with mild shortness of breath

Egorova, A.D.; Smit, J.M.; Kies, P.

### Citation

Egorova, A. D., Smit, J. M., & Kies, P. (2020). A 55-year-old man with mild shortness of breath. *Netherlands Heart Journal*, 28(2), 104-107. doi:10.1007/s12471-019-01312-0

Version: Publisher's Version

License: [Creative Commons CC BY 4.0 license](#)

Downloaded from: <https://hdl.handle.net/1887/3232699>

**Note:** To cite this publication please use the final published version (if applicable).

Neth Heart J (2020) 28:104–107  
<https://doi.org/10.1007/s12471-019-01312-0>



# A 55-year-old man with mild shortness of breath

A. D. Egorova · J. M. Smit · P. Kiès

Published online: 23 July 2019  
© The Author(s) 2019

A 55-year-old male was referred by his general practitioner due to mild complaints of shortness of breath (no angina) upon exertion. He used to work as a gym teacher at a secondary school and currently exercises intensively for up to 10 h a week. His father died suddenly at the age of 52 years while cross-country skiing. No autopsy was performed. The patient is being treated with perindopril 2 mg once a day due to hypertension and has a blood pressure of 140/90 mm Hg and a resting peripheral O<sub>2</sub> saturation of 97% when breathing room air. Electrocardiography showed sinus rhythm with normal de- and repolarisation and a physical examination did not reveal any abnormalities. Transthoracic echocardiography showed normal biventricular and valvular function. Chest radiography revealed an abnormality and prompted further investigation by computed tomography (Fig. 1a–c).

What is the most likely diagnosis?

- A. Acute aortic syndrome
- B. Persistent left superior vena cava
- C. Right-sided aortic arch with an aberrant left subclavian artery
- D. Double aortic arch

### Answer

You will find the answer elsewhere in this issue.

**Open Access** This article is distributed under the terms of the Creative Commons Attribution 4.0 International License (<http://creativecommons.org/licenses/by/4.0/>), which permits unrestricted use, distribution, and reproduction in any medium, provided you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made.

---

A. D. Egorova (✉) · J. M. Smit · P. Kiès  
Department of Cardiology, Heart Lung Centre, Leiden  
University Medical Centre, Leiden, The Netherlands  
a.egorova@lumc.nl



Advertisement placed here.



Houten 2019

Advertisement placed here.



Houten 2019

**Fig. 1** An anteroposterior chest radiograph (a) and the corresponding frontal plane (b) and transverse plane (c) CT images of the patient described

