



Universiteit  
Leiden  
The Netherlands

## **Analysis of the angucycline biosynthetic gene cluster in *Streptomyces* sp. QL37 and implications for lugdunomycin production**

Heul, H.U. van der

### **Citation**

Heul, H. U. van der. (2022, December 21). *Analysis of the angucycline biosynthetic gene cluster in Streptomyces sp. QL37 and implications for lugdunomycin production*. Retrieved from <https://hdl.handle.net/1887/3503629>

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/3503629>

**Note:** To cite this publication please use the final published version (if applicable).



## References

## REFERENCES

- Abrudan, M.I., Smakman, F., Grimbergen, A.J., Westhoff, S., Miller, E.L., *et al.* (2015) Socially mediated induction and suppression of antibiosis during bacterial coexistence. *Proc Natl Acad Sci U S A* **112**: 11054-11059.
- Ahn, S.K., Cuthbertson, L., and Nodwell, J.R. (2012) Genome context as a predictive tool for identifying regulatory targets of the TetR family transcriptional regulators. *PLoS One* **7**: e50562.
- Aigle, B., Pang, X., Decaris, B., and Leblond, P. (2005) Involvement of AlpV, a new member of the *Streptomyces* antibiotic regulatory protein family, in regulation of the duplicated type II polyketide synthase *alp* gene cluster in *Streptomyces ambofaciens*. *J Bacteriol* **187**: 2491-2500.
- Akanuma, G., Hara, H., Ohnishi, Y., and Horinouchi, S. (2009) Dynamic changes in the extracellular proteome caused by absence of a pleiotropic regulator AdpA in *Streptomyces griseus*. *Mol Microbiol* **73**: 898-912.
- Alduina, R., Lo Piccolo, L., D'Alia, D., Ferraro, C., Gunnarsson, N., *et al.* (2007) Phosphate-controlled regulator for the biosynthesis of the dalbavancin precursor A40926. *J Bacteriol* **189**: 8120-8129.
- Allenby, N.E., Laing, E., Bucca, G., Kierzek, A.M., and Smith, C.P. (2012) Diverse control of metabolism and other cellular processes in *Streptomyces coelicolor* by the PhoP transcription factor: Genome-wide identification of *in vivo* targets. *Nucleic Acids Res* **40**: 9543-9556.
- Amos, G.C.A., Awakawa, T., Tuttle, R.N., Letzel, A.C., Kim, M.C., *et al.* (2017) Comparative transcriptomics as a guide to natural product discovery and biosynthetic gene cluster functionality. *Proc Natl Acad Sci U S A* **114**: E11121-E11130.
- Anborgh, P.H., and Parmeggiani, A. (1991) New antibiotic that acts specifically on the GTP-bound form of elongation factor Tu. *EMBO J* **10**: 779-784.
- Andersson, D.I., and Hughes, D. (2014) Microbiological effects of sublethal levels of antibiotics. *Nat Rev Microbiol* **12**: 465-478.
- Angell, S., Lewis, C.G., Buttner, M.J., and Bibb, M.J. (1994) Glucose repression in *Streptomyces coelicolor* A3(2): A likely regulatory role for glucose kinase. *Mol Gen Genet* **244**: 135-143.
- Angell, S., Schwarz, E., and Bibb, M.J. (1992) The glucose kinase gene of *Streptomyces coelicolor* A3(2): Its nucleotide sequence, transcriptional analysis and role in glucose repression. *Mol Microbiol* **6**: 2833-2844.
- Antoraz, S., Rico, S., Rodriguez, H., Sevillano, L., Alzate, J.F., *et al.* (2017) The orphan response regulator Aor1 is a new relevant piece in the complex puzzle of *Streptomyces coelicolor* antibiotic regulatory network. *Front Microbiol* **8**: 2444.
- Arias, A.A., Lambert, S., Martinet, L., Adam, D., Tenconi, E., *et al.* (2015) Growth of desferrioxamine-deficient *Streptomyces* mutants through xenosiderophore piracy of airborne fungal contaminations. *FEMS Microbiol Ecol* **91**: fiv080-fiv080.
- Arnison, P.G., Bibb, M.J., Bierbaum, G., Bowers, A.A., Bugni, T.S., *et al.* (2013) Ribosomally synthesized and post-translationally modified peptide natural products: Overview and recommendations for a universal nomenclature. *Nat Prod Rep* **30**: 108-160.
- Aroonsri, A., Kitani, S., Choi, S.U., and Nihira, T. (2008) Isolation and characterization of *bamA* genes, homologues of the gamma-butyrolactone autoregulator-receptor gene in *Amycolatopsis mediterranei*, a rifamycin producer. *Biotechnol Lett* **30**: 2019-2024.

## References

- Aroonsri, A., Kitani, S., Hashimoto, J., Kosone, I., Izumikawa, M., *et al.* (2012) Pleiotropic control of secondary metabolism and morphological development by KsbC, a butyrolactone autoregulator receptor homologue in *Kitasatospora setae*. *Appl Environ Microbiol* **78**: 8015-8024.
- Arthur, M., Reynolds, P.E., Depardieu, F., Evers, S., Dutka-Malen, S., *et al.* (1996) Mechanisms of glycopeptide resistance in enterococci. *J Infect* **32**: 11-16.
- Asnicar, F., Thomas, A.M., Beghini, F., Mengoni, C., Manara, S., *et al.* (2020) Precise phylogenetic analysis of microbial isolates and genomes from metagenomes using PhyloPhlAn 3.0. *Nat Commun* **11**: 2500.
- Autret, S., Nair, R., and Errington, J. (2001) Genetic analysis of the chromosome segregation protein Spo0J of *Bacillus subtilis*: Evidence for separate domains involved in DNA binding and interactions with Soj protein. *Mol Microbiol* **41**: 743-755.
- Bai, C., Zhang, Y., Zhao, X., Hu, Y., Xiang, S., *et al.* (2015) Exploiting a precise design of universal synthetic modular regulatory elements to unlock the microbial natural products in *Streptomyces*. *Proc Natl Acad Sci U S A* **112**: 12181-12186.
- Baltz, R.H. (2008) Renaissance in antibacterial discovery from actinomycetes. *Curr Opin Pharmacol* **8**: 557-563.
- Baltz, R.H. (2018) Correction to: Synthetic biology, genome mining, and combinatorial biosynthesis of nrps-derived antibiotics: A perspective. *J Ind Microbiol Biotechnol* **45**: 651-655.
- Barka, E.A., Vatsa, P., Sanchez, L., Gaveau-Vaillant, N., Jacquard, C., *et al.* (2016) Taxonomy, physiology, and natural products of *Actinobacteria*. *Microbiol Mol Biol Rev* **80**: 1-43.
- Barna, J.C., and Williams, D.H. (1984) The structure and mode of action of glycopeptide antibiotics of the vancomycin group. *Annu Rev Microbiol* **38**: 339-357.
- Bartholomae, M., Buivydas, A., Viel, J.H., Montalban-Lopez, M., and Kuipers, O.P. (2017) Major gene-regulatory mechanisms operating in ribosomally synthesized and post-translationally modified peptide (RiPP) biosynthesis. *Mol Microbiol* **106**: 186-206.
- Battista, N., Bari, M., and Bisogno, T. (2019) N-acyl amino acids: Metabolism, molecular targets, and role in biological processes. *Biomolecules* **9**: 822.
- Bayles, K.W. (2014) Bacterial programmed cell death: Making sense of a paradox. *Nat Rev Microbiol* **12**: 63-69.
- Beam, M.P., Bosserman, M.A., Noinaj, N., Wehenkel, M., and Rohr, J. (2009) Crystal structure of baeyer-villiger monooxygenase MtmOIV, the key enzyme of the mithramycin biosynthetic pathway. *Biochemistry* **48**: 4476-4487.
- Beniddir, M.A., Kang, K.B., Genta-Jouve, G., Huber, F., Rogers, S., *et al.* (2021) Advances in decomposing complex metabolite mixtures using substructure- and network-based computational metabolomics approaches. *Nat Prod Rep* **38**: 1967-1993.
- Bentley, S.D., Chater, K.F., Cerdeno-Tarraga, A.M., Challis, G.L., Thomson, N.R., *et al.* (2002) Complete genome sequence of the model actinomycete *Streptomyces coelicolor* A3(2). *Nature* **417**: 141-147.
- Berdy, J. (2005) Bioactive microbial metabolites. *J Antibiot (Tokyo)* **58**: 1-26.
- Bermudez, O., Padilla, P., Huitron, C., and Flores, M.E. (1998) Influence of carbon and nitrogen source on synthesis of NADP(+)-isocitrate dehydrogenase, methylmalonyl-coenzyme A mutase, and methylmalonyl-coenzyme A decarboxylase in *Saccharopolyspora erythraea* CA340. *FEMS Microbiol Lett* **164**: 77-82.
- Bhatnagar, R.K., Doull, J.L., and Vining, L.C. (1988) Role of the carbon source in regulating chloramphenicol production by *Streptomyces venezuelae*: Studies in batch and continuous cultures. *Can J Microbiol* **34**: 1217-1223.
- Bibb, M.J. (2005) Regulation of secondary metabolism in streptomycetes. *Curr Opin Microbiol* **8**: 208-215.

- Bierman, M., Logan, R., O'Brien, K., Seno, E.T., Rao, R.N., *et al.* (1992) Plasmid cloning vectors for the conjugal transfer of DNA from *Escherichia coli* to *Streptomyces* spp. *Gene* **116**: 43-49.
- Bignell, D.R., Seipke, R.F., Huguet-Tapia, J.C., Chambers, A.H., Parry, R.J., *et al.* (2010) *Streptomyces scabies* 87-22 contains a coronafacic acid-like biosynthetic cluster that contributes to plant-microbe interactions. *Mol Plant-Microbe Interact* **23**: 161-175.
- Bingol, K., Bruschweiler-Li, L., Li, D., Zhang, B., Xie, M., *et al.* (2016) Emerging new strategies for successful metabolite identification in metabolomics. *Bioanalysis* **8**: 557-573.
- Blin, K., Shaw, S., Kloosterman, A.M., Charlop-Powers, Z., van Wezel, G.P., *et al.* (2021) antiSMASH 6.0: Improving cluster detection and comparison capabilities. *Nucleic Acids Res* **49**: W29-W35.
- Blin, K., Shaw, S., Steinke, K., Villebro, R., Ziemert, N., *et al.* (2019) antiSMASH 5.0: Updates to the secondary metabolite genome mining pipeline. *Nucleic Acids Res* **47**: W81-W87.
- Bo, S.T., Xu, Z.F., Yang, L., Cheng, P., Tan, R.X., *et al.* (2018) Structure and biosynthesis of mayamycin b, a new polyketide with antibacterial activity from *Streptomyces* sp. 120454. *J Antibiot (Tokyo)* **71**: 601-605.
- Book, A.J., Lewin, G.R., McDonald, B.R., Takasuka, T.E., Wendt-Pienkowski, E., *et al.* (2016) Evolution of high cellulolytic activity in symbiotic *Streptomyces* through selection of expanded gene content and coordinated gene expression. *PLoS Biol* **14**: e1002475.
- Brian, P., Riggle, P.J., Santos, R.A., and Champness, W.C. (1996) Global negative regulation of *Streptomyces coelicolor* antibiotic synthesis mediated by an *absA*-encoded putative signal transduction system. *J Bacteriol* **178**: 3221-3231.
- Brown, E.D., and Wright, G.D. (2016) Antibacterial drug discovery in the resistance era. *Nature* **529**: 336-343.
- Brückner, R., and Titgemeyer, F. (2002) Carbon catabolite repression in bacteria: Choice of the carbon source and autoregulatory limitation of sugar utilization. *FEMS Microbiol Lett* **209**: 141-148.
- Bugg, T.D., Wright, G.D., Dutka-Malen, S., Arthur, M., Courvalin, P., *et al.* (1991) Molecular basis for vancomycin resistance in *Enterococcus faecium* BM4147: Biosynthesis of a depsipeptide peptidoglycan precursor by vancomycin resistance proteins *vanH* and *vanA*. *Biochemistry* **30**: 10408-10415.
- Bunet, R., Riclea, R., Laureti, L., Hotel, L., Paris, C., *et al.* (2014) A single Sfp-type phosphopantetheinyl transferase plays a major role in the biosynthesis of PKS and NRPS derived metabolites in *Streptomyces ambofaciens* ATCC 23877. *PLoS One* **9**: e87607.
- Buttner, M.J., Schafer, M., Lawson, D.M., and Maxwell, A. (2018) Structural insights into simocyclinone as an antibiotic, effector ligand and substrate. *FEMS Microbiol Rev* **42**: fux055.
- Caffrey, P., Aparicio, J.F., Malpartida, F., and Zotchev, S.B. (2008) Biosynthetic engineering of polyene macrolides towards generation of improved antifungal and antiparasitic agents. *Curr Topics Med Chem* **8**: 639-653.
- Cao, G., Zhong, C., Zong, G., Fu, J., Liu, Z., *et al.* (2016) Complete genome sequence of *Streptomyces clavuligerus* F613-1, an industrial producer of clavulanic acid. *Genome Announc* **4**: 1020-1021.
- Cao, M., Zheng, C., Yang, D., Kalkreuter, E., Adhikari, A., *et al.* (2021) Cryptic sulfur incorporation in thioangucycline biosynthesis. *Angew Chem Int Ed Engl* **60**: 7140-7147.
- Carmody, M., Byrne, B., Murphy, B., Breen, C., Lynch, S., *et al.* (2004) Analysis and manipulation of amphotericin biosynthetic genes by means of modified phage KC515 transduction techniques. *Gene* **343**: 107-115.

## References

- Castiglione, F., Cavaletti, L., Losi, D., Lazzarini, A., Carrano, L., *et al.* (2007) A novel lantibiotic acting on bacterial cell wall synthesis produced by the uncommon actinomycete *Planomonospora* sp. *Biochemistry* **46**: 5884-5895.
- Castiglione, F., Lazzarini, A., Carrano, L., Corti, E., Ciciliato, I., *et al.* (2008) Determining the structure and mode of action of microbisporicin, a potent lantibiotic active against multiresistant pathogens. *Chem Biol* **15**: 22-31.
- Cen, X.F., Wang, J.Z., Zhao, G.P., Wang, Y., and Wang, J. (2016) Molecular evidence for the coordination of nitrogen and carbon metabolisms, revealed by a study on the transcriptional regulation of the *agl3EFG* operon that encodes a putative carbohydrate transporter in *Streptomyces coelicolor*. *Biochem Biophys Res Commun* **471**: 510-514.
- Ceniceros, A., Dijkhuizen, L., and Petrusma, M. (2017) Molecular characterization of a *Rhodococcus jostii* RHA1 gamma-butyrolactone(-like) signalling molecule and its main biosynthesis gene *gblA*. *Sci Rep* **7**: 17743.
- Chakraborty, R., and Bibb, M. (1997) The ppGpp synthetase gene (*relA*) of *Streptomyces coelicolor* A3(2) plays a conditional role in antibiotic production and morphological differentiation. *J Bacteriol* **179**: 5854-5861.
- Challis, G.L., and Hopwood, D.A. (2003) Synergy and contingency as driving forces for the evolution of multiple secondary metabolite production by *Streptomyces* species. *Proc Natl Acad Sci U S A* **100**: 14555-14561.
- Champness, W., Riggle, P., Adamidis, T., and Vandervere, P. (1992) Identification of *Streptomyces coelicolor* genes involved in regulation of antibiotic synthesis. *Gene* **115**: 55-60.
- Chandra, G., and Chater, K.F. (2008) Evolutionary flux of potentially *bldA*-dependent *Streptomyces* genes containing the rare leucine codon TTA. *Antonie Van Leeuwenhoek* **94**: 111-126.
- Chater, K.F. (1972) A morphological and genetic mapping study of white colony mutants of *Streptomyces coelicolor*. *J Gen Microbiol* **72**: 9-28.
- Chater, K.F., (2011) Differentiation in *Streptomyces*: The properties and programming of diverse cell-types. In: *Streptomyces: Molecular biology and biotechnology*. P. Dyson (ed). Norfolk, UK: Caister Academic Press, pp. 43-86.
- Chater, K.F., Biro, S., Lee, K.J., Palmer, T., and Schrepf, H. (2010) The complex extracellular biology of *Streptomyces*. *FEMS Microbiol Rev* **34**: 171-198.
- Chater, K.F., and Chandra, G. (2006) The evolution of development in *Streptomyces* analysed by genome comparisons. *FEMS Microbiol Rev* **30**: 651-672.
- Chater, K.F., and Losick, R., (1997) Mycelial life style of *Streptomyces coelicolor* A3(2) and its relatives. In: *Bacteria as multicellular organisms*. J.A. Shapiro & M. Dworkin (eds). New York: Oxford University Press, pp. 149-182.
- Chavali, A.K., and Rhee, S.Y. (2017) Bioinformatics tools for the identification of gene clusters that biosynthesize specialized metabolites. *Briefings in bioinformatics*: 1022-1034.
- Chavez, A., Forero, A., Sanchez, M., Rodriguez-Sanoja, R., Mendoza-Hernandez, G., *et al.* (2011) Interaction of SCO2127 with BldKB and its possible connection to carbon catabolite regulation of morphological differentiation in *Streptomyces coelicolor*. *Appl Microbiol Biotechnol* **89**: 799-806.
- Chen, Q., Mulzer, M., Shi, P., Beuning, P.J., Coates, G.W., *et al.* (2011) *De novo* asymmetric synthesis of fridamycin E. *Org Lett* **13**: 6592-6595.
- Chen, Y.H., Wang, C.C., Greenwell, L., Rix, U., Hoffmeister, D., *et al.* (2005) Functional analyses of oxygenases in jadomycin biosynthesis and identification of JadH as a bifunctional oxygenase/dehydrase. *J Biol Chem* **280**: 22508-22514.

- Chevrette, M.G., Aicheler, F., Kohlbacher, O., Currie, C.R., and Medema, M.H. (2017) SANDPUMA: Ensemble predictions of nonribosomal peptide chemistry reveal biosynthetic diversity across Actinobacteria. *Bioinformatics* **33**: 3202-3210.
- Choi, S.U., Lee, C.K., Hwang, Y.I., Kinoshita, H., and Nihira, T. (2004) Cloning and functional analysis by gene disruption of a gene encoding a gamma-butyrolactone autoregulator receptor from *Kitasatospora setae*. *J Bacteriol* **186**: 3423-3430.
- Choi, S.U., Lee, C.K., Hwang, Y.I., Kinoshita, H., and Nihira, T. (2003) Gamma-butyrolactone autoregulators and receptor proteins in non-*Streptomyces* actinomycetes producing commercially important secondary metabolites. *Arch Microbiol* **180**: 303-307.
- Chong, J., Wishart, D.S., and Xia, J. (2019) Using MetaboAnalyst 4.0 for comprehensive and integrative metabolomics data analysis. *Curr Protoc Bioinformatics* **68**: e86.
- Chouayekh, H., Nothaft, H., Delaunay, S., Linder, M., Payrastra, B., et al. (2007) Phosphoinositides are involved in control of the glucose-dependent growth resumption that follows the transition phase in *Streptomyces lividans*. *J Bacteriol* **189**: 741-749.
- Chouayekh, H., and Viroille, M.J. (2002) The polyphosphate kinase plays a negative role in the control of antibiotic production in *Streptomyces lividans*. *Mol Microbiol* **43**: 919-930.
- Claessen, D., Rozen, D.E., Kuipers, O.P., Sogaard-Andersen, L., and van Wezel, G.P. (2014) Bacterial solutions to multicellularity: A tale of biofilms, filaments and fruiting bodies. *Nat Rev Microbiol* **12**: 115-124.
- Colson, S., Stephan, J., Hertrich, T., Saito, A., van Wezel, G.P., et al. (2007) Conserved *cis*-acting elements upstream of genes composing the chitinolytic system of streptomycetes are DasR-responsive elements. *J Mol Microbiol Biotechnol* **12**: 60-66.
- Colson, S., van Wezel, G.P., Craig, M., Noens, E.E., Nothaft, H., et al. (2008) The chitobiose-binding protein, *dasa*, acts as a link between chitin utilization and morphogenesis in *Streptomyces coelicolor*. *Microbiology* **154**: 373-382.
- Craig, M., Lambert, S., Jourdan, S., Tenconi, E., Colson, S., et al. (2012) Unsuspected control of siderophore production by N-acetylglucosamine in streptomycetes. *Environ Microbiol Rep* **4**: 512-521.
- Craney, A., Ozimok, C., Pimentel-Elardo, S.M., Capretta, A., and Nodwell, J.R. (2012) Chemical perturbation of secondary metabolism demonstrates important links to primary metabolism. *Chem Biol* **19**: 1020-1027.
- Cruz-Morales, P., Vijgenboom, E., Iruegas-Bocardo, F., Girard, G., Yanez-Guerra, L.A., et al. (2013) The genome sequence of *Streptomyces lividans* 66 reveals a novel tRNA-dependent peptide biosynthetic system within a metal-related genomic island. *Genome Biol Evol* **5**: 1165-1175.
- Culp, E.J., Yim, G., Waglechner, N., Wang, W., Pawlowski, A.C., et al. (2019) Hidden antibiotics in actinomycetes can be identified by inactivation of gene clusters for common antibiotics. *Nat Biotechnol* **37**: 1149-1154.
- Cuthbertson, L., and Nodwell, J.R. (2013) The TetR family of regulators. *Microbiol Mol Biol Rev* **77**: 440-475.
- D'Alia, D., Eggle, D., Nieselt, K., Hu, W.S., Breitling, R., et al. (2011) Deletion of the signalling molecule synthase *scba* has pleiotropic effects on secondary metabolite biosynthesis, morphological differentiation and primary metabolism in *Streptomyces coelicolor* A3(2). *Microbial Biotechnol* **4**: 239-251.
- Daigle, F., Lerat, S., Bucca, G., Sanssouci, E., Smith, C.P., et al. (2015) A *terD* domain-encoding gene (SCO2368) is involved in calcium homeostasis and participates in calcium regulation of a DosR-like regulon in *Streptomyces coelicolor*. *J Bacteriol* **197**: 913-923.

## References

- Dairi, T., Hamano, Y., Furumai, T., and Oki, T. (1999) Development of a self-cloning system for *Actinomadura verrucosospora* and identification of polyketide synthase genes essential for production of the angucyclic antibiotic pradimicin. *Appl Environ Microbiol* **65**: 2703-2709.
- Davies, J., Spiegelman, G.B., and Yim, G. (2006) The world of subinhibitory antibiotic concentrations. *Curr Opin Microbiol* **9**: 445-453.
- de Jong, A., van Heel, A.J., Kok, J., and Kuipers, O.P. (2010) BAGEL2: Mining for bacteriocins in genomic data. *Nucleic Acids Res* **38**: W647-651.
- de Jong, A., van Hijum, S.A., Bijlsma, J.J., Kok, J., and Kuipers, O.P. (2006) BAGEL: A web-based bacteriocin genome mining tool. *Nucleic Acids Res* **34**: W273-279.
- Demain, A.L. (2014) Importance of microbial natural products and the need to revitalize their discovery. *J Ind Microbiol Biotechnol* **41**: 185-201.
- Demain, A.L., and Inamine, E. (1970) Biochemistry and regulation of streptomycin and mannosidostreptomycinase (alpha-D-mannosidase) formation. *Bacteriol Rev* **34**: 1-19.
- den Hengst, C.D., Tran, N.T., Bibb, M.J., Chandra, G., Leskiw, B.K., et al. (2010) Genes essential for morphological development and antibiotic production in *Streptomyces coelicolor* are targets of bldd during vegetative growth. *Mol Microbiol* **78**: 361-379.
- Derouaux, A., Halici, S., Nothaft, H., Neutelings, T., Moutzourelis, G., et al. (2004) Deletion of a cyclic AMP receptor protein homologue diminishes germination and affects morphological development of *Streptomyces coelicolor*. *J Bacteriol* **186**: 1893-1897.
- Deutscher, J., Francke, C., and Postma, P.W. (2006) How phosphotransferase system-related protein phosphorylation regulates carbohydrate metabolism in bacteria. *Microbiol Mol Biol Rev* **70**: 939-1031.
- Diaz, M., Esteban, A., Fernandez-Abalos, J.M., and Santamaria, R.I. (2005) The high-affinity phosphate-binding protein PstS is accumulated under high fructose concentrations and mutation of the corresponding gene affects differentiation in *Streptomyces lividans*. *Microbiology* **151**: 2583-2592.
- Distler, U., Kuharev, J., Navarro, P., Levin, Y., Schild, H., et al. (2014) Drift time-specific collision energies enable deep-coverage data-independent acquisition proteomics. *Nature Methods* **11**: 167-170.
- Donadio, S., Sosio, M., Stegmann, E., Weber, T., and Wohlleben, W. (2005) Comparative analysis and insights into the evolution of gene clusters for glycopeptide antibiotic biosynthesis. *Mol Genet Genomics* **274**: 40-50.
- Doull, J.L., and Vining, L.C. (1990) Physiology of antibiotic production in actinomycetes and some underlying control mechanisms. *Biotechnol Adv* **8**: 141-158.
- Du, C., and van Wezel, G.P. (2018) Mining for microbial gems: Integrating proteomics in the postgenomic natural product discovery pipeline. *Proteomics* **18**: e1700332.
- Dun, J., Zhao, Y., Zheng, G., Zhu, H., Ruan, L., et al. (2015) PapR6, a putative atypical response regulator, functions as a pathway-specific activator of pristinamycin II biosynthesis in *Streptomyces pristinaespiralis*. *J Bacteriol* **197**: 441-450.
- Eccleston, M., Ali, R.A., Seyler, R., Westpheling, J., and Nodwell, J. (2002) Structural and genetic analysis of the BldB protein of *Streptomyces coelicolor*. *J Bacteriol* **184**: 4270-4276.
- Elliot, M., Damji, F., Passantino, R., Chater, K., and Leskiw, B. (1998) The *bldD* gene of *Streptomyces coelicolor* A3(2): A regulatory gene involved in morphogenesis and antibiotic production. *J Bacteriol* **180**: 1549-1555.
- Elstner, E.F., Carnes, D.M., Suhadolnik, R.J., Kreishman, G.P., Schweizer, M.P., et al. (1973) Isolation, structural elucidation, biological properties, and biosynthesis of maleimycin, a new bicyclic maleimide antibiotic isolated from the culture filtrates of *Streptomyces showdoensis*. *Biochemistry* **12**: 4992-4997.



- Escalante, L., Lopez, H., Mateos, R.D., Lara, F., and Sanchez, S. (1982) Transient repression of erythromycin formation in *Streptomyces erythraeus*. *J Gen Microbiol* **128**: 2011-2015.
- Fabret, C., Feher, V.A., and Hoch, J.A. (1999) Two-component signal transduction in *Bacillus subtilis*: How one organism sees its world. *J Bacteriol* **181**: 1975-1983.
- Fakhruzzaman, M., Inukai, Y., Yanagida, Y., Kino, H., Igarashi, M., et al. (2015) Study on *in vivo* effects of bacterial histidine kinase inhibitor, waldiomycin, in *Bacillus subtilis* and *Staphylococcus aureus*. *J Gen Appl Microbiol* **61**: 177-184.
- Fan, K., Pan, G., Peng, X., Zheng, J., Gao, W., et al. (2012a) Identification of JadG as the B ring opening oxygenase catalyzing the oxidative C-C bond cleavage reaction in jadomycin biosynthesis. *Chem Biol* **19**: 1381-1390.
- Fan, K., and Zhang, Q. (2018) The functional differentiation of the post-PKS tailoring oxygenases contributed to the chemical diversities of atypical angucyclines. *Synth Syst Biotechnol* **3**: 275-282.
- Fan, K., Zhang, X., Liu, H., Han, H., Luo, Y., et al. (2012b) Evaluation of the cytotoxic activity of new jadomycin derivatives reveals the potential to improve its selectivity against tumor cells. *J Antibiot (Tokyo)* **65**: 449-452.
- Fedorushyn, M., Welle, E., Bechthold, A., and Luzhetskyy, A. (2008) Functional expression of the Cre recombinase in actinomycetes. *Appl Microbiol Biotechnol* **78**: 1065-1070.
- Feitelson, J.S., Malpartida, F., and Hopwood, D.A. (1985) Genetic and biochemical characterization of the *red* gene cluster of *Streptomyces coelicolor* A3(2). *J Gen Microbiol* **131**: 2431-2441.
- Feng, W.H., Mao, X.M., Liu, Z.H., and Li, Y.Q. (2011) The ECF sigma factor SigT regulates actinorhodin production in response to nitrogen stress in *Streptomyces coelicolor*. *Appl Microbiol Biotechnol* **92**: 1009-1021.
- Fenical, W., and Jensen, P.R. (2006) Developing a new resource for drug discovery: Marine actinomycete bacteria. *Nat Chem Biol* **2**: 666-673.
- Fernandez-Martinez, L.T., Gomez-Escribano, J.P., and Bibb, M.J. (2015) A *relA*-dependent regulatory cascade for auto-induction of microbisporicin production in *Microbispora corallina*. *Mol Microbiol* **97**: 502-514.
- Fernandez-Martinez, L.T., Santos-Beneit, F., and Martin, J.F. (2012) Is PhoR-PhoP partner fidelity strict? PhoR is required for the activation of the *pho* regulon in *Streptomyces coelicolor*. *Mol Gen Genet* **287**: 565-573.
- Fillenberg, S.B., Friess, M.D., Korner, S., Bockmann, R.A., and Muller, Y.A. (2016) Crystal structures of the global regulator DasR from *Streptomyces coelicolor*: Implications for the allosteric regulation of GntR/HutC repressors. *PLoS One* **11**: e0157691.
- Fillenberg, S.B., Grau, F.C., Seidel, G., and Muller, Y.A. (2015) Structural insight into operator *dre*-sites recognition and effector binding in the GntR/HutC transcription regulator NagR. *Nucleic Acids Res* **43**: 1283-1296.
- Finney, L.A., and O'Halloran, T.V. (2003) Transition metal speciation in the cell: Insights from the chemistry of metal ion receptors. *Science* **300**: 931-936.
- Flårdh, K., and Buttner, M.J. (2009) *Streptomyces* morphogenetics: Dissecting differentiation in a filamentous bacterium. *Nat Rev Microbiol* **7**: 36-49.
- Flett, F., Mersinias, V., and Smith, C.P. (1997) High efficiency intergeneric conjugal transfer of plasmid DNA from *Escherichia coli* to methyl DNA-restricting streptomycetes. *FEMS Microbiol Lett* **155**: 223-229.
- Fliinspach, K., Kapitzke, C., Tocchetti, A., Sosio, M., and Apel, A.K. (2014) Heterologous expression of the thiopeptide antibiotic GE2270 from *Planobispora rosea* ATCC 53733 in *Streptomyces coelicolor* requires deletion of ribosomal genes from the expression construct. *PLoS One* **9**: e90499.

## References

- Flores, F.J., Barreiro, C., Coque, J.J.R., and Martín, J.F. (2005) Functional analysis of two divalent metal-dependent regulatory genes *dmdR1* and *dmdR2* in *Streptomyces coelicolor* and proteome changes in deletion mutants. *FEBS J* **272**: 725-735.
- Flores, F.J., and Martín, J.F. (2004) Iron-regulatory proteins DmdR1 and DmdR2 of *Streptomyces coelicolor* form two different DNA-protein complexes with iron boxes. *Biochem J* **380**: 197-503.
- Fotso, S., Mahmud, T., Zabriskie, T.M., Santosa, D.A., and Proteau, P.J. (2008) Rearranged and unrearranged angucyclinones from Indonesian *Streptomyces* spp. *J Antibiot (Tokyo)* **61**: 449-456.
- Foulston, L., and Bibb, M. (2011) Feed-forward regulation of microbisporicin biosynthesis in *Microbispora corallina*. *J Bacteriol* **193**: 3064-3071.
- Foulston, L.C., and Bibb, M.J. (2010) Microbisporicin gene cluster reveals unusual features of lantibiotic biosynthesis in actinomycetes. *Proc Natl Acad Sci U S A* **107**: 13461-13466.
- Fowler-Goldsworthy, K., Gust, B., Mouz, S., Chandra, G., Findlay, K.C., et al. (2011) The *Actinobacteria*-specific gene *wblA* controls major developmental transitions in *Streptomyces coelicolor* A3(2). *Microbiology* **157**: 1312-1328.
- Freel, K.C., Edlund, A., and Jensen, P.R. (2012) Microdiversity and evidence for high dispersal rates in the marine actinomycete '*Salinispora pacifica*'. *Environ Microbiol* **14**: 480-493.
- Fujii, T., Gramajo, H.C., Takano, E., and Bibb, M.J. (1996) *redD* and *actII-ORF4*, pathway-specific regulatory genes for antibiotic production in *Streptomyces coelicolor* A3(2), are transcribed *in vitro* by an RNA polymerase holoenzyme containing sigma *hrdD*. *J Bacteriol* **178**: 3402-3405.
- Fürst, M.J.L.J., et al. (2019) Baeyer-villiger monooxygenases: Tunable oxidative biocatalysts. *ACS Catalysis* **9** 11207-11241.
- Furuya, K., and Hutchinson, C.R. (1996) The DnrN protein of *Streptomyces peuceitius*, a pseudo-response regulator, is a DNA-binding protein involved in the regulation of daunorubicin biosynthesis. *J Bacteriol* **178**: 6310-6318.
- Gagnat, J., Chouayekh, H., Gerbaud, C., Francou, F., and Virole, M.J. (1999) Disruption of *sblA* in *Streptomyces lividans* permits expression of a heterologous alpha-amylase gene in the presence of glucose. *Microbiology* **145** 2303-2312.
- Galet, J., Deveau, A., Hotel, L., Frey-Klett, P., Leblond, P., et al. (2015) *Pseudomonas fluorescens* pirates both ferrioxamine and ferricoelichelin siderophores from *Streptomyces ambofaciens*. *Appl Environ Microbiol* **81**: 3132-3141.
- Gallo, G., Renzone, G., Palazzotto, E., Monciardini, P., Arena, S., et al. (2016) Elucidating the molecular physiology of lantibiotic NAI-107 production in *Microbispora* ATCC-pta-5024. *BMC Genomics* **17**: 42.
- Gao, C., Hindra, Mulder, D., Yin, C., and Elliot, M.A. (2012) Crp is a global regulator of antibiotic production in *Streptomyces*. *MBio* **3**: 00407-00412.
- Garg, R.P., and Parry, R.J. (2010) Regulation of valanimycin biosynthesis in *Streptomyces viridifaciens*: Characterization of VIm1 as a *Streptomyces* antibiotic regulatory protein (SARP). *Microbiology (Reading)* **156**: 472-483.
- Gaudêncio, S.P., and Pereira, F. (2015) Dereplication: Racing to speed up the natural products discovery process. *Nat Prod Rep* **32**: 779-810.
- Gaur, N.K., Oppenheim, J., and Smith, I. (1991) The *Bacillus subtilis* *sin* gene, a regulator of alternate developmental processes, codes for a DNA-binding protein. *J Bacteriol* **173**: 678-686.
- Genilloud, O., Gonzalez, I., Salazar, O., Martin, J., Tormo, J.R., et al. (2011) Current approaches to exploit actinomycetes as a source of novel natural products. *J Ind Microbiol Biotechnol* **38**: 375-389.

- Ghorbel, S., Smirnov, A., Chouayekh, H., Sperandio, B., Esnault, C., *et al.* (2006) Regulation of *ppk* expression and *in vivo* function of Ppk in *Streptomyces lividans* TK24. *J Bacteriol* **188**: 6269-6276.
- Gilchrist, C.L.M., and Chooi, Y.H. (2021) Clinker & clustermap.js: Automatic generation of gene cluster comparison figures. *Bioinformatics* **37**: 2473-2475.
- Girard, G., Traag, B.A., Sangal, V., Mascini, N., Hoskisson, P.A., *et al.* (2013) A novel taxonomic marker that discriminates between morphologically complex actinomycetes. *Open Biol* **3**: 130073.
- Goerke, B., and Stulke, J. (2008) Carbon catabolite repression in bacteria: Many ways to make the most out of nutrients. *Nat Rev Microbiol* **6**: 613-624.
- Gomez-Escribano, J.P., and Bibb, M.J. (2011) Engineering *Streptomyces coelicolor* for heterologous expression of secondary metabolite gene clusters. *Microb Biotechnol* **4**: 207-215.
- Gomez-Escribano, J.P., Song, L., Fox, D.J., Yeo, V., Bibb, M.J., *et al.* (2012) Structure and biosynthesis of the unusual polyketide alkaloid coelimycin P1, a metabolic product of the *cpk* gene cluster of *Streptomyces coelicolor* M145. *Chem Sci* **3**: 2716-2720.
- Gorke, B., and Stülke, J. (2008) Carbon catabolite repression in bacteria: Many ways to make the most out of nutrients. *Nat Rev Microbiol* **6**: 613-624.
- Gottelt, M., Kol, S., Gomez-Escribano, J.P., Bibb, M., and Takano, E. (2010) Deletion of a regulatory gene within the *cpk* gene cluster reveals novel antibacterial activity in *Streptomyces coelicolor* A3(2). *Microbiology* **156**: 2343-2353.
- Grace, S.C.a.H., D.A. (2016) Processing and visualization of metabolomics data using *rItechopen*.
- Gramajo, H.C., Takano, E., and Bibb, M.J. (1993) Stationary-phase production of the antibiotic actinorhodin in *Streptomyces coelicolor* A3(2) is transcriptionally regulated. *Mol Microbiol* **7**: 837-845.
- Gross, H. (2009) Genomic mining—a concept for the discovery of new bioactive natural products. *Curr Opin Drug Disc Dev* **12**: 207-219.
- Gubbens, J., Janus, M., Florea, B.I., Overkleeft, H.S., and van Wezel, G.P. (2012) Identification of glucose kinase dependent and independent pathways for carbon control of primary metabolism, development and antibiotic production in *Streptomyces coelicolor* by quantitative proteomics. *Mol Microbiol* **86**: 1490-1507.
- Gubbens, J., Zhu, H., Girard, G., Song, L., Florea, B.I., *et al.* (2014) Natural product proteomining, a quantitative proteomics platform, allows rapid discovery of biosynthetic gene clusters for different classes of natural products. *Chem Biol* **21**: 707-718.
- Guerinot, M.L. (1994) Microbial iron transport. *Annu Rev Microbiol* **48**: 743-772.
- Gullberg, E., Albrecht, L.M., Karlsson, C., Sandegren, L., and Andersson, D.I. (2014) Selection of a multidrug resistance plasmid by sublethal levels of antibiotics and heavy metals. *MBio* **5**: e01918-01914.
- Gunnewijk, M.G., van den Bogaard, P.T., Veenhoff, L.M., Heuberger, E.H., de Vos, W.M., *et al.* (2001) Hierarchical control versus autoregulation of carbohydrate utilization in bacteria. *J Mol Microbiol Biotechnol* **3**: 401-413.
- Guo, F., Xiang, S., Li, L., Wang, B., Rajasarkka, J., *et al.* (2015) Targeted activation of silent natural product biosynthesis pathways by reporter-guided mutant selection. *Metab Eng* **28**: 134-142.
- Guo, J., Zhao, J., Li, L., Chen, Z., Wen, Y., *et al.* (2010) The pathway-specific regulator AveR from *Streptomyces avermitilis* positively regulates avermectin production while it negatively affects oligomycin biosynthesis. *Mol Genet Genomics* **283**: 123-133.
- Guo, L., Zhang, L., Yang, Q., Xu, B., Fu, X., *et al.* (2020) Antibacterial and cytotoxic bridged and ring cleavage angucyclinones from a marine *Streptomyces* sp. *Front Chem* **8**: 586.

## References

- Guthrie, E.P., Flaxman, C.S., White, J., Hodgson, D.A., Bibb, M.J., *et al.* (1998) A response-regulator-like activator of antibiotic synthesis from *Streptomyces coelicolor* A3(2) with an amino-terminal domain that lacks a phosphorylation pocket. *Microbiology* **144**: 727-738.
- Guzman, S., Carmona, A., Escalante, L., Imriskova, I., Lopez, R., *et al.* (2005) Pleiotropic effect of the SCO2127 gene on the glucose uptake, glucose kinase activity and carbon catabolite repression in *Streptomyces peuceitius* var. *Caesius*. *Microbiology* **151**: 1717-1723.
- Hackl, S., and Bechthold, A. (2015) The gene *bldA*, a regulator of morphological differentiation and antibiotic production in *Streptomyces*. *Arch Pharm (Weinheim)* **348**: 455-462.
- Harrison, P.J., Dunn, T.M., and Campopiano, D.J. (2018) Sphingolipid biosynthesis in man and microbes. *Nat Prod Rep* **35**: 921-954.
- Harvey, A.L., Edrada-Ebel, R., and Quinn, R.J. (2015) The re-emergence of natural products for drug discovery in the genomics era. *Nat Rev Drug Discov* **14**: 111-129.
- Hasebe, F., Matsuda, K., Shiraiishi, T., Futamura, Y., Nakano, T., *et al.* (2016) Amino-group carrier-protein-mediated secondary metabolite biosynthesis in *Streptomyces*. *Nat Chem Biol* **12**: 967-972.
- He, J.M., Zhu, H., Zheng, G.S., Liu, P.P., Wang, J., *et al.* (2016) Direct involvement of the master nitrogen metabolism regulator GlnR in antibiotic biosynthesis in *Streptomyces*. *J Biol Chem* **291**: 26443-26454.
- Helfrich, E.J.N., Ueoka, R., Dolev, A., Rust, M., Meoded, R.A., *et al.* (2019) Automated structure prediction of trans-acyltransferase polyketide synthase products. *Nat Chem Biol* **15**: 813-821.
- Helmann, J.D. (2002) The extracytoplasmic function (ECF) sigma factors. *Adv Microb Physiol* **46**: 47-110.
- Hertweck, C., Luzhetskyy, A., Rebets, Y., and Bechthold, A. (2007) Type II polyketide synthases: Gaining a deeper insight into enzymatic teamwork. *Nat Prod Rep* **24**: 162-190.
- Hesketh, A., Kock, H., Mootien, S., and Bibb, M. (2009) The role of *absC*, a novel regulatory gene for secondary metabolism, in zinc-dependent antibiotic production in *Streptomyces coelicolor* A3(2). *Mol Microbiol* **74**: 1427-1444.
- Hiard, S., Maree, R., Colson, S., Hoskisson, P.A., Titgemeyer, F., *et al.* (2007) Predetector: A new tool to identify regulatory elements in bacterial genomes. *Biochem Biophys Res Commun* **357**: 861-864.
- Hindle, Z., and Smith, C.P. (1994) Substrate induction and catabolite repression of the *Streptomyces coelicolor* glycerol operon are mediated through the GylR protein. *Mol Microbiol* **12**: 737-745.
- Hirano, S., Tanaka, K., Ohnishi, Y., and Horinouchi, S. (2008) Conditionally positive effect of the TetR-family transcriptional regulator AtrA on streptomycin production by *Streptomyces griseus*. *Microbiology* **154**: 905-914.
- Hodgson, D.A. (1982) Glucose repression of carbon source uptake and metabolism in *Streptomyces coelicolor* A3(2) and its perturbation in mutants resistant to 2-deoxyglucose. *J Gen Microbiol* **128**: 2417-2430.
- Hong, B., Phornphisutthimas, S., Tilley, E., Baumberg, S., and McDowall, K.J. (2007) Streptomycin production by *Streptomyces griseus* can be modulated by a mechanism not associated with change in the *adpa* component of the A-factor cascade. *Biotechnol Lett* **29**: 57-64.

- Hong, H.J., Hutchings, M.I., Neu, J.M., Wright, G.D., Paget, M.S., *et al.* (2004) Characterization of an inducible vancomycin resistance system in *Streptomyces coelicolor* reveals a novel gene (*vanK*) required for drug resistance. *Mol Microbiol* **52**: 1107-1121.
- Hong, S.K., Kito, M., Beppu, T., and Horinouchi, S. (1991) Phosphorylation of the AfsR product, a global regulatory protein for secondary-metabolite formation in *Streptomyces coelicolor* A3(2). *J Bacteriol* **173**: 2311-2318.
- Hopwood, D.A. (1999) Forty years of genetics with *Streptomyces*: From *in vivo* through *in vitro* to *in silico*. *Microbiology* **145**: 2183-2202.
- Hopwood, D.A. (2006) Soil to genomics: The *Streptomyces* chromosome. *Annu Rev Genet* **40**: 1-23.
- Hopwood, D.A., (2007) *Streptomyces in nature and medicine: The antibiotic makers*. Oxford University Press, New York.
- Hopwood, D.A., and Wright, H.M. (1983) CDA is a new chromosomally-determined antibiotic from *Streptomyces coelicolor* A3(2). *J Gen Microbiol* **129**: 3575-3579.
- Horbal, L., Kobylansky, A., Truman, A.W., Zaburranyi, N., Ostash, B., *et al.* (2014) The pathway-specific regulatory genes, *tei15\** and *tei16\**, are the master switches of teicoplanin production in *Actinoplanes teichomyceticus*. *Appl Microbiol Biotechnol* **98**: 9295-9309.
- Horbal, L., Kobylansky, A., Yushchuk, O., Zaburranyi, N., Luzhetskyy, A., *et al.* (2013) Evaluation of heterologous promoters for genetic analysis of *Actinoplanes teichomyceticus*-producer of teicoplanin, drug of last defense. *J Biotechnol* **168**: 367-372.
- Horbal, L., Zaburranny, N., Ostash, B., Shulga, S., and Fedorenko, V. (2012) Manipulating the regulatory genes for teicoplanin production in *Actinoplanes teichomyceticus*. *World J Microbiol Biotechnol* **28**: 2095-2100.
- Horinouchi, S. (2003) AfsR as an integrator of signals that are sensed by multiple serine/threonine kinases in *Streptomyces coelicolor* A3(2). *J Ind Microbiol Biotechnol* **30**: 462-467.
- Horinouchi, S. (2007) Mining and polishing of the treasure trove in the bacterial genus *Streptomyces*. *Biosci Biotechnol Biochem* **71**: 283-299.
- Horinouchi, S., Kito, M., Nishiyama, M., Furuya, K., Hong, S.K., *et al.* (1990) Primary structure of *afsR*, a global regulatory protein for secondary metabolite formation in *Streptomyces coelicolor* A3(2) *Gene* **95**: 49-56.
- Hoskisson, P.A., and Seipke, R.F. (2020) Cryptic or silent? The known unknowns, unknown knowns, and unknown unknowns of secondary metabolism. *mBio* **11**: 2642-2646.
- Hostalek, Z. (1980) Catabolite regulation of antibiotic biosynthesis. *Folia Microbiol (Praha)* **25**: 445-450.
- Hou, B., Lin, Y., Wu, H., Guo, M., Petkovic, H., *et al.* (2018) The novel transcriptional regulator LmbU promotes lincomycin biosynthesis through regulating expression of its target genes in *Streptomyces lincolnensis*. *J Bacteriol* **200**: 447-463.
- Hu, H., Zhang, Q., and Ochi, K. (2002) Activation of antibiotic biosynthesis by specified mutations in the *rpoB* gene (encoding the RNA polymerase beta subunit) of *Streptomyces lividans*. *J Bacteriol* **184**: 3984-3991.
- Huang, C., Yang, C., Zhang, W., Zhang, L., De, B.C., *et al.* (2018) Molecular basis of dimer formation during the biosynthesis of benzofluorene-containing atypical angucyclines. *Nat Commun* **9**: 2088.
- Huang, H., Hou, L., Li, H., Qiu, Y., Ju, J., *et al.* (2016) Activation of a plasmid-situated type III PKS gene cluster by deletion of a *wbl* gene in deepsea-derived *Streptomyces somaliensis* scsio zh66. *Microb Cell Fact* **15**: 116.

## References

- Huang, M., Lu, J.J., and Ding, J. (2021) Natural products in cancer therapy: Past, present and future. *Nat Prod Bioprospect* **11**: 5-13.
- Huang, X., Ma, T., Tian, J., Shen, L., Zuo, H., et al. (2017) *wblA*, a pleiotropic regulatory gene modulating morphogenesis and daptomycin production in *Streptomyces roseosporus*. *J Appl Microbiol* **123**: 669-677.
- Hulcr, J., Adams, A.S., Raffa, K., Hofstetter, R.W., Klepzig, K.D., et al. (2011) Presence and diversity of *Streptomyces* in *Dendroctonus* and sympatric bark beetle galleries across north america. *Microb Ecol* **61**: 759-768.
- Hulst, M.B., Grocholski, T., Neefjes, J.J.C., van Wezel, G.P., and Metsa-Ketela, M. (2021) Anthracyclines: Biosynthesis, engineering and clinical applications. *Nat Prod Rep*.
- Hunter, J.D. (2007) Matplotlib: A 2D graphics environment. *Computing in Science and Engineering* **9**: 90-95.
- Hutchings, M.I. (2007) Unusual two-component signal transduction pathways in the *Actinobacteria*. *Adv Appl Microbiol* **61**: 1-26.
- Hutchings, M.I., Hong, H.J., and Buttner, M.J. (2006) The vancomycin resistance VanRS two-component signal transduction system of *Streptomyces coelicolor*. *Mol Microbiol* **59**: 923-935.
- Hutchings, M.I., Hoskisson, P.A., Chandra, G., and Buttner, M.J. (2004) Sensing and responding to diverse extracellular signals? Analysis of the sensor kinases and response regulators of *Streptomyces coelicolor* A3(2). *Microbiology* **150**: 2795-2806.
- Hutchings, M.I., Truman, A.W., and Wilkinson, B. (2019) Antibiotics: Past, present and future. *Curr Opin Microbiol* **51**: 72-80.
- Hutchinson, C.R., and Colombo, A.L. (1999) Genetic engineering of doxorubicin production in *Streptomyces peuceitius*: A review. *J Ind Microbiol Biotechnol* **23**: 647-652.
- Ikeda, H., Ishikawa, J., Hanamoto, A., Shinose, M., Kikuchi, H., et al. (2003) Complete genome sequence and comparative analysis of the industrial microorganism *Streptomyces avermitilis*. *Nat Biotechnol* **21**: 526-531.
- Inaoka, T., and Ochi, K. (2011) Scandium stimulates the production of amylase and bacilysin in *Bacillus subtilis*. *Appl Environ Microbiol* **77**: 8181-8183.
- Iorio, M., Davatgarbenam, S., Serina, S., Criscenzo, P., Zdouc, M.M., et al. (2021) Blocks in the pseudouridimycin pathway unlock hidden metabolites in the *Streptomyces* producer strain. *Sci Rep* **11**: 5827.
- Iqbal, M., Mast, Y., Amin, R., Hodgson, D.A., Consortium, S., et al. (2012) Extracting regulator activity profiles by integration of *de novo* motifs and expression data: Characterizing key regulators of nutrient depletion responses in *Streptomyces coelicolor*. *Nucleic Acids Res* **40**: 5227-5239.
- Izawa, M., Kimata, S., Maeda, A., Kawasaki, T., and Hayakawa, Y. (2014) Functional analysis of hatomarubigin biosynthesis genes and production of a new hatomarubigin using a heterologous expression system. *J Antibiot (Tokyo)* **67**: 159-162.
- Jensen, P.R., Moore, B.S., and Fenical, W. (2015) The marine actinomycete genus *Salinispora*: A model organism for secondary metabolite discovery. *Nat Prod Rep* **32**: 738-751.
- Jones, A.C., Gust, B., Kulik, A., Heide, L., Buttner, M.J., et al. (2013) Phage p1-derived artificial chromosomes facilitate heterologous expression of the FK506 gene cluster. *PLoS One* **8**: e69319.
- Joynt, R., and Seipke, R.F. (2018) A phylogenetic and evolutionary analysis of antimycin biosynthesis. *Microbiology* **164**: 28-39.
- Ju, K.S., Zhang, X., and Elliot, M.A. (2018) New kid on the block: LmbU expands the repertoire of specialized metabolic regulators in *Streptomyces*. *J Bacteriol* **200**: 559-562.

- Kallio, P., Liu, Z., Mantsala, P., Niemi, J., and Metsa-Ketela, M. (2008a) A nested gene in *Streptomyces* bacteria encodes a protein involved in quaternary complex formation. *J Mol Biol* **375**: 1212-1221.
- Kallio, P., Liu, Z., Mantsala, P., Niemi, J., and Metsa-Ketela, M. (2008b) Sequential action of two flavoenzymes, PgaE and pgam, in angucycline biosynthesis: Chemoenzymatic synthesis of gaudimycin C. *Chem Biol* **15**: 157-166.
- Kallio, P., Patrikainen, P., Belogurov, G.A., Mantsala, P., Yang, K., et al. (2013) Tracing the evolution of angucyclinone monooxygenases: Structural determinants for C-12b hydroxylation and substrate inhibition in PgaE. *Biochemistry* **52**: 4507-4516.
- Kamjam, M., Sivalingam, P., Deng, Z., and Hong, K. (2017) Deep sea actinomycetes and their secondary metabolites. *Front Microbiol* **8**: 760.
- Kang, S.G., Jin, W., Bibb, M., and Lee, K.J. (1998) Actinorhodin and undecylprodigiosin production in wild-type and *relA* mutant strains of *Streptomyces coelicolor* A3(2) grown in continuous culture. *FEMS Microbiol Lett* **168**: 221-226.
- Kang, S.H., Huang, J., Lee, H.N., Hur, Y.A., Cohen, S.N., et al. (2007) Interspecies DNA microarray analysis identifies WblA as a pleiotropic down-regulator of antibiotic biosynthesis in *Streptomyces*. *J Bacteriol* **189**: 4315-4319.
- Kato, J.Y., Funa, N., Watanabe, H., Ohnishi, Y., and Horinouchi, S. (2007) Biosynthesis of g-butyrolactone autoregulators that switch on secondary metabolism and morphological development in *Streptomyces*. *Proc Natl Acad Sci USA* **104**: 2378-2383.
- Katz, L., and Baltz, R.H. (2016) Natural product discovery: Past, present, and future. *J Ind Microbiol Biotechnol* **43**: 155-176.
- Kautsar, S.A., Blin, K., Shaw, S., Navarro-Munoz, J.C., Terlouw, B.R., et al. (2020) MIBiG 2.0: A repository for biosynthetic gene clusters of known function. *Nucleic Acids Res* **48**: D454-D458.
- Kawai, K., Wang, G., Okamoto, S., and Ochi, K. (2007) The rare earth, scandium, causes antibiotic overproduction in *Streptomyces* spp. *FEMS Microbiol Lett* **274**: 311-315.
- Kearns, D.B., Chu, F., Branda, S.S., Kolter, R., and Losick, R. (2005) A master regulator for biofilm formation by *Bacillus subtilis*. *Mol Microbiol* **55**: 739-749.
- Kelemen, G.H., and Buttner, M.J. (1998) Initiation of aerial mycelium formation in *Streptomyces*. *Curr Opin Microbiol* **1**: 656-662.
- Kharel, M.K., Pahari, P., Shepherd, M.D., Tibrewal, N., Nybo, S.E., et al. (2012) Angucyclines: Biosynthesis, mode-of-action, new natural products, and synthesis. *Nat Prod Rep* **29**: 264-325.
- Kharel, M.K., and Rohr, J. (2012) Delineation of gilvocarcin, jadomycin, and landomycin pathways through combinatorial biosynthetic enzymology. *Curr Opin Chem Biol* **16**: 150-161.
- Khodakaramian, G., Lissenden, S., Gust, B., Moir, L., Hoskisson, P.A., et al. (2006) Expression of Cre recombinase during transient phage infection permits efficient marker removal in *Streptomyces*. *Nucleic Acids Res* **34**: 20.
- Kibret, M., Guerrero-Garzon, J.F., Urban, E., Zehl, M., Wronski, V.K., et al. (2018) *Streptomyces* spp. From Ethiopia producing antimicrobial compounds: Characterization via bioassays, genome analyses, and mass spectrometry. *Front Microbiol* **9**: 1270.
- Kieser, T., Bibb, M.J., Buttner, M.J., Chater, K.F., and Hopwood, D.A. (2000) Practical *Streptomyces* genetics. *The John Innes Foundation, Norwich, United Kingdom*.
- Kilian, R., Frasch, H.J., Kulik, A., Wohlleben, W., and Stegmann, E. (2016) The VanRS homologous two-component system VnIRS<sub>Ab</sub> of the glycopeptide producer *Amycolatopsis balhimycina* activates transcription of the *vanHAX<sub>sc</sub>* genes in *Streptomyces coelicolor*, but not in *A. Balhimycina*. *Microb Drug Resist* **22**: 499-509.

## References

- Kim, E., Moore, B.S., and Yoon, Y.J. (2015a) Reinvigorating natural product combinatorial biosynthesis with synthetic biology. *Nat Chem Biol* **11**: 649-659.
- Kim, E.S., Hong, H.J., Choi, C.Y., and Cohen, S.N. (2001) Modulation of actinorhodin biosynthesis in *Streptomyces lividans* by glucose repression of *afsR2* gene transcription. *J Bacteriol* **183**: 2969-2969.
- Kim, H.J., Kim, M.K., Jin, Y.Y., and Kim, E.S. (2014) Effect of antibiotic down-regulatory gene *wblA* ortholog on antifungal polyene production in rare actinomycetes *Pseudonocardia autotrophica*. *J Microbiol Biotechnol* **24**: 1226-1231.
- Kim, S.H., Traag, B.A., Hasan, A.H., McDowall, K.J., Kim, B.G., et al. (2015b) Transcriptional analysis of the cell division-related *ssg* genes in *Streptomyces coelicolor* reveals direct control of *ssgR* by AtrA. *Antonie Van Leeuwenhoek* **108**: 201-213.
- Kitani, S., Doi, M., Shimizu, T., Maeda, A., and Nihira, T. (2010) Control of secondary metabolism by *farX*, which is involved in the gamma-butyrolactone biosynthesis of *Streptomyces lavendulae* FRI-5. *Arch Microbiol* **192**: 211-220.
- Kitani, S., Iida, A., Izumi, T.A., Maeda, A., Yamada, Y., et al. (2008) Identification of genes involved in the butyrolactone autoregulator cascade that modulates secondary metabolism in *Streptomyces lavendulae* FRI-5. *Gene* **425**: 9-16.
- Kitani, S., Miyamoto, K.T., Takamatsu, S., Herawati, E., Iguchi, H., et al. (2011) Avenolide, a *Streptomyces* hormone controlling antibiotic production in *Streptomyces avermitilis*. *Proc Natl Acad Sci U S A* **108**: 16410-16415.
- Kitani, S., Yamada, Y., and Nihira, T. (2001) Gene replacement analysis of the butyrolactone autoregulator receptor (FarA) reveals that FarA acts as a novel regulator in secondary metabolism of *Streptomyces lavendulae* FRI-5. *J Bacteriol* **183**: 4357-4363.
- Kloosterman, A.M., Cimermancic, P., Elsayed, S.S., Du, C., Hadjithomas, M., et al. (2020a) Expansion of RiPP biosynthetic space through integration of pan-genomics and machine learning uncovers a novel class of lanthipeptides. *PLoS Biol* **18**: e3001026.
- Kloosterman, A.M., Shelton, K.E., van Wezel, G.P., Medema, M.H., and Mitchell, D.A. (2020b) Rre-finder: A genome-mining tool for class-independent RiPP discovery. *mSystems* **5**.
- Kohl, M., Wiese, S., and Warscheid, B. (2011) Cytoscape: Software for visualization and analysis of biological networks. *Methods Mol Biol* **696**: 291-303.
- Kolter, R., and van Wezel, G.P. (2016) Goodbye to brute force in antibiotic discovery? *Nat Microbiol* **1**: 15020.
- Komatsu, M., Komatsu, K., Koiwai, H., Yamada, Y., Kozono, I., et al. (2013) Engineered *Streptomyces avermitilis* host for heterologous expression of biosynthetic gene cluster for secondary metabolites. *ACS Synth Biol* **2**: 384-396.
- Kong, L., Zhang, W., Chooi, Y.H., Wang, L., Cao, B., et al. (2016) A multifunctional monooxygenase XanO4 catalyzes xanthone formation in xantholipin biosynthesis via a cryptic demethoxylation. *Cell Chem Biol* **23**: 508-516.
- Kormanec, J., Novakova, R., Mingyar, E., and Feckova, L. (2014) Intriguing properties of the angucycline antibiotic auricin and complex regulation of its biosynthesis. *Appl Microbiol Biotechnol* **98**: 45-60.
- Korner, H., Sofia, H.J., and Zumft, W.G. (2003) Phylogeny of the bacterial superfamily of Crp-Fnr transcription regulators: Exploiting the metabolic spectrum by controlling alternative gene programs. *FEMS Microbiol Rev* **27**: 559-592.
- Korynevskaya, A., Heffeter, P., Matselyukh, B., Elbling, L., Micksche, M., et al. (2007) Mechanisms underlying the anticancer activities of the angucycline landomycin E. *Biochem Pharmacol* **74**: 1713-1726.
- Kulowski, K., Wendt-Pienkowski, E., Han, L., Yang, K., Vining, L.C., et al. (1999) Functional characterization of the *jadI* gene as a cyclase forming angucyclinones. *Journal of the American Chemical Society* **121**: 1786-1794.



- Kumar, S., Stecher, G., Li, M., Knyaz, C., and Tamura, K. (2018) MEGA X: Molecular evolutionary genetics analysis across computing platforms. *Mol Biol Evol* **35**: 1547-1549.
- Kurniawan, Y.N., Kitani, S., Iida, A., Maeda, A., Lycklama a Nijeholt, J., et al. (2016) Regulation of production of the blue pigment indigoidine by the pseudo gamma-butyrolactone receptor FarR2 in *Streptomyces lavendulae* FRI-5. *J Biosci Bioeng* **121**: 372-379.
- Kurniawan, Y.N., Kitani, S., Maeda, A., and Nihira, T. (2014) Differential contributions of two SARP family regulatory genes to indigoidine biosynthesis in *Streptomyces lavendulae* FRI-5. *Appl Microbiol Biotechnol* **98**: 9713-9721.
- Kwakman, J.H.J.M., and Postma, P.W. (1994) Glucose kinase has a regulatory role in carbon catabolite repression in *Streptomyces coelicolor*. *J Bacteriol* **176**: 2694-2698.
- Labeda, D.P., Goodfellow, M., Brown, R., Ward, A.C., Lanoot, B., et al. (2012) Phylogenetic study of the species within the family Streptomycetaceae. *Antonie Van Leeuwenhoek* **101**: 73-104.
- Lai, Z., Yu, J., Ling, H., Song, Y., Yuan, J., et al. (2018) Grincamycins i - k, cytotoxic angucycline glycosides derived from marine-derived actinomycete *Streptomyces lusitanus* scsio Ir32. *Planta Med* **84**: 201-207.
- Lambert, S., Traxler, M.F., Craig, M., Maciejewska, M., Ongena, M., et al. (2014) Altered desferrioxamine-mediated iron utilization is a common trait of *bald* mutants of *Streptomyces coelicolor*. *Metallomics* **6**: 1390-1399.
- Langmead, B., Trapnell, C., Pop, M., and Salzberg, S.L. (2009) Ultrafast and memory-efficient alignment of short DNA sequences to the human genome. *Genome Biol* **10**: R25.
- Lautru, S., Deeth, R.J., Bailey, L.M., and Challis, G.L. (2005) Discovery of a new peptide natural product by *Streptomyces coelicolor* genome mining. *Nat Chem Biol* **1**: 265-269.
- Lawlor, E.J., Baylis, H.A., and Chater, K.F. (1987) Pleiotropic morphological and antibiotic deficiencies result from mutations in a gene encoding a tRNA-like product in *Streptomyces coelicolor* A3(2). *Genes Dev* **1**: 1305-1310.
- Le Marechal, P., Decottignies, P., Marchand, C.H., Degrouard, J., Jaillard, D., et al. (2013) Comparative proteomic analysis of *Streptomyces lividans* wild-type and *ppk* mutant strains reveals the importance of storage lipids for antibiotic biosynthesis. *Appl Environ Microbiol* **79**: 5907-5917.
- Lechner, A., Eustaquio, A.S., Gulder, T.A., Hafner, M., and Moore, B.S. (2011) Selective overproduction of the proteasome inhibitor salinosporamide A via precursor pathway regulation. *Chem Biol* **18**: 1527-1536.
- Lee, H.N., Im, J.H., Lee, M.J., Lee, S.Y., and Kim, E.S. (2009) A putative secreted solute binding protein, SCO6569 is a possible AfsR2-dependent down-regulator of actinorhodin biosynthesis in *Streptomyces coelicolor*. *Process Biochem* **44**: 373-377.
- Lee, N., Hwang, S., Kim, J., Cho, S., Palsson, B., et al. (2020) Mini review: Genome mining approaches for the identification of secondary metabolite biosynthetic gene clusters in *Streptomyces*. *Comput Struct Biotechnol J* **18**: 1548-1556.
- Lehka, L.V., Panchuk, R.R., Berger, W., Rohr, J., and Stoika, R.S. (2015) The role of reactive oxygen species in tumor cells apoptosis induced by landomycin A. *Ukr Biochem J* **87**: 72-82.
- Lei, C., Wang, J., Liu, Y., Liu, X., Zhao, G., et al. (2018) A feedback regulatory model for RifQ-mediated repression of rifamycin export in *Amycolatopsis mediterranei*. *Microb Cell Fact* **17**: 14.
- Leskiw, B.K., Lawlor, E.J., Fernandez-Abalos, J.M., and Chater, K.F. (1991) TTA codons in some genes prevent their expression in a class of developmental, antibiotic-negative, *Streptomyces* mutants. *Proc Natl Acad Sci U S A* **88**: 2461-2465.

## References

- Letunic, I., and Bork, P. (2021) Interactive tree of life (itol) v5: An online tool for phylogenetic tree display and annotation. *Nucleic Acids Res* **49**: W293-W296.
- Lewis, K. (2013) Platforms for antibiotic discovery. *Nat Rev Drug Discov* **12**: 371-387.
- Li, C., Liu, X., Lei, C., Yan, H., Shao, Z., et al. (2017a) RifZ (AMED\_0655) is a pathway-specific regulator for rifamycin biosynthesis in *Amycolatopsis mediterranei*. *Appl Environ Microbiol* **83**: 3201-3210.
- Li, L., Liu, X., Jiang, W., and Lu, Y. (2019) Recent advances in synthetic biology approaches to optimize production of bioactive natural products in Actinobacteria. *Front Microbiol* **10**: 2467.
- Li, M.H., Ung, P.M., Zajkowski, J., Garneau-Tsodikova, S., and Sherman, D.H. (2009) Automated genome mining for natural products. *BMC Bioinformatics* **10**: 185.
- Li, T.L., Huang, F., Haydock, S.F., Mironenko, T., Leadlay, P.F., et al. (2004) Biosynthetic gene cluster of the glycopeptide antibiotic teicoplanin: Characterization of two glycosyltransferases and the key acyltransferase. *Chem Biol* **11**: 107-119.
- Li, W., Ying, X., Guo, Y., Yu, Z., Zhou, X., et al. (2006) Identification of a gene negatively affecting antibiotic production and morphological differentiation in *Streptomyces coelicolor* A3(2). *J Bacteriol* **188**: 8368-8375.
- Li, X., Wang, J., Li, S., Ji, J., Wang, W., et al. (2016) Corrigendum: ScbR- and ScbR2-mediated signal transduction networks coordinate complex physiological responses in *Streptomyces coelicolor*. *Sci Rep* **6**: 21574.
- Li, X., Wang, J., Shi, M., Wang, W., Corre, C., et al. (2017b) Evidence for the formation of ScbR/ScbR2 heterodimers and identification of one of the regulatory targets in *Streptomyces coelicolor*. *Appl Microbiol Biotechnol* **101**: 5333-5340.
- Li, X., Yu, T., He, Q., McDowall, K.J., Jiang, B., et al. (2015) Binding of a biosynthetic intermediate to AtrA modulates the production of lidamycin by *Streptomyces globisporus*. *Mol Microbiol* **96**: 1257-1271.
- Liao, C.-H., Yao, L.-I., and Ye, B.-C. (2014a) Three genes encoding citrate synthases in *Saccharopolyspora erythraea* are regulated by the global nutrient-sensing regulators GlnR, DasR, and crp. *Mol Microbiol* **94**: 1065-1084.
- Liao, C., Rigali, S., Cassani, C.L., Marcellin, E., Nielsen, L.K., et al. (2014b) Control of chitin and N-acetylglucosamine utilization in *Saccharopolyspora erythraea*. *Microbiology* **160**: 1914-1928.
- Liao, C.H., Xu, Y., Rigali, S., and Ye, B.C. (2015a) DasR is a pleiotropic regulator required for antibiotic production, pigment biosynthesis, and morphological development in *Saccharopolyspora erythraea*. *Appl Microbiol Biotechnol* **99**: 10215-10224.
- Liao, C.H., Yao, L., Xu, Y., Liu, W.B., Zhou, Y., et al. (2015b) Nitrogen regulator GlnR controls uptake and utilization of non-phosphotransferase-system carbon sources in actinomycetes. *Proc Natl Acad Sci U S A* **112**: 15630-15635.
- Linares, J.F., Gustafsson, I., Baquero, F., and Martinez, J.L. (2006) Antibiotics as intermicrobial signaling agents instead of weapons. *Proc Natl Acad Sci U S A* **103**: 19484-19489.
- Liu, G., Chater, K.F., Chandra, G., Niu, G., and Tan, H. (2013) Molecular regulation of antibiotic biosynthesis in *Streptomyces*. *Microbiol Mol Biol Rev* **77**: 112-143.
- Liu, J., Li, J., Dong, H., Chen, Y., Wang, Y., et al. (2017) Characterization of an Lrp/AsnC family regulator SCO3361, controlling actinorhodin production and morphological development in *Streptomyces coelicolor*. *Appl Microbiol Biotechnol* **101**: 5773-5783.
- Liu, X., Liu, D., Xu, M., Tao, M., Bai, L., et al. (2018) Reconstitution of kinamycin biosynthesis within the heterologous host *Streptomyces albus* J1074. *J Nat Prod* **81**: 72-77.

- Lo Grasso, L., Maffioli, S., Sosio, M., Bibb, M., Puglia, A.M., *et al.* (2015) Two master switch regulators trigger A40926 biosynthesis in *Nonomuraea* sp. Strain ATCC 39727. *J Bacteriol* **197**: 2536-2544.
- Loria, R., Bignell, D.R., Moll, S., Huguet-Tapia, J.C., Joshi, M.V., *et al.* (2008) Thaxtomin biosynthesis: The path to plant pathogenicity in the genus *Streptomyces*. *Antonie Van Leeuwenhoek* **94**: 3-10.
- Love, M.I., Huber, W., and Anders, S. (2014) Moderated estimation of fold change and dispersion for RNA-seq data with DESeq2. *Genome Biol* **15**: 550.
- Low, Z.J., Pang, L.M., Ding, Y., Cheang, Q.W., Le Mai Hoang, K., *et al.* (2018) Identification of a biosynthetic gene cluster for the polyene macrolactam sceliphrolactam in a *Streptomyces* strain isolated from mangrove sediment. *Sci Rep* **8**: 1594.
- Lu, Y., He, J., Zhu, H., Yu, Z., Wang, R., *et al.* (2011) An orphan histidine kinase, OhkA, regulates both secondary metabolism and morphological differentiation in *Streptomyces coelicolor*. *J Bacteriol* **193**: 3020-3032.
- Ludwig, W., Euzéby, J., Schumann, P., Busse, H.-J., Trujillo, M.E., *et al.*, (2012) Road map of the phylum *Actinobacteria*. In: Bergey's manual of systematic bacteriology. M. Goodfellow, P. Kämpfer, H.-J. Busse, M.E. Trujillo, K.-I. Suzuki, W. Ludwig & W.B. Whitman (eds). New York: Springer, pp. 1-28.
- Luo, S., Sun, D., Zhu, J., Chen, Z., Wen, Y., *et al.* (2014) An extracytoplasmic function sigma factor, sigma(25), differentially regulates avermectin and oligomycin biosynthesis in *Streptomyces avermitilis*. *Appl Microbiol Biotechnol* **98**: 7097-7112.
- Ma, M., Rateb, M.E., Teng, Q., Yang, D., Rudolf, J.D., *et al.* (2015) Angucyclines and angucyclinones from *Streptomyces* sp. CB01913 featuring C-ring cleavage and expansion. *J Nat Prod* **78**: 2471-2480.
- Machushynets, N.V., Elsayed, S.S., Du, C., Siegler, M.A., de la Cruz, M., *et al.* (2022) Discovery of actinomycin L, a new member of the actinomycin family of antibiotics. *Sci Rep* **12**: 2813.
- Machushynets, N.V., Wu, C., Elsayed, S.S., Hankemeier, T., and van Wezel, G.P. (2019) Discovery of novel glycerolated quinazolinones from *Streptomyces* sp. MBT27. *J Ind Microbiol Biotechnol* **46**: 483-492.
- MacNeil, D.J. (1988) Characterization of a unique methyl-specific restriction system in *Streptomyces avermitilis*. *J Bacteriol* **170**: 5607-5612.
- MacNeil, D.J., Gewain, K.M., Ruby, C.L., Dezeny, G., Gibbons, P.H., *et al.* (1992) Analysis of *Streptomyces avermitilis* genes required for avermectin biosynthesis utilizing a novel integration vector. *Gene* **111**: 61-68.
- Makato, N. (2012-2017) Elucidation of mechanisms of biomaterial conversion modified by amino group-modifying carrier protein and application.
- Manteca, A., Fernandez, M., and Sanchez, J. (2005) A death round affecting a young compartmentalized mycelium precedes aerial mycelium dismantling in confluent surface cultures of *Streptomyces antibioticus*. *Microbiology* **151**: 3689-3697.
- Mao, X.M., Sun, Z.H., Liang, B.R., Wang, Z.B., Feng, W.H., *et al.* (2013) Positive feedback regulation of stg expression for secondary metabolism in *Streptomyces coelicolor*. *J Bacteriol* **195**: 2072-2078.
- Marcone, G.L., Carrano, L., Marinelli, F., and Beltrametti, F. (2010) Protoplast preparation and reversion to the normal filamentous growth in antibiotic-producing uncommon actinomycetes. *J Antibiot (Tokyo)* **63**: 83-88.
- Martin-Martin, S., Rodriguez-Garcia, A., Santos-Beneit, F., Franco-Dominguez, E., Sola-Landa, A., *et al.* (2017) Self-control of the PHO regulon: The PhoP-dependent protein PhoU controls negatively expression of genes of PHO regulon in *Streptomyces coelicolor*. *J Antibiot (Tokyo)* **71**: 113-122.

## References

- Martin, J.F., and Liras, P. (2012) Cascades and networks of regulatory genes that control antibiotic biosynthesis. *Subcell Biochem* **64**: 115-138.
- Martinet, L., Naome, A., Baiwir, D., De Pauw, E., Mazzucchelli, G., et al. (2020) On the risks of phylogeny-based strain prioritization for drug discovery: *Streptomyces lunaelactis* as a case study. *Biomolecules* **10**: 1027.
- Martinez-Castro, M., Salehi-Najafabadi, Z., Romero, F., Perez-Sanchiz, R., Fernandez-Chimeno, R.I., et al. (2013) Taxonomy and chemically semi-defined media for the analysis of the tacrolimus producer '*Streptomyces tsukubaensis*'. *Appl Microbiol Biotechnol* **97**: 2139-2152.
- Maskey, R.P., Helmke, E., and Laatsch, H. (2003) Himalomycin A and B: Isolation and structure elucidation of new fridamycin type antibiotics from a marine *Streptomyces* isolate. *J Antibiot (Tokyo)* **56**: 942-949.
- Mast, Y., Guezguez, J., Handel, F., and Schinko, E. (2015) A complex signaling cascade governs pristinomycin biosynthesis in *Streptomyces pristinaespiralis*. *Appl Environ Microbiol* **81**: 6621-6636.
- Mast, Y., Weber, T., Golz, M., Ort-Winklbauer, R., Gondran, A., et al. (2011) Characterization of the 'pristinamycin supercluster' of *Streptomyces pristinaespiralis*. *Microbial Biotechnol* **4**: 192-206.
- Mast, Y., and Wohlleben, W. (2014) Streptogramins - two are better than one! *Int J Med Microbiol* **304**: 44-50.
- Matsuda, K., Hasebe, F., Shiwa, Y., Kanesaki, Y., Tomita, T., et al. (2017) Genome mining of amino group carrier protein-mediated machinery: Discovery and biosynthetic characterization of a natural product with unique hydrazone unit. *ACS Chem Biol* **12**: 124-131.
- Matsumoto, A., Hong, S.K., Ishizuka, H., Horinouchi, S., and Beppu, T. (1994) Phosphorylation of the AfsR protein involved in secondary metabolism in *Streptomyces* species by a eukaryotic-type protein kinase. *Gene* **146**: 47-56.
- Matulova, M., Feckova, L., Novakova, R., Mingyar, E., Csolleiova, D., et al. (2019) A structural analysis of the angucycline-like antibiotic auricin from *Streptomyces lavendulae* subsp. *Lavendulae* CCM 3239 revealed its high similarity to griseusins. *Antibiotics (Basel)* **8**: 102.
- Mayer, A., Taguchi, T., Linnenbrink, A., Hofmann, C., Luzhetskyy, A., et al. (2005) LanV, a bifunctional enzyme: Aromatase and ketoreductase during landomycin A biosynthesis. *Chembiochem* **6**: 2312-2315.
- McDowall, K.J., Thamchaipenet, A., and Hunter, I.S. (1999) Phosphate control of oxytetracycline production by *Streptomyces rimosus* is at the level of transcription from promoters overlapped by tandem repeats similar to those of the DNA-binding sites of the OmpR family. *J Bacteriol* **181**: 3025-3032.
- McKenzie, N.L., and Nodwell, J.R. (2007) Phosphorylated AbsA2 negatively regulates antibiotic production in *Streptomyces coelicolor* through interactions with pathway-specific regulatory gene promoters. *J Bacteriol* **189**: 5284-5292.
- McLean, T.C., Hoskisson, P.A., and Seipke, R.F. (2016) Coordinate regulation of antimycin and candicidin biosynthesis. *mSphere* **1**: 305-318.
- Medema, M.H., Blin, K., Cimermanic, P., de Jager, V., Zakrzewski, P., et al. (2011) antiSMASH: Rapid identification, annotation and analysis of secondary metabolite biosynthesis gene clusters in bacterial and fungal genome sequences. *Nucleic Acids Res* **39**: W339-346.
- Medema, M.H., de Rond, T., and Moore, B.S. (2021) Mining genomes to illuminate the specialized chemistry of life. *Nat Rev Genet* **22**: 553-571.
- Medema, M.H., Kottmann, R., Yilmaz, P., Cummings, M., Biggins, J.B., et al. (2015) Minimum information about a biosynthetic gene cluster. *Nat Chem Biol* **11**: 625-631.

- Medema, M.H., Paalvast, Y., Nguyen, D.D., Melnik, A., Dorrestein, P.C., *et al.* (2014) Pep2Path: Automated mass spectrometry-guided genome mining of peptidic natural products. *PLoS Comput Biol* **10**: e1003822.
- Merrick, M.J. (1976) A morphological and genetic mapping study of *bald* colony mutants of *Streptomyces coelicolor*. *J Gen Microbiol* **96**: 299-315.
- Merrick, M.J., and Edwards, R.A. (1995) Nitrogen control in bacteria. *Microbiol Rev* **59**: 604-622.
- Metsa-Ketela, M., Palmu, K., Kunnari, T., Ylihonko, K., and Mantsala, P. (2003) Engineering anthracycline biosynthesis toward angucyclines. *Antimicrob Agents Chemother* **47**: 1291-1296.
- Migulez, E.M., Hardisson, C., and Manzanal, M.B. (2000) Streptomycetes: A new model to study cell death. *Int Microbiol* **3**: 153-158.
- Mikhaylov, A.A., Ikonnikova, V.A., and Solyev, P.N. (2021) Disclosing biosynthetic connections and functions of atypical angucyclinones with a fragmented C-ring. *Nat Prod Rep* **38**: 1506-1517.
- Mingyar, E., Feckova, L., Novakova, R., Bekeova, C., and Kormanec, J. (2015) A gamma-butyrolactone autoregulator-receptor system involved in the regulation of auricin production in *Streptomyces aureofaciens* CCM 3239. *Appl Microbiol Biotechnol* **99**: 309-325.
- Miyamoto, K.T., Kitani, S., Komatsu, M., Ikeda, H., and Nihira, T. (2011) The autoregulator receptor homologue AvaR3 plays a regulatory role in antibiotic production, mycelial aggregation and colony development of *Streptomyces avermitilis*. *Microbiology* **157**: 2266-2275.
- Monciardini, P., Iorio, M., Maffioli, S., Sosio, M., and Donadio, S. (2014) Discovering new bioactive molecules from microbial sources. *Microb Biotechnol* **7**: 209-220.
- Moree, W.J., McConnell, O.J., Nguyen, D.D., Sanchez, L.M., Yang, Y.L., *et al.* (2014) Microbiota of healthy corals are active against fungi in a light-dependent manner. *ACS Chem Biol* **9**: 2300-2308.
- Motamedi, H., Shafiee, A., and Cai, S.J. (1995) Integrative vectors for heterologous gene expression in *Streptomyces* spp. *Gene* **160**: 25-31.
- Munch, D., Muller, A., Schneider, T., Kohl, B., Wenzel, M., *et al.* (2014) The lantibiotic NAI-107 binds to bactoprenol-bound cell wall precursors and impairs membrane functions. *J Biol Chem* **289**: 12063-12076.
- Nah, H.J., Pyeon, H.R., Kang, S.H., Choi, S.S., and Kim, E.S. (2017) Cloning and heterologous expression of a large-sized natural product biosynthetic gene cluster in *Streptomyces* species. *Front Microbiol* **8**: 394.
- Nah, J.H., Park, S.H., Yoon, H.M., Choi, S.S., Lee, C.H., *et al.* (2012) Identification and characterization of *wbIA*-dependent *tmcT* regulation during tautomycetin biosynthesis in *Streptomyces* sp. Ck4412. *Biotechnol Adv* **30**: 202-209.
- Nazari, B., Kobayashi, M., Saito, A., Hassaninasab, A., Miyashita, K., *et al.* (2012) Chitin-induced gene expression involved in secondary metabolic pathways in *Streptomyces coelicolor* A3(2) grown in soil. *Appl Environ Microbiol* **79**: 707-713.
- Nett, M., Ikeda, H., and Moore, B.S. (2009) Genomic basis for natural product biosynthetic diversity in the actinomycetes. *Natural Prod Rep* **26**: 1362-1384.
- Nguyen, D.D., Wu, C.H., Moree, W.J., Lamsa, A., Medema, M.H., *et al.* (2013) MS/MS networking guided analysis of molecule and gene cluster families. *Proc Natl Acad Sci U S A* **110**: E2611-2620.
- Niu, G., Chater, K.F., Tian, Y., Zhang, J., and Tan, H. (2016) Specialised metabolites regulating antibiotic biosynthesis in *Streptomyces* spp. *FEMS Microbiol Rev* **40**: 554-573.

## References

- Noens, E.E., Mersinias, V., Willemse, J., Traag, B.A., Laing, E., *et al.* (2007) Loss of the controlled localization of growth stage-specific cell-wall synthesis pleiotropically affects developmental gene expression in an *ssgA* mutant of *Streptomyces coelicolor*. *Mol Microbiol* **64**: 1244-1259.
- Noh, J.H., Kim, S.H., Lee, H.N., Lee, S.Y., and Kim, E.S. (2010) Isolation and genetic manipulation of the antibiotic down-regulatory gene, *wblA* ortholog for doxorubicin-producing *Streptomyces* strain improvement. *Appl Microbiol Biotechnol* **86**: 1145-1153.
- Nothaft, H., Dresel, D., Willimek, A., Mahr, K., Niederweis, M., *et al.* (2003) The phosphotransferase system of *Streptomyces coelicolor* is biased for N-acetylglucosamine metabolism. *J Bacteriol* **185**: 7019-7023.
- Nothaft, H., Rigali, S., Boomsma, B., Swiatek, M., McDowall, K.J., *et al.* (2010) The permease gene *nage2* is the key to N-acetylglucosamine sensing and utilization in *Streptomyces coelicolor* and is subject to multi-level control. *Mol Microbiol* **75**: 1133-1144.
- Nothias, L.F., Petras, D., Schmid, R., Duhrkop, K., Rainer, J., *et al.* (2020) Feature-based molecular networking in the GNPS analysis environment. *Nat Methods* **17**: 905-908.
- Novakova, R., Homerova, D., Feckova, L., and Kormanec, J. (2005) Characterization of a regulatory gene essential for the production of the angucycline-like polyketide antibiotic auricin in *Streptomyces aureofaciens* CCM 3239. *Microbiology* **151**: 2693-2706.
- Novotna, G.B., Kwun, M.J., and Hong, H.J. (2015) *In vivo* characterization of the activation and interaction of the VanR-VanS two-component regulatory system controlling glycopeptide antibiotic resistance in two related *Streptomyces* species. *Antimicrob Agents Chemother* **60**: 1627-1637.
- O'Rourke, S., Wietzorrek, A., Fowler, K., Corre, C., Challis, G.L., *et al.* (2009) Extracellular signalling, translational control, two repressors and an activator all contribute to the regulation of methylenomycin production in *Streptomyces coelicolor*. *Mol Microbiol* **71**: 763-778.
- Ochi, K., Tanaka, Y., and Tojo, S. (2014) Activating the expression of bacterial cryptic genes by *rpoB* mutations in RNA polymerase or by rare earth elements. *Journal of industrial microbiology & biotechnology* **41**: 403-414.
- Ohnishi, Y., Ishikawa, J., Hara, H., Suzuki, H., Ikenoya, M., *et al.* (2008) Genome sequence of the streptomycin-producing microorganism *Streptomyces griseus* IFO 13350. *J Bacteriol* **190**: 4050-4060.
- Ohnishi, Y., Kameyama, S., Onaka, H., and Horinouchi, S. (1999) The A-factor regulatory cascade leading to streptomycin biosynthesis in *Streptomyces griseus*: Identification of a target gene of the A-factor receptor. *Mol Microbiol* **34**: 102-111.
- Ohnishi, Y., Yamazaki, H., Kato, J.Y., Tomono, A., and Horinouchi, S. (2005) AdpA, a central transcriptional regulator in the A-factor regulatory cascade that leads to morphological development and secondary metabolism in *Streptomyces griseus*. *Biosci Biotechnol Biochem* **69**: 431-439.
- Okada, B.K., and Seyedsayamdost, M.R. (2017) Antibiotic dialogues: Induction of silent biosynthetic gene clusters by exogenous small molecules. *FEMS Microbiol Rev* **41**: 19-33.
- Olano, C., Garcia, I., Gonzalez, A., Rodriguez, M., Rozas, D., *et al.* (2014) Activation and identification of five clusters for secondary metabolites in *Streptomyces albus* J1074. *Microbial Biotechnol* **7**: 242-256.
- Olano, C., Mendez, C., and Salas, J.A. (2009) Antitumor compounds from actinomycetes: From gene clusters to new derivatives by combinatorial biosynthesis. *Nat Prod Rep* **26**: 628-660.

- Oliylyk, M., Samborskyy, M., Lester, J.B., Mironenko, T., Scott, N., et al. (2007) Complete genome sequence of the erythromycin-producing bacterium *Saccharopolyspora erythraea* NRRL 23338. *Nature Biotechnol* **25**: 447-453.
- Onaka, H., Ando, N., Nihira, T., Yamada, Y., Beppu, T., et al. (1995) Cloning and characterisation of the A-factor receptor protein from *Streptomyces griseus*. *J Bacteriol* **177**: 6083-6092.
- Onaka, H., and Horinouchi, S. (1997) DNA-binding activity of the A-factor receptor protein and its recognition DNA sequences. *Mol Microbiol* **24**: 991-1000.
- Ostash, B., Yushchuk, O., Tistechok, S., Mutenko, H., Horbal, L., et al. (2015) The *adpA*-like regulatory gene from *Actinoplanes teichomyceticus*: *In silico* analysis and heterologous expression. *World J Microbiol Biotechnol* **31**: 1297-1301.
- Paget, M.S., Chamberlin, L., Atrih, A., Foster, S.J., and Buttner, M.J. (1999) Evidence that the extracytoplasmic function sigma factor sigma<sub>54</sub> is required for normal cell wall structure in *Streptomyces coelicolor* A3(2). *J Bacteriol* **181**: 204-211.
- Paget, M.S.B., Hong, H.J., Bibb, M.J., and Buttner, M.J., (2002) The ECF sigma factors of *Streptomyces coelicolor* A3(2). In: Sgm symposium 61. D.A. Hodgson & C.M. Thomas (eds). Cambridge: Cambridge University Press, pp. 105-125.
- Pait, I.G.U., Kitani, S., Kurniawan, Y.N., Asa, M., Iwai, T., et al. (2017) Identification and characterization of *lbpA*, an indigoidine biosynthetic gene in the gamma-butyrolactone signaling system of *Streptomyces lavendulae* FRI-5. *J Biosci Bioeng* **124**: 369-375.
- Pan, G., Gao, X., Fan, K., Liu, J., Meng, B., et al. (2017) Structure and function of a C-C bond cleaving oxygenase in atypical angucycline biosynthesis. *ACS Chem Biol* **12**: 142-152.
- Panina, E.M., Mironov, A.A., and Gelfand, M.S. (2003) Comparative genomics of bacterial zinc regulons: Enhanced ion transport, pathogenesis, and rearrangement of ribosomal proteins. *Proc Natl Acad Sci U S A* **100**: 9912-9917.
- Park, S.S., Yang, Y.H., Song, E., Kim, E.J., Kim, W.S., et al. (2009) Mass spectrometric screening of transcriptional regulators involved in antibiotic biosynthesis in *Streptomyces coelicolor* A3(2). *J Ind Microbiol Biotechnol* **36**: 1073-1083.
- Patrikainen, P. (2015) Structural and functional studies of angucycline tailoring enzymes. *PhD thesis University of Turku* ISBN:978-951-929-6156-6156.
- Patrikainen, P., Kallio, P., Fan, K., Klika, K.D., Shaaban, K.A., et al. (2012) Tailoring enzymes involved in the biosynthesis of angucyclines contain latent context-dependent catalytic activities. *Chem Biol* **19**: 647-655.
- Pawlik, K., Kotowska, M., Chater, K.F., Kuczek, K., and Takano, E. (2007) A cryptic type I polyketide synthase (*cpk*) gene cluster in *Streptomyces coelicolor* A3(2). *Arch Microbiol* **187**: 87-99.
- Payne, D.J., Gwynn, M.N., Holmes, D.J., and Pompliano, D.L. (2007) Drugs for bad bugs: Confronting the challenges of antibacterial discovery. *Nat Rev Drug Discov* **6**: 29-40.
- Pelzer, S., Sussmuth, R., Heckmann, D., Recktenwald, J., Huber, P., et al. (1999) Identification and analysis of the balhimycin biosynthetic gene cluster and its use for manipulating glycopeptide biosynthesis in *Amycolatopsis mediterranei* DSM5908. *Antimicrob Agents Chemother* **43**: 1565-1573.
- Perez-Redondo, R., Santamarta, I., Bovenberg, R., Martin, J.F., and Liras, P. (2010) The enigmatic lack of glucose utilization in *Streptomyces clavuligerus* is due to inefficient expression of the glucose permease gene. *Microbiology* **156**: 1527-1537.
- Phelan, V.V. (2020) Feature-based molecular networking for metabolite annotation. *Methods Mol Biol* **2104**: 227-243.
- Piette, A., Derouaux, A., Gerkens, P., Noens, E.E., Mazzucchelli, G., et al. (2005) From dormant to germinating spores of *Streptomyces coelicolor* A3(2): New perspectives from the *crp* null mutant. *J Proteome Res* **4**: 1699-1708.

## References

- Pluskal, T., Castillo, S., Villar-Briones, A., and Oresic, M. (2010) MZmine 2: Modular framework for processing, visualizing, and analyzing mass spectrometry-based molecular profile data. *BMC Bioinformatics* **11**: 395.
- Polkade, A.V., Mantri, S.S., Patwekar, U.J., and Jangid, K. (2016) Quorum sensing: An under-explored phenomenon in the phylum *Actinobacteria*. *Front Microbiol* **7**: 131.
- Pootoolal, J., Thomas, M.G., Marshall, C.G., Neu, J.M., Hubbard, B.K., et al. (2002) Assembling the glycopeptide antibiotic scaffold: The biosynthesis of A47934 from *Streptomyces toyocaensis* nrr115009. *Proc Natl Acad Sci U S A* **99**: 8962-8967.
- Pope, M.K., Green, B., and Westpheling, J. (1998) The *bldB* gene encodes a small protein required for morphogenesis, antibiotic production, and catabolite control in *Streptomyces coelicolor*. *J Bacteriol* **180**: 1556-1562.
- Pope, M.K., Green, B.D., and Westpheling, J. (1996) The *bld* mutants of *Streptomyces coelicolor* are defective in the regulation of carbon utilization, morphogenesis and cell-cell signalling. *Mol Microbiol* **19**: 747-756.
- Postma, P.W., Lengeler, J.W., and Jacobson, G.R. (1993) Phosphoenolpyruvate:Carbohydrate phosphotransferase systems of bacteria. *Microbiol Rev* **57**: 543-594.
- Prija, F., Srinivasan, P., Das, S., Kattusamy, K., and Prasad, R. (2017) DnrI of *Streptomyces peucetius* binds to the resistance genes, *drrAB* and *drrC* but is activated by daunorubicin. *J Basic Microbiol* **57**: 862-872.
- Prima, P.M., Kazuhiro, N., Kenichi, M., Takeo, T., Kazuo, S., et al., (2017) *Streptomyces* sp. SpE090715-01 produces a maleimycin-like compound using amino-group carrier protein (AmCP). In., pp.
- Raaijmakers, J.M., and Mazzola, M. (2012) Diversity and natural functions of antibiotics produced by beneficial and plant pathogenic bacteria. *Annu Rev Phytopathol* **50**: 403-424.
- Rabyk, M., Ostash, B., Rebets, Y., Walker, S., and Fedorenko, V. (2011) *Streptomyces ghanaensis* pleiotropic regulatory gene *wblA<sub>(gh)</sub>* influences morphogenesis and moenomycin production. *Biotechnol Lett* **33**: 2481-2486.
- Raju, R., Gromyko, O., Fedorenko, V., Luzhetskyy, A., and Muller, R. (2013) Oleaceran: A novel spiro[isobenzofuran-1,2'-napho[1,8-bc]furan] isolated from a terrestrial *Streptomyces* sp. *Org Lett* **15**: 3487-3489.
- Ramos, I., Guzman, S., Escalante, L., Imriskova, I., Rodriguez-Sanoja, R., et al. (2004) Glucose kinase alone cannot be responsible for carbon source regulation in *Streptomyces peucetius* var. *Caesius*. *Res Microbiol* **155**: 267-274.
- Ramos, J.L., Martinez-Bueno, M., Molina-Henares, A.J., Teran, W., Watanabe, K., et al. (2005) The TetR family of transcriptional repressors. *Microbiol Mol Biol Rev* **69**: 326-356.
- Rappsilber, J., Mann, M., and Ishihama, Y. (2007) Protocol for micro-purification, enrichment, pre-fractionation and storage of peptides for proteomics using stagetips. *Nat Protoc* **2**: 1896-1906.
- Ratcliff, W.C., and Denison, R.F. (2011) Microbiology. Alternative actions for antibiotics. *Science* **332**: 547-548.
- Reitzer, L., and Schneider, B.L. (2001) Metabolic context and possible physiological themes of sigma(54)-dependent genes in *Escherichia coli*. *Microbiol Mol Biol Rev* **65**: 422-444, table of contents.
- Reuther, J., and Wohlleben, W. (2007) Nitrogen metabolism in *Streptomyces coelicolor*::Transcriptional and post-translational regulation. *J Mol Microbiol Biotechnol* **12**: 139-146.
- Reyes-Caballero, H., Campanello, G.C., and Giedroc, D.P. (2011) Metalloregulatory proteins: Metal selectivity and allosteric switching. *Biophys Chem* **156**: 103-114.



- Rice, K.C., and Bayles, K.W. (2003) Death's toolbox: Examining the molecular components of bacterial programmed cell death. *Mol Microbiol* **50**: 729-738.
- Rice, L.B. (2008) Federal funding for the study of antimicrobial resistance in nosocomial pathogens: No ESKAPE. *J Infect Dis* **197**: 1079-1081.
- Rico, S., Santamaria, R.I., Yepes, A., Rodriguez, H., Laing, E., et al. (2014a) Deciphering the regulon of *Streptomyces coelicolor* AbrC3, a positive response regulator of antibiotic production. *Appl Environ Microbiol* **80**: 2417-2428.
- Rico, S., Yepes, A., Rodriguez, H., Santamaria, J., Antoraz, S., et al. (2014b) Regulation of the AbrA1/A2 two-component system in *Streptomyces coelicolor* and the potential of its deletion strain as a heterologous host for antibiotic production. *PLoS One* **9**: e109844.
- Rigali, S., Nothaft, H., Noens, E.E., Schlicht, M., Colson, S., et al. (2006) The sugar phosphotransferase system of *Streptomyces coelicolor* is regulated by the GntR-family regulator DasR and links N-acetylglucosamine metabolism to the control of development. *Mol Microbiol* **61**: 1237-1251.
- Rigali, S., Titgemeyer, F., Barends, S., Mulder, S., Thomae, A.W., et al. (2008) Feast or famine: The global regulator DasR links nutrient stress to antibiotic production by *Streptomyces*. *EMBO Rep* **9**: 670-675.
- Risdian, C., Mozef, T., and Wink, J. (2019) Biosynthesis of polyketides in *Streptomyces*. *Microorganisms* **7**: 124.
- Rix, U., Remsing, L.L., Hoffmeister, D., Bechthold, A., and Rohr, J. (2003) Urdamycin L: A novel metabolic shunt product that provides evidence for the role of the *urdM* gene in the urdamycin A biosynthetic pathway of *Streptomyces fradiae* Tu 2717. *Chembiochem* **4**: 109-111.
- Robertson, G., Hirst, M., Bainbridge, M., Bilenky, M., Zhao, Y., et al. (2007) Genome-wide profiles of STAT1 DNA association using chromatin immunoprecipitation and massively parallel sequencing. *Nat Methods* **4**: 651-657.
- Robinson, S.L., Christenson, J.K., and Wackett, L.P. (2019) Biosynthesis and chemical diversity of beta-lactone natural products. *Nat Prod Rep* **36**: 458-475.
- Rodriguez, H., Rico, S., Diaz, M., and Santamaria, R.I. (2013) Two-component systems in *Streptomyces*: Key regulators of antibiotic complex pathways. *Microb Cell Fact* **12**: 127.
- Rogers, L.A., and Whittier, E.O. (1928) Limiting factors in the lactic fermentation. *J Bacteriol* **16**: 211-229.
- Rogers, S., Ong, C.W., Wandy, J., Ernst, M., Ridder, L., et al. (2019) Deciphering complex metabolite mixtures by unsupervised and supervised substructure discovery and semi-automated annotation from MS/MS spectra. *Faraday Discuss* **218**: 284-302.
- Romano, S., Jackson, S.A., Patry, S., and Dobson, A.D.W. (2018) Extending the "one strain many compounds" (OSMAC) principle to marine microorganisms. *Mar Drugs* **16**: 244.
- Romero-Rodríguez, A., Rocha, D., Ruiz-Villafan, B., Tierrafría, V., Rodríguez-Sanoja, R., et al. (2016) Transcriptomic analysis of a classical model of carbon catabolite regulation in *Streptomyces coelicolor*. *BMC microbiology* **16**: 1.
- Romero, A., Ruiz, B., Sohng, J.K., Koirala, N., Rodríguez-Sanoja, R., et al. (2015) Functional analysis of the GlcP promoter in *Streptomyces peucetius* var. *Caesius*. *Appl Biochem Biotechnol* **175**: 3207-3217.
- Romero, D., Traxler, M.F., Lopez, D., and Kolter, R. (2011) Antibiotics as signal molecules. *Chem Rev* **111**: 5492-5505.
- Romero, D.A., Hasan, A.H., Lin, Y.F., Kime, L., Ruiz-Larrabeiti, O., et al. (2014) A comparison of key aspects of gene regulation in *Streptomyces coelicolor* and *Escherichia coli* using nucleotide-resolution transcription maps produced in parallel by global and differential RNA sequencing. *Mol Microbiol*.

## References

- Rosenberg, S.M. (2009) Life, death, differentiation, and the multicellularity of bacteria. *PLoS genetics* **5**: e1000418.
- Rottig, M., Medema, M.H., Blin, K., Weber, T., Rausch, C., *et al.* (2011) NRPSpredictor2-a web server for predicting NRPS adenylation domain specificity. *Nucleic Acids Res* **39**: W362-367.
- Rudd, B.A., and Hopwood, D.A. (1979) Genetics of actinorhodin biosynthesis by *Streptomyces coelicolor* A3(2). *J Gen Microbiol* **114**: 35-43.
- Rutledge, P.J., and Challis, G.L. (2015) Discovery of microbial natural products by activation of silent biosynthetic gene clusters. *Nat Rev Microbiol* **13**: 509-523.
- Saier, M.H., Jr., and Reizer, J. (1992) Proposed uniform nomenclature for the proteins and protein domains of the bacterial phosphoenolpyruvate: Sugar phosphotransferase system. *J Bacteriol* **174**: 1433-1438.
- Sambrook J., F.E.F., Maniatis T. (1989) Molecular cloning: A laboratory manual.
- Sanchez, S., Chavez, A., Forero, A., Garcia-Huante, Y., Romero, A., *et al.* (2010) Carbon source regulation of antibiotic production. *J Antibiot (Tokyo)* **63**: 442-459.
- Sanchez, S., and Demain, A.L. (2002) Metabolic regulation of fermentation processes. *Enzyme Microb Technol* **31**: 895-906.
- Santos-Aberturas, J., Payero, T.D., Vicente, C.M., Guerra, S.M., Canibano, C., *et al.* (2011) Functional conservation of PAS-LuxR transcriptional regulators in polyene macrolide biosynthesis. *Metab Eng* **13**: 756-767.
- Santos-Beneit, F. (2015) The Pho regulon: A huge regulatory network in bacteria. *Front Microbiol* **6**: 402.
- Santos-Beneit, F., Rodriguez-Garcia, A., Franco-Dominguez, E., and Martin, J.F. (2008) Phosphate-dependent regulation of the low- and high-affinity transport systems in the model actinomycete *Streptomyces coelicolor*. *Microbiology* **154**: 2356-2370.
- Santos-Beneit, F., Rodriguez-Garcia, A., and Martin, J.F. (2011) Complex transcriptional control of the antibiotic regulator *afsS* in *Streptomyces*: PhoP and AfsR are overlapping, competitive activators. *J Bacteriol* **193**: 2242-2251.
- Santos-Beneit, F., Rodríguez-García, A., and Martín, J.F. (2012) Overlapping binding of PhoP and AfsR to the promoter region of *glnR* in *Streptomyces coelicolor*. *Microbiol Res* **167**: 532-535.
- Santos-Beneit, F., Rodríguez-García, A., Sola-Landa, A., and Martín, J.F. (2009) Cross-talk between two global regulators in *Streptomyces*: PhoP and AfsR interact in the control of *afsS*, *pstS* and *phoRP* transcription. *Mol Microbiol* **72**: 53-68.
- Sasaki, E., Ogasawara, Y., and Liu, H.W. (2010) A biosynthetic pathway for BE-7585A, a 2-thiosugar-containing angucycline-type natural product. *J Am Chem Soc* **132**: 7405-7417.
- Schafer, M., Le, T.B., Hearnshaw, S.J., Maxwell, A., Challis, G.L., *et al.* (2015) SimC7 is a novel NAD(P)H-dependent ketoreductase essential for the antibiotic activity of the DNA gyrase inhibitor simocyclinone. *J Mol Biol* **427**: 2192-2204.
- Schmid, R., *et al.* (2020) Ion identity networking in the GNPS environment *bioRxiv*.
- Schorn, M.A., Verhoeven, S., Ridder, L., Huber, F., Acharya, D.D., *et al.* (2021) A community resource for paired genomic and metabolomic data mining. *Nat Chem Biol* **17**: 363-368.
- Sciara, G., Kendrew, S.G., Miele, A.E., Marsh, N.G., Federici, L., *et al.* (2003) The structure of ActVA-Orf6, a novel type of monooxygenase involved in actinorhodin biosynthesis. *EMBO J* **22**: 205-215.
- Seemann, T. (2014) Prokka: Rapid prokaryotic genome annotation. *Bioinformatics* **30**: 2068-2069.
- Seipke, R.F. (2015) Strain-level diversity of secondary metabolism in *Streptomyces albus*. *PLoS One* **10**: e0116457.

- Seipke, R.F., and Hutchings, M.I. (2013) The regulation and biosynthesis of antimycins. *Beilstein J Org Chem* **9**: 2556-2563.
- Seipke, R.F., Kaltenpoth, M., and Hutchings, M.I. (2012) *Streptomyces* as symbionts: An emerging and widespread theme? *FEMS Microbiol Rev* **36**: 862-876.
- Seipke, R.F., Patrick, E., and Hutchings, M.I. (2014) Regulation of antimycin biosynthesis by the orphan ECF RNA polymerase sigma factor sigma (anta.). *PeerJ* **2**: e253.
- Seipke, R.F., Song, L., Bicz, J., Laskaris, P., Yaxley, A.M., et al. (2011) The plant pathogen *Streptomyces scabies* 87-22 has a functional pyochelin biosynthetic pathway that is regulated by TetR- and AfsR-family proteins. *Microbiology* **157**: 2681-2693.
- Sekurova, O.N., Brautaset, T., Sletta, H., Borgos, S.E.F., Jakobsen, O.M., et al. (2004) *In vivo* analysis of the regulatory genes in the nystatin biosynthetic gene cluster of *Streptomyces noursei* ATCC 11455 reveals their differential control over antibiotic biosynthesis. *J Bacteriol* **186**: 1345-1354.
- Seno, E.T., and Chater, K.F. (1983) Glycerol catabolic enzymes and their regulation in wild-type and mutant strains of *Streptomyces coelicolor* A3(2). *J Gen Microbiol* **129**: 1403-1413.
- Seo, J.W., Ohnishi, Y., Hirata, A., and Horinouchi, S. (2002) ATP-binding cassette transport system involved in regulation of morphological differentiation in response to glucose in *Streptomyces griseus*. *J Bacteriol* **184**: 91-103.
- Seyedsayamdost, M.R. (2014) High-throughput platform for the discovery of elicitors of silent bacterial gene clusters. *Proc Natl Acad Sci U S A* **111**: 7266-7271.
- Shaikh, A.A., Nothias, L.F., Srivastava, S.K., Dorrestein, P.C., and Tahlan, K. (2021) Specialized metabolites from ribosome engineered strains of *Streptomyces clavuligerus*. *Metabolites* **11**: 239.
- Sharif, E.U., and O'Doherty, G.A. (2012) Biosynthesis and total synthesis studies on the jadomycin family of natural products. *European J Org Chem* **2012**: 2095-2108.
- Shawky, R.M., Puk, O., Wietzorrek, A., Pelzer, S., Takano, E., et al. (2007) The border sequence of the balhimycin biosynthesis gene cluster from *Amycolatopsis balhimycina* contains *bbr*, encoding a StrR-like pathway-specific regulator. *J Mol Microbiol Biotechnol* **13**: 76-88.
- Sherwood, E.J., and Bibb, M.J. (2013) The antibiotic planosporicin coordinates its own production in the actinomycete *Planomonospora alba*. *Proc Natl Acad Sci U S A* **110**: E2500-2509.
- Shin, J.H., Oh, S.Y., Kim, S.J., and Roe, J.H. (2007) The zinc-responsive regulator Zur controls a zinc uptake system and some ribosomal proteins in *Streptomyces coelicolor* A3(2). *J Bacteriol* **189**: 4070-4077.
- Shu, D., Chen, L., Wang, W., Yu, Z., Ren, C., et al. (2009) *afsQ1-Q2-sigQ* is a pleiotropic but conditionally required signal transduction system for both secondary metabolism and morphological development in *Streptomyces coelicolor*. *Appl Microbiol Biotechnol* **81**: 1149-1160.
- Sidda, J.D., Poon, V., Song, L., Wang, W., Yang, K., et al. (2016) Overproduction and identification of butyrolactones SCB1-8 in the antibiotic production superhost *Streptomyces* M1152. *Org Biomol Chem* **14**: 6390-6393.
- Silver, L.L. (2011) Challenges of antibacterial discovery. *Clin Microbiol Rev* **24**: 71-109.
- Skinninger, M.A., Dejong, C.A., Rees, P.N., Johnston, C.W., Li, H., et al. (2015) Genomes to natural products prediction informatics for secondary metabolomes (PRISM). *Nucleic Acids Res* **43**: 9645-9662.
- Skinninger, M.A., Merwin, N.J., Johnston, C.W., and Magarvey, N.A. (2017) PRISM 3: Expanded prediction of natural product chemical structures from microbial genomes. *Nucleic Acids Res* **45**: W49-W54.

## References

- Sola-Landa, A., Moura, R.S., and Martin, J.F. (2003) The two-component PhoR-PhoP system controls both primary metabolism and secondary metabolite biosynthesis in *Streptomyces lividans*. *Proc Natl Acad Sci U S A* **100**: 6133-6138.
- Sola-Landa, A., Rodríguez-García, A., Amin, R., Wohlleben, W., and Martín, J.F. (2013) Competition between the GlnR and PhoP regulators for the *glnA* and *amtB* promoters in *Streptomyces coelicolor*. *Nucleic Acids Res* **41**: 1767-1782.
- Sola-Landa, A., Rodríguez-García, A., Franco-Dominguez, E., and Martin, J.F. (2005) Binding of PhoP to promoters of phosphate-regulated genes in *Streptomyces coelicolor*: Identification of PHO boxes. *Mol Microbiol* **56**: 1373-1385.
- Som, N.F., Heine, D., Holmes, N., Knowles, F., Chandra, G., et al. (2017) The MtrAB two-component system controls antibiotic production in *Streptomyces coelicolor* A3(2). *Microbiology* **163**: 1415-1419.
- Sosio, M., and Donadio, S. (2006) Understanding and manipulating glycopeptide pathways: The example of the dalbavancin precursor A40926. *J Ind Microbiol Biotechnol* **33**: 569-576.
- Sosio, M., Giusino, F., Cappellano, C., Bossi, E., Puglia, A.M., et al. (2000) Artificial chromosomes for antibiotic-producing actinomycetes. *Nature Biotechnology* **18**: 343-345.
- Sosio, M., Kloosterman, H., Bianchi, A., de Vreugd, P., Dijkhuizen, L., et al. (2004) Organization of the teicoplanin gene cluster in *Actinoplanes teichomyceticus*. *Microbiology* **150**: 95-102.
- Sosio, M., Stinchini, S., Beltrametti, F., Lazzarini, A., and Donadio, S. (2003) The gene cluster for the biosynthesis of the glycopeptide antibiotic A40926 by *Nonomuraea* species. *Chem Biol* **10**: 541-549.
- Spohn, M., Kirchner, N., Kulik, A., Jochim, A., Wolf, F., et al. (2014) Overproduction of ristomycin A by activation of a silent gene cluster in *Amycolatopsis japonicum* MG417-CF17. *Antimicrob Agents Chemother* **58**: 6185-6196.
- Spohn, M., Wohlleben, W., and Stegmann, E. (2016) Elucidation of the zinc-dependent regulation in *Amycolatopsis japonicum* enabled the identification of the ethylenediamine-disuccinate ([s,s]-edds) genes. *Environ Microbiol* **18**: 1249-1263.
- Starcevic, A., Zucko, J., Simunkovic, J., Long, P.F., Cullum, J., et al. (2008) ClustScan: An integrated program package for the semi-automatic annotation of modular biosynthetic gene clusters and *in silico* prediction of novel chemical structures. *Nucleic Acids Res* **36**: 6882-6892.
- Stock, A.M., Robinson, V.L., and Goudreau, P.N. (2000) Two-component signal transduction. *Annu Rev Biochem* **69**: 183-215.
- Sultan, S.P., Kitani, S., Miyamoto, K.T., Iguchi, H., Atago, T., et al. (2016) Characterization of AvaR1, a butenolide-autoregulator receptor for biosynthesis of a *Streptomyces* hormone in *Streptomyces avermitilis*. *Appl Microbiol Biotechnol* **100**: 9581-9591.
- Sun, J.H., Hesketh, A., and Bibb, M. (2001) Functional analysis of *relA* and *rsha*, two *relA/spot* homologues of *Streptomyces coelicolor* A3(2). *J. Bacteriol.* **183**: 3488-3498.
- Sun, Y.Q., Busche, T., Ruckert, C., Paulus, C., Rebets, Y., et al. (2017) Development of a biosensor concept to detect the production of cluster-specific secondary metabolites. *ACS Synth Biol* **6**: 1026-1033.
- Suroto, D.A., Kitani, S., Miyamoto, K.T., Sakihama, Y., Arai, M., et al. (2017) Activation of cryptic phthoxazolin A production in *Streptomyces avermitilis* by the disruption of autoregulator-receptor homologue AvaR3. *J Biosci Bioeng*: 611-617.
- Suzuki, H., Takahashi, S., Osada, H., and Yoshida, K. (2011) Improvement of transformation efficiency by strategic circumvention of restriction barriers in *Streptomyces griseus*. *J Microbiol Biotechnol* **21**: 675-678.

- Swiatek-Polatynska, M.A., Bucca, G., Laing, E., Gubbens, J., Titgemeyer, F., et al. (2015) Genome-wide analysis of *in vivo* binding of the master regulator DasR in *Streptomyces coelicolor* identifies novel non-anonical targets. *PLoS One* **10**: e0122479.
- Swiatek, M.A., Gubbens, J., Bucca, G., Song, E., Yang, Y.H., et al. (2013) The ROK family regulator Rok7B7 pleiotropically affects xylose utilization, carbon catabolite repression, and antibiotic production in *Streptomyces coelicolor*. *J Bacteriol* **195**: 1236-1248.
- Swiatek, M.A., Tenconi, E., Rigali, S., and van Wezel, G.P. (2012) Functional analysis of the N-acetylglucosamine metabolic genes of *Streptomyces coelicolor* and role in control of development and antibiotic production. *J Bacteriol* **194**: 1136-1144.
- Tahlan, K., Ahn, S.K., Sing, A., Bodnaruk, T.D., Willems, A.R., et al. (2007) Initiation of actinorhodin export in *Streptomyces coelicolor*. *Mol Microbiol* **63**: 951-961.
- Takano, E. (2006) Gamma-butyrolactones: *Streptomyces* signalling molecules regulating antibiotic production and differentiation. *Curr Opin Microbiol* **9**: 287-294.
- Takano, E., Chakraborty, R., Nihira, T., Yamada, Y., and Bibb, M.J. (2001) A complex role for the gamma-butyrolactone SCB1 in regulating antibiotic production in *Streptomyces coelicolor* A3(2). *Mol Microbiol* **41**: 1015-1028.
- Takano, E., Kinoshita, H., Mersinias, V., Bucca, G., Hotchkiss, G., et al. (2005) A bacterial hormone (the SCB1) directly controls the expression of a pathway-specific regulatory gene in the cryptic type I polyketide biosynthetic gene cluster of *Streptomyces coelicolor*. *Mol Microbiol* **56**: 465-479.
- Tanaka, A., Takano, Y., Ohnishi, Y., and Horinouchi, S. (2007) AfsR recruits RNA polymerase to the afsS promoter: A model for transcriptional activation by sarps. *J Mol Biol* **369**: 322-333.
- Tanaka, Y., Hosaka, T., and Ochi, K. (2010) Rare earth elements activate the secondary metabolite-biosynthetic gene clusters in *Streptomyces coelicolor* A3(2). *J Antibiot (Tokyo)* **63**: 477-481.
- Tenconi, E., Jourdan, S., Motte, P., Virolle, M.J., and Rigali, S. (2012) Extracellular sugar phosphates are assimilated by *Streptomyces* in a PhoP-dependent manner. *Antonie Van Leeuwenhoek* **102**: 425-433.
- Tenconi, E., and Rigali, S. (2018) Self-resistance mechanisms to DNA-damaging antitumor antibiotics in *Actinobacteria*. *Curr Opin Microbiol* **45**: 100-108.
- Tenconi, E., Traxler, M., Tellatin, D., van Wezel, G.P., and Rigali, S. (2020) Prodiginines postpone the onset of sporulation in *Streptomyces coelicolor*. *Antibiotics (Basel)* **9**: 847.
- Tenconi, E., Urem, M., Swiatek-Polatynska, M.A., Titgemeyer, F., Muller, Y.A., et al. (2015) Multiple allosteric effectors control the affinity of DasR for its target sites. *Biochem Biophys Res Commun* **464**: 324-329.
- Tibrewal, N., Pahari, P., Wang, G., Kharel, M.K., Morris, C., et al. (2012) Baeyer-villiger C-C bond cleavage reaction in gilvocarcin and jadomycin biosynthesis. *J Am Chem Soc* **134**: 18181-18184.
- Tibrewal, N., and Tang, Y. (2014) Biocatalysts for natural product biosynthesis. *Annu Rev Chem Biomol Eng* **5**: 347-366.
- Tiffert, Y., Franz-Wachtel, M., Fladerer, C., Nordheim, A., Reuther, J., et al. (2011) Proteomic analysis of the GlnR-mediated response to nitrogen limitation in *Streptomyces coelicolor* M145. *Appl Microbiol Biotechnol* **89**: 1149-1159.
- Tiffert, Y., Supra, P., Wurm, R., Wohlleben, W., Wagner, R., et al. (2008) The *Streptomyces coelicolor* GlnR regulon: Identification of new GlnR targets and evidence for a central role of GlnR in nitrogen metabolism in actinomycetes. *Mol Microbiol* **67**: 861-880.
- Titgemeyer, F., and Hillen, W. (2002) Global control of sugar metabolism: A Gram-positive solution. *Antonie Van Leeuwenhoek* **82**: 59-71.

## References

- Tocchetti, A., Donadio, S., and Sosio, M. (2018) Large inserts for big data: Artificial chromosomes in the genomic era. *FEMS Microbiol Lett* **365**: fny064.
- Tolmie, C., Smit, M.S., and Opperman, D.J. (2019) Native roles of baeyer-villiger monooxygenases in the microbial metabolism of natural compounds. *Nat Prod Rep* **36**: 326-353.
- Tomono, A., Tsai, Y., Yamazaki, H., Ohnishi, Y., and Horinouchi, S. (2005) Transcriptional control by A-factor of *strR*, the pathway-specific transcriptional activator for streptomycin biosynthesis in *Streptomyces griseus*. *J Bacteriol* **187**: 5595-5604.
- Traag, B.A., Kelemen, G.H., and Van Wezel, G.P. (2004) Transcription of the sporulation gene *ssgA* is activated by the lclR-type regulator SsgR in a *whi*-independent manner in *Streptomyces coelicolor* A3(2). *Mol Microbiol* **53**: 985-1000.
- Traag, B.A., and van Wezel, G.P. (2008) The SsgA-like proteins in actinomycetes: Small proteins up to a big task. *Antonie Van Leeuwenhoek* **94**: 85-97.
- Traxler, M.F., Seyedsayamdost, M.R., Clardy, J., and Kolter, R. (2012) Interspecies modulation of bacterial development through iron competition and siderophore piracy. *Mol Microbiol* **86**: 628-644.
- Tschowri, N., Schumacher, M.A., Schlimpert, S., Chinnam, N.B., Findlay, K.C., et al. (2014) Tetrameric c-di-GMP mediates effective transcription factor dimerization to control *Streptomyces* development. *Cell* **158**: 1136-1147.
- Tunca, S., Barreiro, C., Coque, J.J.R., and Martín, J.F. (2009) Two overlapping antiparallel genes encoding the iron regulator DmdR1 and the Adm proteins control siderophore and antibiotic biosynthesis in *Streptomyces coelicolor* A3(2). *FEBS J* **276**: 4814-4827.
- Tunca, S., Barreiro, C., Sola-Landa, A., Coque, J.J.R., and Martín, J.F. (2007) Transcriptional regulation of the desferrioxamine gene cluster of *Streptomyces coelicolor* is mediated by binding of DmdR1 to an iron box in the promoter of the *desA* gene. *FEBS J* **274**: 1110-1122.
- Udwarý, D.W., Zeigler, L., Asolkar, R.N., Singan, V., Lapidus, A., et al. (2007) Genome sequencing reveals complex secondary metabolome in the marine actinomycete *Salinispora tropica*. *Proc Natl Acad Sci U S A* **104**: 10376-10381.
- Uguru, G.C., Stephens, K.E., Stead, J.A., Towle, J.E., Baumberg, S., et al. (2005) Transcriptional activation of the pathway-specific regulator of the actinorhodin biosynthetic genes in *Streptomyces coelicolor*. *Mol Microbiol* **58**: 131-150.
- Uiterweerd, M.T., et al. (2020) Iso-maleimycin, a constitutional isomer of maleimycin, from *Streptomyces* sp. QL37. *Eur. J. Org. Chem.* **2020**: 5145-5152.
- Umeyama, T., Lee, P.-C., and Horinouchi, S. (2002) Protein serine/threonine kinases in signal transduction for secondary metabolism and morphogenesis in *Streptomyces*. *Appl Microbiol Biotechnol* **59**: 419-425.
- Urem, M., Swiatek-Polatynska, M.A., Rigali, S., and van Wezel, G.P. (2016a) Intertwining nutrient-sensory networks and the control of antibiotic production in *Streptomyces*. *Mol Microbiol* **102**: 183-195.
- Urem, M., van Rossum, T., Bucca, G., Moolenaar, G.F., Laing, E., et al. (2016b) OsdR of *Streptomyces coelicolor* and the dormancy regulator DevR of *Mycobacterium tuberculosis* control overlapping regulons. *mSystems* **1**: e00014-00016.
- van Bergeijk, D.A., Elsayed, S.S., Du, C., Nuñez Santiago, I., Roseboom, A.M., et al. (2022) The ubiquitous catechol moiety elicits siderophore and angucycline production in *Streptomyces*. *Communications Chemistry* **5**: 14.
- van Bergeijk, D.A., Terlouw, B.R., Medema, M.H., and van Wezel, G.P. (2020) Ecology and genomics of *Actinobacteria*: New concepts for natural product discovery. *Nat Rev Microbiol* **18**: 546-558.

- van der Aart, L.T., Lemmens, N., van Wamel, W.J., and van Wezel, G.P. (2016) Substrate inhibition of vana by d-alanine reduces vancomycin resistance in a VanX-dependent manner. *Antimicrob Agents Chemother* **60**: 4930-4939.
- van der Heul, H.U., Bilyk, B.L., McDowall, K.J., Seipke, R.F., and van Wezel, G.P. (2018) Regulation of antibiotic production in Actinobacteria: New perspectives from the post-genomic era. *Nat Prod Rep* **35**: 575-604.
- van der Meij, A., Worsley, S.F., Hutchings, M.I., and van Wezel, G.P. (2017) Chemical ecology of antibiotic production by actinomycetes. *FEMS Microbiol Rev* **41**: 392-416.
- van Dissel, D., Claessen, D., and Van Wezel, G.P. (2014) Morphogenesis of *Streptomyces* in submerged cultures. *Adv Appl Microbiol* **89**: 1-45.
- van Keulen, G., and Dyson, P.J. (2014) Production of specialized metabolites by *Streptomyces coelicolor* A3(2). *Adv Appl Microbiol* **89**: 217-266.
- van Opijnen, T., Bodi, K.L., and Camilli, A. (2009) Tn-seq: High-throughput parallel sequencing for fitness and genetic interaction studies in microorganisms. *Nat Methods* **6**: 767-772.
- van Rooden, E.J., Florea, B.I., Deng, H., Baggelaar, M.P., van Esbroeck, A.C.M., et al. (2018) Mapping *in vivo* target interaction profiles of covalent inhibitors using chemical proteomics with label-free quantification. *Nat Protoc* **13**: 752-767.
- van Wezel, G.P., Konig, M., Mahr, K., Nothaft, H., Thomae, A.W., et al. (2007) A new piece of an old jigsaw: Glucose kinase is activated posttranslationally in a glucose transport-dependent manner in *Streptomyces coelicolor* A3(2). *J Mol Microbiol Biotechnol* **12**: 67-74.
- van Wezel, G.P., Krabben, P., Traag, B.A., Keijsers, B.J., Kerste, R., et al. (2006) Unlocking *Streptomyces* spp. For use as sustainable industrial production platforms by morphological engineering. *Appl Environ Microbiol* **72**: 5283-5288.
- van Wezel, G.P., Mahr, K., Konig, M., Traag, B.A., Pimentel-Schmitt, E.F., et al. (2005) GlcP constitutes the major glucose uptake system of *Streptomyces coelicolor* A3(2). *Mol Microbiol* **55**: 624-636.
- van Wezel, G.P., and McDowall, K.J. (2011) The regulation of the secondary metabolism of *Streptomyces*: New links and experimental advances. *Nat Prod Rep* **28**: 1311-1333.
- van Wezel, G.P., McKenzie, N.L., and Nodwell, J.R. (2009) Chapter 5. Applying the genetics of secondary metabolism in model actinomycetes to the discovery of new antibiotics. *Methods Enzymol* **458**: 117-141.
- van Wezel, G.P., van der Meulen, J., Kawamoto, S., Luiten, R.G., Koerten, H.K., et al. (2000a) *ssgA* is essential for sporulation of *Streptomyces coelicolor* A3(2) and affects hyphal development by stimulating septum formation. *J Bacteriol* **182**: 5653-5662.
- van Wezel, G.P., White, J., Hoogvliet, G., and Bibb, M.J. (2000b) Application of *redD*, the transcriptional activator gene of the undecylprodigiosin biosynthetic pathway, as a reporter for transcriptional activity in *Streptomyces coelicolor* A3(2) and *Streptomyces lividans*. *J Mol Microbiol Biotechnol* **2**: 551-556.
- van Wezel, G.P., White, J., Young, P., Postma, P.W., and Bibb, M.J. (1997) Substrate induction and glucose repression of maltose utilization by *Streptomyces coelicolor* A3(2) is controlled by *malR*, a member of the *lacI-galR* family of regulatory genes. *Mol Microbiol* **23**: 537-549.
- Vara, J., Lewandowska-Skarbek, M., Wang, Y.G., Donadio, S., and Hutchinson, C.R. (1989) Cloning of genes governing the deoxysugar portion of the erythromycin biosynthesis pathway in *Saccharopolyspora erythraea* (*Streptomyces erythreus*). *J Bacteriol* **171**: 5872-5881.
- Ventola, C.L. (2015) The antibiotic resistance crisis: Part 1: Causes and threats. *P T* **40**: 277-283.

## References

- Vicente, C.M., Payero, T.D., Santos-Aberturas, J., Barreales, E.G., de Pedro, A., *et al.* (2015) Pathway-specific regulation revisited: Cross-regulation of multiple disparate gene clusters by PAS-LuxR transcriptional regulators. *Appl Microbiol Biotechnol* **99**: 5123-5135.
- Vicente, C.M., Santos-Aberturas, J., Payero, T.D., Barreales, E.G., de Pedro, A., *et al.* (2014) PAS-LuxR transcriptional control of filipin biosynthesis in *S. Avermitilis*. *Appl Microbiol Biotechnol* **98**: 9311-9324.
- Virtanen, P., Gommers, R., Oliphant, T.E., Haberland, M., Reddy, T., *et al.* (2020) SciPy 1.0: Fundamental algorithms for scientific computing in python. *Nat Methods* **17**: 261-272.
- Vujaklija, D., Horinouchi, S., and Beppu, T. (1993) Detection of an A-factor-responsive protein that binds to the upstream activation sequence of *strR*, a regulatory gene for streptomycin biosynthesis in *Streptomyces griseus*. *J Bacteriol* **175**: 2652-2661.
- Walker, J.M. (1994) The bicinchoninic acid (BCA) assay for protein quantitation. *Methods Mol Biol* **32**: 5-8.
- Walker, M., Pohl, E., Herbst-Irmer, R., Gerlitz, M., Rohr, J., *et al.* (1999) Absolute configurations of emycin D, E and F; mimicry of centrosymmetric space groups by mixtures of chiral stereoisomers. *Acta Crystallogr B* **55**: 607-616.
- Wang, B., Ren, J., Li, L., Guo, F., Pan, G., *et al.* (2015) Kinamycin biosynthesis employs a conserved pair of oxidases for B-ring contraction. *Chem Commun (Camb)* **51**: 8845-8848.
- Wang, J., Wang, W., Wang, L., Zhang, G., Fan, K., *et al.* (2011) A novel role of 'pseudo'gamma-butyrolactone receptors in controlling gamma-butyrolactone biosynthesis in *Streptomyces*. *Mol Microbiol* **82**: 236-250.
- Wang, J., and Zhao, G.-P. (2009) GlnR positively regulates *nasA* transcription in *Streptomyces coelicolor*. *Biochem Biophys Res Commun* **386**: 77-81.
- Wang, J.B., Zhang, F., Pu, J.Y., Zhao, J., Zhao, Q.F., *et al.* (2014a) Characterization of AvaR1, an autoregulator receptor that negatively controls avermectins production in a high avermectin-producing strain. *Biotechnol Lett* **36**: 813-819.
- Wang, L., Tian, X., Wang, J., Yang, H., Fan, K., *et al.* (2009) Autoregulation of antibiotic biosynthesis by binding of the end product to an atypical response regulator. *Proc Natl Acad Sci U S A* **106**: 8617-8622.
- Wang, L., and Vining, L.C. (2003) Control of growth, secondary metabolism and sporulation in *Streptomyces venezuelae* ISP5230 by *jadW(1)*, a member of the *afsA* family of gamma-butyrolactone regulatory genes. *Microbiology* **149**: 1991-2004.
- Wang, L., Wang, L., Zhou, Z., Wang, Y.J., Huang, J.P., *et al.* (2019) Cangumycins A-F, six new angucyclinone analogues with immunosuppressive activity from *Streptomyces*. *Chin J Nat Med* **17**: 982-987.
- Wang, M., Carver, J.J., Phelan, V.V., Sanchez, L.M., Garg, N., *et al.* (2016) Sharing and community curation of mass spectrometry data with global natural products social molecular networking. *Nat Biotechnol* **34**: 828-837.
- Wang, W., Ji, J., Li, X., Wang, J., Li, S., *et al.* (2014b) Angucyclines as signals modulate the behaviors of *Streptomyces coelicolor*. *Proc Natl Acad Sci U S A* **111**: 5688-5693.
- Wang, X.K., and Jin, J.L. (2014) Crucial factor for increasing the conjugation frequency in *Streptomyces netropsis* SD-07 and other strains. *FEMS Microbiol Lett* **357**: 99-103.
- Warner, J.B., and Lolkema, J.S. (2003) CcpA-dependent carbon catabolite repression in bacteria. *Microbiol Mol Biol Rev* **67**: 475-490.
- Waskom, M.L. (2021) Seaborn: Statistical data visualization. *Journal of Open Source Software* **6**: 3021.



- Weber, T., Rausch, C., Lopez, P., Hoof, I., Gaykova, V., *et al.* (2009) CLUSEAN: A computer-based framework for the automated analysis of bacterial secondary metabolite biosynthetic gene clusters. *J Bacteriol* **140**: 13-17.
- Wenzel, S.C., Meiser, P., Binz, T.M., Mahmud, T., and Muller, R. (2006) Nonribosomal peptide biosynthesis: Point mutations and module skipping lead to chemical diversity. *Angew Chem Int Ed Engl* **45**: 2296-2301.
- Wessel, D., and Flugge, U.I. (1984) A method for the quantitative recovery of protein in dilute-solution in the presence of detergents and lipids. *Anal Biochem* **138**: 141-143.
- Westhoff, S., van Leeuwe, T.M., Qachach, O., Zhang, Z., van Wezel, G.P., *et al.* (2017) The evolution of no-cost resistance at sub-MIC concentrations of streptomycin in *Streptomyces coelicolor*. *ISME J* **11**: 1168-1178.
- White, J., and Bibb, M. (1997) *bldA* dependence of undecylprodigiosin production in *Streptomyces coelicolor* A3(2) involves a pathway-specific regulatory cascade. *J Bacteriol* **179**: 627-633.
- Whitworth, D.E., (2012) Classification and organization of two-component systems. In: Two-component systems in bacteria. R. Gross & D. Beier (eds). Poole, UK: Caister Academic Press, pp. 1-20.
- Wietzorrek, A., and Bibb, M. (1997) A novel family of proteins that regulates antibiotic production in streptomycetes appears to contain an OmpR-like DNA-binding fold. *Mol Microbiol* **25**: 1181-1184.
- Willems, A.R., Tahlan, K., Taguchi, T., Zhang, K., Lee, Z.Z., *et al.* (2008) Crystal structures of the *Streptomyces coelicolor* TetR-like protein actr alone and in complex with actinorhodin or the actinorhodin biosynthetic precursor (s)-dnpa. *J Mol Biol* **376**: 1377-1387.
- Willemsse, J., Borst, J.W., de Waal, E., Bisseling, T., and van Wezel, G.P. (2011) Positive control of cell division: FtsZ is recruited by SsgB during sporulation of *Streptomyces*. *Genes Dev* **25**: 89-99.
- Willey, J.M., and Gaskell, A.A. (2011) Morphogenetic signaling molecules of the streptomycetes. *Chem Rev* **111**: 174-187.
- Willey, J.M., and van der Donk, W.A. (2007) Lantibiotics: Peptides of diverse structure and function. *Annu Rev Microbiol* **61**: 477-501.
- Wolf, F., Bauer, J.S., Bendel, T.M., Kulik, A., Kalinowski, J., *et al.* (2017a) Biosynthesis of the beta-lactone proteasome inhibitors belactosin and cystargolide. *Angew Chem Int Ed Engl* **56**: 6665-6668.
- Wolf, T., Droste, J., Gren, T., Ortseifen, V., Schneiker-Bekel, S., *et al.* (2017b) The MalR type regulator AcrC is a transcriptional repressor of acarbose biosynthetic genes in *Actinoplanes* sp. Se50/110. *BMC Genomics* **18**: 562.
- Wolfender, J.L., Nuzillard, J.M., van der Hoof, J.J.J., Renault, J.H., and Bertrand, S. (2019) Accelerating metabolite identification in natural product research: Toward an ideal combination of liquid chromatography-high-resolution tandem mass spectrometry and NMR profiling, in silico databases, and chemometrics. *Anal Chem* **91**: 704-742.
- Won, T.H., You, M., Lee, S.H., Rho, B.J., Oh, D.C., *et al.* (2014) Amino alcohols from the ascidian pseudodistoma sp. *Mar Drugs* **12**: 3754-3769.
- Wood, M.J. (1996) The comparative efficacy and safety of teicoplanin and vancomycin. *J Antimicrob Chemother* **37**: 209-222.
- Wray, L.V., Atkinson, M.R., and Fisher, S.H. (1991) Identification and cloning of the *glnR* locus, which is required for transcription of the *ginA* gene in *Streptomyces coelicolor* A3(2). *J Bacteriol* **173**: 7351-7360.
- Wright, G.D. (2014) Something old, something new: Revisiting natural products in antibiotic drug discovery. *Can J Microbiol* **60**: 147-154.

## References

- Wright, G.D. (2017) Opportunities for natural products in 21(st) century antibiotic discovery. *Nat Prod Rep* **34**: 694-701.
- Wright, L.F., and Hopwood, D.A. (1976) Identification of the antibiotic determined by the SCP1 plasmid of *Streptomyces coelicolor* A3(2). *J Gen Microbiol* **95**: 96-106.
- Wu, C. (2016) Discovery of novel antibiotics from actinomycetes by integrated metabolomics and genomic approaches. *PhD thesis Leiden University*.
- Wu, C., Choi, Y.H., and van Wezel, G.P. (2016a) Metabolic profiling as a tool for prioritizing antimicrobial compounds. *J Ind Microbiol Biotechnol* **43**: 299-312.
- Wu, C., Du, C., Gubbens, J., Choi, Y.H., and van Wezel, G.P. (2015a) Metabolomics-driven discovery of a prenylated isatin antibiotic produced by *Streptomyces* species MBT28. *J Nat Prod* **78**: 2355-2363.
- Wu, C., Kim, H.K., van Wezel, G.P., and Choi, Y.H. (2015b) Metabolomics in the natural products field—a gateway to novel antibiotics. *Drug Discov Today Technol* **13**: 11-17.
- Wu, C., Medema, M.H., Lakamp, R.M., Zhang, L., Dorrestein, P.C., et al. (2016b) Leucanicidin and endophenazines result from methyl-rhamnosylation by the same tailoring enzymes in *Kitasatospora* sp. MBT66. *ACS Chem Biol* **11**: 478-490.
- Wu, C., van der Heul, H.U., Melnik, A.V., Lubben, J., Dorrestein, P.C., et al. (2019) Lugdunomycin, an angucycline-derived molecule with unprecedented chemical architecture. *Angew Chem Int Ed Engl* **58**: 2809-2814.
- Xiao, X. (2020) Structural and functional analysis of proteins involved in natural product biosynthesis and morphological differentiation in *Streptomyces* *PhD thesis Leiden University*.
- Xiao, X., Elsayed, S.S., Wu, C., van der Heul, H.U., Metsa-Ketela, M., et al. (2020) Functional and structural insights into a novel promiscuous ketoreductase of the lugdunomycin biosynthetic pathway. *ACS Chem Biol*: 2529–2538.
- Xie, H.F., Kong, Y.S., Li, R.Z., Nothias, L.F., Melnik, A.V., et al. (2020) Feature-based molecular networking analysis of the metabolites produced by *in vitro* solid-state fermentation reveals pathways for the bioconversion of epigallocatechin gallate. *J Agric Food Chem* **68**: 7995-8007.
- Xie, P., Zeng, A., and Qin, Z. (2009) *cmdABCDEF*, a cluster of genes encoding membrane proteins for differentiation and antibiotic production in *Streptomyces coelicolor* A3(2). *BMC Microbiol* **9**: 157.
- Xu, F., Nazari, B., Moon, K., Bushin, L.B., and Seyedsayamdost, M.R. (2017) Discovery of a cryptic antifungal compound from *Streptomyces albus* J1074 using high-throughput elicitor screens. *J Am Chem Soc* **139**: 9203-9212.
- Xu, G., Wang, J., Wang, L., Tian, X., Yang, H., et al. (2010) "Pseudo" gamma-butyrolactone receptors respond to antibiotic signals to coordinate antibiotic biosynthesis. *J Biol Chem* **285**: 27440-27448.
- Xu, Q., van Wezel, G.P., Chiu, H.J., Jaroszewski, L., Klock, H.E., et al. (2012) Structure of an MmyB-like regulator from *C. aurantiacus*, member of a new transcription factor family linked to antibiotic metabolism in actinomycetes. *PLoS One* **7**: e41359.
- Yadav, G., Gokhale, R.S., and Mohanty, D. (2003) Searchpks: A program for detection and analysis of polyketide synthase domains. *Nucleic Acids Res* **31**: 3654-3658.
- Yamanaka, K., Oikawa, H., Ogawa, H.O., Hosono, K., Shinmachi, F., et al. (2005) Desferrioxamine E produced by *Streptomyces griseus* stimulates growth and development of *Streptomyces tanashiensis*. *Microbiology* **151**: 2899-2905.
- Yamanaka, K., Reynolds, K.A., Kersten, R.D., Ryan, K.S., Gonzalez, D.J., et al. (2014) Direct cloning and refactoring of a silent lipopeptide biosynthetic gene cluster yields the antibiotic taromycin A. *Proc Natl Acad Sci U S A* **111**: 1957-1962.

- Yan, X., Ge, H., Huang, T., Hindra, Yang, D., *et al.* (2016) Strain prioritization and genome mining for enediyne natural products. *mBio* **7**: e02104-02116.
- Yang, R., Liu, X., Wen, Y., Song, Y., Chen, Z., *et al.* (2015) The PhoP transcription factor negatively regulates avermectin biosynthesis in *Streptomyces avermitilis*. *Appl Microbiol Biotechnol* **99**: 10547-10557.
- Yang, Y.H., Joo, H.S., Lee, K., Liou, K.K., Lee, H.C., *et al.* (2005) Novel method for detection of butanolides in *Streptomyces coelicolor* culture broth, using a His-tagged receptor (ScbR) and mass spectrometry. *Appl Environ Microbiol* **71**: 5050-5055.
- Yang, Y.H., Song, E., Kim, E.J., Lee, K., Kim, W.S., *et al.* (2009) NdgR, an IclR-like regulator involved in amino-acid-dependent growth, quorum sensing, and antibiotic production in *Streptomyces coelicolor*. *Appl Microbiol Biotechnol* **82**: 501-511.
- Yanisch-Perron, C., Vieira, J., and Messing, J. (1985) Improved M13 phage cloning vectors and host strains: Nucleotide sequences of the M13mp18 and pUC19 vectors. *Gene* **33**: 103-119.
- Yepes, A., Rico, S., Rodriguez-Garcia, A., Santamaria, R.I., and Diaz, M. (2011) Novel two-component systems implied in antibiotic production in *Streptomyces coelicolor*. *PLoS One* **6**: e19980.
- Yixizhuoma, Ishikawa, N., Abdelfattah, M.S., and Ishibashi, M. (2017) Elmenols C-h, new angucycline derivatives isolated from a culture of *Streptomyces* sp. IFM 11490. *J Antibiot (Tokyo)* **70**: 601-606.
- Yoon, S.Y., Lee, S.R., Hwang, J.Y., Benndorf, R., Beemelmans, C., *et al.* (2019) Fridamycin A, a microbial natural product, stimulates glucose uptake without inducing adipogenesis. *Nutrients* **11**: 765.
- Yoon, V., and Nodwell, J.R. (2014) Activating secondary metabolism with stress and chemicals. *Journal of industrial microbiology & biotechnology* **41**: 415-424.
- Yu, H., Yao, Y., Liu, Y., Jiao, R., Jiang, W., *et al.* (2007) A complex role of *Amycolatopsis mediterranei* GlnR in nitrogen metabolism and related antibiotics production. *Arch Microbiol* **188**: 89-96.
- Yu, L., Gao, W., Li, S., Pan, Y., and Liu, G. (2016a) GntR family regulator SCO6256 is involved in antibiotic production and conditionally regulates the transcription of myo-inositol catabolic genes in *Streptomyces coelicolor* A3(2). *Microbiology* **162**: 537-551.
- Yu, L., Pan, Y., and Liu, G. (2016b) A regulatory gene SCO2140 is involved in antibiotic production and morphological differentiation of *Streptomyces coelicolor* A3(2). *Curr Microbiol* **73**: 196-201.
- Yu, Z., Zhu, H., Dang, F., Zhang, W., Qin, Z., *et al.* (2012) Differential regulation of antibiotic biosynthesis by DraR-K, a novel two-component system in *Streptomyces coelicolor*. *Mol Microbiol* **85**: 535-556.
- Yushchuk, O., Kharel, M., Ostash, I., and Ostash, B. (2019) Landomycin biosynthesis and its regulation in *Streptomyces*. *Appl Microbiol Biotechnol* **103**: 1659-1665.
- Zarins-Tutt, J.S., Barberi, T.T., Gao, H., Mearns-Spragg, A., Zhang, L., *et al.* (2016) Prospecting for new bacterial metabolites: A glossary of approaches for inducing, activating and upregulating the biosynthesis of bacterial cryptic or silent natural products. *Nat Prod Rep* **33**: 54-72.
- Zdouc, M.M., Iorio, M., Vind, K., Simone, M., Serina, S., *et al.* (2021) Effective approaches to discover new microbial metabolites in a large strain library. *J Ind Microbiol Biotechnol* **48**: kuab017.
- Zerikly, M., and Challis, G.L. (2009) Strategies for the discovery of new natural products by genome mining. *Chembiochem* **10**: 625-633.

## References

- Zhang, H., Wang, H., Wang, Y., Cui, H., Xie, Z., *et al.* (2012) Genomic sequence-based discovery of novel angucyclinone antibiotics from marine *Streptomyces* sp. W007. *FEMS Microbiol Lett* **332**: 105-112.
- Zhang, H., Xie, Z., Lou, T., and Jiang, P. (2015a) Isolation, identification, and cytotoxicity of a new isobenzofuran derivative from marine *Streptomyces* sp. W007. *Chinese Journal of Oceanology and Limnology* **34**: 386–390
- Zhang, J., Sun, Y., Wang, Y., Chen, X., Xue, L., *et al.* (2021) Genome mining of novel rubiginones from *Streptomyces* sp. CB02414 and characterization of the post-PKS modification steps in rubiginone biosynthesis. *Microb Cell Fact* **20**: 192.
- Zhang, M.M., Wong, F.T., Wang, Y., Luo, S., Lim, Y.H., *et al.* (2017a) Crispr-cas9 strategy for activation of silent *Streptomyces* biosynthetic gene clusters. *Nat Chem Biol* **13**: 607–609.
- Zhang, P., Zhao, Z., Li, H., Chen, X.L., Deng, Z., *et al.* (2015b) Production of the antibiotic FR-008/candicidin in *Streptomyces* sp. FR-008 is co-regulated by two regulators, FscRI and FscRIV, from different transcription factor families. *Microbiology* **161**: 539-552.
- Zhang, Q., Chen, Q., Zhuang, S., Chen, Z., Wen, Y., *et al.* (2015c) A MarR family transcriptional regulator, *dptr3*, activates daptomycin biosynthesis and morphological differentiation in *Streptomyces roseosporus*. *Appl Environ Microbiol* **81**: 3753-3765.
- Zhang, S., Yang, Q., Guo, L., Zhang, Y., Feng, L., *et al.* (2017b) Isolation, structure elucidation and racemization of (+)- and (-)-pratensilins A-C: Unprecedented spiro indolinone-naphthofuran alkaloids from a marine *Streptomyces* sp. *Chem Commun (Camb)* **53**: 10066-10069.
- Zhang, X., Chen, Z., Li, M., Wen, Y., Song, Y., *et al.* (2006) Construction of ivermectin producer by domain swaps of avermectin polyketide synthase in *Streptomyces avermitilis*. *Appl Microbiol Biotechnol* **72**: 986-994.
- Zheng, J.T., Wang, S.L., and Yang, K.Q. (2007) Engineering a regulatory region of jadomycin gene cluster to improve jadomycin B production in *Streptomyces venezuelae*. *Appl Microbiol Biotechnol* **76**: 883-888.
- Zhu, H., Sandiford, S.K., and van Wezel, G.P. (2014a) Triggers and cues that activate antibiotic production by actinomycetes. *Journal of industrial microbiology & biotechnology* **41**: 371-386.
- Zhu, H., Swierstra, J., Wu, C., Girard, G., Choi, Y.H., *et al.* (2014b) Eliciting antibiotics active against the ESKAPE pathogens in a collection of actinomycetes isolated from mountain soils. *Microbiology* **160**: 1714-1725.
- Zhu, J., Sun, D., Liu, W., Chen, Z., Li, J., *et al.* (2016) AvaR2, a pseudo gamma-butyrolactone receptor homologue from *Streptomyces avermitilis*, is a pleiotropic repressor of avermectin and avenolide biosynthesis and cell growth. *Mol Microbiol* **102**: 562-578.
- Ziemert, N., Alanjary, M., and Weber, T. (2016) The evolution of genome mining in microbes - a review. *Nat Prod Rep* **33**: 988-1005.
- Zou, Z., Du, D., Zhang, Y., Zhang, J., Niu, G., *et al.* (2014) A gamma-butyrolactone-sensing activator/repressor, JadR3, controls a regulatory mini-network for jadomycin biosynthesis. *Mol Microbiol* **94**: 490-505.





**Curriculum Vitae**

## CURRICULUM VITAE

Hendrikje Ursusla (Helga) van der Heul was born in Schiedam, the Netherlands on the 6<sup>th</sup> of November 1990. In 2009 she attained her pre-university degree with the “Nature and Health” profile from the Groen van Prinsterer Lyceum in Vlaardingem. In that same year she started the study Biology and Medical Laboratory Research at the Hogeschool Rotterdam, and graduated with a BSc degree, cum laude, in 2012. During this period, she completed her first internship at the department of Microbiology and Infectious Diseases at the Erasmus MC on the detection of beta-lactamases in *Klebsiella pneumoniae*, under the joint supervision of Marianne ten Kate and dr. Wil Goessens. Her second bachelor internship, also at the Erasmus MC, was led by dr. Kees Vink and focused on antigenic variation in *Mycoplasma pneumoniae*.

In 2012 she started the master’s study Molecular and Cellular Biology at Leiden University where she studied the ferritins of *Clostridium difficile* as part of an internship supervised by dr. Wiep Klaas Smits at the Leiden University Medical Center (LUMC). This was followed by an internship at the Institute of Biology (IBL) at Leiden University on the cell division protein SsgB from *Streptomyces coelicolor*, supervised by prof. Gilles van Wezel and dr. Joost Willemse. After receiving her MSc degree in Biology in 2014, she continued to work in the same group as research assistant. In this period, she spent two months at Naicons (Milan, Italy), a biotech company specialised in the discovery of novel bioactive compounds. Her work at the company was supervised by dr. Margherita Sosio.

In 2016 she started her PhD under the supervision of prof. Gilles van Wezel and dr. Somayah Elsayed as co-promotor. She worked on the regulation and biosynthesis of lugdunomycin production in *Streptomyces* sp. QL37, which is presented in this thesis. During her PhD study she participated in several Dutch and international conferences and presented at CHAINS 2018 in Veldhoven and at the Conference of Genetics of Industrial Microorganisms (GIM 2019) in Pisa, Italy. In 2021 she started working as lab manager and researcher in the group of prof. Gilles van Wezel.



**Publications**



## PUBLICATIONS

van der Heul, H.U., Bilyk, B.L., McDowall, K.J., Seipke, R.F., and van Wezel, G.P. (2018) Regulation of antibiotic production in Actinobacteria: New perspectives from the post-genomic era. *Nat Prod Rep* **35**: 575–604.

Wu, C., van der Heul, H.U., Melnik, A.V., Lubben, J., Dorrestein, P.C., Minnaard, A.J., Choi, Y. H., Wezel, G.P. (2019) Lugdunomycin, an angucycline-derived molecule with unprecedented chemical architecture. *Angew Chem Int Ed Engl* **58**: 2809–2814.

Uiterweerd, M.T., Nuñez-Santiago, I., van der Heul, H.U., Wezel, G.P., Minnaard, A.J. (2020) *Iso*-maleimycin, a constitutional isomer of maleimycin, from *Streptomyces* sp. QL37. *Eur. J. Org. Chem.* **2020**: 5145-5152.

Xiao, X., Elsayed, S.S., Wu, C., van der Heul, H.U., Metsä-Ketelä, Du, C., Prota, A.E., Chen, C.-C., Liu, W., Guo, R.-T., Abrahams, J.P., van Wezel, G.P. (2020) Functional and structural insights into a novel promiscuous ketoreductase of the lugdunomycin biosynthetic pathway. *ACS Chem Biol.* **15**: 2529-2538

