



Universiteit
Leiden
The Netherlands

Correction methods for measurement error in epidemiologic research

Nab, L.

Citation

Nab, L. (2023, January 26). *Correction methods for measurement error in epidemiologic research*. Retrieved from <https://hdl.handle.net/1887/3513286>

Version: Publisher's Version

[Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

License: <https://hdl.handle.net/1887/3513286>

Note: To cite this publication please use the final published version (if applicable).

**CORRECTION METHODS FOR
MEASUREMENT ERROR
IN EPIDEMIOLOGIC RESEARCH**

Art piece: Jesse Steenkist

Cover design: Lisa Tabak

Printing: Gildeprint

Copyright © 2022 by Linda Nab

All rights reserved. No part of this publication may be reproduced without prior permission of the author.

ISBN 978-94-6419-681-8

CORRECTION METHODS FOR MEASUREMENT ERROR IN EPIDEMIOLOGIC RESEARCH

Proefschrift

ter verkrijging van
de graad van doctor aan de Universiteit Leiden,
op gezag van rector magnificus prof. dr. ir. H. Bijl,
volgens besluit van het college voor promoties
te verdedigen op donderdag 26 januari 2023
klokke 13:45

door

Linda Nab

geboren te Zutphen
in 1991

Promotor: Prof. dr. R.H.H. Groenwold

Copromotor: Dr. M. van Smeden

Universitair Medisch Centrum Utrecht

Leden promotiecommissie:

Prof. dr. S.C. Cannegieter

Prof. dr. S. le Cessie

Prof. dr. D.L. Oberski

Prof. dr. ir. H.C.W. de Vet

Utrecht Universiteit en

Universitair Medisch Centrum Utrecht

Amsterdam Universitair Medisch Centrum

Contents

Contents	v
1 General introduction and outline of the thesis	1
1.1 Introduction	1
1.2 Outline	3
References	5
2 Measurement error in continuous endpoints of randomised trials: Problems and solutions	9
2.1 Introduction	10
2.2 Illustrative example: measurement of haemoglobin levels	10
2.3 Measurement error structures	13
2.4 Correction methods for measurement error in a continuous trial endpoint . .	14
2.5 Simulation study	15
2.6 Discussion	27
References	30
3 Mecor: An R package for measurement error correction in linear models with a continuous outcome	33
3.1 Introduction	34
3.2 Measurement error: notation, types and data structures	35
3.3 Measurement error correction	40
3.4 The R package mecor	46
3.5 Examples	49
3.6 Conclusion	60
References	61
4 Regression calibration for measurement error correction: The bias-variance trade off and finite sample performance	67
4.1 Introduction	68
4.2 Example of lean body mass and energy expenditure	68
4.3 Bias-variance trade off for regression calibration	70
4.4 Finite sample properties of regression calibration	74
4.5 Discussion	82
References	84
5 Sampling strategies for internal validation samples for exposure measurement error correction	87
5.1 Introduction	88
5.2 Case study: visceral adipose tissue measures as replacement for waist circumference measures	89

5.3	Simulation study	93
5.4	Discussion	104
	References	106
6	Guidance for reporting of studies on incidence of venous thromboembolism in COVID-19 patients	109
6.1	Introduction	110
6.2	Methods	110
6.3	Sources of heterogeneity of VTE incidence studies	111
6.4	Discussion	118
	References	121
7	Sensitivity analysis for random measurement error using regression calibration and simulation-extrapolation	129
7.1	Introduction	130
7.2	Review and motivating example	131
7.3	Simulation study	133
7.4	Sensitivity analysis in the absence of validation data	142
7.5	Discussion	144
	References	149
8	Quantitative bias analysis for a misclassified confounder in marginal structural models	153
8.1	Introduction	154
8.2	Settings and impact of measurement error, notation and assumptions	155
8.3	Quantification of bias due to classification error in a confounding variable	156
8.4	Illustration: quantitative bias analysis	163
8.5	Shiny application: an online tool	164
8.6	Discussion	165
	References	167
9	Summary and general discussion	171
9.1	Summary	171
9.2	Discussion	174
	References	181
S2	Supplementary material Chapter 2	185
S2.1	Illustrative examples	185
S2.2	Measurement error structures	186
S2.3	Correction methods for measurement error in a continuous trial endpoint	191
S2.4	Measurement error depending on prognostic factors	196
S2.5	Approximation of bias and variance in corrected estimator	196
	References	201
S3	Supplementary material Chapter 3	203
S3.1	Variance estimation: standard regression calibration	203
S3.2	Variance estimation: maximum likelihood for replicates studies	205
	References	206

S5 Supplementary material Chapter 5	207
S5.1 Notation, impact of measurement error and different analysis strategies	207
S5.2 Simulation study parameters	209
S5.3 Simulation study results	209
References	231
S8 Supplementary material Chapter 8	233
S8.1 Quantification of bias due to classification error in a confounding variable	233
S8.2 Illustration: quantitative bias analysis	240
References	243
A Dutch summary	245
B List of publications	253
C Curriculum Vitæ	255
D Acknowledgements	257