

Control of early plant development by light quality Spaninks, K.

Citation

Spaninks, K. (2023, May 10). *Control of early plant development by light quality*. Retrieved from https://hdl.handle.net/1887/3618264

Version: Publisher's Version

Licence agreement concerning inclusion of doctoral

License: thesis in the Institutional Repository of the University

of Leiden

Downloaded from: https://hdl.handle.net/1887/3618264

Note: To cite this publication please use the final published version (if applicable).

List of abbreviations



Abbreviation	Description
a	y-intercept
ABA	Abscisic acid
ABCB19	ATP-BINDING CASSETTE B19
ABCG14	ATP-BINDING CASSETTE G14
AFB	AUXIN-BINDING F-BOX PROTEINS
AGL24	AGAMOUS-LIKE 24
AHL15	AT-HOOK MOTIF CONTAINING NUCLEAR
	LOCALIZED 15
AHP6	ARABIDOPSIS HISTIDINE PHOSPHOTRANSFER
	PROTEIN 6
AIL6	AINTEGUMENTA-LIKE 6
AM	axillary meristem
ANT	AINTEGUMENTA
AP	APETALA
Arabidopsis	Arabidopsis thaliana
ARF(s)	AUXIN REPSONSE FACTOR(s)
arg	arginine
ARR(s)	ARABIDOPSIS RESPONSE REGULATOR(s)
A.U.	arbitrary units
AUX1	AUXIN-RESISTANT 1
AUX/IAA(s)	AUXIN / INDOLE-3-ACETIC ACID PROTEIN(s)
b	regression coefficient (slope)
В	blue
BES1	BRI1-EMS-SUPPRESSOR 1
BGR	blue-grown roots
bHLH	basic helix-loop-helix
BIL1	BRASSINOSTEROID-INSENSITIVE 2-LIKE 1

BR brassinosteroids

BZR1 BRASSINAZOLE-RESISTANT 1

CAL CAULIFLOWER

CAPS cleaved amplified polymorphic sequence

CCE CRY C-terminal extension

CDF(s) CYCLING DOF FACTOR(s)

CIB(s) CRY2-INTERACTING bHLH(s)

CK cytokinin

CKX2 CYTOKININ DEHYDROGENASE 2

CLV CLAVATA

CO CONSTANS

Col-0 Columbia

COP CONSTITUTIVE PHOTOMORPHOGENIC

CPD cyclobutane pyrimidine dimer

CRY(s) cryptochrome(s)

CSN COP9 signalosome

CTCF corrected total cell fluorescence

CTF corrected total fluorescence

CZ central zone

DAG days after germination

DAS days after sowing

DET DE-ETIOLATED

DGR dark-grown roots

DN day-neutral

DNA deoxyribonucleic acid

Ehd1 Early heading date 1

EIN3 ETHYLENE-INSENSITIVE 3

ERF(s) ETHYLENE RESPONSE FACTOR(s)



ET ethylene

FAD flavin adenine dinucleotide

FAR1 FAR-RED IMPAIRED RESPONSE 1

FHL FHY1-like

FHY FAR-RED ELONGATED HYPOCOTYL

FIL FILAMENTOUS FLOWER

FKF1 FLAVIN-BINDING KELCH REPEAT 1

FLC FLOWERING LOCUS C

FMN flavin mononucleotide

FO Foundation

FR far-red

FT FLOWERING LOCUS T

FUL FRUITFULL

FUS FUSCA

FW forward

GA gibberellic acid

GFP green fluorescent protein

GI GIGANTEA

HAM HAIRY MERISTEM

HCA2 HIGH CAMBIAL ACTIVITY 2

Hd1 Heading date 1

Hd3a Heading date 3a

HEC HECATE

HFR1 LONG HYPOCOTYL IN FAR-RED 1

HIR high irradiance response

HKRD Histidine kinase-related domain

HSD honestly significant different

HY4 ELONGATED HYPOCOTYL 4 (CRY1)



HY5 ELONGATED HYPOCOTYL 5

HYH HY5 HOMOLOGUE

IAA indole-3-acetic acid (auxin)

IM inflorescence meristem

JA jasmonic acid

KRP2 KIP-RELATED PROTEIN 2

LAF1 LONG AFTER FAR-RED LIGHT

LAX LIKE-AUX1

LBD LATERAL ORGAN BOUNDARIES DOMAIN

LD long-day

LED(s) light-emitting diode(s)

Ler Landsberg erecta

Lettuce Lactuca sativa

LFR low fluence response

LFY LEAFY

LGR light-grown roots

LKP2 LOV KELCH PROTEIN 2

LMP low melting point

LOG LONELY GUY

LOV light, oxygen, or voltage

LSA leaf surface area

L/W ratio length / width ratio

miR microRNA

MM Moneymaker

MP MONOPTEROS (ARF5)

NAA 1-naphthaleneacetic acid

NASC Nottingham Arabidopsis Stock Centre

NBs nuclear bodies



NFY(s) NUCLEAR FACTOR Y(s)

NLS nuclear localisation signal

nm nanometre

NPA 1-naphthylphthalamic acid

NPH1 NON-PHOTOTROPIC HYPOCOTYL 1 (PHOT1)

NPH3 NON-PHOTOTROPIC HYPOCOTYL 3

NPL1 NPH1-like 1 (PHOT2)

n.s. not significant

NOW Dutch Research Council (Nederlandse organisatie voor

Wetenschappelijk Onderzoek)

OC organizing centre

PAR photosynthetically active radiation

PAT polar auxin transport

PBS phosphate-buffered saline

PCR-RFLP PCR- restriction fragment length polymorphism

PFA paraformaldehyde

Pfr FR-absorbing form of phytochromes

PHOT(s) phototropin(s)

PHR photolyase homologous region

PHY(s) phytochrome(s)
PI propidium iodide

PIF(s) PHYTOCHROME INTERACTING FACTOR(s)

PIN PIN-FORMED

PKS PHYTOCHROME KINASE SUBSTRATE

PLT3 PLETHORA 3

PP2A PROTEIN PHOSPHATASE 2A

PPF photosynthetic photon flux

Pr R-absorbing form of phytochromes

Prim primary

PRR(s) PSEUDO-RESPONSE REGULATOR(s)

PXY PHLOEM INTERCALATED WITH XYLEM

PZ peripheral zone

PΦB phytochromobilin tetrapyrrole chromophore

QC quiescent centre

r correlation coefficient

R red

RAM root apical meristem

R/B red/blue ratio

R:FR red/far-red ratio

RGR red-grown roots

ROS reactive oxygen species

RSA rosette surface area

RTP2 ROOT PHOTOTROPISM 2

RUP REPRESSOR OF UV-B PHOTOMORPHOGENESIS

RV reversed

RZ rib zone

SAM shoot apical meristem

SCF Skp, Cullin, and F-box

SD short-day

SE standard error

Sec secondary

SEP3 SEPALLATA 3

ser serine

SOC1 SUPPRESSOR OF CONSTANS 1

SPA1 SUPPRESSOR OF PHYA 1



SPL(s) SQUAMOSA PROMOTER BINDING PROTEIN-

LIKE(s)

STM SHOOT MERISTEMLESS

TAA1 TRYPTOPHAN AMINOTRANSFERASE OF

ARABIDOPSIS 1

TAR TRYPTOPHAN AMINOTRANSFERASE RELATED

TCP TEOSINTE BRANCHED 1, CYCLOIDEA,

PROLIFERATING CELL FACTOR

TDIF TRACHEARY ELEMENT DIFFERENTIATION

Tert tertiary

TFL1 TERMINAL FLOWER 1

TGRC Tomato Genetics Resource Centre

thr threonine

THz terahertz

TIP41 TAP42-interacting protein

TIR1 TRANSPORT INHIBITOR RESPONSE 1

TMO6 TARGET OF MONOPTEROS 6

TOC1 TIMING OF CAB EXPRESSION 1

TOE TARGET OF EARLY ACTIVATION TAGGED

ToFZHY tomato YUCCA orthologue

tomato Solanum lycopersicum

TOR TARGET OF RAPAMYCIN

trp tryptophan

UV ultra-violet

UV-B ultra-violet B

UVR8 UV RESISTANCE LOCUS 8

VIN3 VERNALIZATION INSENSITIVE 3

VLFR very low fluence response



VND VASCULAR-RELATED NAC-DOMAIN

VPC vegetative phase change

VRN VERNALIZATION

W white

WAS weeks after sowing

WOX WUSCHEL-RELATED HOMEOBOX

WUS WUSCHEL

YFP yellow fluorescent protein

YUC YUCCA

ZT Zeitgeber time

ZTL(s) ZEITLUPE(s)



Curriculum vitae



Kiki Spaninks was born on November 25th, 1990, in Voorburg, the Netherlands. After graduating from 't Stedelijk College in Zoetermeer, she started her Biology study at Leiden University in 2008. She obtained her BSc degree with a minor in modern drug discovery (chemistry) in 2011. Her BSc programme included an internship at the Molecular Cell Biology department of the Institute of Biology Leiden (IBL) under the supervision of Prof. dr. A.H. Meijer and PhD student M. van der Vaart, where she studied the role of nitric oxide during the innate immune response of MyD88-deficient zebrafish against Mycobacterium marinum. In 2011, she continued with the Master study Biology at Leiden University, with a specialisation in Molecular and Cellular Biosciences that included two internships. During the first internship at the Molecular Genetics department of the IBL, she applied multi-colour BiFC to visualise the translocation of Agrobacterium tumefaciens virulence proteins to Saccharomyces cerevisiae (yeast) under the supervision of dr. G.P.H. van Heusden and PhD student P.A. Sakalis. In the second internship with dr. H.J.M. Linthorst and PhD student Y. Zhou at the Plant Cell Physiology department of the IBL, she investigated the putative function of EDS5 as a salicylic acid transporter using yeast as a model organism. After receiving her MSc degree in 2013, she spent six months studying proteolysis in human tissue macrophages at the Erasmus Medical Centre in Rotterdam under the supervision of Prof. dr. J.J.M. van Dongen. In 2015, Kiki started as a PhD student in the Plant Developmental Genetics group of Prof. dr. R. Offringa at the IBL, as part of the NWO/STW funded LED it be 50% consortium. Here she studied the effects of light quality on the early plant development of Arabidopsis thaliana and Solanum lycopersicum, of which the results are described in this thesis. In 2020, she continued to work in the Offringa group

as post-doctoral researcher to study tipburn as part of the NWO/TTW funded LettuceKnow consortium. From October 2022 on she works as Assistant Professor at the IBL focusing on teaching and researching shoot-root signalling *in planta*.