



Universiteit
Leiden
The Netherlands

On topological properties of massless fermions in a magnetic field

Lemut, G.

Citation

Lemut, G. (2023, June 13). *On topological properties of massless fermions in a magnetic field*. Casimir PhD Series. Retrieved from <https://hdl.handle.net/1887/3620153>

Version: Publisher's Version

[Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

License: <https://hdl.handle.net/1887/3620153>

Note: To cite this publication please use the final published version (if applicable).

On topological properties of massless fermions in a magnetic field

Proefschrift

ter verkrijging van
de graad van doctor aan de Universiteit Leiden,
op gezag van rector magnificus prof. dr. ir. H. Bijl,
volgens besluit van het college voor promoties
te verdedigen op dinsdag 13 juni 2023
klokke 13.45 uur

door

Gal Lemut

geboren te Postojna (Slovenië)
in 1994

Promotores: Prof. dr. C. W. J. Beenakker
Prof. dr. İ. Adagideli (Sabancı University, Istanbul)

Promotiecommissie: dr. A. R. Akhmerov (Delft University of Technology)
prof. dr. ir. A. Brinkman (University of Twente)
prof. dr. J. Aarts
prof. dr. A. Achúcarro
dr. M. Allan

Casimir PhD series, Delft-Leiden 2023-13
ISBN 978-90-8593-561-2
An electronic version of this thesis can be found
at <https://openaccess.leidenuniv.nl>

To Betti, to my friends and to my family.

Contents

1	Introduction	1
1.1	Preface	1
1.2	Massless fermions in electronic systems	2
1.3	Dirac fermions to superconducting Majorana excitations .	5
1.3.1	Zeroth Landau level in a 3D topological insulator .	6
1.3.2	Proximity effect and the Fu-Kane model	8
1.3.3	Majorana zero-modes in a topological superconductor	9
1.4	Weyl fermions in Kramers-Weyl semimetals	13
1.4.1	Topological protection	14
1.4.2	Kramers-Weyl semimetal	15
1.4.3	Fermi arcs	17
1.5	Outline of this thesis	19
1.5.1	Part 1	19
1.5.2	Part 2	20
1.5.3	Part 3	23
2	Localization landscape for Dirac fermions	27
2.1	Introduction	27
2.2	Construction of the landscape function	28
2.3	Rashba Hamiltonian	29
2.4	Dirac Hamiltonian	29
2.5	Conclusion and outlook	33
2.A	Derivation of the comparison inequality	39
3	Magnetic breakdown spectrum of a Kramers-Weyl semi-metal	41
3.1	Introduction	41
3.2	Boundary condition for Kramers-Weyl fermions	43
3.3	Fermi surface of Kramers-Weyl fermions in a slab	45
3.3.1	Dispersion relation	45
3.3.2	Fermi surface topology	46
3.4	Resonant tunneling between open and closed orbits in a magnetic field	47
3.5	Dispersive Landau bands	49

Contents

3.6	Magnetoconductance oscillations	51
3.7	Tight-binding model on a cubic lattice	53
3.7.1	Hamiltonian	53
3.7.2	Folded Brillouin zone	54
3.8	Tight-binding model results	56
3.9	Conclusion	57
3.A	Coupling of time-reversally invariant momenta by the boundary	61
3.B	Criterion for the appearance of surface Fermi arcs	63
3.C	Calculation of the dispersive Landau bands due to the coupling of open and closed orbits	64
3.D	Landau levels from surface Fermi arcs	67
4	Supercell symmetry modified spectral statistics of Kramers-Weyl fermions	69
4.1	Introduction	69
4.2	Supercell symmetry	71
4.2.1	Zero magnetic field	71
4.2.2	Nonzero magnetic field	72
4.3	Supercell symmetry effects on the conductance	73
4.4	Numerical results	74
4.5	Conclusion	75
5	Chiral charge transfer along magnetic field lines in a Weyl superconductor	81
5.1	Introduction	81
5.2	Weyl superconductor in a magnetic vortex lattice	83
5.3	Fractional charge transfer	84
5.3.1	Matching condition	84
5.3.2	Projection	85
5.3.3	Transferred charge	85
5.4	Dispersion relation of the Landau band	86
5.4.1	Block diagonalization	86
5.4.2	Zeroth Landau band	88
5.4.3	Comparison of transferred charge and charge expectation value	88
5.5	Conductance	90
5.5.1	Transmission matrix	90
5.5.2	Linear response	90
5.6	Numerical results	91
5.7	Conclusion	93

5.A	Derivation of Eq. (5.18)	95
6	Deconfinement of Majorana vortex modes produces a superconducting Landau level	97
6.1	Introduction	97
6.2	Confined phase	98
6.3	Deconfined phase	101
6.4	Chiral symmetry protected Majorana Landau level	101
6.5	Helmholtz equation for the Majorana Landau level	102
6.6	Analytical solution of the Majorana Landau level wave function	103
6.7	Numerical simulation	104
6.8	Striped local density of states	107
6.9	Conclusion	107
6.A	Details of the numerical simulation	109
6.A.1	Tight-binding model	109
6.A.2	Additional numerical results	110
6.A.3	Effect of overlap of top and bottom surface states	110
6.B	Solution of the Helmholtz equation for the Majorana Landau level	111
6.C	Chain of vortices	117
6.D	Renormalized charge in the Majorana Landau level	118
6.E	Comparison of numerics and analytics	119
7	Magnus effect on a Majorana zero-mode	123
7.1	Introduction	123
7.2	Quenched topological superconductor	123
7.3	Short-time dynamics	126
7.4	Semiclassical calculation of the escape velocity	128
7.5	Computer simulations	131
7.6	Conclusion	132
7.A	Chiral symmetry prevents lateral deflection by the Lorentz force	135
7.B	Details of the numerical calculations	136
Bibliography		141
Samenvatting		155
Summary		157

Contents

Curriculum Vitæ	159
List of publications	161