



Universiteit
Leiden
The Netherlands

Quantum dots in microcavities: from single spins to engineered states of light

Steindl, P.

Citation

Steindl, P. (2023, July 5). *Quantum dots in microcavities: from single spins to engineered states of light*. Casimir PhD Series. Retrieved from <https://hdl.handle.net/1887/3629753>

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/3629753>

Note: To cite this publication please use the final published version (if applicable).

Bibliography

- [1] Tinsley, J. N., Molodtsov, M. I., Prevedel, R., Wartmann, D., Espigulé-Pons, J., Lauwers, M. & Vaziri, A. Direct detection of a single photon by humans. *Nature Communications* **7**, 12172 (2016).
- [2] Aspect, A., Dalibard, J. & Roger, G. Experimental Test of Bell's Inequalities Using Time-Varying Analyzers. *Phys. Rev. Lett.* **49**, 1804 (1982).
- [3] Bouwmeester, D., Pan, J.-W., Mattle, K., Eibl, M., Weinfurter, H. & Zeilinger, A. Experimental quantum teleportation. *Nature* **390**, 575 (1997).
- [4] Zhong, H.-S., Wang, H., Deng, Y.-H., Chen, M.-C., Peng, L.-C., Luo, Y.-H., Qin, J., Wu, D., Ding, X., Hu, Y., Hu, P., Yang, X.-Y., Zhang, W.-J., Li, H., Li, Y., Jiang, X., Gan, L., Yang, G., You, L., Wang, Z., Li, L., Liu, N.-L., Lu, C.-Y. & Pan, J.-W. Quantum computational advantage using photons. *Science* **370**, 1460 (2020).
- [5] Knill, E., Laflamme, R. & Milburn, G. J. A scheme for efficient quantum computation with linear optics. *Nature* **409**, 46 (2001).
- [6] O'Brien, J. L., Pryde, G. J., White, A. G., Ralph, T. C. & Branning, D. Demonstration of an all-optical quantum controlled-NOT gate. *Nature* **426**, 264 (2003).
- [7] Gasparoni, S., Pan, J. W., Walther, P., Rudolph, T. & Zeilinger, A. Realization of a photonic controlled-NOT gate sufficient for quantum computation. *Phys. Rev. Lett.* **93**, 020504 (2004).
- [8] Raussendorf, R. & Briegel, H. J. A one-way quantum computer. *Phys. Rev. Lett.* **86**, 5188 (2001).
- [9] Nielsen, M. A. Optical quantum computation using cluster states. *Phys. Rev. Lett.* **93**, 040503 (2004).
- [10] Walther, P., Resch, K. J., Rudolph, T., Schenck, E., Weinfurter, H., Vedral, V., Aspelmeyer, M. & Zeilinger, A. Experimental one-way quantum computing. *Nature* **434**, 169 (2005).
- [11] Prevedel, R., Walther, P., Tiefenbacher, F., Böhi, P., Kaltenbaek, R., Jennewein, T. & Zeilinger, A. High-speed linear optics quantum computing using active feed-forward. *Nature* **445**, 65 (2007).
- [12] Rudolph, T. Why i am optimistic about the silicon-photonic route to quantum computing. *APL Photonics* **2**, 030901 (2017).

- [13] Somaschi, N., Giesz, V., De Santis, L., Loredo, J. C., Almeida, M. P., Hornecker, G., Portalupi, S. L., Grange, T., Antón, C., Demory, J., Gómez, C., Sagnes, I., Lanzillotti-Kimura, N. D., Lemaître, A., Auffeves, A., White, A. G., Lanco, L. & Senellart, P. Near-optimal single-photon sources in the solid state. *Nature Photonics* **10**, 340 (2016).
- [14] Senellart, P., Solomon, G. & White, A. High-performance semiconductor quantum-dot single-photon sources. *Nature Nanotechnology* **12**, 1026 (2017).
- [15] Tomm, N., Javadi, A., Antoniadis, N. O., Najer, D., Löbl, M. C., Korsch, A. R., Schott, R., Valentin, S. R., Wieck, A. D., Ludwig, A. & Warburton, R. J. A bright and fast source of coherent single photons. *Nat. Nanotechnol.* **16**, 399 (2021).
- [16] Thomas, S. & Senellart, P. The race for the ideal single-photon source is on. *Nat. Nanotechnol.* **16**, 367 (2021).
- [17] Thomas, S. E., Billard, M., Coste, N., Wein, S. C., Priya, Ollivier, H., Krebs, O., Tazaïrt, L., Harouri, A., Lemaitre, A., Sagnes, I., Anton, C., Lanco, L., Somaschi, N., Loredo, J. C. & Senellart, P. Bright Polarized Single-Photon Source Based on a Linear Dipole. *Phys. Rev. Lett.* **126**, 233601 (2021).
- [18] Snijders, H., Frey, J. A., Norman, J., Post, V. P., Gossard, A. C., Bowers, J. E., Van Exter, M. P., Löffler, W. & Bouwmeester, D. Fiber-Coupled Cavity-QED Source of Identical Single Photons. *Phys. Rev. Appl.* **9**, 031002 (2018).
- [19] Pastier, F., Giesz, V. & Somaschi, N. High-precision method for coupling an optical fiber with a photonic device and implementation microstructure (2022).
- [20] Holewa, P., Sakanas, A., Gür, U. M., Mrowiński, P., Huck, A., Wang, B.-Y., Musiał, A., Yvind, K., Gregersen, N., Syperek, M. & Semenova, E. Bright Quantum Dot Single-Photon Emitters at Telecom Bands Heterogeneously Integrated on Si. *ACS Photonics* **9**, 2273 (2022).
- [21] Laferrière, P., Haffouz, S., Northeast, D. B., Poole, P. J., Williams, R. L. & Dalacu, D. Position-Controlled Telecom Single Photon Emitters Operating at Elevated Temperatures. *Nano Letters* **23**, 962 (2023).
- [22] Morrison, C. L., Rambach, M., Koong, Z. X., Graffitti, F., Thorburn, F., Kar, A. K., Ma, Y., Park, S.-I., Song, J. D., Stoltz, N. G., Bouwmeester, D., Fedrizzi, A. & Gerardot, B. D. A bright source of telecom single photons based on quantum frequency conversion. *Applied Physics Letters* **118**, 174003 (2021).
- [23] Zhou, X., Zhai, L. & Liu, J. Epitaxial quantum dots : a semiconductor launchpad for photonic quantum technologies. *Photonics Insights* **1**, 1 (2023).
- [24] Heyn, C., Stemmann, A., Köppen, T., Strele, C., Kipp, T., Grave, M., Mendach, S. & Hansen, W. Highly uniform and strain-free GaAs quantum dots fabricated by filling of self-assembled nanoholes. *Applied Physics Letters* **94**, 183113 (2009).
- [25] Schweickert, L., Jöns, K. D., Zeuner, K. D., da Silva, S. F. C., Huang, H., Lettner, T., Reindl, M., Zichi, J., Trotta, R., Rastelli, A. & Zwiller, V. On-demand generation of background-free single photons from a solid-state source. *Applied Physics Letters* **112**, 093106 (2018).

- [26] Zhai, L., Nguyen, G. N., Spinnler, C., Ritzmann, J., Löbl, M. C., Wieck, A. D., Ludwig, A., Javadi, A. & Warburton, R. J. Quantum interference of identical photons from remote GaAs quantum dots. *Nature Nanotechnology* **17**, 829 (2022).
- [27] Hong, C. K., Ou, Z. Y. & Mandel, L. Measurement of subpicosecond time intervals between two photons by interference. *Physical Review Letters* **59**, 2044 (1987).
- [28] Santori, C., Fattal, D., Vučković, J., Solomon, G. S. & Yamamoto, Y. Indistinguishable photons from a single-photon device. *Nature* **419**, 594 (2002).
- [29] Lim, C. C. W., Xu, F., Siopsis, G., Chitambar, E., Evans, P. G. & Qi, B. Loss-tolerant quantum secure positioning with weak laser sources. *Phys. Rev. A* **94**, 032315 (2016).
- [30] Reck, M., Zeilinger, A., Bernstein, H. J. & Bertani, P. Experimental realization of any discrete unitary operator. *Phys. Rev. Lett.* **73**, 58 (1994).
- [31] Clements, W. R., Humphreys, P. C., Metcalf, B. J., Kolthammer, W. S. & Walmsley, I. A. Optimal design for universal multiport interferometers. *Optica* **3**, 1460 (2016).
- [32] Aaronson, S. & Arkhipov, A. The Computational Complexity of Linear Optics. *Theory of Computing* **9**, 143 (2013).
- [33] Spring, J. B., Metcalf, B. J., Humphreys, P. C., Kolthammer, W. S., Jin, X.-M., Barbieri, M., Datta, A., Thomas-Peter, N., Langford, N. K., Kundys, D., Gates, J. C., Smith, B. J., Smith, P. G. R. & Walmsley, I. A. Boson Sampling on a Photonic Chip. *Science* **339**, 798 (2012).
- [34] Loredo, J. C., Broome, M. A., Hilaire, P., Gazzano, O., Sagnes, I., Lemaitre, A., Almeida, M. P., Senellart, P. & White, A. G. Boson Sampling with Single-Photon Fock States from a Bright Solid-State Source. *Phys. Rev. Lett.* **118**, 130503 (2017).
- [35] Wang, H., Li, W., Jiang, X., He, Y.-M., Li, Y.-H., Ding, X., Chen, M.-C., Qin, J., Peng, C.-Z., Schneider, C., Kamp, M., Zhang, W.-J., Li, H., You, L.-X., Wang, Z., Dowling, J. P., Höfling, S., Lu, C.-Y. & Pan, J.-W. Toward Scalable Boson Sampling with Photon Loss. *Phys. Rev. Lett.* **120**, 230502 (2018).
- [36] Gard, B. T., Olson, J. P., Cross, R. M., Kim, M. B., Lee, H. & Dowling, J. P. Inefficiency of classically simulating linear optical quantum computing with Fock-state inputs. *Phys. Rev. A* **89**, 022328 (2014).
- [37] Wang, H., Qin, J., Ding, X., Chen, M.-C., Chen, S., You, X., He, Y.-M., Jiang, X., You, L., Wang, Z., Schneider, C., Renema, J. J., Höfling, S., Lu, C.-Y. & Pan, J.-W. Boson Sampling with 20 Input Photons and a 60-Mode Interferometer in a 10^{14} -Dimensional Hilbert Space. *Phys. Rev. Lett.* **123**, 250503 (2019).
- [38] Taballione, C., Correa Anguita, M., de Goede, M., Venderbosch, P., Kassenberg, B., Snijders, H., Kannan, N., Smith, D., Epping, J. P., van der Meer, R., Pinkse, P. W. H., van den Vlekkt, H. & Renema, J. J. 20-Mode Universal Quantum Photonic Processor. *arXiv e-prints* arXiv:2203.01801 (2022). 2203.01801.

- [39] Pont, M., Corrielli, G., Fyrillas, A., Agresti, I., Carvacho, G., Maring, N., Emeriau, P.-E., Ceccarelli, F., Albiero, R., Ferreira, P. H. D., Somaschi, N., Senellart, J., Sagnes, I., Morassi, M., Lemaitre, A., Senellart, P., Sciarrino, F., Liscidini, M., Belabas, N. & Osellame, R. High-fidelity generation of four-photon GHZ states on-chip. *arXiv e-prints* arXiv:2211.15626 (2022).
- [40] Megidish, E., Shacham, T., Halevy, A., Dovrat, L. & Eisenberg, H. S. Resource Efficient Source of Multiphoton Polarization Entanglement. *Phys. Rev. Lett.* **109**, 080504 (2012).
- [41] Motes, K. R., Gilchrist, A., Dowling, J. P. & Rohde, P. P. Scalable Boson Sampling with Time-Bin Encoding Using a Loop-Based Architecture. *Phys. Rev. Lett.* **113**, 120501 (2014).
- [42] Istrati, D., Pilnyak, Y., Loredo, J. C., Antón, C., Somaschi, N., Hilaire, P., Ollivier, H., Esmann, M., Cohen, L., Vidro, L., Millet, C., Lemaître, A., Sagnes, I., Harouri, A., Lanco, L., Senellart, P. & Eisenberg, H. S. Sequential generation of linear cluster states from a single photon emitter. *Nature Communications* **11**, 5501 (2020).
- [43] Warburton, R. J. Single spins in self-assembled quantum dots. *Nat. Mater.* **12**, 483 (2013).
- [44] Mrowiński, P., Schnauber, P., Gutsche, P., Kaganskiy, A., Schall, J., Burger, S., Rodt, S. & Reitzenstein, S. Directional Emission of a Deterministically Fabricated Quantum Dot–Bragg Reflection Multimode Waveguide System. *ACS Photonics* **6**, 2231 (2019).
- [45] Xu, X., Wu, Y., Sun, B., Huang, Q., Cheng, J., Steel, D. G., Bracker, A. S., Gammon, D., Emary, C. & Sham, L. J. Fast spin state initialization in a singly charged InAs-GaAs quantum dot by optical cooling. *Phys. Rev. Lett.* **99**, 097401 (2007).
- [46] Emary, C., Xu, X., Steel, D. G., Saikin, S. & Sham, L. J. Fast initialization of the spin state of an electron in a quantum dot in the voigt configuration. *Phys. Rev. Lett.* **98**, 047401 (2007).
- [47] Kroner, M., Weiss, K. M., Biedermann, B., Seidl, S., Manus, S., Holleitner, A. W., Badolato, A., Petroff, P. M., Gerardot, B. D., Warburton, R. J. & Karrai, K. Optical detection of single-electron spin resonance in a quantum dot. *Phys. Rev. Lett.* **100**, 156803 (2008).
- [48] Zaporski, L., Shofer, N., Bodey, J. H., Manna, S., Gillard, G., Appel, M. H., Schimpf, C., da Silva, S. F. C., Jarman, J., Delamare, G., Park, G., Haeusler, U., Chekhovich, E. A., Rastelli, A., Gangloff, D. A., Atatüre, M. & Gall, C. L. Ideal refocusing of an optically active spin qubit under strong hyperfine interactions. *Nature Nanotechnology* **18**, 257 (2023).
- [49] Cabrillo, C., Cirac, J. I., García-Fernández, P. & Zoller, P. Creation of entangled states of distant atoms by interference. *Phys. Rev. A* **59**, 1025 (1999).
- [50] Lindner, N. H. & Rudolph, T. Proposal for pulsed On-demand sources of photonic cluster state strings. *Phys. Rev. Lett.* **103**, 113602 (2009).

- [51] Schwartz, I., Cogan, D., Schmidgall, E. R., Don, Y., Gantz, L., Kenneth, O., Lindner, N. H. & Gershoni, D. Deterministic generation of a cluster state of entangled photons. *Science* **354**, 434 (2016).
- [52] Cogan, D., Su, Z.-E., Kenneth, O. & Gershoni, D. Deterministic generation of indistinguishable photons in a cluster state. *Nature Photonics* (2023).
- [53] Coste, N., Fioretto, D., Belabas, N., Wein, S. C., Hilaire, P., Frantzeskakis, R., Gundin, M., Goes, B., Somaschi, N., Morassi, M., Lemaître, A., Sagnes, I., Harouri, A., Economou, S. E., Auffeves, A., Krebs, O., Lanco, L. & Senellart, P. High-rate entanglement between a semiconductor spin and indistinguishable photons arXiv:2207.09881 (2022).
- [54] Kuhlmann, A. V., Houel, J., Brunner, D., Ludwig, A., Reuter, D., Wieck, A. D. & Warburton, R. J. A dark-field microscope for background-free detection of resonance fluorescence from single semiconductor quantum dots operating in a set-and-forget mode. *Rev. Sci. Instrum.* **84**, 073905 (2013).
- [55] Benelajla, M., Kammann, E., Urbaszek, B. & Karrai, K. Physical Origins of Extreme Cross-Polarization Extinction in Confocal Microscopy. *Phys. Rev. X* **11**, 021007 (2021).
- [56] Stoltz, N. G., Rakher, M., Strauf, S., Badolato, A., Lofgreen, D. D., Petroff, P. M., Coldren, L. A. & Bouwmeester, D. High-quality factor optical microcavities using oxide apertured micropillars. *Applied Physics Letters* **87**, 031105 (2005).
- [57] Strauf, S., Stoltz, N. G., Rakher, M. T., Coldren, L. A., Petroff, P. M. & Bouwmeester, D. High-frequency single-photon source with polarization control. *Nat. Photonics* **1**, 704 (2007).
- [58] Bakker, M. P., Barve, A. V., Ruytenberg, T., Löffler, W., Coldren, L. A., Bouwmeester, D. & Van Exter, M. P. Polarization degenerate solid-state cavity quantum electrodynamics. *Phys. Rev. B* **91**, 115319 (2015).
- [59] Bakker, M. P. *Cavity quantum electrodynamics with quantum dots in microcavities*. Ph.D. thesis, Leiden University (2014).
- [60] Norman, J. *Quantum Dot Lasers for Silicon Photonics*. Ph.D. thesis, University of California Santa Barbara (2016).
- [61] Frey, J. *Cavity Polarization Tuning for Enhanced Quantum Dot Interactions*. Ph.D. thesis, University of California Santa Barbara (2019).
- [62] Braun, T., Schneider, C., Maier, S., Igusa, R., Iwamoto, S., Forchel, A., Höfling, S., Arakawa, Y. & Kamp, M. Temperature dependency of the emission properties from positioned In(Ga)As/GaAs quantum dots. *AIP Advances* **4**, 097128 (2014).
- [63] Bakker, M. P., Suntrup, D. J., Snijders, H., Truong, T.-A., Petroff, P. M., van Exter, M. P. & Bouwmeester, D. Monitoring the formation of oxide apertures in micropillar cavities. *Applied Physics Letters* **102**, 101109 (2013).

- [64] Bakker, M. P., Barve, A. V., Zhan, A., Coldren, L. A., van Exter, M. P. & Bouwmeester, D. Polarization degenerate micropillars fabricated by designing elliptical oxide apertures. *Applied Physics Letters* **104**, 151109 (2014).
- [65] Bonato, C., Gudat, J., de Vries, K., Thon, S. M., Kim, H., Petroff, P. M., van Exter, M. P. & Bouwmeester, D. Optical modes in oxide-apertured micropillar cavities. *Optics Letters* **37**, 4678 (2012).
- [66] Adachi, S. *Journal of Applied Physics* **66**, 6030 (1989).
- [67] Vurgaftman, I., Meyer, J. R. & Ram-Mohan, L. R. Band parameters for III–V compound semiconductors and their alloys. *Journal of Applied Physics* **89**, 5815 (2001).
- [68] Sun, Y., Thompson, S. E. & Nishida, T. Physics of strain effects in semiconductors and metal-oxide-semiconductor field-effect transistors. *Journal of Applied Physics* **101**, 104503 (2007).
- [69] Leonard, D., Krishnamurthy, M., Reaves, C. M., Denbaars, S. P. & Petroff, P. M. Direct formation of quantum-sized dots from uniform coherent islands of InGaAs on GaAs surfaces. *Applied Physics Letters* **63**, 3203 (1993).
- [70] Shchukin, V. A., Ledentsov, N. N., Kop'ev, P. S. & Bimberg, D. Spontaneous Ordering of Arrays of Coherent Strained Islands. *Phys. Rev. Lett.* **75**, 2968 (1995).
- [71] Leonard, D., Pond, K. & Petroff, P. M. Critical layer thickness for self-assembled InAs islands on GaAs. *Phys. Rev. B* **50**, 11687 (1994).
- [72] Heinrichsdorff, F., Krost, A., Bimberg, D., Kosogov, A. O. & Werner, P. Self organized defect free InAs/GaAs and InAs/InGaAs/GaAs quantum dots with high lateral density grown by MOCVD. *Applied Surface Science* **123–124**, 725 (1998).
- [73] Kastner, M. A. Artificial Atoms. *Phys. Today* **46**, 24 (1993).
- [74] Klenovský, P., Munzar, D., Křápek, V. & Humlíček, J. Electronic structure of InAs quantum dots with GaAsSb strain reducing layer: Localization of holes and its effect on the optical properties. *Applied Physics Letters* **97**, 203107 (2010).
- [75] Klenovský, P., Hemzal, D., Steindl, P., Zíková, M., Křápek, V. & Humlíček, J. Polarization anisotropy of the emission from type-II quantum dots. *Phys. Rev. B* **92**, 241302 (2015).
- [76] Petrov, M. Y., Ignatiev, I. V., Poltavtsev, S. V., Greilich, A., Bauschulte, A., Yakovlev, D. R. & Bayer, M. Effect of thermal annealing on the hyperfine interaction in InAs/GaAs quantum dots. *Phys. Rev. B* **78**, 045315 (2008).
- [77] Miller, D. A., Chemla, D. S., Damen, T. C., Gossard, A. C., Wiegmann, W., Wood, T. H. & Burrus, C. A. Band-edge electroabsorption in quantum well structures: The quantum-confined stark effect. *Phys. Rev. Lett.* **53**, 2173 (1984).
- [78] Heller, W. & Bockelmann, U. Electric-field effects on excitons in quantum dots. *Phys. Rev. B - Condens. Matter Mater. Phys.* **57**, 6270 (1998).

- [79] Bennett, A. J., Patel, R. B., Skiba-Szymanska, J., Nicoll, C. A., Farrer, I., Ritchie, D. A. & Shields, A. J. Giant Stark effect in the emission of single semiconductor quantum dots. *Appl. Phys. Lett.* **97**, 031104 (2010).
- [80] Finley, J. J., Sabathil, M., Vogl, P., Abstreiter, G., Oulton, R., Tartakovskii, A. I., Mowbray, D. J., Skolnick, M. S., Liew, S. L., Cullis, A. G. & Hopkinson, M. Quantum-confined Stark shifts of charged exciton complexes in quantum dots. *Phys. Rev. B* **70**, 201308(R) (2004).
- [81] Sheng, W. & Leburton, J. P. Anomalous Quantum-Confining Stark Effects in Stacked InAs/GaAs Self-Assembled Quantum Dots. *Phys. Rev. Lett.* **88**, 167401 (2002).
- [82] Huang, H., Csontosová, D., Manna, S., Huo, Y., Trotta, R., Rastelli, A. & Klenovský, P. Electric field induced tuning of electronic correlation in weakly confining quantum dots. *Phys. Rev. B* **104**, 165401 (2021).
- [83] Fry, P. W., Itskevich, I. E., Mowbray, D. J., Skolnick, M. S., Finley, J. J., Barker, J. A., O'Reilly, E. P., Wilson, L. R., Larkin, I. A., Maksym, P. A., Hopkinson, M., Al-Khafaji, M., David, J. P. R., Cullis, A. G., Hill, G. & Clark, J. C. Inverted Electron-Hole Alignment in InAs-GaAs Self-Assembled Quantum Dots. *Phys. Rev. Lett.* **84**, 733 (2000).
- [84] Aberl, J., Klenovský, P., Wildmann, J. S., Martín-Sánchez, J., Fromherz, T., Zallo, E., Humlíček, J., Rastelli, A. & Trotta, R. Inversion of the exciton built-in dipole moment in In(Ga)As quantum dots via nonlinear piezoelectric effect. *Phys. Rev. B* **96**, 045414 (2017).
- [85] Steindl, P., Snijders, H., Westra, G., Hissink, E., Iakovlev, K., Polla, S., Frey, J. A., Norman, J., Gossard, A. C., Bowers, J. E., Bouwmeester, D. & Löfller, W. Artificial coherent states of light by multi-photon interference in a single-photon stream. *Phys. Rev. Lett.* **126**, 143601 (2021).
- [86] Reindl, M., Jöns, K. D., Huber, D., Schimpf, C., Huo, Y., Zwiller, V., Rastelli, A. & Trotta, R. Phonon-Assisted Two-Photon Interference from Remote Quantum Emitters. *Nano Lett.* **17**, 4090 (2017).
- [87] Weber, J. H., Kambs, B., Kettler, J., Kern, S., Maisch, J., Vural, H., Jetter, M., Portalupi, S. L., Becher, C. & Michler, P. Two-photon interference in the telecom C-band after frequency conversion of photons from remote quantum emitters. *Nat. Nanotechnol.* **14**, 23 (2019).
- [88] Schliwa, A., Winkelkemper, M. & Bimberg, D. Few-particle energies versus geometry and composition of $\text{In}_x\text{Ga}_{1-x}\text{As}/\text{GaAs}$ self-organized quantum dots. *Phys. Rev. B* **79**, 075443 (2009).
- [89] Klenovský, P., Steindl, P. & Geffroy, D. Excitonic structure and pumping power dependent emission blue-shift of type-II quantum dots. *Sci. Rep.* **7**, 45568 (2017).
- [90] Snijders, H. J., Kok, D. N., Van De Stolpe, M. F., Frey, J. A., Norman, J., Gossard, A. C., Bowers, J. E., Van Exter, M. P., Bouwmeester, D. & Löfller, W. Extended polarized semiclassical model for quantum-dot cavity QED and its application to single-photon sources. *Phys. Rev. A* **101**, 053811 (2020).

- [91] Heiss, D., Jovanov, V., Bichler, M., Abstreiter, G. & Finley, J. J. Charge and spin readout scheme for single self-assembled quantum dots. *Phys. Rev. B* **77**, 235442 (2008).
- [92] Heiss, D., Jovanov, V., Klotz, F., Rudolph, D., Bichler, M., Abstreiter, G., Brandt, M. S. & Finley, J. J. Optically monitoring electron spin relaxation in a single quantum dot using a spin memory device. *Phys. Rev. B* **82**, 245316 (2010).
- [93] Warburton, R. J., Schäflein, C., Haft, D., Bickel, F., Lorke, A., Karrai, K., Garcia, J. M., Schoenfeld, W. & Petroff, P. M. Optical emission from a charge-tunable quantum ring. *Nature* **405**, 926 (2000).
- [94] Klenovský, P., Steindl, P., Aberl, J., Zallo, E., Trotta, R., Rastelli, A. & Fromherz, T. Effect of second-order piezoelectricity on the excitonic structure of stress-tuned In(Ga)As/GaAs quantum dots. *Phys. Rev. B* **97**, 245314 (2018). 1805.06825.
- [95] Steindl, P. & Klenovský, P. Dimension-Dependent Phenomenological Model of Excitonic Electric Dipole in InGaAs Quantum Dots. *Nanomaterials* **12**, 719 (2022).
- [96] Ediger, M., Bester, G., Badolato, A., Petroff, P. M., Karrai, K., Zunger, A. & Warburton, R. J. Peculiar many-body effects revealed in the spectroscopy of highly charged quantum dots. *Nature Physics* **3**, 774 (2007).
- [97] Ollivier, H., de Buy Wenniger, I. M., Thomas, S., Wein, S. C., Harouri, A., Coppola, G., Hilaire, P., Millet, C., Lemaître, A., Sagnes, I., Krebs, O., Lanco, L., Loredo, J. C., Antón, C., Somaschi, N. & Senellart, P. Reproducibility of High-Performance Quantum Dot Single-Photon Sources. *ACS Photonics* **7**, 1050 (2020).
- [98] Bayer, M., Ortner, G., Stern, O., Kuther, A., Gorbunov, A. A., Forchel, A., Hawrylak, P., Fafard, S., Hinzer, K., Reinecke, T. L., Walck, S. N., Reithmaier, J. P., Klopff, F. & Schafer, F. Fine structure of neutral and charged excitons in self-assembled In(Ga)As/(Al)GaAs quantum dots. *Phys. Rev. B* **65**, 195315 (2002).
- [99] Huber, D., Lehner, B. U., Csontosová, D., Reindl, M., Schuler, S., Covre Da Silva, S. F., Klenovský, P. & Rastelli, A. Single-particle-picture breakdown in laterally weakly confining GaAs quantum dots. *Phys. Rev. B* **100**, 235425 (2019).
- [100] Bakker, M. P., Snijders, H., Löffler, W., Barve, A. V., Coldren, L. A., Bouwmeester, D. & van Exter, M. P. Homodyne detection of coherence and phase shift of a quantum dot in a cavity. *Optics Letters* **40**, 3173 (2015).
- [101] Steindl, P., Frey, J. A., Norman, J., Bowers, J. E., Bouwmeester, D. & Löffler, W. Cross-polarization extinction enhancement and spin-orbit coupling of light for quantum-dot cavity-QED spectroscopy. *arXiv e-prints* arXiv:2302.05359 (2023).
- [102] Ding, X., He, Y., Duan, Z.-C., Gregersen, N., Chen, M.-C., Unsleber, S., Maier, S., Schneider, C., Kamp, M., Höfling, S., Lu, C.-Y. & Pan, J.-W. On-Demand Single Photons with High Extraction Efficiency and Near-Unity Indistinguishability from a Resonantly Driven Quantum Dot in a Micropillar. *Phys. Rev. Lett.* **116**, 020401 (2016).

- [103] He, Y. M., He, Y., Wei, Y. J., Wu, D., Atatüre, M., Schneider, C., Höfling, S., Kamp, M., Lu, C. Y. & Pan, J. W. On-demand semiconductor single-photon source with near-unity indistinguishability. *Nature Nanotechnology* **8**, 213 (2013).
- [104] Latta, C., Högele, A., Zhao, Y., Vamivakas, A. N., Maletinsky, P., Kroner, M., Dreiser, J., Carusotto, I., Badolato, A., Schuh, D., Wegscheider, W., Atature, M. & Imamoglu, A. Confluence of resonant laser excitation and bidirectional quantum-dot nuclear-spin polarization. *Nat. Phys.* **5**, 758 (2009).
- [105] Vamivakas, A. N., Zhao, Y., Lu, C. Y. & Atatüre, M. Spin-resolved quantum-dot resonance fluorescence. *Nat. Phys.* **5**, 198 (2009).
- [106] Kaldewey, T., Kuhlmann, A. V., Valentin, S. R., Ludwig, A., Wieck, A. D. & Warburton, R. J. Far-field nanoscopy on a semiconductor quantum dot via a rapid-adiabatic-passage-based switch. *Nat. Photonics* **12**, 68 (2018).
- [107] Rudakova, N. V., Timofeev, I. V., Vetrov, S. Y. & Lee, W. All-dielectric polarization-preserving anisotropic mirror. *OSA Continuum* **1**, 682 (2018).
- [108] Götte, J. B. & Dennis, M. R. Generalized shifts and weak values for polarization components of reflected light beams. *New J. Phys.* **14**, 073016 (2012).
- [109] Bliokh, K. Y. & Aiello, A. Goos-Hänchen and Imbert-Fedorov beam shifts: An overview. *J. Opt.* **15**, 014001 (2013).
- [110] Töppel, F., Ornigotti, M. & Aiello, A. Goos-Hänchen and Imbert-Fedorov shifts from a quantum-mechanical perspective. *New J. Phys.* **15**, 113059 (2013).
- [111] Merano, M., Aiello, A., Van Exter, M. P. & Woerdman, J. P. Observing angular deviations in the specular reflection of a light beam. *Nat. Photonics* **3**, 337 (2009).
- [112] Aiello, A., Merano, M. & Woerdman, J. P. Duality between spatial and angular shift in optical reflection. *Phys. Rev. A* **80**, 061801(R) (2009).
- [113] Goos, F. & Hänchen, H. Ein neuer und fundamentaler Versuch zur Totalreflexion. *Annalen der Physik* **436**, 333 (1947).
- [114] Imbert, C. Calculation and experimental proof of the transverse shift induced by total internal reflection of a circularly polarized light beam. *Phys. Rev. D* **5**, 787 (1972).
- [115] Fedorov, F. I. To the theory of total reflection. *J. Opt.* **15**, 014002 (2013).
- [116] Hosten, O. & Kwiat, P. Observation of the Spin Hall Effect of Light via Weak Measurements. *Science* **319**, 5864 (2008).
- [117] Bliokh, K. Y., Rodríguez-Fortuño, F. J., Nori, F. & Zayats, A. V. Spin-orbit interactions of light. *Nat. Photonics* **9**, 796 (2015).
- [118] Götte, J. B., Löffler, W. & Dennis, M. R. Eigenpolarizations for giant transverse optical beam shifts. *Phys. Rev. Lett.* **112**, 233901 (2014).

- [119] Bliokh, K. Y. & Bliokh, Y. P. Conservation of angular momentum, transverse shift, and spin hall effect in reflection and refraction of an electromagnetic wave packet. *Phys. Rev. Lett.* **96**, 073903 (2006).
- [120] Xiao, P. Beam reshaping in the occurrence of the Goos-Hänchen shift. *J. Opt. Soc. Am. B* **28**, 1895 (2011).
- [121] Jayaswal, G., Mistura, G. & Merano, M. Observation of the Imbert-Fedorov effect via weak value amplification. *Front. Opt. FiO 2014* **39**, 2266 (2014).
- [122] Yin, X. & Hesselink, L. Goos-Hänchen shift surface plasmon resonance sensor. *Appl. Phys. Lett.* **89**, 261108 (2006).
- [123] Ling, X., Zhou, X., Huang, K., Liu, Y., Qiu, C. W., Luo, H. & Wen, S. Recent advances in the spin Hall effect of light. *Reports Prog. Phys.* **80**, 066401 (2017).
- [124] Schmid, H. M. *et al.* SPHERE/ZIMPOL high resolution polarimetric imager. *Astron. Astrophys.* **619**, A9 (2018).
- [125] Moeller, C. E. & Grieser, D. R. The Observations of Defects in Crossed Glan-Thompson Polarizers. *Appl. Opt.* **8**, 206 (1969).
- [126] King, R. J. & Talim, S. P. Some aspects of polarizer performance. *J. Phys. E* **4**, 93 (1971).
- [127] Cox, A. J., DeWeerd, A. J. & Linden, J. An experiment to measure Mie and Rayleigh total scattering cross sections. *Am. J. Phys.* **70**, 620 (2002).
- [128] Takubo, Y., Takeda, N., Huang, J. H., Muroo, K. & Yamamoto, M. Precise measurement of the extinction ratio of a polarization analyser. *Meas. Sci. Technol.* **9**, 20 (1998).
- [129] Mei, H. H., Chen, S. J. & Ni, W. T. Suspension of the fiber mode-cleaner launcher and measurement of the high extinction-ratio (10-9) ellipsometer for the Q & A experiment. *J. Phys. Conf. Ser.* **32**, 236 (2006).
- [130] He, D., Xie, B. & Feng, S. Null polarimetry near shot noise limit at 1 Hz. *Rev. Sci. Instrum.* **87**, 043102 (2016).
- [131] Aiello, A. & Woerdman, H. The reflection of a Maxwell-Gaussian beam by a planar surface. *arXiv e-prints* arXiv:0710.1643 (2007).
- [132] Aiello, A. & Woerdman, J. P. Role of beam propagation in Goos-Hänchen and Imbert-Fedorov shifts. *Opt. Lett.* **33**, 1437 (2008).
- [133] Frey, J. A., Snijders, H. J., Norman, J., Gossard, A. C., Bowers, J. E., Löffler, W., Bouwmeester, D., Loer, W. & Bouwmeester, D. Electro-optic polarization tuning of microcavities with a single quantum dot. *Opt. Lett.* **43**, 4280 (2018).
- [134] Phillips, C. L., Brash, A. J., McCutcheon, D. P., Iles-Smith, J., Clarke, E., Royall, B., Skolnick, M. S., Fox, A. M. & Nazir, A. Photon Statistics of Filtered Resonance Fluorescence. *Phys. Rev. Lett.* **125**, 043603 (2020). 2002.08192.

- [135] Bliokh, K. Y., Samlan, C. T., Prajapati, C., Puentes, G., Viswanathan, N. K. & Nori, F. Spin-Hall effect and circular birefringence of a uniaxial crystal plate. *Optica* **3**, 1039 (2016).
- [136] Steindl, P., van der Ent, T., van der Meer, H., Frey, J. A., Norman, J., Bowers, J. E., Bouwmeester, D. & Löfller, W. Resonant two-laser spin-state spectroscopy of a negatively charged quantum dot-microcavity system with a cold permanent magnet. *arXiv e-prints* arXiv:2303.02763 (2023).
- [137] Awschalom, D. D., Hanson, R., Wrachtrup, J. & Zhou, B. B. Quantum technologies with optically interfaced solid-state spins. *Nat. Photonics* **12**, 516 (2018).
- [138] Kimble, H. J. The quantum internet. *Nature* **453**, 1023 (2008).
- [139] Koshino, K., Ishizaka, S. & Nakamura, Y. Deterministic photon-photon $\sqrt{\text{SWAP}}$ gate using a Λ system. *Phys. Rev. A* **82**, 010301(R) (2010).
- [140] Rosenblum, S., Parkins, S. & Dayan, B. Photon routing in cavity QED: Beyond the fundamental limit of photon blockade. *Phys. Rev. A* **84**, 033854 (2011).
- [141] Favero, I., Cassabois, G., Ferreira, R., Darson, D., Voisin, C., Tignon, J., Delalande, C., Bastard, G., Roussignol, P. & Gérard, J. M. Acoustic phonon sidebands in the emission line of single InAs/GaAs quantum dots. *Phys. Rev. B* **68**, 233301 (2003).
- [142] Kuhlmann, A. V., Prechtel, J. H., Houel, J., Ludwig, A., Reuter, D., Wieck, A. D. & Warburton, R. J. Transform-limited single photons from a single quantum dot. *Nat. Commun.* **6**, 8204 (2015).
- [143] Hilaire, P., Millet, C., Loredo, J. C., Antón, C., Harouri, A., Lemaître, A., Sagnes, I., Somaschi, N., Krebs, O., Senellart, P. & Lanco, L. Deterministic assembly of a charged-quantum-dot-micropillar cavity device. *Phys. Rev. B* **102**, 195402 (2020).
- [144] Stockill, R., Stanley, M. J., Huthmacher, L., Clarke, E., Hugues, M., Miller, A. J., Matthiesen, C., Le Gall, C. & Atatüre, M. Phase-Tuned Entangled State Generation between Distant Spin Qubits. *Phys. Rev. Lett.* **119**, 010503 (2017).
- [145] Xu, X., Sun, B., Berman, P. R., Steel, D. G., Bracker, A. S., Gammon, D. & Sham, L. J. Coherent population trapping of an electron spin in a single negatively charged quantum dot. *Nat. Phys.* **4**, 692 (2008).
- [146] Xu, X., Yao, W., Sun, B., Steel, D. G., Bracker, A. S., Gammon, D. & Sham, L. J. Optically controlled locking of the nuclear field via coherent dark-state spectroscopy. *Nature* **459**, 1105 (2009).
- [147] Kroner, M., Weiss, K. M., Biedermann, B., Seidl, S., Holleitner, A. W., Badolato, A., Petroff, P. M., Öhberg, P., Warburton, R. J. & Karrai, K. Resonant two-color high-resolution spectroscopy of a negatively charged exciton in a self-assembled quantum dot. *Phys. Rev. B* **78**, 075429 (2008).
- [148] Androvitsaneas, P., Young, A. B., Schneider, C., Maier, S., Kamp, M., Höfling, S., Knauer, S., Harbord, E., Hu, C. Y., Rarity, J. G. & Oulton, R. Charged quantum dot micropillar system for deterministic light-matter interactions. *Phys. Rev. B* **93**, 241409(R) (2016).

- [149] Androvitsaneas, P., Young, A. B., Lennon, J. M., Schneider, C., Maier, S., Hinchliff, J. J., Atkinson, G. S., Harbord, E., Kamp, M., Höfling, S., Rarity, J. G. & Oulton, R. Efficient Quantum Photonic Phase Shift in a Low Q-Factor Regime. *ACS Photonics* **6**, 429 (2019).
- [150] Adambukulam, C., Sewani, V. K., Stemp, H. G., Asaad, S., Mądzik, M. T., Morello, A. & Laucht, A. An ultra-stable 1.5 T permanent magnet assembly for qubit experiments at cryogenic temperatures. *Rev. Sci. Instrum.* **92**, 085106 (2021).
- [151] Fredricksen, C. J., Nelson, E. W., Muraviov, A. V. & Peale, R. E. High field p-Ge laser operation in permanent magnet assembly. *Infrared Phys. Technol.* **44**, 79 (2003).
- [152] Tokuhara, K., Ohtsu, Y., Ono, F., Yamada, O., Sagawa, M. & Matsuura, Y. Magnetization and torque measurements on Nd₂Fe₁₄B single crystals. *Solid State Commun.* **56**, 333 (1985).
- [153] He, Y. Z. Experimental research on the residual magnetization of a rare-earth permanent magnet for a cryogenic undulator. *Chinese Phys. B* **22**, 074101 (2013).
- [154] Hara, T., Tanaka, T., Kitamura, H., Bizen, T., Maréchal, X., Seike, T., Kohda, T. & Matsuura, Y. Cryogenic permanent magnet undulators. *Phys. Rev. Spec. Top. - Accel. Beams* **7**, 050702 (2004).
- [155] Bayer, M., Stern, O., Kuther, A. & Forchel, A. Spectroscopic study of dark excitons in InGaAs self-assembled quantum dots by a magnetic-field-induced symmetry breaking. *Phys. Rev. B* **61**, 7273 (2000).
- [156] Miyake, T. & Akai, H. Quantum theory of rare-earth magnets. *J. Phys. Soc. Japan* **87**, 041009 (2018).
- [157] Wang, C. & Zhu, M. G. Overview of composition and technique process study on 2:17-type Sm-Co high-temperature permanent magnet. *Rare Met.* **40**, 790 (2021).
- [158] Zhou, J., Skomski, R., Chen, C., Hadjipanayis, G. & Sellmyer, D. Sm-Co-Cu-Ti high-temperature permanent magnets. *Appl. Phys. Lett.* **77**, 1514 (2000).
- [159] Gutfleisch, O. Controlling the properties of high energy density permanent magnetic materials by different processing routes. *J. Phys. D. Appl. Phys.* **33**, R157 (2000).
- [160] Gutfleisch, O., Willard, M. A., Brück, E., Chen, C. H., Sankar, S. G. & Liu, J. P. Magnetic materials and devices for the 21st century: Stronger, lighter, and more energy efficient. *Adv. Mater.* **23**, 821 (2011).
- [161] Duerrschnabel, M., Yi, M., Uestuener, K., Liesegang, M., Katter, M., Kleebe, H. J., Xu, B., Gutfleisch, O. & Molina-Luna, L. Atomic structure and domain wall pinning in samarium-cobalt-based permanent magnets. *Nat. Commun.* **8**, 54 (2017).
- [162] Guo, K., Lu, H., Xu, G. J., Liu, D., Wang, H. B., Liu, X. M. & Song, X. Y. Recent progress in nanocrystalline Sm-Co based magnets. *Mater. Today Chem.* **25**, 100983 (2022).

- [163] Durst, K., Kronmüller, H., Parker, F. T. & Oesterreicher, H. Temperature dependence of coercivity of cellular Sm₂Co₁₇-SmCo₅ permanent magnets. *Phys. Status Solidi* **95**, 213 (1986).
- [164] Liu, L., Liu, Z., Zhang, X., Zhang, C., Li, T., Lee, D. & Yan, A. 2:17 type SmCo magnets with low temperature coefficients of remanence and coercivity. *J. Magn. Magn. Mater.* **473**, 376 (2019).
- [165] Bennett, A. J., Pooley, M. A., Cao, Y., Sköld, N., Farrer, I., Ritchie, D. A. & Shields, A. J. Voltage tunability of single-spin states in a quantum dot. *Nat. Commun.* **4**, 1522 (2013).
- [166] Nakaoka, T., Saito, T., Tatebayashi, J. & Arakawa, Y. Size, shape, and strain dependence of the g factor in self-assembled In(Ga)As quantum dots. *Phys. Rev. B* **70**, 235337 (2004).
- [167] Kaniber, M., Laucht, A., Neumann, A., Villas-Bôas, J. M., Bichler, M., Amann, M. C. & Finley, J. J. Investigation of the nonresonant dot-cavity coupling in two-dimensional photonic crystal nanocavities. *Phys. Rev. B - Condens. Matter Mater. Phys.* **77**, 161303(R) (2008). 0802.2008.
- [168] Suffczyński, J., Dousse, A., Gauthron, K., Lemaître, A., Sagnes, I., Lanço, L., Bloch, J., Voisin, P. & Senellart, P. Origin of the Optical Emission within the Cavity Mode of Coupled Quantum Dot-Cavity Systems. *Phys. Rev. Lett.* **103**, 027401 (2009).
- [169] Atature, M., Dreiser, J., Badolato, A., Högale, A., Karrai, K. & Imamoglu, A. Quantum-Dot Spin-State Preparation with Near-Unity Fidelity. *Science* **312**, 551 (2006).
- [170] Loudon, R. *The Quantum Theory of Light (Oxford Science publications)* (Oxford University Press, USA, 1973), 3rd ed edn.
- [171] Ortner, M. & Coliado Bandeira, L. G. Magpylib: A free Python package for magnetic field computation. *SoftwareX* **11**, 100466 (2020).
- [172] Bowers, R. Magnetic Susceptibility of Copper Metal at Low Temperatures. *Phys. Rev.* **102**, 1486 (1956).
- [173] Sauney, T., Holtz, M., Brafman, O., Fekete, D. & Finkelstein, Y. Excitation intensity dependence of photoluminescence from narrow <100> and <111> grown In(x)Ga(1-x)As Single Quantum Wells. *Phys. Rev. B* **59**, 5049 (1999).
- [174] Huang, S. & Ling, Y. Photoluminescence of self-assembled InAs/GaAs quantum dots excited by ultraintensive femtosecond laser. *J. Appl. Phys.* **106**, 103522 (2009).
- [175] Lloyd, S. & Braunstein, S. L. Quantum computation over continuous variables. *Phys. Rev. Lett.* **82**, 1784 (1999).
- [176] Bartlett, S. D., Sanders, B. C., Braunstein, S. L. & Nemoto, K. Efficient Classical Simulation of Continuous Variable Quantum Information Processes. *Phys. Rev. Lett.* **88**, 097904 (2002).

- [177] Mari, A. & Eisert, J. Positive wigner functions render classical simulation of quantum computation efficient. *Phys. Rev. Lett.* **109**, 230503 (2012).
- [178] Wang, D., Li, M., Zhu, F., Yin, Z. Q., Chen, W., Han, Z. F., Guo, G. C. & Wang, Q. Quantum key distribution with the single-photon-added coherent source. *Phys. Rev. A* **90**, 062315 (2014).
- [179] Wang, D., Li, M., Guo, G. C. & Wang, Q. An improved scheme on decoy-state method for measurement-device-independent quantum key distribution. *Sci. Rep.* **5**, 15130 (2015).
- [180] Zhu, J. R., Wang, C. Y., Liu, K., Zhang, C. M. & Wang, Q. Decoy-state reference-frame-independent quantum key distribution with the single-photon-added coherent source. *Quantum Inf. Process.* **17**, 294 (2018).
- [181] Chen, J. J., Zhang, C. H., Chen, J. M., Zhang, C. M. & Wang, Q. Improving the performance of decoy-state quantum digital signature with single-photon-added coherent sources. *Quantum Inf. Process.* **19**, 198 (2020).
- [182] Lachman, L., Straka, I., Hloušek, J., Ježek, M. & Filip, R. Faithful Hierarchy of Genuine n -Photon Quantum Non-Gaussian Light. *Phys. Rev. Lett.* **123**, 043601 (2019).
- [183] Chabaud, U., Markham, D. & Grosshans, F. Stellar Representation of Non-Gaussian Quantum States. *Phys. Rev. Lett.* **124**, 063605 (2020).
- [184] Walschaers, M. Non-Gaussian Quantum States and Where to Find Them. *PRX Quantum* **2**, 030204 (2021).
- [185] Lvovsky, A. I., Grangier, P., Ourjoumtsev, A., Parigi, V., Sasaki, M. & Tualle-Brouri, R. Production and applications of non-Gaussian quantum states of light. *arXiv e-prints arXiv:2006.16985* (2020).
- [186] Wenger, J., Tualle-Brouri, R. & Grangier, P. Non-Gaussian statistics from individual pulses of squeezed light. *Phys. Rev. Lett.* **92**, 153601 (2004).
- [187] Zavatta, A., Viciani, S. & Bellini, M. Quantum-to-classical transition with single-photon-added coherent states of light. *Science* **306**, 660 (2004).
- [188] Zavatta, A., Viciani, S. & Bellini, M. Single-photon excitation of a coherent state: Catching the elementary step of stimulated light emission. *Phys. Rev. A* **72**, 023820 (2005).
- [189] Barbieri, M., Spagnolo, N., Genoni, M. G., Ferreyrol, F., Blandino, R., Paris, M. G., Grangier, P. & Tualle-Brouri, R. Non-Gaussianity of quantum states: An experimental test on single-photon-added coherent states. *Phys. Rev. A* **82**, 063833 (2010).
- [190] Kim, M. S. Recent developments in photon-level operations on travelling light fields. *J. Phys. B At. Mol. Opt. Phys.* **41**, 133001 (2008).
- [191] Marco, B. & Alessandro, Z. Manipulating light states by single-photon addition and subtraction. *Prog. Opt.* **55**, 41 (2010).

- [192] Biagi, N., Francesconi, S., Zavatta, A. & Bellini, M. Photon-by-photon quantum light state engineering. *Prog. Quantum Electron.* **84**, 100414 (2022).
- [193] Parigi, V., Zavatta, A., Kim, M. & Bellini, M. Probing quantum commutation rules by addition and subtraction of single photons to/from a light field. *Science* **317**, 1890 (2007).
- [194] Gea-Banacloche, J. & Wilson, W. Photon subtraction and addition by a three-level atom in an optical cavity. *Phys. Rev. A* **88**, 033832 (2013).
- [195] Snijders, H., Frey, J. A., Norman, J., Bakker, M. P., Langman, E. C., Gossard, A., Bowers, J. E., Van Exter, M. P., Bouwmeester, D. & Löfller, W. Purification of a single-photon nonlinearity. *Nature Communications* **7**, 12578 (2016).
- [196] Dakna, M., Knöll, L. & Welsch, D. G. Quantum state engineering using conditional measurement on a beam splitter. *Eur. Phys. J. D* **3**, 295 (1998).
- [197] Dakna, M., Knöll, L. & Welsch, D. G. Photon-added state preparation via conditional measurement on a beam splitter. *Opt. Commun.* **145**, 309 (1998).
- [198] Nunn, C. M., Franson, J. D. & Pittman, T. B. Heralding on the detection of zero photons. *Phys. Rev. A* **104**, 033717 (2021).
- [199] Lvovsky, A. I. & Babichev, S. A. Synthesis and tomographic characterization of the displaced Fock state of light. *Phys. Rev. A* **66**, 011801 (2002).
- [200] Agarwal, G. S. & Tara, K. Nonclassical properties of states generated by the excitations on a coherent state. *Phys. Rev. A* **43**, 492 (1991).
- [201] Lee, C. T. Theorem on nonclassical states. *Phys. Rev. A* **52**, 3374 (1995).
- [202] Barnett, S. M., Ferenczi, G., Gilson, C. R. & Speirits, F. C. Statistics of photon-subtracted and photon-added states. *Phys. Rev. A* **98**, 013809 (2018).
- [203] Zavatta, A., Parigi, V. & Bellini, M. Experimental nonclassicality of single-photon-added thermal light states. *Phys. Rev. A* **75**, 052106 (2007).
- [204] Kim, M. S., Park, E., Knight, P. L. & Jeong, H. Nonclassicality of a photon-subtracted Gaussian field. *Phys. Rev. A* **71**, 043805 (2005).
- [205] Dakna, M., Anhut, T., Opatrný, T., Knöll, L. & Welsch, D. G. Generating Schrödinger-cat-like states by means of conditional measurements on a beam splitter. *Phys. Rev. A - At. Mol. Opt. Phys.* **55**, 3184 (1997).
- [206] Hong, C. K. & Mandel, L. Experimental realization of a localized one-photon state. *Phys. Rev. Lett.* **56**, 58 (1986).
- [207] Zhong, H. S., Li, Y., Li, W., Peng, L. C., Su, Z. E., Hu, Y., He, Y. M., Ding, X., Zhang, W., Li, H., Zhang, L., Wang, Z., You, L., Wang, X. L., Jiang, X., Li, L., Chen, Y. A., Liu, N. L., Lu, C. Y. & Pan, J. W. 12-Photon Entanglement and Scalable Scattershot Boson Sampling with Optimal Entangled-Photon Pairs from Parametric Down-Conversion. *Physical Review Letters* **121**, 250505 (2018).

- [208] Gerry, C. C. & Knight Peter L. *Introductory Quantum Optics* (Cambridge University Press, 2005), 3rd edition edn.
- [209] Kaneda, F. & Kwiat, P. G. High-efficiency single-photon generation via large-scale active time multiplexing. *Science Advances* **5**, eaaw8586 (2019).
- [210] Meyer-Scott, E., Prasannan, N., Dhand, I., Eigner, C., Quiring, V., Barkhofen, S., Brecht, B., Plenio, M. B. & Silberhorn, C. Scalable Generation of Multiphoton Entangled States by Active Feed-Forward and Multiplexing. *Phys. Rev. Lett.* **129**, 150501 (2022).
- [211] Arakawa, Y. & Holmes, M. J. Progress in quantum-dot single photon sources for quantum information technologies: A broad spectrum overview. *Appl. Phys. Rev.* **7**, 021309 (2020).
- [212] Ou, Z., Hong, C. & Mandel, L. Relation between input and output states for a beam splitter. *Opt. Commun.* **63**, 118 (1987).
- [213] Larqué, M., Beveratos, A. & Robert-Philip, I. Entangling single photons on a beamsplitter. *European Physical Journal D* **47**, 119 (2008).
- [214] Loredo, J. C., Antón, C., Reznychenko, B., Hilaire, P., Harouri, A., Millet, C., Ollivier, H., Somaschi, N., De Santis, L., Lemaître, A., Sagnes, I., Lanco, L., Auffèves, A., Krebs, O. & Senellart, P. Generation of non-classical light in a photon-number superposition. *Nature Photonics* **13**, 803 (2019).
- [215] Crespi, A., Osellame, R., Ramponi, R., Brod, D. J., Galvão, E. F., Spagnolo, N., Vitelli, C., Maiorino, E., Mataloni, P. & Sciarrino, F. Integrated multimode interferometers with arbitrary designs for photonic boson sampling. *Nature Photonics* **7**, 545 (2013).
- [216] Paris, M. G. Displacement operator by beam splitter. *Phys. Lett. A* **217**, 78 (1996).
- [217] Lvovsky, A. I. & Mlynek, J. Quantum-Optical Catalysis: Generating Nonclassical States of Light by Means of Linear Optics. *Phys. Rev. Lett.* **88**, 250401 (2002).
- [218] Bartley, T. J., Donati, G., Spring, J. B., Jin, X. M., Barbieri, M., Datta, A., Smith, B. J. & Walmsley, I. A. Multiphoton state engineering by heralded interference between single photons and coherent states. *Phys. Rev. A* **86**, 043820 (2012).
- [219] Bozzio, M., Vyvlecka, M., Cosacchi, M., Nawrath, C., Seidelmann, T., Loredo, J. C., Portalupi, S. L., Axt, V. M., Michler, P. & Walther, P. Enhancing quantum cryptography with quantum dot single-photon sources. *npj Quantum Inf.* **8**, 104 (2022).
- [220] Dastidar, M. G. & Sarbicki, G. Detecting entanglement between modes of light. *Phys. Rev. A* **105**, 062459 (2022).
- [221] Windhager, A., Suda, M., Pacher, C., Peev, M. & Poppe, A. Quantum interference between a single-photon Fock state and a coherent state. *Opt. Commun.* **284**, 1907 (2011).

- [222] Glauber, R. J. Coherent and incoherent states of the radiation field. *Phys. Rev.* **131**, 2766 (1963).
- [223] Zavatta, A., Parigi, V., Kim, M. S. & Bellini, M. Subtracting photons from arbitrary light fields: Experimental test of coherent state invariance by single-photon annihilation. *New J. Phys.* **10**, 123006 (2008).
- [224] Hanbury Brown, R. & Twiss, R. Q. Correlation between photons in two coherent beams of light. *Nature* **177**, 27 (1956).
- [225] Laiho, K., Dirmeier, T., Schmidt, M., Reitzenstein, S. & Marquardt, C. Measuring higher-order photon correlations of faint quantum light: A short review. *Phys. Lett. A* **435**, 128059 (2022).
- [226] Laiho, K., Avenhaus, M. & Silberhorn, C. Characteristics of displaced single photons attained via higher order factorial moments. *New J. Phys.* **14**, 105011 (2012).
- [227] de Oliveira, F. A. M., Kim, M. S., Knight, P. L. & Buek, V. Properties of displaced number states. *Phys. Rev. A* **41**, 2645 (1990).
- [228] Shen, A., Du, B., Wang, Z. H., Dong, Y., Chen, X. D., Guo, G. C. & Sun, F. W. Indistinguishability-induced classical-to-nonclassical transition of photon statistics. *Phys. Rev. A* **95**, 053851 (2017).
- [229] Meyer-Scott, E., Silberhorn, C. & Migdall, A. Single-photon sources: Approaching the ideal through multiplexing. *Rev. Sci. Instrum.* **91**, 041101 (2020).
- [230] Fischer, K. A., Müller, K., Lagoudakis, K. G. & Vučković, J. Dynamical modeling of pulsed two-photon interference. *New J. Phys.* **18**, 113053 (2016).
- [231] Hanschke, L., Fischer, K. A., Appel, S., Lukin, D., Wierzbowski, J., Sun, S., Trivedi, R., Vučković, J., Finley, J. J. & Müller, K. Quantum dot single-photon sources with ultra-low multi-photon probability. *npj Quantum Inf.* **4**, 43 (2018).
- [232] Seshadreesan, K. P., Olson, J. P., Motes, K. R., Rohde, P. P. & Dowling, J. P. Boson sampling with displaced single-photon Fock states versus single-photon-added coherent states: The quantum-classical divide and computational-complexity transitions in linear optics. *Phys. Rev. A* **91**, 022334 (2015).
- [233] Sun, F. W., Shen, A., Dong, Y., Chen, X. D. & Guo, G. C. Bunching effect and quantum statistics of partially indistinguishable photons. *Phys. Rev. A* **96**, 023823 (2017).
- [234] Parigi, V., Zavatta, A. & Bellini, M. Manipulating thermal light states by the controlled addition and subtraction of single photons. *Laser Phys. Lett.* **5**, 246 (2008).
- [235] Dada, A. C., Santana, T. S., Malein, R. N. E., Koutroumanis, A., Ma, Y., Zajac, J. M., Lim, J. Y., Song, J. D. & Gerardot, B. D. Indistinguishable single photons with flexible electronic triggering. *Optica* **3**, 493 (2016).

- [236] Giesz, V., Somaschi, N., Hornecker, G., Grange, T., Reznychenko, B., De Santis, L., Demory, J., Gomez, C., Sagnes, I., Lemaître, A., Krebs, O., Lanzillotti-Kimura, N. D., Lanco, L., Auffeves, A. & Senellart, P. Coherent manipulation of a solid-state artificial atom with few photons. *Nat. Commun.* **7**, 11986 (2016).
- [237] Javadi, A., Tomm, N., Antoniadis, N. O., Brash, A. J., Schott, R., Valentin, S. R., Wieck, A. D., Ludwig, A. & Warburton, R. J. Cavity-enhanced excitation of a quantum dot in the picosecond regime. *arXiv e-prints* arXiv:2301.13806 (2023).
- [238] Ollivier, H., de Buy Wenniger, I. M., Thomas, S., Wein, S. C., Harouri, A., Coppola, G., Hilaire, P., Millet, C., Lemaître, A., Sagnes, I., Krebs, O., Lanco, L., Loredo, J. C., Antón, C., Somaschi, N. & Senellart, P. Reproducibility of High-Performance Quantum Dot Single-Photon Sources. *ACS Photonics* **7**, 1050 (2020).
- [239] Olson, J. P., Seshadreesan, K. P., Motes, K. R., Rohde, P. P. & Dowling, J. P. Sampling arbitrary photon-added or photon-subtracted squeezed states is in the same complexity class as boson sampling. *Phys. Rev. A* **91**, 022317 (2015).
- [240] Hu, Q., Yusufu, T. & Turek, Y. Quantum state engineering using weak measurements. *Phys. Rev. A* **105**, 022608 (2022).
- [241] Sekatski, P., Sangouard, N., Stobińska, M., Bussières, F., Afzelius, M. & Gisin, N. Proposal for exploring macroscopic entanglement with a single photon and coherent states. *Phys. Rev. A* **86**, 060301(R) (2012).
- [242] Lvovsky, A. I., Ghobadi, R., Chandra, A., Prasad, A. S. & Simon, C. Observation of micro-macro entanglement of light. *Nat. Phys.* **9**, 541 (2013).
- [243] Patel, R. B., Bennett, A. J., Cooper, K., Atkinson, P., Nicoll, C. A., Ritchie, D. A. & Shields, A. J. Postselective Two-Photon Interference from a Continuous Nonclassical Stream of Photons Emitted by a Quantum Dot. *Phys. Rev. Lett.* **100**, 207405 (2008).
- [244] Proux, R., Maragkou, M., Baudin, E., Voisin, C., Roussignol, P. & Diederichs, C. Measuring the Photon Coalescence Time Window in the Continuous-Wave Regime for Resonantly Driven Semiconductor Quantum Dots. *Phys. Rev. Lett.* **114**, 067401 (2015).
- [245] Fattal, D., Inoue, K., Vučković, J., Santori, C., Solomon, G. S. & Yamamoto, Y. Entanglement Formation and Violation of Bell's Inequality with a Semiconductor Single Photon Source. *Phys. Rev. Lett.* **92**, 037903 (2004).
- [246] He, Y., Ding, X., Su, Z.-E., Huang, H.-L., Qin, J., Wang, C., Unsleber, S., Chen, C., Wang, H., He, Y.-M., Wang, X.-L., Zhang, W.-J., Chen, S.-J., Schneider, C., Kamp, M., You, L.-X., Wang, Z., Höfling, S., Lu, C.-Y. & Pan, J.-W. Time-Bin-Encoded Boson Sampling with a Single-Photon Device. *Phys. Rev. Lett.* **118**, 190501 (2017).
- [247] Pilnyak, Y., Aharon, N., Istrati, D., Megidish, E., Retzker, A. & Eisenberg, H. S. Simple source for large linear cluster photonic states. *Phys. Rev. A* **95**, 022304 (2017).

- [248] Kitson, S. C., Jonsson, P., Rarity, J. G. & Tapster, P. R. Intensity fluctuation spectroscopy of small numbers of dye molecules in a microcavity. *Phys. Rev. A* **58**, 620 (1998).
- [249] Kurtsiefer, C., Mayer, S., Zarda, P. & Weinfurter, H. Stable Solid-State Source of Single Photons. *Phys. Rev. Lett.* **85**, 290 (2000).
- [250] Davanço, M., Hellberg, C. S., Ates, S., Badolato, A. & Srinivasan, K. Multiple time scale blinking in InAs quantum dot single-photon sources. *Phys. Rev. B* **89**, 161303(R) (2014).
- [251] Pittman, T. B., Jacobs, B. C. & Franson, J. D. Single photons on pseudodemand from stored parametric down-conversion. *Phys. Rev. A* **66**, 042303 (2002).
- [252] Baumgratz, T., Cramer, M. & Plenio, M. B. Quantifying coherence. *Physical Review Letters* **113**, 140401 (2014).
- [253] Hennrich, M., Kuhn, A. & Rempe, G. Transition from Antibunching to Bunching in Cavity QED. *Phys. Rev. Lett.* **94**, 053604 (2005).
- [254] Pototsky, A. & Janson, N. Correlation theory of delayed feedback in stochastic systems below Andronov-Hopf bifurcation. *Physical Review E* **76**, 056208 (2007).
- [255] Holzinger, S., Redlich, C., Lingnau, B., Schmidt, M., von Helversen, M., Beyer, J., Schneider, C., Kamp, M., Höfling, S., Lüdge, K., Porte, X. & Reitzenstein, S. Tailoring the mode-switching dynamics in quantum-dot micropillar lasers via time-delayed optical feedback. *Optics Express* **26**, 22457 (2018).
- [256] Wang, T., Deng, Z. L., Sun, J. C., Wang, X. H., Puccioni, G. P., Wang, G. F. & Lippi, G. L. Photon statistics and dynamics of nanolasers subject to intensity feedback. *Physical Review A* **101**, 023803 (2020).
- [257] Rohde, P. P. Simple scheme for universal linear-optics quantum computing with constant experimental complexity using fiber loops. *Phys. Rev. A* **91**, 012306 (2015).
- [258] Marek, P., Provazník, J. & Filip, R. Loop-based subtraction of a single photon from a traveling beam of light. *Optics Express* **26**, 29837 (2018).
- [259] Švarc, V., Hloušek, J., Nováková, M., Fiurášek, J. & Ježek, M. Feedforward-enhanced Fock state conversion with linear optics. *Opt. Express* **28**, 11634 (2020).
- [260] Mølmer, K. Optical coherence: A convenient fiction. *Phys. Rev. A* **55**, 3195 (1997).
- [261] van Enk, S. J. & Fuchs, C. A. Quantum State of an Ideal Propagating Laser Field. *Phys. Rev. Lett.* **88**, 027902 (2001).
- [262] Gea-Banacloche, J. Some implications of the quantum nature of laser fields for quantum computations. *Phys. Rev. A* **65**, 022308 (2002).
- [263] Pegg, D. T. & Jeffers, J. Quantum nature of laser light. *Journal of Modern Optics* **52**, 1835 (2005).
- [264] Noh, C. & Carmichael, H. J. Disentanglement of Source and Target and the Laser Quantum State. *Phys. Rev. Lett.* **100**, 120405 (2008).

- [265] Lubasch, M., Valido, A. A., Renema, J. J., Kolthammer, W. S., Jaksch, D., Kim, M. S., Walmsley, I. & García-Patrón, R. Tensor network states in time-bin quantum optics. *Phys. Rev. A* **97**, 062304 (2018).
- [266] Dhand, I., Engelkemeier, M., Sansoni, L., Barkhofen, S., Silberhorn, C. & Pleinio, M. B. Proposal for Quantum Simulation via All-Optically-Generated Tensor Network States. *Physical Review Letters* **120**, 130501 (2018).
- [267] Peniakov, G., Su, Z.-E., Beck, A., Cogan, D., Amar, O. & Gershoni, D. Towards supersensitive optical phase measurement using a deterministic source of entangled multiphoton states. *Phys. Rev. B* **101**, 245406 (2020).
- [268] Asavanant, W., Shiozawa, Y., Yokoyama, S., Charoensombutamon, B., Emura, H., Alexander, R. N., Takeda, S., ichi Yoshikawa, J., Menicucci, N. C., Yonezawa, H. & Furusawa, A. Generation of time-domain-multiplexed two-dimensional cluster state. *Science* **366**, 373 (2019).
- [269] Larsen, M. V., Guo, X., Breum, C. R., Neergaard-Nielsen, J. S. & Andersen, U. L. Deterministic generation of a two-dimensional cluster state. *Science* **366**, 369 (2019).