



**Universiteit
Leiden**
The Netherlands

Evolution and development of flowers, fruits and inflorescences of Phalaenopsis and other orchid species

Pramanik, D.

Citation

Pramanik, D. (2023, September 13). *Evolution and development of flowers, fruits and inflorescences of Phalaenopsis and other orchid species*.

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from:

Note: To cite this publication please use the final published version (if applicable).

References

References

- Aagaard, J. E., Willis, J. H., & Phillips, P. C. (2006). Relaxed selection among duplicate floral regulatory genes in Lamiales. *Journal of Molecular Evolution*, 63(4), 493–503. <https://doi.org/10.1007/s00239-005-0306-x>
- Acri-Nunes-Miranda, R., & Mondragón-Palomino, M. (2014). Expression of paralogous *SEP*-, *FUL*-, *AG*- and *STK*-like MADS-box genes in wild-type and peloric *Phalaenopsis* flowers. *Frontiers in Plant Science*, 5, 76. <https://doi.org/10.3389/fpls.2014.00076>
- Adams, M. D., Kelley, J. M., Gocayne, J. D., Dubnick, M., Polymeropoulos, M. H., Xiao, H., Merril, C. R., Wu, A., Olde, B., & Moreno, R. F. (1991). Complementary DNA sequencing: expressed sequence tags and human genome project. *Science*, 252(5013), 1651–1656. <https://doi.org/10.1126/science.2047873>
- Aguiar-Martínez, J. A., Poza-Carrión, C., & Cubas, P. (2007). Arabidopsis *BRANCHED1* acts as an integrator of branching signals within axillary buds. *The Plant Cell*, 19(2), 458–472. <https://doi.org/10.1105/tpc.106.048934>
- Ahmad, S., Lu, C., Wei, Y., Gao, J., Jin, J., Zheng, C., Zhu, G., & Yang, F. (2021). Stage specificity, the dynamic regulators and the unique orchid *Arundina graminifolia*. *International Journal of Molecular Sciences*, 22(20), 10935. <https://doi.org/10.3390/ijms222010935>
- Allewell, N. M., & Sama, A. (1974). The effect of ammonium sulfate on the activity of ribonuclease A. *Biochimica et Biophysica Acta (BBA) - Enzymology*, 341(2), 484–488. [https://doi.org/10.1016/0005-2744\(74\)90240-X](https://doi.org/10.1016/0005-2744(74)90240-X)
- Alonso-Cantabrana, H., Ripoll, J. J., Ochando, I., Vera, A., Ferrándiz, C., & Martínez-Laborda, A. (2007). Common regulatory networks in leaf and fruit patterning revealed by mutations in the Arabidopsis *ASYMMETRIC LEAVES1* gene. *Development*, 134(14), 2663–2671. <https://doi.org/10.1242/dev.02864>
- Alwine, J. C., Kemp, D. J., & Stark, G. R. (1977). Method for detection of specific RNAs in agarose gels by transfer to diazobenzyloxymethyl-paper and hybridization with DNA probes. *Proceedings of the National Academy of Sciences of the United States of America*, 74(12), 5350–5354. <https://doi.org/10.1073/pnas.74.12.5350>
- Amarasinghe, S. L., Su, S., Dong, X., Zappia, L., Ritchie, M. E., & Gouil, Q. (2020). Opportunities and challenges in long-read sequencing data analysis. *Genome Biology*, 21(1), 30. <https://doi.org/10.1186/s13059-020-1935-5>
- Ames, O. (1938). Resupination as a diagnostic character in the Orchidaceae with special reference to *Malaxis monophyllos*. *Botanical Museum Leaflets, Harvard University*, 6(8), 145–183. <https://doi.org/10.5962/p.295120>
- Amiri, R., Bahraminejad, S., & Cheghamirza, K. (2018). Estimating genetic variation and genetic parameters for grain iron, zinc and protein concentrations in bread wheat genotypes grown in Iran. *Journal of Cereal Science*, 80, 16–23. <https://doi.org/10.1016/j.jcs.2018.01.009>
- Anders, S., & Huber, W. (2010). Differential expression analysis for sequence count data. *Genome Biology*, 11(10), R106. <https://doi.org/10.1186/gb-2010-11-10-r106>
- Andrews, S. (2010). A quality control tool for high throughput sequence data. *FastQC*.
- Andrews, S. (2012). *FastQC* (v0.10.1) [Computer software]. Babraham institute.
- Arditti, J., Rao, A. N., & Nair, H. (2009). History-Pollination. In T. Kull, J. Arditti, & S. M. Wong (Eds.), *Orchid Biology: Reviews and Perspectives X* (pp. 233–249). Springer Netherlands. https://doi.org/10.1007/978-1-4020-8802-5_7
- Arditti, J. (1980). Aspects of the physiology of orchids. In *Advances in Botanical Research* (Vol. 7, pp. 421–655). Elsevier. [https://doi.org/10.1016/S0065-2296\(08\)60091-9](https://doi.org/10.1016/S0065-2296(08)60091-9)
- Arditti, J., & Ghani, A. K. A. (2000). Numerical and physical properties of orchid seeds and their biological implications. *New Phytologist*, 145(3), 367–421. <https://doi.org/10.1046/j.1469-8137.2000.00587.x>
- Arditti, J. (1992). *Fundamentals of orchid biology*. Wiley.
- Arditti, J. (2002). Resupination. In H. Nair & J. Arditti (Eds.), *Proceeding of 17th World Orchid Conference* (pp. 111–122). Natural History Publications (Borneo).
- Armbruster, W. S., Pélabon, C., Bolstad, G. H., & Hansen, T. F. (2014). Integrated phenotypes: understanding trait covariation in plants and animals. *Philosophical Transactions of the Royal Society of London. Series B, Biological Sciences*, 369(1649), 20130245. <https://doi.org/10.1098/rstb.2013.0245>

- Armbruster, W. S., Pélabon, C., Hansen, T. F., & Bolstad, G. H. (2009). Macroevolutionary patterns of pollination accuracy: a comparison of three genera. *The New Phytologist*, *183*(3), 600–617. <https://doi.org/10.1111/j.1469-8137.2009.02930.x>
- Artuso, S., Gamisch, A., Staedler, Y. M., Schönenberger, J., & Comes, H. P. (2022). Evidence for an evo-devo-derived hypothesis on three-dimensional flower shape modularity in a tropical orchid clade. *Evolution*, *76*(11), 2587–2604. <https://doi.org/10.1111/evo.14621>
- Atamian, H. S., Creux, N. M., Brown, E. A., Garner, A. G., Blackman, B. K., & Harmer, S. L. (2016). Circadian regulation of sunflower heliotropism, floral orientation, and pollinator visits. *Science*, *353*(6299), 587–590. <https://doi.org/10.1126/science.aaf9793>
- Babicki, S., Arndt, D., Marcu, A., Liang, Y., Grant, J. R., Maciejewski, A., & Wishart, D. S. (2016). Heatmapper: web-enabled heat mapping for all. *Nucleic Acids Research*, *44*(W1), W147–W153. <https://doi.org/10.1093/nar/gkw419>
- Bach, L., Michaelson, L. V., Haslam, R., Bellec, Y., Gissot, L., Marion, J., Da Costa, M., Boutin, J.-P., Miquel, M., Tellier, F., Domergue, F., Markham, J. E., Beaudoin, F., Napier, J. A., & Faure, J.-D. (2008). The very-long-chain hydroxy fatty acyl-CoA dehydratase PASTICCINO2 is essential and limiting for plant development. *Proceedings of the National Academy of Sciences of the United States of America*, *105*(38), 14727–14731. <https://doi.org/10.1073/pnas.0805089105>
- Ballester, P., & Ferrándiz, C. (2017). Shattering fruits: variations on a dehiscent theme. *Current Opinion in Plant Biology*, *35*, 68–75. <https://doi.org/10.1016/j.pbi.2016.11.008>
- Bankevich, A., Nurk, S., Antipov, D., Gurevich, A. A., Dvorkin, M., Kulikov, A. S., Lesin, V. M., Nikolenko, S. I., Pham, S., Pribelski, A. D., Pyskhin, A. V., Sirotkin, A. V., Vyahhi, N., Tesler, G., Alekseyev, M. A., & Pevzner, P. A. (2012). SPAdes: a new genome assembly algorithm and its applications to single-cell sequencing. *Journal of Computational Biology*, *19*(5), 455–477. <https://doi.org/10.1089/cmb.2012.0021>
- Bao, F., Azhakanandam, S., & Franks, R. G. (2010). *SEUSS* and *SEUSS-LIKE* transcriptional adaptors regulate floral and embryonic development in Arabidopsis. *Plant Physiology*, *152*(2), 821–836. <https://doi.org/10.1104/pp.109.146183>
- Barros, J., Serk, H., Granlund, I., & Pesquet, E. (2015). The cell biology of lignification in higher plants. *Annals of Botany*, *115*(7), 1053–1074. <https://doi.org/10.1093/aob/mcv046>
- Bartrina, I., Otto, E., Strnad, M., Werner, T., & Schmülling, T. (2011). Cytokinin regulates the activity of reproductive meristems, flower organ size, ovule formation, and thus seed yield in *Arabidopsis thaliana*. *The Plant Cell*, *23*(1), 69–80. <https://doi.org/10.1105/tpc.110.079079>
- Baud, S., & Lepiniec, L. (2009). Regulation of de novo fatty acid synthesis in maturing oilseeds of Arabidopsis. *Plant Physiology and Biochemistry*, *47*(6), 448–455. <https://doi.org/10.1016/j.plaphy.2008.12.006>
- Beaudoin, F., Wu, X., Li, F., Haslam, R. P., Markham, J. E., Zheng, H., Napier, J. A., & Kunst, L. (2009). Functional characterization of the Arabidopsis beta-ketoacyl-coenzyme A reductase candidates of the fatty acid elongase. *Plant Physiology*, *150*(3), 1174–1191. <https://doi.org/10.1104/pp.109.137497>
- Beaulieu, J. M., O'Meara, B. C., Crane, P., & Donoghue, M. J. (2015). Heterogeneous rates of molecular evolution and diversification could explain the triassic age estimate for angiosperms. *Systematic Biology*, *64*(5), 869–878. <https://doi.org/10.1093/sysbio/syv027>
- Becker, A. (2020). A molecular update on the origin of the carpel. *Current Opinion in Plant Biology*, *53*, 15–22. <https://doi.org/10.1016/j.pbi.2019.08.009>
- Begović, L., Ravlić, J., Lepeduš, H., Leljāk-Levanić, D., & Cesar, V. (2015). The pattern of lignin deposition in the cell walls of internodes during Barley (*Hordeum vulgare* L.) development. *Acta Biologica Cracoviensia. Series: Botanica*, *57*, 55–56.
- Benson, D. A., Clark, K., Karsch-Mizrachi, I., Lipman, D. J., Ostell, J., & Sayers, E. W. (2015). GenBank. *Nucleic Acids Research*, *43*(D1), D30–D35. <https://doi.org/10.1093/nar/gku1216>
- Bercu, R., Negrean, G., & Broască, L. (2012). Leaf anatomical study of taxa *Salvia nemorosa* subsp. *Tesquicola*, *Salvia nutans* and *Salvia × dobrogensis* from Dobruđa. *Acta Botanica Hungarica*, *54*(3–4), 245–257. <https://doi.org/10.1556/ABot.54.2012.3-4.3>

References

- Bergstrom, G. (1978). Role of volatile chemicals in Ophrys- pollinator interactions. In J. B. Harborne (Ed.), *Biochemical aspects of plant and animal co-evolution* (pp. 207–232). Academic Press.
- Berg, C., Dupont, C. L., Asplund-Samuelsson, J., Celepli, N. A., Eiler, A., Allen, A. E., Ekman, M., Bergman, B., & Ininbergs, K. (2018). Dissection of microbial community functions during a cyanobacterial bloom in the Baltic Sea via metatranscriptomics. *Frontiers in Marine Science*, 5(55). <https://doi.org/10.3389/fmars.2018.00055>
- Bernard, A., Domergue, F., Pascal, S., Jetter, R., Renne, C., Faure, J.-D., Haslam, R. P., Napier, J. A., Lessire, R., & Joubès, J. (2012). Reconstitution of plant alkane biosynthesis in yeast demonstrates that Arabidopsis ECERIFERUM1 and ECERIFERUM3 are core components of a very-long-chain alkane synthesis complex. *The Plant Cell*, 24(7), 3106–3118. <https://doi.org/10.1105/tpc.112.099796>
- Bogarín, D., FernÁndez, M., Borkent, A., Heemskerk, A., Pupulin, F., & Ramírez, S. (2018). Pollination of *Trichosalpinx* (Orchidaceae: Pleurothallidinae) by biting midges (Diptera: Ceratopogonidae). *Botanical Journal of the Linnean Society. Linnean Society of London*, 186(4), 510–543.
- Bogarín, D., Pérez-Escobar, O. A., Karremans, A. P., Fernández, M., Kruizinga, J., Pupulin, F., Smets, E., & Gravendeel, B. (2019). Phylogenetic comparative methods improve the selection of characters for generic delimitations in a hyperdiverse Neotropical orchid clade. *Scientific Reports*, 9(1), 15098. <https://doi.org/10.1038/s41598-019-51360-0>
- Bolaños-Villegas, P., Chang, C., & Chen, F.-C. (2021). The tiny twig epiphyte *Erycina pusilla*, a model for orchid genome and breeding research. In F.-C. Chen & S.-W. Chin (Eds.), *The orchid genome* (pp. 41–47). Springer International Publishing. https://doi.org/10.1007/978-3-030-66826-6_3
- Bolger, A. M., Lohse, M., & Usadel, B. (2014). Trimmomatic: a flexible trimmer for Illumina sequence data. *Bioinformatics*, 30(15), 2114–2120. <https://doi.org/10.1093/bioinformatics/btu170>
- Bollback, J. P. (2006). SIMMAP: stochastic character mapping of discrete traits on phylogenies. *BMC Bioinformatics*, 7, 88. <https://doi.org/10.1186/1471-2105-7-88>
- Borchers, A., Deckena, M., & Buschmann, H. (2018). Arabidopsis petiole torsions induced by lateral light or externally supplied auxin require microtubule-associated TORTIFOLIA1/SPIRAL2. *Protoplasma*, 255(5), 1505–1515. <https://doi.org/10.1007/s00709-018-1247-8>
- Borsch, T., Berendsohn, W., Dalcin, E., Delmas, M., Demissew, S., Elliott, A., Fritsch, P., Fuchs, A., Geltman, D., Güner, A., Haevermans, T., Knapp, S., Roux, M. M., Loizeau, P., Miller, C., Miller, J., Miller, J. T., Palese, R., Paton, A., ... Zamora, N. (2020). World Flora Online: Placing taxonomists at the heart of a definitive and comprehensive global resource on the world's plants. *Taxon*, 69(6), 1311–1341. <https://doi.org/10.1002/tax.12373>
- Bowman, J. L., Smyth, D. R., & Meyerowitz, E. M. (2012). The ABC model of flower development: then and now. *Development*, 139(22), 4095–4098. <https://doi.org/10.1242/dev.083972>
- Brenner, S., Johnson, M., Bridgham, J., Golda, G., Lloyd, D. H., Johnson, D., Luo, S., McCurdy, S., Foy, M., Ewan, M., Roth, R., George, D., Eletr, S., Albrecht, G., Vermaas, E., Williams, S. R., Moon, K., Burcham, T., Pallas, M., ... Corcoran, K. (2000). Gene expression analysis by massively parallel signature sequencing (MPSS) on microbead arrays. *Nature Biotechnology*, 18(6), 630–634. <https://doi.org/10.1038/76469>
- Brewer, G. E., Clarkson, J. J., Maurin, O., Zuntini, A. R., Barber, V., Bellot, S., Biggs, N., Cowan, R. S., Davies, N. M. J., Dodsworth, S., Edwards, S. L., Eiserhardt, W. L., Epitawalage, N., Frisby, S., Grall, A., Kersey, P. J., Pokorny, L., Leitch, I. J., Forest, F., & Baker, W. J. (2019). Factors affecting targeted sequencing of 353 nuclear genes from herbarium specimens spanning the diversity of angiosperms. *Frontiers in Plant Science*, 10, 1102. <https://doi.org/10.3389/fpls.2019.01102>
- Britton, T., Anderson, C. L., Jacquet, D., Lundqvist, S., & Bremer, K. (2007). Estimating divergence times in large phylogenetic trees. *Systematic Biology*, 56(5), 741–752. <https://doi.org/10.1080/10635150701613783>
- Brodersen, C. R. (2013). Visualizing wood anatomy in three dimensions with high-resolution X-ray microtomography (µCT). A review. *IAWA Journal / International Association of Wood Anatomists*, 34(4), 408–424. <https://doi.org/10.1163/22941932-00000033>
- Buranov, A. U., & Mazza, G. (2008). Lignin in straw of herbaceous crops. *Industrial Crops and Products*, 28(3), 237–259. <https://doi.org/10.1016/j.indcrop.2008.03.008>
- Burgess, D. J. (2019). Spatial transcriptomics coming of age. *Nature Reviews. Genetics*, 20(6), 317. <https://doi.org/10.1038/s41576-019-0129-z>

- Burton, G. W. (1952). *Quantitative inheritance in grasses. I*, 277–283.
- Bushmanova, E., Antipov, D., Lapidus, A., & Pribelski, A. D. (2019). rnaSPAdes: a de novo transcriptome assembler and its application to RNA-Seq data. *GigaScience*, 8(9), giz100. <https://doi.org/10.1093/gigascience/giz100>
- Cai, J., Liu, X., Vanneste, K., Proost, S., Tsai, W.-C., Liu, K.-W., Chen, L.-J., He, Y., Xu, Q., Bian, C., Zheng, Z., Sun, F., Liu, W., Hsiao, Y.-Y., Pan, Z.-J., Hsu, C.-C., Yang, Y.-P., Hsu, Y.-C., Chuang, Y.-C., ... Liu, Z.-J. (2015). The genome sequence of the orchid *Phalaenopsis equestris*. *Nature Genetics*, 47(1), 65–72. <https://doi.org/10.1038/ng.3149>
- Carmona-Díaz, G., & García-Franco, J. G. (2009). Reproductive success in the Mexican rewardless *Oncidium cosymbephorum* (Orchidaceae) facilitated by the oil-rewarding *Malpighia glabra* (Malpighiaceae). *Plant Ecology*, 203(2), 253–261. <https://doi.org/10.1007/s11258-008-9543-6>
- Carvalhais, L. C., Dennis, P. G., Tyson, G. W., & Schenk, P. M. (2012). Application of metatranscriptomics to soil environments. *Journal of Microbiological Methods*, 91(2), 246–251. <https://doi.org/10.1016/j.mimet.2012.08.011>
- Carvalhais, L. C., & Schenk, P. M. (2013). Sample processing and cDNA preparation for microbial metatranscriptomics in complex soil communities. *Methods in Enzymology*, 531, 251–267. <https://doi.org/10.1016/B978-0-12-407863-5.00013-7>
- Carvalhais, V., Delgado-Rastrollo, M., Melo, L. D. R., & Cerca, N. (2013). Controlled RNA contamination and degradation and its impact on qPCR gene expression in *S. epidermidis* biofilms. *Journal of Microbiological Methods*, 95(2), 195–200. <https://doi.org/10.1016/j.mimet.2013.08.010>
- Causier, B., Ashworth, M., Guo, W., & Davies, B. (2012). The TOPLESS interactome: a framework for gene repression in *Arabidopsis*. *Plant Physiology*, 158(1), 423–438. <https://doi.org/10.1104/pp.111.186999>
- Chamala, S., García, N., Godden, G. T., Krishnakumar, V., Jordon-Thaden, I. E., De Smet, R., Barbazuk, W. B., Soltis, D. E., & Soltis, P. S. (2015). MarkerMiner 1.0: a new application for phylogenetic marker development using angiosperm transcriptomes. *Applications in Plant Sciences*, 3(4), 1400115. <https://doi.org/10.3732/apps.1400115>
- Champley, K. M., Willey, T. M., Kim, H., Bond, K., Glenn, S. M., Smith, J. A., Kallman, J. S., Brown, W. D., Seetho, I. M., Keene, L., Azevedo, S. G., McMichael, L. D., Overturf, G., & Martz, H. E. (2022). Livermore tomography tools: Accurate, fast, and flexible software for tomographic science. *NDT & E International*, 126, 102595. <https://doi.org/10.1016/j.ndteint.2021.102595>
- Chang, C., Bowman, J. L., & Meyerowitz, E. M. (2016). Field guide to plant model systems. *Cell*, 167(2), 325–339. <https://doi.org/10.1016/j.cell.2016.08.031>
- Chang, Z., Li, G., Liu, J., Zhang, Y., Ashby, C., Liu, D., Cramer, C. L., & Huang, X. (2015). Bridger: a new framework for de novo transcriptome assembly using RNA-seq data. *Genome Biology*, 16(1), 30. <https://doi.org/10.1186/s13059-015-0596-2>
- Chao, Y.-T., Yen, S.-H., Yeh, J.-H., Chen, W.-C., & Shih, M.-C. (2017). Orchidstra 2.0—a transcriptomics resource for the orchid family. *Plant & Cell Physiology*, 58(1), e9. <https://doi.org/10.1093/pcp/pcw220>
- Chase, M. W., Hanson, L., Albert, V. A., Whitten, W. M., & Williams, N. H. (2005). Life history evolution and genome size in subtribe Oncidiinae (Orchidaceae). *Annals of Botany*, 95(1), 191–199. <https://doi.org/10.1093/aob/mci012>
- Chen, T. C., Wu, W. L., & Chen, W. H. (2004). Development of harlequin flower derived from somaclone mutants of *Phalaenopsis* Golden Peoker “Brother.” *Proceedings of 8th Asia Pacific Orchid Conference (APOC8)*, Tainan, Taiwan, March 6–8, 2004. 8th Asia Pacific Orchid Conference (APOC8).
- Chen, Y. Y., Hsiao, Y. Y., Li, C. I., Yeh, C. M., Mitsuda, N., Yang, H. X., Chiu, C. C., Chang, S. B., Liu, Z. J., & Tsai, W. C. (2021). The ancestral duplicated *DL/CRC* orthologs, *PeDL1* and *PeDL2*, function in orchid reproductive organ innovation. *Journal of Experimental Botany*, 72(15), 5442–5461. <https://doi.org/10.1093/jxb/erab195>
- Chen, Y. Y., Lee, P. F., Hsiao, Y. Y., Wu, W. L., Pan, Z. J., Lee, Y. I., Liu, K. W., Chen, L. J., Liu, Z. J., & Tsai, W. C. (2012). C- and D-class MADS-box genes from *Phalaenopsis equestris* (Orchidaceae) display functions in gynostemium and ovule development. *Plant & Cell Physiology*, 53(6), 1053–1067. <https://doi.org/10.1093/pcp/pcs048>

References

- Carmona-Díaz, G., & García-Franco, J. G. (2009). Reproductive success in the Mexican rewardless *Oncidium cosymbephorum* (Orchidaceae) facilitated by the oil-rewarding *Malpighia glabra* (Malpighiaceae). *Plant Ecology*, 203(2), 253–261. <https://doi.org/10.1007/s11258-008-9543-6>
- Chhangawala, S., Rudy, G., Mason, C. E., & Rosenfeld, J. A. (2015). The impact of read length on quantification of differentially expressed genes and splice junction detection. *Genome Biology*, 16(1), 131. <https://doi.org/10.1186/s13059-015-0697-y>
- Chomczynski, P., & Sacchi, N. (2006). The single-step method of RNA isolation by acid guanidinium thiocyanate-phenol-chloroform extraction: twenty-something years on. *Nature Protocols*, 1(2), 581–585. <https://doi.org/10.1038/nprot.2006.83>
- Chomicki, G., Bidel, L. P. R., Ming, F., Coiro, M., Zhang, X., Wang, Y., Baissac, Y., Jay-Allemand, C., & Renner, S. S. (2015). The velamen protects photosynthetic orchid roots against UV-B damage, and a large dated phylogeny implies multiple gains and losses of this function during the Cenozoic. *The New Phytologist*, 205(3), 1330–1341. <https://doi.org/10.1111/nph.13106>
- Choon, S. Y., & Ding, P. (2017). Developmental changes in cellular structure and cell wall metabolism of torch ginger (*Etilingera elatior* (Jack) R.M. Smith) inflorescence. *Current Plant Biology*, 9–10, 3–10. <https://doi.org/10.1016/j.cpb.2017.01.001>
- Christenhusz, M. J. M., & Byng, J. W. (2016). The number of known plants species in the world and its annual increase. *Phytotaxa*, 261(3), 201. <https://doi.org/10.11646/phytotaxa.261.3.1>
- Christenson, E. A. (2009). *Phalaenopsis: A Monograph* (p. 330). Timber Press.
- Clements, M. A. (1999). Seed morphology. In M. Molvray (Trans.), *Genera Orchidacearum: Cypripedioideae*. (pp. 59–66).
- Coen, E. S., & Meyerowitz, E. M. (1991). The war of the whorls: genetic interactions controlling flower development. *Nature*, 353(6339), 31–37. <https://doi.org/10.1038/353031a0>
- Comber, J. B. (1976). The rediscovery of *Phalaenopsis viridis* on a limestone ridge in Indonesia. *Orchid Digest*, 40(3), 84–89.
- Compeau, P. E. C., Pevzner, P. A., & Tesler, G. (2011). How to apply de Bruijn graphs to genome assembly. *Nature Biotechnology*, 29(11), 987–991. <https://doi.org/10.1038/nbt.2023>
- Costa, M. M. R., Fox, S., Hanna, A. I., Baxter, C., & Coen, E. (2005). Evolution of regulatory interactions controlling floral asymmetry. *Development*, 132(22), 5093–5101. <https://doi.org/10.1242/dev.02085>
- Crane, P. R., Friis, E. M., & Pedersen, K. R. (1995). The origin and early diversification of angiosperms. *Nature*, 374(6517), 27–33. <https://doi.org/10.1038/374027a0>
- Creer, S., Deiner, K., Frey, S., Porazinska, D., Taberlet, P., Thomas, W. K., Potter, C., & Bik, H. M. (2016). The ecologist's field guide to sequence-based identification of biodiversity. *Methods in Ecology and Evolution*, 7(9), 1008–1018. <https://doi.org/10.1111/2041-210X.12574>
- Cribb, P. J. (1999). Morphology. In A M Pridgeon, P. J. Cribb, M. W. Chase, & F. N. Rasmussen (Eds.), *Genera Orchidacearum: vol. 1: General Introduction, Apostasioideae, Cypripedioideae*. (Vol. 1, pp. 13–23). Oxford University Press.
- Crump, B. C., Wojahn, J. M., Tomas, F., & Mueller, R. S. (2018). Metatranscriptomics and amplicon sequencing reveal mutualisms in seagrass microbiomes. *Frontiers in Microbiology*, 9, 388. <https://doi.org/10.3389/fmicb.2018.00388>
- Dafni, A., & Bernhardt, P. (1989). Pollination of terrestrial orchids of Southern Australia and the Mediterranean region: systematic, ecological, and evolutionary implications. *Evolutionary Biology*, 24, 193–252.
- Dafni, A., Ivri, Y., & Brantjes, N. B. M. (2015). Pollination of *Serapias vomeracea* Briq (Orchidaceae) by imitation of holes for sleeping solitary male bees (Hymenoptera). *Acta Botanica Neerlandica*, 30, 69–73.
- Dafni, A., & Ivri, Y. (1981). Floral mimicry between *Orchis israelitica* Baumann and Dafni (Orchidaceae) and *Bellevalia flexuosa* Boiss. (Liliaceae). *Oecologia*, 49(2), 229–232. <https://doi.org/10.1007/BF00349193>

- Darwin, C., & Darwin, F. (2009). *The power of movement in plants*. Cambridge University Press. <https://doi.org/10.1017/CBO9780511693670>
- Deeken, R., Saupe, S., Klinkenberg, J., Riedel, M., Leide, J., Hedrich, R., & Mueller, T. D. (2016). The nonspecific lipid transfer protein AtLtp1-4 is involved in suberin formation of *Arabidopsis thaliana* crown galls. *Plant Physiology*, *172*(3), 1911–1927. <https://doi.org/10.1104/pp.16.01486>
- DeKlerck, V., Fowble, K. L., Coon, A. M., Espinoza, E. O., Beeckman, H., & Musah, R. A. (2022). Opportunities in phytochemistry, ecophysiology and wood research via laser ablation direct analysis in real time imaging-mass spectrometry. *The New Phytologist*, *234*(1), 319–331. <https://doi.org/10.1111/nph.17893>
- del Campillo, E., Abdel-Aziz, A., Crawford, D., & Patterson, S. E. (2004). Root cap specific expression of an endo-beta-1,4-D-glucanase (cellulase): a new marker to study root development in *Arabidopsis*. *Plant Molecular Biology*, *56*(2), 309–323. <https://doi.org/10.1007/s11103-004-3380-3>
- Depledge, D. P., Srinivas, K. P., Sadaoka, T., Bready, D., Mori, Y., Placantonakis, D. G., Mohr, I., & Wilson, A. C. (2019). Direct RNA sequencing on nanopore arrays redefines the transcriptional complexity of a viral pathogen. *Nature Communications*, *10*(1), 754. <https://doi.org/10.1038/s41467-019-08734-9>
- Deshmukh, S. N., Basu, M. S., & Reddy, P. S. (1986). Genetic variability, character association and path coefficients of quantitative traits in Virginia bunch varieties of groundnut. *Indian Journal of Agricultural Sciences*, *56*(12), 816–821.
- De, L., Pathak, P., Rao, A. N., & Rajeevan, P. K. (2015). Global orchid industry. In L. C. De (Ed.), *Commercial Orchids* (pp. 13–19). De Gruyter Open Poland.
- De Paolo, S., Gaudio, L., & Aceto, S. (2015). Analysis of the *TCP* genes expressed in the inflorescence of the orchid *Orchis italica*. *Scientific Reports*, *5*, 16265. <https://doi.org/10.1038/srep16265>
- De Paolo, S., Salvemini, M., Gaudio, L., & Aceto, S. (2014). De novo transcriptome assembly from inflorescence of *Orchis italica*: analysis of coding and non-coding transcripts. *Plos One*, *9*(7), e102155. <https://doi.org/10.1371/journal.pone.0102155>
- De Smet, R., Adams, K. L., Vandepoele, K., Van Montagu, M. C. E., Maere, S., & Van de Peer, Y. (2013). Convergent gene loss following gene and genome duplications creates single-copy families in flowering plants. *Proceedings of the National Academy of Sciences of the United States of America*, *110*(8), 2898–2903. <https://doi.org/10.1073/pnas.1300127110>
- Devoghalaere, F., Doucen, T., Guitton, B., Keeling, J., Payne, W., Ling, T. J., Ross, J. J., Hallett, I. C., Gunaseelan, K., Dayatilake, G. A., Diak, R., Breen, K. C., Tustin, D. S., Costes, E., Chagné, D., Schaffer, R. J., & David, K. M. (2012). A genomics approach to understanding the role of auxin in apple (*Malus x domestica*) fruit size control. *BMC Plant Biology*, *12*, 7. <https://doi.org/10.1186/1471-2229-12-7>
- Diggle, P. K. (2014). Modularity and intra-floral integration in metameric organisms: plants are more than the sum of their parts. *Philosophical Transactions of the Royal Society of London. Series B, Biological Sciences*, *369*(1649), 20130253. <https://doi.org/10.1098/rstb.2013.0253>
- Dinesh, D. C., Villalobos, L. I. A. C., & Abel, S. (2016). Structural biology of nuclear auxin action. *Trends in Plant Science*, *21*(4), 302–316. <https://doi.org/10.1016/j.tplants.2015.10.019>
- Dines, T. D., & Bell, A. D. (1994). Differential cell enlargement and its possible implication for resupination in *Lemboglossum bictoniense* (Orchidaceae). *Botanical Journal of the Linnean Society*, *114*(1), 67–79. <https://doi.org/10.1111/j.1095-8339.1994.tb01924.x>
- Dinneny, J. R., Weigel, D., & Yanofsky, M. F. (2005). A genetic framework for fruit patterning in *Arabidopsis thaliana*. *Development*, *132*(21), 4687–4696. <https://doi.org/10.1242/dev.02062>
- Dirks-Mulder, A., Ahmed, I., Uit Het Broek, M., Krol, L., Menger, N., Snier, J., van Winzum, A., de Wolf, A., Van't Wout, M., Zeegers, J. J., Butôt, R., Heijungs, R., van Heuven, B. J., Kruizinga, J., Langelaan, R., Smets, E. F., Star, W., Bemer, M., & Gravendeel, B. (2019). Morphological and molecular characterization of orchid fruit development. *Frontiers in Plant Science*, *10*, 137. <https://doi.org/10.3389/fpls.2019.00137>
- Dirks-Mulder, A., Butôt, R., van Schaik, P., Wijnands, J. W., van den Berg, R., Krol, L., Doebar, S., van Koopeeren, K., de Boer, H., Kramer, E. M., Smets, E. F., Vos, R. A., Vrijdaghs, A., & Gravendeel, B. (2017). Exploring the evolutionary origin of floral organs of *Erycina pusilla*, an emerging orchid model system. *BMC Evolutionary Biology*, *17*(1), 89. <https://doi.org/10.1186/s12862-017-0938-7>

References

- Dirks-Mulder, A. (2020). *Evolution and development of orchid flowers and fruits* [Doctoral dissertation]. Leiden University.
- Ditta, G., Pinyopich, A., Robles, P., Pelaz, S., & Yanofsky, M. F. (2004). The *SEP4* gene of *Arabidopsis thaliana* functions in floral organ and meristem identity. *Current Biology*, *14*(21), 1935–1940.
- Dobin, A., Davis, C. A., Schlesinger, F., Drenkow, J., Zaleski, C., Jha, S., Batut, P., Chaisson, M., & Gingeras, T. R. (2013). STAR: ultrafast universal RNA-seq aligner. *Bioinformatics*, *29*(1), 15–21. <https://doi.org/10.1093/bioinformatics/bts635>
- Dodson, C. H., & Frymire, G. P. (1961). Natural pollination of orchids. *Missouri Botanical Garden Bulletin*, *49*(9), 133–152.
- Dória, L. C., Meijs, C., Podadera, D. S., Del Arco, M., Smets, E., Delzon, S., & Lens, F. (2019). Embolism resistance in stems of herbaceous Brassicaceae and Asteraceae is linked to differences in woodiness and precipitation. *Annals of Botany*, *124*(1), 1–14. <https://doi.org/10.1093/aob/mcy233>
- Dória, L. C., Podadera, D. S., Arco, M., Chauvin, T., Smets, E., Delzon, S., & Lens, F. (2018). Insular woody daisies (*Argyranthemum*, Asteraceae) are more resistant to drought-induced hydraulic failure than their herbaceous relatives. *Functional Ecology*, *32*(6), 1467–1478. <https://doi.org/10.1111/1365-2435.13085>
- Dória, L. C., Podadera, D. S., Lima, R. S., Lens, F., & Marcatti, C. R. (2019). Axial sampling height outperforms site as predictor of wood trait variation. *IAWA Journal*, *40*(2), 191–S3. <https://doi.org/10.1163/22941932-40190245>
- Doyle, J. A. (2018). Phylogenetic analyses and morphological innovations in land plants. In J. A. Roberts, D. Evan, M. T. McManus, & J. K. C. Rose (Eds.), *Annual Plant Reviews* (pp. 1–50). John Wiley & Sons, Ltd. <https://doi.org/10.1002/9781119312994.apr0486>
- Dressler, R. L. (1989). The improbable *Selenipedium chica*. *Amer Orchid Soc Bull.*, *58*, 549–552.
- Dressler, R. L. (1990). *The Orchids: Natural History and Classification* (2nd ed.). Harvard University Press.
- Dressler, R. L. (1993). *Phylogeny and Classification of the Orchid Family*. Cambridge University Press.
- Droppert, K. (2020). *Development of dehiscence zone formation in the fruits of Erycina pusilla and Phalaenopsis equestris (Orchidaceae)* [Undergraduate thesis]. University of Applied Science Leiden.
- Efroni, I., & Birnbaum, K. D. (2016). The potential of single-cell profiling in plants. *Genome Biology*, *17*, 65. <https://doi.org/10.1186/s13059-016-0931-2>
- Endress, P. K. (1994). Floral structure and evolution of primitive angiosperms: recent advances. *Plant Systematics and Evolution*, *192*(1–2), 79–97. <https://doi.org/10.1007/BF00985910>
- Endress, P. K. (2011a). Evolutionary diversification of the flowers in angiosperms. *American Journal of Botany*, *98*(3), 370–396.
- Endress, P. K. (2011b). Evolutionary diversification of the flowers in angiosperms. *American Journal of Botany*, *98*(3), 370–396. <https://doi.org/10.3732/ajb.1000299>
- Endress, P. K. (2016). Development and evolution of extreme synorganization in angiosperm flowers and diversity: a comparison of Apocynaceae and Orchidaceae. *Annals of Botany*, *117*(5), 749–767. <https://doi.org/10.1093/aob/mcv119>
- Ernst, R., & Arditti, J. (1994). Resupination. In J. Arditti (Ed.), *Orchid biology: reviews and perspectives VI* (pp. 135–188). John Wiley and Sons Inc.
- Falconer, D. S. (1996). *Introduction to quantitative genetics* (F. Mackay Trudy, Trans.; p. 464). Longman Scientific and Technical.
- Fan, X.-L., Chomicki, G., Hao, K., Liu, Q., Xiong, Y.-Z., Renner, S. S., Gao, J.-Y., & Huang, S.-Q. (2020). Transitions between the terrestrial and epiphytic habit drove the evolution of seed-aerodynamic traits in orchids. *The American Naturalist*, *195*(2), 275–283. <https://doi.org/10.1086/706905>
- Fedorov, A., Beichel, R., Kalpathy-Cramer, J., Finet, J., Fillion-Robin, J.-C., Pujol, S., Bauer, C., Jennings, D., Fennessy, F., Sonka, M., Buatti, J., Aylward, S., Miller, J. V., Pieper, S., & Kikinis, R. (2012). 3D Slicer as an im-

- age computing platform for the quantitative imaging network. *Magnetic Resonance Imaging*, 30(9), 1323–1341. <https://doi.org/10.1016/j.mri.2012.05.001>
- Felicioli, A., Strumia, F., Filippi, L., & Pinzauti, M. (1998). Observations on the relation between orchids of the genus *Serapias* and their pollinators in an area of central Tuscany. *Frustula Entomologica*, 21, 103–108.
- Felix, L. P., & Guerra, M. (1999). Chromosome analysis in *Psychomorphis pusilla* (L.) Dodson & Dressier: the smallest chromosome number known in Orchidaceae. *Caryologia*, 52(3–4), 165–168. <https://doi.org/10.1080/0087114.1998.10589169>
- Ferrández, C., & Fourquin, C. (2014). Role of the FUL-SHP network in the evolution of fruit morphology and function. *Journal of Experimental Botany*, 65(16), 4505–4513. <https://doi.org/10.1093/jxb/ert479>
- Ferrández, C., Gu, Q., Martienssen, R., & Yanofsky, M. F. (2000). Redundant regulation of meristem identity and plant architecture by *FRUITFULL*, *APETALA1* and *CAULIFLOWER*. *Development*, 127(4), 725–734. <https://doi.org/10.1242/dev.127.4.725>
- Ferrández, C. (2002). Regulation of fruit dehiscence in Arabidopsis. *Journal of Experimental Botany*, 53(377), 2031–2038. <https://doi.org/10.1093/jxb/erf082>
- Fiebig, A., Mayfield, J. A., Miley, N. L., Chau, S., Fischer, R. L., & Preuss, D. (2000). Alterations in *CER6*, a gene identical to *CUT1*, differentially affect long-chain lipid content on the surface of pollen and stems. *The Plant Cell*, 12(10), 2001–2008. <https://doi.org/10.1105/tpc.12.10.2001>
- Friml, J., Wiśniewska, J., Benková, E., Mendgen, K., & Palme, K. (2002). Lateral relocation of auxin efflux regulator PIN3 mediates tropism in Arabidopsis. *Nature*, 415(6873), 806–809. <https://doi.org/10.1038/415806a>
- Fischer, G. A., Gravendeel, B., Sieder, A., Andriantiana, J., Heiselmayer, P., Cribb, P. J., Smidt, E. de C., Samuel, R., & Kiehn, M. (2007). Evolution of resupination in Malagasy species of *Bulbophyllum* (Orchidaceae). *Molecular Phylogenetics and Evolution*, 45(1), 358–376. <https://doi.org/10.1016/j.ympev.2007.06.023>
- Foster, C. S. P., Sauquet, H., van der Merwe, M., McPherson, H., Rossetto, M., & Ho, S. Y. W. (2017). Evaluating the impact of genomic data and priors on bayesian estimates of the angiosperm evolutionary timescale. *Systematic Biology*, 66(3), 338–351. <https://doi.org/10.1093/sysbio/syw086>
- Fourquin, C., & Ferrández, C. (2012). Functional analyses of *AGAMOUS* family members in *Nicotiana benthamiana* clarify the evolution of early and late roles of C-function genes in eudicots. *The Plant Journal*, 71(6), 990–1001. <https://doi.org/10.1111/j.1365-3113X.2012.05046.x>
- Fowble, K. L., Okuda, K., Cody, R. B., & Musah, R. A. (2018). Spatial distributions of furan and 5-hydroxymethylfurfural in unroasted and roasted *Coffea arabica* beans. *Food Research International*, 119, 725–732. <https://doi.org/10.1016/j.foodres.2018.10.052>
- Fowble, K. L., Teramoto, K., Cody, R. B., Edwards, D., Guarrera, D., & Musah, R. A. (2017). Development of “laser ablation direct analysis in real time imaging” mass spectrometry: application to spatial distribution mapping of metabolites along the biosynthetic cascade leading to synthesis of atropine and scopolamine in plant tissue. *Analytical Chemistry*, 89(6), 3421–3429. <https://doi.org/10.1021/acs.analchem.6b04137>
- Franzke, A., Lysak, M. A., Al-Shehbaz, I. A., Koch, M. A., & Mummenhoff, K. (2011). Cabbage family affairs: the evolutionary history of Brassicaceae. *Trends in Plant Science*, 16(2), 108–116. <https://doi.org/10.1016/j.tplants.2010.11.005>
- Franzosa, E. A., Morgan, X. C., Segata, N., Waldron, L., Reyes, J., Earl, A. M., Giannoukos, G., Boylan, M. R., Ciulla, D., Gevers, D., IZARD, J., Garrett, W. S., Chan, A. T., & Huttenhower, C. (2014). Relating the metatranscriptome and metagenome of the human gut. *Proceedings of the National Academy of Sciences of the United States of America*, 111(22), E2329–38. <https://doi.org/10.1073/pnas.1319284111>
- Freudenstein, J. V., & Chase, M. W. (2015). Phylogenetic relationships in Epidendroideae (Orchidaceae), one of the great flowering plant radiations: progressive specialization and diversification. *Annals of Botany*, 115(4), 665–681. <https://doi.org/10.1093/aob/mcu253>
- Freudenstein, J. V., & Rasmussen, F. N. (1996). Pollinium development and number in the Orchidaceae. *American Journal of Botany*, 83(7), 813–824. <https://doi.org/10.1002/j.1537-2197.1996.tb12773.x>

References

- Freudenstein, J. V., & Rasmussen, F. N. (1999). What does morphology tell us about orchid relationships?—a cladistic analysis. *American Journal of Botany*, *86*(2), 225–248. <https://doi.org/10.2307/2656939>
- Fu, G. K., Xu, W., Wilhelmy, J., Mindrinos, M. N., Davis, R. W., Xiao, W., & Fodor, S. P. A. (2014). Molecular indexing enables quantitative targeted RNA sequencing and reveals poor efficiencies in standard library preparations. *Proceedings of the National Academy of Sciences of the United States of America*, *111*(5), 1891–1896. <https://doi.org/10.1073/pnas.1323732111>
- Galego, L., & Almeida, J. (2002). Role of *DIVARICATA* in the control of dorsoventral asymmetry in *Antirrhinum* flowers. *Genes & Development*, *16*(7), 880–891.
- Galizia, C. G., Kunze, J., Gumbert, A., Borg-karlson, A., Sachse, S., & Markl, C. (2005). Relationship of visual and olfactory signal parameters in a food-deceptive flower mimicry system. *Behavioral Ecology*, *16*(1), 159–168.
- Gamisch, A., Staedler, Y. M., Schönenberger, J., Fischer, G. A., & Comes, H. P. (2013). Histological and micro-CT evidence of stigmatic rostellum receptivity promoting auto-pollination in the madagascan orchid *Bulbophyllum bicoloratum*. *Plos One*, *8*(8), e72688. <https://doi.org/10.1371/journal.pone.0072688>
- Gandrud, C. (2015). *Reproducible research with R and R Studio*. Chapman and Hall/CRC.
- Garber, M., Grabherr, M. G., Guttman, M., & Trapnell, C. (2011). Computational methods for transcriptome annotation and quantification using RNA-seq. *Nature Methods*, *8*(6), 469–477. <https://doi.org/10.1038/nmeth.1613>
- Gatti, I., Anido, F. L., Vanina, C., Asprelli, P., & Country, E. (2005). Heritability and expected selection response for yield traits in blanched asparagus. *Genetics and Molecular Research*, *4*(1), 67–73.
- Gendreau, E., Traas, J., Desnos, T., Grandjean, O., Caboche, M., & Höfte, H. (1997). Cellular basis of hypocotyl growth in *Arabidopsis thaliana*. *Plant Physiology*, *114*(1), 295–305. <https://doi.org/10.1104/pp.114.1.295>
- Gilbert, D. (2016). Gene-omes built from mRNA seq not genome DNA. *F1000Research*. <https://doi.org/10.7490/f1000research.1112594.1>
- Girin, T., Paicu, T., Stephenson, P., Fuentes, S., Körner, E., O'Brien, M., Sorefan, K., Wood, T. A., Balanzá, V., Ferrándiz, C., Smyth, D. R., & Østergaard, L. (2011). INDEHISCENT and SPATULA interact to specify carpel and valve margin tissue and thus promote seed dispersal in Arabidopsis. *The Plant Cell*, *23*(10), 3641–3653. <https://doi.org/10.1105/tpc.111.090944>
- Givnish, T. J., Spalink, D., Ames, M., Lyon, S. P., Hunter, S. J., Zuluaga, A., Iles, W. J. D., Clements, M. A., Arroyo, M. T. K., Leebens-Mack, J., Endara, L., Kriebel, R., Neubig, K. M., Whitten, W. M., Williams, N. H., & Cameron, K. M. (2015). Orchid phylogenomics and multiple drivers of their extraordinary diversification. *Proceedings. Biological Sciences / the Royal Society*, *282*(1814). <https://doi.org/10.1098/rspb.2015.1553>
- Goh, C. J., Strauss, M. S., & Arditti, J. (1982). Flower induction and physiology in orchids. In J. Arditti (Ed.), *Orchid biology: reviews and perspective* (Vol. 2, pp. 213–241). Cornell University Press.
- Goh, C. J. (1983). Aerial root production in *Aranda* orchids. *Annals of Botany*, *51*(1), 145–147. <https://doi.org/10.1093/oxfordjournals.aob.a086438>
- Góngora-Castillo, E., & Buell, C. R. (2013). Bioinformatics challenges in de novo transcriptome assembly using short read sequences in the absence of a reference genome sequence. *Natural Product Reports*, *30*(4), 490–500. <https://doi.org/10.1039/c3np20099j>
- Góngora-Castillo, E., Fedewa, G., Yeo, Y., Chappell, J., DellaPenna, D., & Buell, C. R. (2012). Genomic approaches for interrogating the biochemistry of medicinal plant species. *Methods in Enzymology*, *517*, 139–159. <https://doi.org/10.1016/B978-0-12-404634-4.00007-3>
- Gordon, A., & Hannon, G. J. (2009). *FASTQ/A short-reads pre-processing tools* (Version 0.0.13) [Computer software]. Cold Spring Harbor Laboratory.
- Grabherr, M. G., Haas, B. J., Yassour, M., Levin, J. Z., Thompson, D. A., Amit, I., Adiconis, X., Fan, L., Raychowdhury, R., Zeng, Q., Chen, Z., Mauceli, E., Hacohen, N., Gnirke, A., Rhind, N., di Palma, F., Birren, B. W., Nusbaum, C., Lindblad-Toh, K., ... Regev, A. (2011). Full-length transcriptome assembly from RNA-Seq data without a reference genome. *Nature Biotechnology*, *29*(7), 644–652. <https://doi.org/10.1038/nbt.1883>

- Gravendeel, B., & Dirks-Mulder, A. (2015). Floral development: Lip formation in orchids unravelled. *Nature Plants*, *1*(15056).
- Green, M. R., & Sambrook, J. (2019). Isolation of poly(a)⁺ messenger RNA using magnetic oligo(dt) beads. *Cold Spring Harbor Protocols*, *2019*(10). <https://doi.org/10.1101/pdb.prot101733>
- Greer, S., Wen, M., Bird, D., Wu, X., Samuels, L., Kunst, L., & Jetter, R. (2007). The cytochrome P450 enzyme CYP96A15 is the midchain alkane hydroxylase responsible for formation of secondary alcohols and ketones in stem cuticular wax of Arabidopsis. *Plant Physiology*, *145*(3), 653–667. <https://doi.org/10.1104/pp.107.107300>
- Grosscurt, T. (2017). *Becoming the global market leader “the rise of the Dutch Phalaenopsis cluster”* [Master thesis]. Wageningen University.
- Gross, T., Broholm, S., & Becker, A. (2018). CRABS CLAW acts as a bifunctional transcription factor in flower development. *Frontiers in Plant Science*, *9*, 835. <https://doi.org/10.3389/fpls.2018.00835>
- Groszmann, M., Paicu, T., Alvarez, J. P., Swain, S. M., & Smyth, D. R. (2011). SPATULA and ALCATRAZ, are partially redundant, functionally diverging bHLH genes required for Arabidopsis gynoecium and fruit development. *The Plant Journal*, *68*(5), 816–829. <https://doi.org/10.1111/j.1365-313X.2011.04732.x>
- Gruenheit, N., Deusch, O., Esser, C., Becker, M., Voelckel, C., & Lockhart, P. (2012). Cutoffs and k-mers: implications from a transcriptome study in allopolyploid plants. *BMC Genomics*, *13*, 92. <https://doi.org/10.1186/1471-2164-13-92>
- Gu, Q., Ferrándiz, C., Yanofsky, M. F., & Martienssen, R. (1998). The FRUITFULL MADS-box gene mediates cell differentiation during Arabidopsis fruit development. *Development*, *125*(8), 1509–1517. <https://doi.org/10.1242/dev.125.8.1509>
- Gumbert, A., & Kunze, J. (2001). Colour similarity to rewarding model plants affects pollination in a food deceptive orchid, *Orchis boryi*. *Biological Journal of the Linnean Society*, *72*(3), 419–433. <https://doi.org/10.1111/j.1095-8312.2001.tb01328.x>
- Guosheng, L., Tang, D., Chen, F., Sun, Y., Fang, W., Guan, Z., Liu, Z., & Chen, S. (2011). The anatomy and physiology of spray cut chrysanthemum pedicels, and expression of a caffeic acid 3-O-methyltransferase homologue. *Postharvest Biology and Technology*, *60*(3), 244–250. <https://doi.org/10.1016/j.postharvbio.2011.01.004>
- Guo, M., Thomas, J., Collins, G., & Timmermans, M. C. P. (2008). Direct repression of KNOX loci by the ASYMMETRIC LEAVES1 complex of Arabidopsis. *The Plant Cell*, *20*(1), 48–58.
- Guo, Y., Hu, Y., Chen, H., Yan, P., Du, Q., Wang, Y., Wang, H., Wang, Z., Kang, D., & Li, W.-X. (2021). Identification of traits and genes associated with lodging resistance in maize. *The Crop Journal*, *9*(6), 1408–1417. <https://doi.org/10.1016/j.cj.2021.01.002>
- Gutierrez, L., Van Wuytswinkel, O., Castelain, M., & Bellini, C. (2007). Combined networks regulating seed maturation. *Trends in Plant Science*, *12*(7), 294–300. <https://doi.org/10.1016/j.tplants.2007.06.003>
- Haas, B. J., Papanicolaou, A., Yassour, M., Grabherr, M., Blood, P. D., Bowden, J., Couger, M. B., Eccles, D., Li, B., Lieber, M., MacManes, M. D., Ott, M., Orvis, J., Pochet, N., Strozzi, F., Weeks, N., Westerman, R., William, T., Dewey, C. N., ... Regev, A. (2013). De novo transcript sequence reconstruction from RNA-seq using the Trinity platform for reference generation and analysis. *Nature Protocols*, *8*(8), 1494–1512. <https://doi.org/10.1038/nprot.2013.084>
- Hamann, T., Smets, E., & Lens, F. (2011). A comparison of paraffin and resin-based techniques used in bark anatomy. *Taxon*, *60*(3), 841–851. <https://doi.org/10.1002/tax.603016>
- Harley, R. M., Giuliotti, A. M., Abreu, I. S., Bitencourt, C., Oliveira, F. F. de, & Endress, P. K. (2017). Resupinate Dimorphy, a novel pollination strategy in two-lipped flowers of *Eplingiella* (Lamiaceae). *Acta Botanica Brasiliensis*, *31*(1), 102–107. <https://doi.org/10.1590/0102-33062016abb0381>
- Hart, M. L., Forrest, L. L., Nicholls, J. A., & Kidner, C. A. (2016). Retrieval of hundreds of nuclear loci from herbarium specimens. *Taxon*, *65*(5), 1081–1092. <https://doi.org/10.12705/655.9>
- Harwood, J. L. (1980). Plant acyl lipids: structure, distribution, and analysis. In *Lipids: structure and function* (pp. 1–55). Elsevier. <https://doi.org/10.1016/B978-0-12-675404-9.50007-2>

References

- Hayden, H. L., Savin, K. W., Wadeson, J., Gupta, V. V. S. R., & Mele, P. M. (2018). Comparative metatranscriptomics of wheat rhizosphere microbiomes in disease suppressive and non-suppressive soils for *Rhizoctonia solani* AG8. *Frontiers in Microbiology*, *9*, 859. <https://doi.org/10.3389/fmicb.2018.00859>
- Heather, J. M., & Chain, B. (2016). The sequence of sequencers: The history of sequencing DNA. *Genomics*, *107*(1), 1–8. <https://doi.org/10.1016/j.ygeno.2015.11.003>
- Heiduk, A., Pramanik, D., Spaans, M., Gast, L., Dorst, N., van Heuven, B. J., & Gravendeel, B. (2020). Pit-fall flower development and organ identity of *Ceropegia sandersonii* (Apocynaceae-Asclepiadoideae). *Plants*, *9*(1767). <https://doi.org/10.3390/plants9121767>
- Heydari, M., Miclotte, G., Demeester, P., Van de Peer, Y., & Fostier, J. (2017). Evaluation of the impact of Illumina error correction tools on de novo genome assembly. *BMC Bioinformatics*, *18*(1), 374. <https://doi.org/10.1186/s12859-017-1784-8>
- He, H., Bai, M., Tong, P., Hu, Y., Yang, M., & Wu, H. (2018). CELLULASE6 and MANNANASE7 affect cell differentiation and silique dehiscence. *Plant Physiology*, *176*(3), 2186–2201. <https://doi.org/10.1104/pp.17.01494>
- Hill, A. W. (1939). Resupination studies of flowers and leaves. *Annals of Botany*, *3*(4), 871–887. <https://doi.org/10.1093/oxfordjournals.aob.a085096>
- Hoekstra, P. H., Wieringa, J. J., Smets, E., & Chatrou, L. W. (2018). Floral evolution by simplification in Monanthotaxis (Annonaceae) and hypotheses for pollination system shifts. *Scientific Reports*, *8*(1), 12066. <https://doi.org/10.1038/s41598-018-30607-2>
- Hofhuis, H., Moulton, D., Lessinnes, T., Routier-Kierzkowska, A.-L., Bompfrey, R. J., Mosca, G., Reinhardt, H., Sarchet, P., Gan, X., Tsiantis, M., Ventikos, Y., Walker, S., Goriely, A., Smith, R., & Hay, A. (2016). Morphomechanical innovation drives explosive seed dispersal. *Cell*, *166*(1), 222–233. <https://doi.org/10.1016/j.cell.2016.05.002>
- Hofreiter, A., & Lyshede, O. B. (2006). Functional leaf anatomy of *Bomarea* Mirb. (Alstroemeriaceae). *Botanical Journal of the Linnean Society*, *152*(1), 73–90. <https://doi.org/10.1111/j.1095-8339.2006.00540.x>
- Hölzer, M., & Marz, M. (2019). De novo transcriptome assembly: a comprehensive cross-species comparison of short-read RNA-Seq assemblers. *GigaScience*, *8*(5), giz039. <https://doi.org/10.1093/gigascience/giz039>
- Hou, T., Huang, M., Liao, Y., Lu, S., Long, Z., Yin, J., & Li, C. (2023). Virus-induced gene silencing (VIGS) for functional analysis of genes involved in the regulation of anthocyanin biosynthesis in the perianth of *Phalaenopsis*-type *Dendrobium* hybrids. *Scientia Horticulturae*, *307*, 111485. <https://doi.org/10.1016/j.scienta.2022.111485>
- Hou, X., Hu, W. W., Shen, L., Lee, L. Y. C., Tao, Z., Han, J. H., & Yu, H. (2008). Global identification of DELLA target genes during Arabidopsis flower development. *Plant Physiology*, *147*(3), 1126–1142. <https://doi.org/10.1104/pp.108.121301>
- Hrdlickova, R., Toloue, M., & Tian, B. (2017). RNA-Seq methods for transcriptome analysis. *Wiley Interdisciplinary Reviews. RNA*, *8*(1), e1364. <https://doi.org/10.1002/wrna.1364>
- Hsiao, Y.-Y., Fu, C.-H., Ho, S.-Y., Li, C.-I., Chen, Y.-Y., Wu, W.-L., Wang, J.-S., Zhang, D.-Y., Hu, W.-Q., Yu, X., Sun, W.-H., Zhou, Z., Liu, K.-W., Huang, L., Lan, S.-R., Chen, H.-H., Wu, W.-S., Liu, Z.-J., & Tsai, W.-C. (2021). OrchidBase 4.0: a database for orchid genomics and molecular biology. *BMC Plant Biology*, *21*(1), 371. <https://doi.org/10.1186/s12870-021-03140-0>
- Hsieh, P.-H., Oyang, Y.-J., & Chen, C.-Y. (2019). Effect of de novo transcriptome assembly on transcript quantification. *Scientific Reports*, *9*(1), 8304. <https://doi.org/10.1038/s41598-019-44499-3>
- Hsu, C. C., Chang, Y. L., & Chen, W. H. (2021). CHAPTER 1: The breeding achievements of *Phalaenopsis equestris*. In *Orchid Biotechnology IV* (pp. 1–14). WORLD SCIENTIFIC. https://doi.org/10.1142/9789811217777_0001
- Hsu, C. C., Chen, H. H., & Chen, W. H. (2018). *Phalaenopsis*. In J. Van Huylbroeck (Ed.), *Ornamental Crops* (Vol. 11, pp. 567–625). Springer International Publishing. https://doi.org/10.1007/978-3-319-90698-0_23
- Hsu, H. F., Hsieh, W. P., Chen, M. K., Chang, Y. Y., & Yang, C. H. (2010). C/D class MADS box genes from two monocots, orchid (*Oncidium Gower Ramsey*) and lily (*Lilium longiflorum*), exhibit different effects on floral transition and formation in *Arabidopsis thaliana*. *Plant & Cell Physiology*, *51*(6), 1029–1045. <https://doi.org/10.1093/pcp/pcq052>

- Hsu, H. F., Hsu, W. H., Lee, Y. I., Mao, W. T., Yang, J. Y., Li, J. Y., & Yang, C. H. (2015). *Model for perianth formation in orchids. 1*(5), 15046. <https://doi.org/10.1038/nplants.2015.46>
- Huang, J.-Z., Lin, C.-P., Cheng, T.-C., Huang, Y.-W., Tsai, Y.-J., Cheng, S.-Y., Chen, Y.-W., Lee, C.-P., Chung, W.-C., Chang, B. C.-H., Chin, S.-W., Lee, C.-Y., & Chen, F.-C. (2016). The genome and transcriptome of *Phalaenopsis* yield insights into floral organ development and flowering regulation. *PeerJ*, 4, e2017. <https://doi.org/10.7717/peerj.2017>
- Hussain, S., Iqbal, N., Pang, T., Naeem Khan, M., Liu, W., & Yang, W. (2019). Weak stem under shade reveals the lignin reduction behavior. *Journal of Integrative Agriculture*, 18(3), 496–505. [https://doi.org/10.1016/S2095-3119\(18\)62111-2](https://doi.org/10.1016/S2095-3119(18)62111-2)
- Hu, J., Uapinyoying, P., & Goecks, J. (2017). Interactive analysis of long-read RNA isoforms with Iso-Seq Browser. *BioRxiv*. <https://doi.org/10.1101/102905>
- Iino, M. (2001). Chapter 23 Phototropism in higher plants. In *Photomovement* (Vol. 1, pp. 659–811). Elsevier. [https://doi.org/10.1016/S1568-461X\(01\)80027-2](https://doi.org/10.1016/S1568-461X(01)80027-2)
- Indraloka, A., & Purnobasuki, H. (2019). Phenology of flowering, pollination and fruit set in the *Dendrobium Lineale* Rolfe. *International Journal of Recent Technology and Engineering*, 7(6S2).
- Irish, V. F., & Litt, A. (2005). Flower development and evolution: gene duplication, diversification and redeployment. *Current Opinion in Genetics & Development*, 15(4), 454–460. <https://doi.org/10.1016/j.gde.2005.06.001>
- Iwata, T., Nagasaki, O., Ishii, H. S., & Ushimaru, A. (2012). Inflorescence architecture affects pollinator behaviour and mating success in *Spiranthes sinensis* (Orchidaceae). *The New Phytologist*, 193(1), 196–203. <https://doi.org/10.1111/j.1469-8137.2011.03892.x>
- Izzo, L. G., Romano, L. E., De Pascale, S., Mele, G., Gargiulo, L., & Aronne, G. (2019). Chemotropic vs hydrotropic stimuli for root growth orientation in microgravity. *Frontiers in Plant Science*, 10, 1547. <https://doi.org/10.3389/fpls.2019.01547>
- Jaffe, M. J., Takahashi, H., & Biro, R. L. (1985). A pea mutant for the study of hydrotropism in roots. *Science*, 230(4724), 445–447. <https://doi.org/10.1126/science.230.4724.445>
- Jahn, C. E., Charkowski, A. O., & Willis, D. K. (2008). Evaluation of isolation methods and RNA integrity for bacterial RNA quantitation. *Journal of Microbiological Methods*, 75(2), 318–324. <https://doi.org/10.1016/j.mimet.2008.07.004>
- Jakobson, L., Lindgren, L. O., Verdier, G., Laanemets, K., Brosché, M., Beisson, F., & Kollist, H. (2016). BODYGUARD is required for the biosynthesis of cutin in Arabidopsis. *The New Phytologist*, 211(2), 614–626. <https://doi.org/10.1111/nph.13924>
- Jander, G., & Barth, C. (2007). Tandem gene arrays: a challenge for functional genomics. *Trends in Plant Science*, 12(5), 203–210. <https://doi.org/10.1016/j.tplants.2007.03.008>
- Jenkins, E. S., Paul, W., Craze, M., Whitelaw, C. A., Weigand, A., & Roberts, J. A. (1999). Dehiscence-related expression of an *Arabidopsis thaliana* gene encoding a polygalacturonase in transgenic plants of *Brassica napus*. *Plant, Cell & Environment*, 22(2), 159–167. <https://doi.org/10.1046/j.1365-3040.1999.00372.x>
- Jerominek, M., Bull-Hereñu, K., Arndt, M., & Claßen-Bockhoff, R. (2014). Live imaging of developmental processes in a living meristem of *Davidia involucrata* (Nyssaceae). *Frontiers in Plant Science*, 5, 613. <https://doi.org/10.3389/fpls.2014.00613>
- Jersáková, J., Johnson, S. D., & Kindlmann, P. (2006). Mechanisms and evolution of deceptive pollination in orchids. *Biological Reviews of the Cambridge Philosophical Society*, 81(2), 219–235. <https://doi.org/10.1017/S1464793105006986>
- Jiao, Y., Li, J., Tang, H., & Paterson, A. H. (2014). Integrated syntenic and phylogenomic analyses reveal an ancient genome duplication in monocots. *The Plant Cell*, 26(7), 2792–2802. <https://doi.org/10.1105/tpc.114.127597>
- Joca, T. A. C., Oliveira, D. C. de, Zotz, G., Winkler, U., & Moreira, A. S. F. P. (2017). The velamen of epiphytic orchids: Variation in structure and correlations with nutrient absorption. *Flora*, 230, 66–74. <https://doi.org/10.1016/j.flora.2017.03.009>

References

- Johnson, H. W., Robinson, H. F., & Comstock, R. E. (1955). Genotypic and phenotypic correlations in soybeans and their implications in selection. *Agronomy Journal*, *47*(10), 477–483. <https://doi.org/10.2134/agronj1955.00021962004700100008x>
- Johnson, J. S., Cantrell, R. S., Cosner, C., Hartig, F., Hastings, A., Rogers, H. S., Schupp, E. W., Shea, K., Teller, B. J., Yu, X., Zurell, D., & Pufal, G. (2019). Rapid changes in seed dispersal traits may modify plant responses to global change. *AoB Plants*, *11*(3), plz020. <https://doi.org/10.1093/aobpla/plz020>
- Johnson, S. D., Alexandersson, R., & Linder, H. P. (2003). Experimental and phylogenetic evidence for floral mimicry in a guild of fly-pollinated plants. *Biological Journal of the Linnean Society*, *80*(2), 289–304. <https://doi.org/10.1046/j.1095-8312.2003.00236.x>
- Johnson, S. D., & Hobbhahn, N. (2010). Generalized pollination, floral scent chemistry, and a possible case of hybridization in the African orchid *Disa fragrans*. *South African Journal of Botany*, *76*(4), 739–748. <https://doi.org/10.1016/j.sajb.2010.07.008>
- Johnson, S. D. (1994). Evidence for Batesian mimicry in a butterfly-pollinated orchid. *Biological Journal of the Linnean Society*, *53*(1), 91–104. <https://doi.org/10.1111/j.1095-8312.1994.tb01003.x>
- Jones, L., Ennos, A. R., & Turner, S. R. (2001). Cloning and characterization of irregular xylem4 (irx4): a severely lignin-deficient mutant of Arabidopsis. *The Plant Journal*, *26*(2), 205–216. <https://doi.org/10.1046/j.1365-313x.2001.01021.x>
- Jordano, P. (1995). Angiosperm fleshy fruits and seed dispersers: A comparative analysis of adaptation and constraints in plant-animal interactions. *The American Naturalist*, *145*(2), 163–191. <https://doi.org/10.1086/285735>
- Jun, K., & Yoon, S. (2017). Alignment solution for CT image reconstruction using Fixed Point and Virtual Rotation Axis. *Scientific Reports*, *7*, 41218. <https://doi.org/10.1038/srep41218>
- Kagawa, T., Kimura, M., & Wada, M. (2009). Blue light-induced phototropism of inflorescence stems and petioles is mediated by phototropin family members phot1 and phot2. *Plant & Cell Physiology*, *50*(10), 1774–1785. <https://doi.org/10.1093/pcp/pcp119>
- Kannan, S., Hui, J., Mazooji, K., Pachter, L., & Tse, D. (2016). Shannon: an information-optimal de novo RNA-Seq assembler. *BioRxiv*. <https://doi.org/10.1101/039230>
- Karahara, I., Yamauchi, D., Uesugi, K., & Mineyuki, Y. (2015). Three-dimensional imaging of plant tissues using X-ray micro-computed tomography. *Plant Morphology*, *27*(1), 21–26.
- Karremans, A. P., Bogarín, D., Fernández Otárola, M., Sharma, J., Watteyn, C., Warner, J., Rodríguez Herrera, B., Chinchilla, I. F., Carman, E., Rojas Valerio, E., Pilloco Huarcaya, R., & Whitworth, A. (2023). First evidence for multimodal animal seed dispersal in orchids. *Current Biology*, *33*(2), 364–371.e3. <https://doi.org/10.1016/j.cub.2022.11.041>
- Karremans, A. P., Pupulin, F., Grimaldi, D., Beentjes, K. K., Butôt, R., Fazzi, G. E., Kaspers, K., Kruizinga, J., Roessingh, P., Smets, E. F., & Gravendeel, B. (2015). Pollination of *Specklinia* by nectar-feeding Drosophila: the first reported case of a deceptive syndrome employing aggregation pheromones in Orchidaceae. *Annals of Botany*, *116*(3), 437–455. <https://doi.org/10.1093/aob/mcv086>
- Kassambara, A., & Mundt, F. (2020). *factoextra: Extract and Visualize the Results of Multivariate Data Analyses* (1.0.7) [Computer software]. CRAN.R-project.org.
- Keilwagen, J., Hartung, F., Paulini, M., Twardziok, S. O., & Grau, J. (2018). Combining RNA-seq data and homology-based gene prediction for plants, animals and fungi. *BMC Bioinformatics*, *19*(1), 189. <https://doi.org/10.1186/s12859-018-2203-5>
- Kerr, S. C., Gaiti, F., & Tanurdzic, M. (2019). De novo plant transcriptome assembly and annotation using Illumina RNA-Seq reads. *Methods in Molecular Biology*, *1933*, 265–275. https://doi.org/10.1007/978-1-4939-9045-0_16
- Ke, J., Behal, R. H., Back, S. L., Nikolau, B. J., Wurtele, E. S., & Oliver, D. J. (2000). The role of pyruvate dehydrogenase and acetyl-coenzyme a synthetase in fatty acid synthesis in developing Arabidopsis seeds. *Plant Physiology*, *123*(2), 497–508. <https://doi.org/10.1104/pp.123.2.497>

- Khan, A., Kabir, M. Y., & Alam, M. M. (2009). Variability, correlation path analysis of yield and yield components of pointed gourd. *Journal of Agriculture and Rural Development*, 7(1 & 2), 93–98.
- Kim, D., Perteu, G., Trapnell, C., Pimentel, H., Kelley, R., & Salzberg, S. L. (2013). TopHat2: accurate alignment of transcriptomes in the presence of insertions, deletions and gene fusions. *Genome Biology*, 14(4), R36. <https://doi.org/10.1186/gb-2013-14-4-r36>
- Kim, J., Kim, R. J., Lee, S. B., & Chung Suh, M. (2022). Protein-protein interactions in fatty acid elongase complexes are important for very-long-chain fatty acid synthesis. *Journal of Experimental Botany*, 73(9), 3004–3017. <https://doi.org/10.1093/jxb/erab543>
- Kitakura, S., Vanneste, S., Robert, S., Löffke, C., Teichmann, T., Tanaka, H., & Friml, J. (2011). Clathrin mediates endocytosis and polar distribution of PIN auxin transporters in Arabidopsis. *The Plant Cell*, 23(5), 1920–1931. <https://doi.org/10.1105/tpc.111.083030>
- Kivivirta, K. I., Herbert, D., Lange, M., Beuerlein, K., Altmüller, J., & Becker, A. (2019). A protocol for laser microdissection (LMD) followed by transcriptome analysis of plant reproductive tissue in phylogenetically distant angiosperms. *Plant Methods*, 15, 151. <https://doi.org/10.1186/s13007-019-0536-3>
- Kivivirta, K. I., Herbert, D., Roessner, C., de Folter, S., Marsch-Martinez, N., & Becker, A. (2021). Transcriptome analysis of gynoecium morphogenesis uncovers the chronology of gene regulatory network activity. *Plant Physiology*, 185(3), 1076–1090. <https://doi.org/10.1093/plphys/kiaa090>
- Klepikova, A. V., Kasianov, A. S., Ezhova, M. A., Penin, A. A., & Logacheva, M. D. (2021). Transcriptome atlas of *Phalaenopsis equestris*. *PeerJ*, 9, e12600. <https://doi.org/10.7717/peerj.12600>
- Kocyan, A., & Endress, P. K. (2001). Floral structure and development of *Apostasia* and *Neuwiedia* (Apostasioideae) and their relationships to other orchidaceae. *International Journal of Plant Sciences*, 162(4), 847–867. <https://doi.org/10.1086/320781>
- Koo, S. C., Bracko, O., Park, M. S., Schwab, R., Chun, H. J., Park, K. M., Seo, J. S., Grbic, V., Balasubramanian, S., Schmid, M., Godard, F., Yun, D.-J., Lee, S. Y., Cho, M. J., Weigel, D., & Kim, M. C. (2010). Control of lateral organ development and flowering time by the *Arabidopsis thaliana* MADS-box gene *AGAMOUS-LIKE6*. *The Plant Journal*, 62(5), 807–816. <https://doi.org/10.1111/j.1365-313X.2010.04192.x>
- Kostenko, A., Palenstijn, W. J., Coban, S. B., Hendriksen, A. A., van Liere, R., & Batenburg, K. J. (2020). Prototyping X-ray tomographic reconstruction pipelines with Flexbox. *SoftwareX*, 11, 100364. <https://doi.org/10.1016/j.softx.2019.100364>
- Koyama, T., Furutani, M., Tasaka, M., & Ohme-Takagi, M. (2007). TCP transcription factors control the morphology of shoot lateral organs via negative regulation of the expression of boundary-specific genes in Arabidopsis. *The Plant Cell*, 19(2), 473–484. <https://doi.org/10.1105/tpc.106.044792>
- Kraus, A. J., Brink, B. G., & Siegel, T. N. (2019). Efficient and specific oligo-based depletion of rRNA. *Scientific Reports*, 9(1), 12281. <https://doi.org/10.1038/s41598-019-48692-2>
- Kukurba, K. R., & Montgomery, S. B. (2015). RNA sequencing and analysis. *Cold Spring Harbor Protocols*, 2015(11), 951–969. <https://doi.org/10.1101/pdb.top084970>
- Kurzweil, H., & Kocyan, A. (2002). Ontogeny of Orchid Flowers. In T Kull & J. Arditti (Eds.), *Orchid biology: reviews and perspective VIII*. Kluwer Academic Publishers.
- Kurzweil, H. (1987). Developmental studies in orchid flowers I: Epidendroid and vandoid species. *Nordic Journal of Botany*, 7(4), 427–442. <https://doi.org/10.1111/j.1756-1051.1987.tb00964.x>
- Lane, D. R., Wiedemeier, A., Peng, L., Höfte, H., Vernhettes, S., Desprez, T., Hocart, C. H., Birch, R. J., Baskin, T. I., Burn, J. E., Arioli, T., Betzner, A. S., & Williamson, R. E. (2001). Temperature-sensitive alleles of RSW2 link the KORRIGAN endo-1,4-beta-glucanase to cellulose synthesis and cytokinesis in Arabidopsis. *Plant Physiology*, 126(1), 278–288. <https://doi.org/10.1104/pp.126.1.278>
- Langmead, B., & Salzberg, S. L. (2012). Fast gapped-read alignment with Bowtie 2. *Nature Methods*, 9(4), 357–359. <https://doi.org/10.1038/nmeth.1923>

References

- Lee, C. Y., Viswanath, K. K., Huang, J. Z., Lee, C. P., Lin, C. P., Cheng, T. C., Chang, B. C., Chin, S. W., & Chen, F. C. (2018). Research Article PhalDB: A comprehensive database for molecular mining of the *Phalaenopsis* genome, transcriptome and miRNome. *Genetics and Molecular Research*, *17*(4). <https://doi.org/10.4238/gmr18051>
- Lee, Y.-I., Chung, M.-C., Kuo, H.-C., Wang, C.-N., Lee, Y.-C., Lin, C.-Y., Jiang, H., & Yeh, C.-H. (2017). The evolution of genome size and distinct distribution patterns of rDNA in *Phalaenopsis* (Orchidaceae). *Botanical Journal of the Linnean Society*, *185*(1), 65–80. <https://doi.org/10.1093/botlinnean/box049>
- Lee, Y. I., Tseng, Y. F., Lee, Y. C., & Chung, M. C. (2020). Chromosome constitution and nuclear DNA content of *Phalaenopsis* hybrids. *Scientia Horticulturae*, *262*(109089). <https://doi.org/10.1016/j.scienta.2019.109089>
- Leh, T. Y., Yong, C. S. Y., Nulit, R., & Abdullah, J. O. (2019). Efficient and high-quality RNA isolation from metabolite-rich tissues of *Stevia rebaudiana*, an important commercial crop. *Tropical Life Sciences Research*, *30*(1), 149–159. <https://doi.org/10.21315/tlsr2019.30.1.9>
- Lens, F., Picon-Cochard, C., Delmas, C. E. L., Signarbieux, C., Buttler, A., Cochard, H., Jansen, S., Chauvin, T., Doria, L. C., Del Arco, M., & Delzon, S. (2016). Herbaceous angiosperms are not more vulnerable to drought-induced embolism than angiosperm trees. *Plant Physiology*, *172*(2), 661–667. <https://doi.org/10.1104/pp.16.00829>
- Lens, F., Tixier, A., Cochard, H., Sperry, J. S., Jansen, S., & Herbette, S. (2013). Embolism resistance as a key mechanism to understand adaptive plant strategies. *Current Opinion in Plant Biology*, *16*(3), 287–292. <https://doi.org/10.1016/j.cpb.2013.02.005>
- Li-Beisson, Y., Pollard, M., Sauveplane, V., Pinot, F., Ohlrogge, J., & Beisson, F. (2009). Nanoridges that characterize the surface morphology of flowers require the synthesis of cutin polyester. *Proceedings of the National Academy of Sciences of the United States of America*, *106*(51), 22008–22013. <https://doi.org/10.1073/pnas.0909090106>
- Li-Beisson, Y., Shorosh, B., Beisson, F., Andersson, M. X., Arondel, V., Bates, P. D., Baud, S., Bird, D., Debono, A., Durrett, T. P., Franke, R. B., Graham, I. A., Katayama, K., Kelly, A. A., Larson, T., Markham, J. E., Miquel, M., Molina, I., Nishida, I., ... Ohlrogge, J. (2013). Acyl-lipid metabolism. *The Arabidopsis Book / American Society of Plant Biologists*, *11*, e0161. <https://doi.org/10.1199/tab.0161>
- Liljegren, S. J., Ditta, G. S., Eshed, Y., Savidge, B., Bowman, J. L., & Yanofsky, M. F. (2000). SHATTER-PROOF MADS-box genes control seed dispersal in Arabidopsis. *Nature*, *404*(6779), 766–770. <https://doi.org/10.1038/35008089>
- Liljegren, S. J., Roeder, A. H., Kempin, S. A., Gremski, K., Østergaard, L., Guimil, S., Reyes, D. K., & Yanofsky, M. F. (2004). Control of fruit patterning in Arabidopsis by INDEHISCENT. *Cell*, *116*(6), 843–853. [https://doi.org/10.1016/s0092-8674\(04\)00217-x](https://doi.org/10.1016/s0092-8674(04)00217-x)
- Lin, Y.-F., Chen, Y.-Y., Hsiao, Y.-Y., Shen, C.-Y., Hsu, J.-L., Yeh, C.-M., Mitsuda, N., Ohme-Takagi, M., Liu, Z.-J., & Tsai, W.-C. (2016). Genome-wide identification and characterization of TCP genes involved in ovule development of *Phalaenopsis equestris*. *Journal of Experimental Botany*, *67*(17), 5051–5066. <https://doi.org/10.1093/jxb/erw273>
- Lisch, D. (2013). How important are transposons for plant evolution? *Nature Reviews. Genetics*, *14*(1), 49–61. <https://doi.org/10.1038/nrg3374>
- Liu, N. (2019). Effects of IAA and ABA on the immature peach fruit development process. *Horticultural Plant Journal*. <https://doi.org/10.1016/j.hpj.2019.01.005>
- Liu, Q., Luo, L., & Zheng, L. (2018). Lignins: biosynthesis and biological functions in plants. *International Journal of Molecular Sciences*, *19*(2). <https://doi.org/10.3390/ijms19020335>
- Li, B., Fillmore, N., Bai, Y., Collins, M., Thomson, J. A., Stewart, R., & Dewey, C. N. (2014). Evaluation of de novo transcriptome assemblies from RNA-Seq data. *Genome Biology*, *15*(12), 553. <https://doi.org/10.1186/s13059-014-0553-5>
- Li, C., Dong, N., Zhao, Y., Wu, S., Liu, Z., & Zhai, J. (2021). A review for the breeding of orchids: Current achievements and prospects. *Horticultural Plant Journal*, *7*(5), 380–392. <https://doi.org/10.1016/j.hpj.2021.02.006>
- Li, F., Wu, X., Lam, P., Bird, D., Zheng, H., Samuels, L., Jetter, R., & Kunst, L. (2008). Identification of the wax ester synthase/acyl-coenzyme A: diacylglycerol acyltransferase WSD1 required for stem wax ester biosynthesis in Arabidopsis. *Plant Physiology*, *148*(1), 97–107. <https://doi.org/10.1104/pp.108.123471>

- Li, H., Liang, W., Jia, R., Yin, C., Zong, J., Kong, H., & Zhang, D. (2010). The *AGL6*-like gene *OsMADS6* regulates floral organ and meristem identities in rice. *Cell Research*, *20*(3), 299–313. <https://doi.org/10.1038/cr.2009.143>
- Li, Heng, & Durbin, R. (2009). Fast and accurate short read alignment with Burrows-Wheeler transform. *Bioinformatics*, *25*(14), 1754–1760. <https://doi.org/10.1093/bioinformatics/btp324>
- Li, H. (2015). BFC: correcting Illumina sequencing errors. *Bioinformatics*, *31*(17), 2885–2887. <https://doi.org/10.1093/bioinformatics/btv290>
- Li, J., Harata-Lee, Y., Denton, M. D., Feng, Q., Rathjen, J. R., Qu, Z., & Adelson, D. L. (2017). Long read reference genome-free reconstruction of a full-length transcriptome from *Astragalus membranaceus* reveals transcript variants involved in bioactive compound biosynthesis. *Cell Discovery*, *3*, 17031. <https://doi.org/10.1038/celldisc.2017.31>
- Li, R. J., Gao, X., Li, L. M., Liu, X. L., Wang, Z. Y., & Lü, S.-Y. (2016). De novo assembly and characterization of the fruit transcriptome of *Idesia polycarpa* reveals candidate genes for lipid biosynthesis. *Frontiers in Plant Science*, *7*, 801. <https://doi.org/10.3389/fpls.2016.00801>
- Li, S., Yamada, M., Han, X., Ohler, U., & Benfey, P. N. (2016). High-resolution expression map of the Arabidopsis root reveals alternative splicing and lincRNA regulation. *Developmental Cell*, *39*(4), 508–522. <https://doi.org/10.1016/j.devcel.2016.10.012>
- Li, W., & Godzik, A. (2006). Cd-hit: a fast program for clustering and comparing large sets of protein or nucleotide sequences. *Bioinformatics*, *22*(13), 1658–1659. <https://doi.org/10.1093/bioinformatics/btl158>
- Li, X., Yang, Y., Yao, J., Chen, G., Li, X., Zhang, Q., & Wu, C. (2009). *FLEXIBLE CULM 1* encoding a cinnamyl-alcohol dehydrogenase controls culm mechanical strength in rice. *Plant Molecular Biology*, *69*(6), 685–697. <https://doi.org/10.1007/s11103-008-9448-8>
- Li, Y., Beisson, F., Koo, A. J. K., Molina, I., Pollard, M., & Ohlrogge, J. (2007). Identification of acyltransferases required for cutin biosynthesis and production of cutin with suberin-like monomers. *Proceedings of the National Academy of Sciences of the United States of America*, *104*(46), 18339–18344. <https://doi.org/10.1073/pnas.0706984104>
- Li, Y., Liu, G., Li, J., You, Y., Zhao, H., Liang, H., & Mao, P. (2015). Acid detergent lignin, lodging resistance index, and expression of the caffeic acid O-methyltransferase gene in brown midrib-12 sudangrass. *Breeding Science*, *65*(4), 291–297. <https://doi.org/10.1270/jsbbs.65.291>
- Long, Y., Liu, Z., Jia, J., Mo, W., Fang, L., Lu, D., Liu, B., Zhang, H., Chen, W., & Zhai, J. (2021). FlsnRNA-seq: protoplasting-free full-length single-nucleus RNA profiling in plants. *Genome Biology*, *22*(1), 66. <https://doi.org/10.1186/s13059-021-02288-0>
- Lopez, T., Runkle, E., Wang, Y.-T., Blanchard, M., & Hsu, T. (2007, March). Growing the best *Phalaenopsis*. *Orchids*, 182–187.
- Lozano Rodríguez, M. Á., Luna Rodríguez, M., Pech Canché, J. M., Menchaca García, R. A., & Cerdán Cabrera, C. R. (2022). Visit frequency of *Euglossine* bees (Hymenoptera: Apidae) to mature fruits of *Vanilla planifolia* (Orchidaceae). *Acta Botanica Mexicana*, *129*. <https://doi.org/10.21829/abm129.2022.2001>
- Lucibelli, F., Valoroso, M. C., Theißen, G., Nolden, S., Mondragon-Palomino, M., & Aceto, S. (2021). Extending the toolkit for beauty: Differential co-expression of *DROOPING LEAF*-like and class B MADS-Box genes during *Phalaenopsis* flower development. *International Journal of Molecular Sciences*, *22*(13), 7025. <https://doi.org/10.3390/ijms22137025>
- Lynch, M., & Force, A. (2000). The probability of duplicate gene preservation by subfunctionalization. *Genetics*, *154*(1), 459–473. <https://doi.org/10.1093/genetics/154.1.459>
- Lyshede, O. B. (2002). Comparative and functional leaf anatomy of selected Alstroemeriaceae of mainly Chilean origin. *Botanical Journal of the Linnean Society*, *140*(3), 261–272. <https://doi.org/10.1046/j.1095-8339.2002.00091.x>

References

- Maceda-López, L. F., Villalpando-Aguilar, J. L., García-Hernández, E., Ávila de Dios, E., Andrade-Canto, S. B., Morán-Velázquez, D. C., Rodríguez-López, L., Hernández-Díaz, D., Chablé-Vega, M. A., Trejo, L., Góngora-Castillo, E., López-Rosas, I., Simpson, J., & Alatorre-Cobos, F. (2021). Improved method for isolation of high-quality total RNA from *Agave tequilana* Weber roots. *3 Biotech*, *11*(2), 75. <https://doi.org/10.1007/s13205-020-02620-8>
- MacManes, M. D. (2018). The Oyster River Protocol: a multi-assembler and kmer approach for de novo transcriptome assembly. *PeerJ*, *6*, e5428. <https://doi.org/10.7717/peerj.5428>
- Madrigal, Y., Alzate, J. F., González, F., & Pabón-Mora, N. (2019). Evolution of *RADIALIS* and *DIVARICATA* gene lineages in flowering plants with an expanded sampling in non-core eudicots. *American Journal of Botany*, *106*(3), 334–351. <https://doi.org/10.1002/ajb2.1243>
- Madrigal, Y., Alzate, J. F., & Pabón-Mora, N. (2017). Evolution and expression patterns of *TCP* genes in asparagales. *Frontiers in Plant Science*, *8*, 9. <https://doi.org/10.3389/fpls.2017.00009>
- Magallón, S., Gómez-Acevedo, S., Sánchez-Reyes, L. L., & Hernández-Hernández, T. (2015). A metacalibrated time-tree documents the early rise of flowering plant phylogenetic diversity. *The New Phytologist*, *207*(2), 437–453. <https://doi.org/10.1111/nph.13264>
- Magallón, S., Sánchez-Reyes, L. L., & Gómez-Acevedo, S. L. (2019). Thirty clues to the exceptional diversification of flowering plants. *Annals of Botany*, *123*(3), 491–503. <https://doi.org/10.1093/aob/mcy182>
- Manassero, N. G. U., Viola, I. L., Welchen, E., & Gonzalez, D. H. (2013). *TCP* transcription factors: architectures of plant form. *Biomolecular Concepts*, *4*(2), 111–127. <https://doi.org/10.1515/bmc-2012-0051>
- Mao, S., Pachter, L., Tse, D., & Kannan, S. (2020). RefShannon: a genome-guided transcriptome assembler using sparse flow decomposition. *Plos One*, *15*(6), e0232946. <https://doi.org/10.1371/journal.pone.0232946>
- Marine, R., Polson, S. W., Ravel, J., Hatfull, G., Russell, D., Sullivan, M., Syed, F., Dumas, M., & Wommack, K. E. (2011). Evaluation of a transposase protocol for rapid generation of shotgun high-throughput sequencing libraries from nanogram quantities of DNA. *Applied and Environmental Microbiology*, *77*(22), 8071–8079. <https://doi.org/10.1128/AEM.05610-11>
- Martin, J. A., & Wang, Z. (2011). Next-generation transcriptome assembly. *Nature Reviews. Genetics*, *12*(10), 671–682. <https://doi.org/10.1038/nrg3068>
- Mason, O. U., Hazen, T. C., Borglin, S., Chain, P. S. G., Dubinsky, E. A., Fortney, J. L., Han, J., Holman, H.-Y. N., Hultman, J., Lamendella, R., Mackelprang, R., Malfatti, S., Tom, L. M., Tringe, S. G., Woyke, T., Zhou, J., Rubin, E. M., & Jansson, J. K. (2012). Metagenome, metatranscriptome and single-cell sequencing reveal microbial response to Deepwater Horizon oil spill. *The ISME Journal*, *6*(9), 1715–1727. <https://doi.org/10.1038/ismej.2012.59>
- Mayer, J. L. S., Carmello-Guerreiro, S. M., & Apezazato-da-Glória, B. (2011). Anatomical development of the pericarp and seed of *Oncidium flexuosum* Sims (Orchidaceae). *Flora - Morphology, Distribution, Functional Ecology of Plants*, *206*(6), 601–609. <https://doi.org/10.1016/j.flora.2011.01.009>
- Mayer, J. L. S., Scopece, G., Barone Lumaga, M. R., Coiro, M., Pinheiro, F., & Cozzolino, S. (2021). Ecological and phylogenetic constraints determine the stage of anthetic ovule development in orchids. *American Journal of Botany*, *108*(12), 2405–2415. <https://doi.org/10.1002/ajb2.1770>
- McCormick, M. K., Lee Taylor, D., Juhaszova, K., Burnett, R. K., Whigham, D. F., & O'Neill, J. P. (2012). Limitations on orchid recruitment: not a simple picture. *Molecular Ecology*, *21*(6), 1511–1523. <https://doi.org/10.1111/j.1365-294X.2012.05468.x>
- McFarlane, H. E., Shin, J. J. H., Bird, D. A., & Samuels, A. L. (2010). Arabidopsis ABCG transporters, which are required for export of diverse cuticular lipids, dimerize in different combinations. *The Plant Cell*, *22*(9), 3066–3075. <https://doi.org/10.1105/tpc.110.077974>
- McGettigan, P. A. (2013). Transcriptomics in the RNA-seq era. *Current Opinion in Chemical Biology*, *17*(1), 4–11. <https://doi.org/10.1016/j.cbpa.2012.12.008>
- McWhirter, K. S. (1979). *Breeding of cross pollinated crops*. Plant breeding Aust Vice Cons Committee.

- Meinke, D. W., & Sussex, I. M. (1979). Embryo-lethal mutants of *Arabidopsis thaliana*. *Developmental Biology*, 72(1), 50–61. [https://doi.org/10.1016/0012-1606\(79\)90097-6](https://doi.org/10.1016/0012-1606(79)90097-6)
- Meyer, N. (2010). Comparaison de variantes de régressions logistiques PLS et de régression PLS sur variables qualitative: application aux données d'allélotypage [Comparing the linear and the logistic PLS regression with qualitative predictors: application to allelotyping data] (M. Maumy-Bertrand & F. Bertrand, Trans.). *Journal de La Société Française de Statistique*, 151(2), 1–18.
- Milatović, D., Nikolić, D., & Đurović, D. (2010). Variability, heritability and correlations of some factors affecting productivity in peach. *Horticultural Science*, 37(No. 3), 79–87. <https://doi.org/10.17221/63/2009-HORTSCI>
- Miller, M. A., Pfeiffer, W., & Schwartz, T. (2010). Creating the CIPRES Science Gateway for inference of large phylogenetic trees. *2010 Gateway Computing Environments Workshop (GCE)*, 1–8. <https://doi.org/10.1109/GCE.2010.5676129>
- Ming, R., VanBuren, R., Wai, C. M., Tang, H., Schatz, M. C., Bowers, J. E., Lyons, E., Wang, M.-L., Chen, J., Biggers, E., Zhang, J., Huang, L., Zhang, L., Miao, W., Zhang, J., Ye, Z., Miao, C., Lin, Z., Wang, H., ... Yu, Q. (2015). The pineapple genome and the evolution of CAM photosynthesis. *Nature Genetics*, 47(12), 1435–1442. <https://doi.org/10.1038/ng.3435>
- Mitchell, C. H., & Diggle, P. K. (2005). The evolution of unisexual flowers: morphological and functional convergence results from diverse developmental transitions. *American Journal of Botany*, 92(7), 1068–1076. <https://doi.org/10.3732/ajb.92.7.1068>
- Moczek, A. P., Sears, K. E., Stollewerk, A., Wittkopp, P. J., Diggle, P., Dworkin, I., Ledon-Rettig, C., Matus, D. Q., Roth, S., Abouheif, E., Brown, F. D., Chiu, C.-H., Cohen, C. S., Tomaso, A. W. D., Gilbert, S. F., Hall, B., Love, A. C., Lyons, D. C., Sanger, T. J., ... Extavour, C. G. (2015). The significance and scope of evolutionary developmental biology: a vision for the 21st century. *Evolution & Development*, 17(3), 198–219. <https://doi.org/10.1111/ede.12125>
- Moctezuma, E. (1999). Changes in auxin patterns in developing gynophores of the peanut plant (*Arachis hypogaea* L.). *Annals of Botany* 83(3), 235–242. <https://doi.org/10.1006/anbo.1998.0814>
- Mohanty, P., Das, M. C., Kumaria, S., & Tandon, P. (2012). High-efficiency cryopreservation of the medicinal orchid *Dendrobium nobile* Lindl. *Plant Cell, Tissue and Organ Culture (PCTOC)*, 109(2), 297–305. <https://doi.org/10.1007/s11240-011-0095-4>
- Mölder, F., Jablonski, K. P., Letcher, B., Hall, M. B., Tomkins-Tinch, C. H., Sochat, V., Forster, J., Lee, S., Twardziok, S. O., Kanitz, A., Wilm, A., Holtgrewe, M., Rahmann, S., Nahnsen, S., & Köster, J. (2021). Sustainable data analysis with Snakemake. *F1000Research*, 10, 33. <https://doi.org/10.12688/f1000research.29032.2>
- Mondragón-Palomino, M., Hiese, L., Härter, A., Koch, M. A., & Theissen, G. (2009). Positive selection and ancient duplications in the evolution of class B floral homeotic genes of orchids and grasses. *BMC Evolutionary Biology*, 9, 81. <https://doi.org/10.1186/1471-2148-9-81>
- Mondragón-Palomino, M., & Theissen, G. (2008). MADS about the evolution of orchid flowers. *Trends in Plant Science*, 13(2), 51–59. <https://doi.org/10.1016/j.tplants.2007.11.007>
- Mondragón-Palomino, M., & Theissen, G. (2009). Why are orchid flowers so diverse? Reduction of evolutionary constraints by paralogues of class B floral homeotic genes. *Annals of Botany*, 104(3), 583–594. <https://doi.org/10.1093/aob/mcn258>
- Moniruzzaman, M., Wurch, L. L., Alexander, H., Dyhrman, S. T., Gobler, C. J., & Wilhelm, S. W. (2017). Virus-host relationships of marine single-celled eukaryotes resolved from metatranscriptomics. *Nature Communications*, 8, 16054. <https://doi.org/10.1038/ncomms16054>
- Morozova, O., Hirst, M., & Marra, M. A. (2009). Applications of new sequencing technologies for transcriptome analysis. *Annual Review of Genomics and Human Genetics*, 10, 135–151. <https://doi.org/10.1146/annurev-genom-082908-145957>
- Moulton, D. E., Oliveri, H., & Goriely, A. (2020). Multiscale integration of environmental stimuli in plant tropism produces complex behaviors. *Proceedings of the National Academy of Sciences of the United States of America*, 117(51), 32226–32237. <https://doi.org/10.1073/pnas.2016025117>

References

- Mühlhausen, A., Polster, A., Theißen, G., & Mummenhoff, K. (2010). Evolution of fruit dehiscence in Brassicaceae – Examples from *Aethionema* and *Lepidium*. *Acta Horticulturae*, 867, 207–220. <https://doi.org/10.17660/ActaHortic.2010.867.25>
- Mühlhausen, Andreas, Lenser, T., Mummenhoff, K., & Theißen, G. (2013). Evidence that an evolutionary transition from dehiscent to indehiscent fruits in *Lepidium* (Brassicaceae) was caused by a change in the control of valve margin identity genes. *The Plant Journal*, 73(5), 824–835. <https://doi.org/10.1111/tpj.12079>
- Mummenhoff, K., Brüggemann, H., & Bowman, J. L. (2001). Chloroplast DNA phylogeny and biogeography of *Lepidium* (Brassicaceae). *American Journal of Botany*, 88(11), 2051–2063.
- Mummenhoff, Klaus, Al-Shehbaz, I., Bakker, F., & Linder, P. (2005). Phylogeny, morphological evolution, and speciation of endemic Brassicaceae genera in the Cape Flora of Southern Africa. *Annals of the Missouri Botanical Garden*, 92(3), 400–424.
- Mummenhoff, Klaus, Polster, A., Mühlhausen, A., & Theissen, G. (2009). *Lepidium* as a model system for studying the evolution of fruit development in Brassicaceae. *Journal of Experimental Botany*, 60(5), 1503–1513. <https://doi.org/10.1093/jxb/ern304>
- Nakamura, M., & Hashimoto, T. (2020). Mechanistic insights into plant chiral growth. *Symmetry: Culture and Science*, 12(12), 2056. <https://doi.org/10.3390/sym12122056>
- Nardelli, P., Khan, K. A., Corvò, A., Moore, N., Murphy, M. J., Twomey, M., O'Connor, O. J., Kennedy, M. P., Estépar, R. S. J., Maher, M. M., & Cantillon-Murphy, P. (2015). Optimizing parameters of an open-source airway segmentation algorithm using different CT images. *Biomedical Engineering Online*, 14, 62. <https://doi.org/10.1186/s12938-015-0060-2>
- Neirenberg, L. (1972). The mechanism for the maintenance of species integrity in sympatrically occurring equitant oncidiums in the Caribbean. *American Orchid Society Bulletin*, 41, 873–882.
- Netlak, P., Imsabai, W., Munné-Bosch, S., Leethiti, P., & van Doorn, W. G. (2022). Identification of indole-3-acetic acid as an important hormone in post-pollination of *Dendrobium* orchids and interaction of other hormones. *Agriculture and Natural Resources*, 56(1), 149–158. <https://doi.org/10.34044/j.anres.2021.56.1.14>
- Niimoto, D. H., & Sagawa, Y. (1962). Ovule development in *Phalaenopsis*. *Caryologia*, 15(1), 89–97. <https://doi.org/10.1080/00087114.1962.10796051>
- Niu, S. C., Xu, Q., Zhang, G. Q., Zhang, Y. Q., Tsai, W. C., Hsu, J.-L., Liang, C.-K., Luo, Y.-B., & Liu, Z.-J. (2016). De novo transcriptome assembly databases for the butterfly orchid *Phalaenopsis equestris*. *Scientific Data*, 3, 160083. <https://doi.org/10.1038/sdata.2016.83>
- Niu, Y., Zhou, Z., Sha, W., & Sun, H. (2016). Post-floral erection of stalks provides insight into the evolution of fruit orientation and its effects on seed dispersal. *Scientific Reports*, 6, 20146. <https://doi.org/10.1038/srep20146>
- Nyman, L. P., Soediono, N., & Arditti, J. (1984). Opening and resupination in buds and flowers of *Dendrobium* (orchidaceae) hybrids. *Botanical Gazette*, 145(2), 215–221. <https://doi.org/10.1086/337449>
- Nyman, L. P., Soediono, N., & Arditti, J. (1985). Resupination in flowers of two *Dendrobium* (orchidaceae) hybrids: effects of nodal position and removal of floral segments. *Botanical Gazette*, 146(2), 181–187. <https://doi.org/10.1086/337513>
- Ogawa, M., Kay, P., Wilson, S., & Swain, S. M. (2009). ARABIDOPSIS DEHISCENCE ZONE POLYGALACTURONASE1 (ADPG1), ADPG2, and QUARTET2 are Polygalacturonases required for cell separation during reproductive development in Arabidopsis. *The Plant Cell*, 21(1), 216–233. <https://doi.org/10.1105/tpc.108.063768>
- Ohmori, S., Kimizu, M., Sugita, M., Miyao, A., Hirochika, H., Uchida, E., Nagato, Y., & Yoshida, H. (2009). *MOSAIC FLORAL ORGANS1*, an *AGL6*-like MADS box gene, regulates floral organ identity and meristem fate in rice. *The Plant Cell*, 21(10), 3008–3025. <https://doi.org/10.1105/tpc.109.068742>
- Oikonomopoulos, S., Bayega, A., Fahiminiya, S., Djambazian, H., Berube, P., & Ragoussis, J. (2020). Methodologies for transcript profiling using long-read technologies. *Frontiers in Genetics*, 11, 606. <https://doi.org/10.3389/fgene.2020.00606>
- One Thousand Plant Transcriptomes Initiative. (2019). One thousand plant transcriptomes and the phylogenomics of green plants. *Nature*, 574(7780), 679–685. <https://doi.org/10.1038/s41586-019-1693-2>

- Oshima, Y., Shikata, M., Koyama, T., Ohtsubo, N., Mitsuda, N., & Ohme-Takagi, M. (2013). MIXTA-like transcription factors and WAX INDUCER1/SHINE1 coordinately regulate cuticle development in Arabidopsis and *Torenia fournieri*. *The Plant Cell*, 25(5), 1609–1624. <https://doi.org/10.1105/tpc.113.110783>
- Otsuka, Y., & Tsukaya, H. (2021). Three-dimensional quantification of twisting in the Arabidopsis petiole. *Journal of Plant Research*, 134(4), 811–819. <https://doi.org/10.1007/s10265-021-01291-7>
- Ottenschläger, I., Wolff, P., Wolvertson, C., Bhalerao, R. P., Sandberg, G., Ishikawa, H., Evans, M., & Palme, K. (2003). Gravity-regulated differential auxin transport from columella to lateral root cap cells. *Proceedings of the National Academy of Sciences of the United States of America*, 100(5), 2987–2991. <https://doi.org/10.1073/pnas.0437936100>
- Pabón-Mora, N., Suárez-Baron, H., Ambrose, B. A., & González, F. (2015). Flower development and perianth identity candidate genes in the basal angiosperm *Aristolochia fimbriata* (Piperales: Aristolochiaceae). *Frontiers in Plant Science*, 6, 1095. <https://doi.org/10.3389/fpls.2015.01095>
- Pagel, Mark, Meade, A., & Barker, D. (2004). Bayesian estimation of ancestral character states on phylogenies. *Systematic Biology*, 53(5), 673–684. <https://doi.org/10.1080/10635150490522232>
- Pagel, Mark, & Meade, A. (2006). Bayesian analysis of correlated evolution of discrete characters by reversible-jump Markov chain Monte Carlo. *The American Naturalist*, 167(6), 808–825. <https://doi.org/10.1086/503444>
- Pagel, Mark. (1999). The Maximum Likelihood approach to reconstructing ancestral character states of discrete characters on phylogenies. *Systematic Biology*, 48(3), 612–622. <https://doi.org/10.1080/106351599260184>
- Pagel, M. (1994). Detecting correlated evolution on phylogenies: A general method for the comparative analysis of discrete characters. *Proceedings of the Royal Society B: Biological Sciences*, 255(1342), 37–45. <https://doi.org/10.1098/rspb.1994.0006>
- Palenstijn, W. J., Bédorf, J., Sijbers, J., & Batenburg, K. J. (2017). A distributed ASTRA toolbox. *Advanced Structural and Chemical Imaging*, 2(1), 19. <https://doi.org/10.1186/s40679-016-0032-z>
- Panikashvili, D., Shi, J. X., Schreiber, L., & Aharoni, A. (2011). The Arabidopsis ABCG13 transporter is required for flower cuticle secretion and patterning of the petal epidermis. *The New Phytologist*, 190(1), 113–124. <https://doi.org/10.1111/j.1469-8137.2010.03608.x>
- Pansarin, E. R., & Suetsugu, K. (2022). Mammal-mediated seed dispersal in *Vanilla*: Its rewards and clues to the evolution of fleshy fruits in orchids. *Ecology*, 103, e3701. <https://doi.org/10.1002/ecy.3701>
- Panwar, D., Ram, K., Harish, & Shekhawat, N. S. (2012). *In vitro* propagation of *Eulophia nuda* Lindl., an endangered orchid. *Scientia Horticulturae*, 139, 46–52. <https://doi.org/10.1016/j.scienta.2012.01.011>
- Pan, Z.-J., Cheng, C.-C., Tsai, W.-C., Chung, M.-C., Chen, W.-H., Hu, J.-M., & Chen, H.-H. (2011). The duplicated B-class MADS-box genes display dualistic characters in orchid floral organ identity and growth. *Plant & Cell Physiology*, 52(9), 1515–1531. <https://doi.org/10.1093/pcp/pcr092>
- Pan, Z.-J., Chen, Y.-Y., Du, J.-S., Chen, Y.-Y., Chung, M.-C., Tsai, W.-C., Wang, C.-N., & Chen, H.-H. (2014). Flower development of *Phalaenopsis* orchid involves functionally divergent *SEPALLATA*-like genes. *The New Phytologist*, 202(3), 1024–1042. <https://doi.org/10.1111/nph.12723>
- Paradiso, R., & De Pascale, S. (2014). Effects of plant size, temperature, and light intensity on flowering of *Phalaenopsis* hybrids in Mediterranean greenhouses. *TheScientificWorldJournal*, 2014, 420807. <https://doi.org/10.1155/2014/420807>
- Paradis, E., Claude, J., & Strimmer, K. (2004). APE: Analyses of Phylogenetics and Evolution in R language. *Bioinformatics*, 20(2), 289–290. <https://doi.org/10.1093/bioinformatics/btg412>
- Patro, R., Duggal, G., Love, M. I., Irizarry, R. A., & Kingsford, C. (2017). Salmon provides fast and bias-aware quantification of transcript expression. *Nature Methods*, 14(4), 417–419. <https://doi.org/10.1038/nmeth.4197>
- Patro, R., Mount, S. M., & Kingsford, C. (2014). Sailfish enables alignment-free isoform quantification from RNA-seq reads using lightweight algorithms. *Nature Biotechnology*, 32(5), 462–464. <https://doi.org/10.1038/nbt.2862>

References

- Paul, S., Gable, K., Beaudoin, F., Cahoon, E., Jaworski, J., Napier, J. A., & Dunn, T. M. (2006). Members of the Arabidopsis FAE1-like 3-ketoacyl-CoA synthase gene family substitute for the Elop proteins of *Saccharomyces cerevisiae*. *The Journal of Biological Chemistry*, *281*(14), 9018–9029. <https://doi.org/10.1074/jbc.M507723200>
- Pelaz, S., Ditta, G. S., Baumann, E., Wisman, E., & Yanofsky, M. F. (2000). B and C floral organ identity functions require *SEPALLATA* MADS-box genes. *Nature*, *405*(6783), 200–203. <https://doi.org/10.1038/35012103>
- Pérez-Losada, M., Castro-Nallar, E., Bendall, M. L., Freishtat, R. J., & Crandall, K. A. (2015). Dual transcriptomic profiling of host and microbiota during health and disease in pediatric asthma. *Plos One*, *10*(6), e0131819. <https://doi.org/10.1371/journal.pone.0131819>
- Perteua, M., Perteua, G. M., Antonescu, C. M., Chang, T.-C., Mendell, J. T., & Salzberg, S. L. (2015). StringTie enables improved reconstruction of a transcriptome from RNA-seq reads. *Nature Biotechnology*, *33*(3), 290–295. <https://doi.org/10.1038/nbt.3122>
- Prátršek, J., & Friml, J. (2009). Auxin transport routes in plant development. *Development*, *136*(16), 2675–2688. <https://doi.org/10.1242/dev.030353>
- Pevzner, P. A., Tang, H., & Waterman, M. S. (2001). An Eulerian path approach to DNA fragment assembly. *Proceedings of the National Academy of Sciences of the United States of America*, *98*(17), 9748–9753. <https://doi.org/10.1073/pnas.171285098>
- Pfaffl, M. W. (2001). A new mathematical model for relative quantification in real-time RT-PCR. *Nucleic Acids Research*, *29*(9), e45. <https://doi.org/10.1093/nar/29.9.e45>
- Piétu, G., Eveno, E., Soury-Segurens, B., Fayein, N. A., Mariage-Samson, R., Matingou, C., Leroy, E., Dechesne, C., Krieger, S., Ansoerge, W., Reguigne-Arnould, I., Cox, D., Dehejia, A., Polymeropoulos, M. H., Devignes, M. D., & Auffray, C. (1999). The Genexpress IMAGE knowledge base of the human muscle transcriptome: a resource of structural, functional, and positional candidate genes for muscle physiology and pathologies. *Genome Research*, *9*(12), 1313–1320. <https://doi.org/10.1101/gr.9.12.1313>
- Piovesan, A., Vancauwenberghe, V., Van De Looverbosch, T., Verboven, P., & Nicolaï, B. (2021). X-ray computed tomography for 3D plant imaging. *Trends in Plant Science*, *26*(11), 1171–1185. <https://doi.org/10.1016/j.tplants.2021.07.010>
- Plummer, M., Best, N., Cowles, K., & Vines, K. (2006). CODA: convergence diagnosis and output analysis for MCMC. *RNews*, *6*(1), 7–11.
- Poinar, G., & Rasmussen, F. N. (2017). Orchids from the past, with a new species in Baltic amber. *Botanical Journal of the Linnean Society*, *183*(3), 327–333. <https://doi.org/10.1093/botlinnean/bow018>
- Poretsky, R. S., Bano, N., Buchan, A., LeClerc, G., Kleikemper, J., Pickering, M., Pate, W. M., Moran, M. A., & Hollibaugh, J. T. (2005). Analysis of microbial gene transcripts in environmental samples. *Applied and Environmental Microbiology*, *71*(7), 4121–4126. <https://doi.org/10.1128/AEM.71.7.4121-4126.2005>
- Porter, T. M., & Hajibabaei, M. (2018). Scaling up: A guide to high-throughput genomic approaches for biodiversity analysis. *Molecular Ecology*, *27*(2), 313–338. <https://doi.org/10.1111/mec.14478>
- Pramanik, D., Dorst, N., Meesters, N., Spaans, M., Smets, E., Welten, M., & Gravendeel, B. (2020). Evolution and development of three highly specialized floral structures of bee-pollinated *Phalaenopsis* species. *EvoDevo*, *11*, 16. <https://doi.org/10.1186/s13227-020-00160-z>
- Pramanik, D., Spaans, M., Kranenburg, T., Bogarin, D., Heijungs, R., Lens, F., Smets, E., & Gravendeel, B. (2022). Inflorescence lignification of natural species and horticultural hybrids of *Phalaenopsis* orchids. *Scientia Horticulturae*, *295*, 110845. <https://doi.org/10.1016/j.scienta.2021.110845>
- Pridgeon, A. M., Stern, W. L., & Benzing, D. H. (1983). Tilosomes in roots of Orchidaceae: morphology and systematic occurrence. *American Journal of Botany*, *70*(9), 1365. <https://doi.org/10.2307/2443427>
- Pridgeon, A. M., Rasmussen, F. N., Chase, M. W., & Cribb, P. J. (1999). *Genera Orchidacearum Volume 3: Orchidoideae (Part 2) Vanilloideae* (p. 400). Oxford University Press.
- Pridgeon, A. M., Cribb, P. J., Chase, M. W., & Rasmussen, F. N. (2014). *Genera Orchidacearum Volume 6: Epidendroideae (Part 3)* (Vol. 6, p. 544). Oxford University Press.

- Pridgeon, A. M. (1987). The velamen and exodermis of orchid roots. In J. Arditti (Ed.), *Orchid biology: reviews and perspectives* (pp. 141–192). Cornell University Press.
- Pridgeon, A. M. (2014). *Genera orchidacearum* (A. M. Pridgeon, P. J. Cribb, M. W. Chase, & F. N. Rasmussen, Eds.; Vol. 6, p. 576). OUP Oxford.
- Prosser, J. I. (2015). Dispersing misconceptions and identifying opportunities for the use of “omics” in soil microbial ecology. *Nature Reviews. Microbiology*, *13*(7), 439–446. <https://doi.org/10.1038/nrmicro3468>
- Prud'homme, B., Gompel, N., & Carroll, S. B. (2007). Emerging principles of regulatory evolution. *Proceedings of the National Academy of Sciences of the United States of America*, *104* Suppl 1(Suppl 1), 8605–8612. <https://doi.org/10.1073/pnas.0700488104>
- Przelomska, N. A. S., Dodsworth, S., Simões, A. R. G., Malakasi, P., Kahandawala, I., Woods, R., Fulcher, T., Woudstra, Y., & Grace, O. M. (2022). Chapter 1. DNA from plant tissue. In H. de Boer, M. O. Rydmark, B. Verstraete, & B. Gravendeel (Eds.), *Molecular identification of plants: from sequence to species. Advanced Books*. (pp. 10–28). Pensoft. <https://doi.org/10.3897/ab.e98875>
- Raimundo, J., Sobral, R., Bailey, P., Azevedo, H., Galego, L., Almeida, J., Coen, E., & Costa, M. M. R. (2013). A subcellular tug of war involving three MYB-like proteins underlies a molecular antagonism in *Antirrhinum* flower asymmetry. *The Plant Journal*, *75*(4), 527–538. <https://doi.org/10.1111/tbj.12225>
- Rajani, S., & Sundaresan, V. (2001). The Arabidopsis myc/bHLH gene *ALCATRAZ* enables cell separation in fruit dehiscence. *Current Biology*, *11*(24), 1914–1922. [https://doi.org/10.1016/s0960-9822\(01\)00593-0](https://doi.org/10.1016/s0960-9822(01)00593-0)
- Rambaut, Andrew. (2006). *FigTree, version 1.4.3* (1.4.3) [Computer software]. <http://tree.bio.ed.ac.uk/software/figtree/>.
- Rambaut, A. (2014). *FigTree* (v1.3.1) [Computer software]. Institute of Evolutionary Biology, University of Edinburgh, Edinburgh. <http://tree.bio.ed.ac.uk/software/figtree/>
- Ramírez, S. R., Gravendeel, B., Singer, R. B., Marshall, C. R., & Pierce, N. E. (2007). Dating the origin of the Orchidaceae from a fossil orchid with its pollinator. *Nature*, *448*(7157), 1042–1045. <https://doi.org/10.1038/nature06039>
- Rasmussen, F. N., & Johansen, B. (2006). Carpology of orchids. *Selbyana*, *27*(1), 44–53. <http://www.jstor.org/stable/41760259>
- Regmi, S., Poudel, B., Ojha, B. R., Kharel, R., Joshi, P., Khanal, S., & Kandel, B. P. (2021). Estimation of genetic parameters of different wheat genotype traits in Chitwan, Nepal. *International Journal of Agronomy*, *2021*, 1–10. <https://doi.org/10.1155/2021/6651325>
- Renault, H., Alber, A., Horst, N. A., Basilio Lopes, A., Fich, E. A., Kriegshausler, L., Wiedemann, G., Ullmann, P., Hergott, L., Erhardt, M., Pineau, E., Ehling, J., Schmitt, M., Rose, J. K. C., Reski, R., & Werck-Reichhart, D. (2017). A phenol-enriched cuticle is ancestral to lignin evolution in land plants. *Nature Communications*, *8*, 14713. <https://doi.org/10.1038/ncomms14713>
- Rencoret, J., Marques, G., Gutiérrez, A., Ibarra, D., Li, J., Gellerstedt, G., Santos, J. I., Jiménez-Barbero, J., Martínez, Á. T., & del Río, J. C. (2008). Structural characterization of milled wood lignins from different eucalypt species. *Holzforschung*, *62*(5), 514–526. <https://doi.org/10.1515/HF.2008.096>
- Revell, L. J. (2012). phytools: an R package for phylogenetic comparative biology (and other things). *Methods in Ecology and Evolution*, *3*(2), 217–223. <https://doi.org/10.1111/j.2041-210X.2011.00169.x>
- Reyes-Olalde, J. I., Zúñiga-Mayo, V. M., Serwatowska, J., Chavez Montes, R. A., Lozano-Sotomayor, P., Herrera-Ubaldo, H., Gonzalez-Aguilera, K. L., Ballester, P., Ripoll, J. J., Ezquer, I., Paolo, D., Heyl, A., Colombo, L., Yanofsky, M. F., Ferrandiz, C., Marsch-Martinez, N., & de Folter, S. (2017). The bHLH transcription factor SPATULA enables cytokinin signaling, and both activate auxin biosynthesis and transport genes at the medial domain of the gynoecium. *PLoS Genetics*, *13*(4), e1006726. <https://doi.org/10.1371/journal.pgen.1006726>
- Rich-Griffin, C., Stechemesser, A., Finch, J., Lucas, E., Ott, S., & Schäfer, P. (2020). Single-cell transcriptomics: a high-resolution avenue for plant functional genomics. *Trends in Plant Science*, *25*(2), 186–197. <https://doi.org/10.1016/j.tplants.2019.10.008>

References

- Ripoll, J. J., Roeder, A. H. K., Ditta, G. S., & Yanofsky, M. F. (2011). A novel role for the floral homeotic gene *APETALA2* during Arabidopsis fruit development. *Development*, *138*(23), 5167–5176. <https://doi.org/10.1242/dev.073031>
- Robertson, G., Schein, J., Chiu, R., Corbett, R., Field, M., Jackman, S. D., Mungall, K., Lee, S., Okada, H. M., Qian, J. Q., Griffith, M., Raymond, A., Thiessen, N., Cezard, T., Butterfield, Y. S., Newsome, R., Chan, S. K., She, R., Varhol, R., ... Birol, I. (2010). De novo assembly and analysis of RNA-seq data. *Nature Methods*, *7*(11), 909–912. <https://doi.org/10.1038/nmeth.1517>
- Robinson, M. D., McCarthy, D. J., & Smyth, G. K. (2010). edgeR: a Bioconductor package for differential expression analysis of digital gene expression data. *Bioinformatics*, *26*(1), 139–140. <https://doi.org/10.1093/bioinformatics/btp616>
- Roeder, A. H. K., Ferrándiz, C., & Yanofsky, M. F. (2003). The role of the REPLUMLESS homeodomain protein in patterning the Arabidopsis fruit. *Current Biology*, *13*(18), 1630–1635. <https://doi.org/10.1016/j.cub.2003.08.027>
- Roeder, A. H. K., & Yanofsky, M. F. (2006). Fruit development in Arabidopsis. *The Arabidopsis Book / American Society of Plant Biologists*, *4*, e0075. <https://doi.org/10.1199/tab.0075>
- Roth, I. (1978). *Fruits of angiosperms (Encyclopedia of Plant Anatomy)* (p. 675). Lubrecht & Cramer Ltd.
- Rowland, O., Zheng, H., Hepworth, S. R., Lam, P., Jetter, R., & Kunst, L. (2006). *CER4* encodes an alcohol-forming fatty acyl-coenzyme A reductase involved in cuticular wax production in Arabidopsis. *Plant Physiology*, *142*(3), 866–877. <https://doi.org/10.1104/pp.106.086785>
- Roychowdhury, R., & Randrianotahina, J. (2011). Evaluation of genetic parameters for agro-metrical characters in carnation genotypes. *African Crop Science Journal*, *19*(3), 183–188.
- Roy, B. A., & Widmer, A. (1999). Floral mimicry: a fascinating yet poorly understood phenomenon. *Trends in Plant Science*, *4*(8), 325–330. [https://doi.org/10.1016/s1360-1385\(99\)01445-4](https://doi.org/10.1016/s1360-1385(99)01445-4)
- RStudio Team. (2020). *RStudio: Integrated development for R* (1.4.1106) [Computer software]. RStudio.
- Rudall, P. J., & Bateman, R. M. (2002). Roles of synorganisation, zygomorphy and heterotopy in floral evolution: the gynostemium and labellum of orchids and other lilioid monocots. *Biological Reviews of the Cambridge Philosophical Society*, *77*(3), 403–441. <https://doi.org/10.1017/s1464793102005936>
- Rueden, C. T., Schindelin, J., Hiner, M. C., DeZonia, B. E., Walter, A. E., Arena, E. T., & Eliceiri, K. W. (2017). ImageJ2: ImageJ for the next generation of scientific image data. *BMC Bioinformatics*, *18*(1), 529. <https://doi.org/10.1186/s12859-017-1934-z>
- Rydmark, M. O., Woudstra, Y., & de Boer, H. (2022). Chapter 9 Sequencing platform. In H. de Boer, M. O. Rydmark, B. Verstraete, & B. Gravendeel (Eds.), *Molecular identification of plants: from sequence to species. Advanced Books* (pp. 123–136). Pensoft.
- R Core Team. (2018). *R: A language and environment for statistical computing* (Version 2018) [Computer software]. R Foundation for Statistical Computing.
- R Team. (2016). *R: A language and environment for statistical computing*. R Foundation for Statistical Computing.
- R Team. (2019). *RStudio: Integrated development for R*.
- Sagawa, Y., & Israel, H. W. (1964). Post-pollination ovule development in *Dendrobium* orchids. I. Introduction. *Caryologia*, *17*(1), 53–64. <https://doi.org/10.1080/00087114.1964.10796116>
- Salemme, M., Sica, M., Gaudio, L., & Aceto, S. (2013). The *OitaAG* and *OitaSTK* genes of the orchid *Orchis italica*: A comparative analysis with other C- and D-class MADS-box genes. *Molecular Biology Reports*, *40*(5), 3523–3535. <https://doi.org/10.1007/s11033-012-2426-x>
- Saminathan, T., García, M., Ghimire, B., Lopez, C., Bodunrin, A., Nimmakayala, P., Abburi, V. L., Levi, A., Balagurusamy, N., & Reddy, U. K. (2018). Metagenomic and metatranscriptomic analyses of diverse watermelon cultivars reveal the role of fruit associated microbiome in carbohydrate metabolism and ripening of mature fruits. *Frontiers in Plant Science*, *9*, 4. <https://doi.org/10.3389/fpls.2018.00004>

- Sander, L., Child, R., Ulvskov, P., Albrechtsen, M., & Borkhardt, B. (2001). Analysis of a dehiscence zone endo-polygalacturonase in oilseed rape (*Brassica napus*) and *Arabidopsis thaliana*: Evidence for roles in cell separation in dehiscence and abscission zones, and in stylar tissues during pollen tube growth. *Plant Molecular Biology*, 46(4), 469–479. <https://doi.org/10.1023/a:1010619002833>
- Saroj, R., Soumya, S. L., Singh, S., Sankar, S. M., Chaudhary, R., Yashpal, Saini, N., Vasudev, S., & Yadava, D. K. (2021). Unraveling the relationship between seed yield and yield-related traits in a diversity panel of *Brassica juncea* using Multi-Traits Mixed Model. *Frontiers in Plant Science*, 12, 651936. <https://doi.org/10.3389/fpls.2021.651936>
- Sauquet, H., von Balthazar, M., Magallón, S., Doyle, J. A., Endress, P. K., Bailes, E. J., Barroso de Morais, E., Bull-Heréñu, K., Carrive, L., Chartier, M., Chomicki, G., Coiro, M., Cornette, R., El Ottra, J. H. L., Epicoco, C., Foster, C. S. P., Jabbour, F., Haevermans, A., Haevermans, T., ... Schönemberger, J. (2017). The ancestral flower of angiosperms and its early diversification. *Nature Communications*, 8, 16047. <https://doi.org/10.1038/ncomms16047>
- Schiestl, F. P. (2005). On the success of a swindle: pollination by deception in orchids. *Die Naturwissenschaften*, 92(6), 255–264. <https://doi.org/10.1007/s00114-005-0636-y>
- Schindelin, J., Arganda-Carreras, I., Frise, E., Kaynig, V., Longair, M., Pietzsch, T., Preibisch, S., Rueden, C., Saalfeld, S., Schmid, B., Tinevez, J.-Y., White, D. J., Hartenstein, V., Eliceiri, K., Tomancak, P., & Cardona, A. (2012). Fiji: an open-source platform for biological-image analysis. *Nature Methods*, 9(7), 676–682. <https://doi.org/10.1038/nmeth.2019>
- Schliesky, S., Gowik, U., Weber, A. P. M., & Bräutigam, A. (2012). RNA-Seq assembly - are we there yet? *Frontiers in Plant Science*, 3, 220. <https://doi.org/10.3389/fpls.2012.00220>
- Schmieder, R., & Edwards, R. (2011a). Fast identification and removal of sequence contamination from genomic and metagenomic datasets. *Plos One*, 6(3), e17288. <https://doi.org/10.1371/journal.pone.0017288>
- Schmieder, R., & Edwards, R. (2011b). Quality control and preprocessing of metagenomic datasets. *Bioinformatics*, 27(6), 863–864. <https://doi.org/10.1093/bioinformatics/btr026>
- Schoch, C. L., Sung, G.-H., López-Giráldez, F., Townsend, J. P., Miadlikowska, J., Hofstetter, V., Robbertse, B., Matheny, P. B., Kauff, F., Wang, Z., Gueidan, C., Andrie, R. M., Trippe, K., Ciuffetti, L. M., Wynns, A., Fraker, E., Hodkinson, B. P., Bonito, G., Groenewald, J. Z., ... Spatafora, J. W. (2009). The Ascomycota tree of life: A phylum-wide phylogeny clarifies the origin and evolution of fundamental reproductive and ecological traits. *Systematic Biology*, 58(2), 224–239. <https://doi.org/10.1093/sysbio/syp020>
- Schroeder, A., Mueller, O., Stocker, S., Salowsky, R., Leiber, M., Gassmann, M., Lightfoot, S., Menzel, W., Granzow, M., & Ragg, T. (2006). The RIN: an RNA integrity number for assigning integrity values to RNA measurements. *BMC Molecular Biology*, 7, 3. <https://doi.org/10.1186/1471-2199-7-3>
- Schuetz, M., Benske, A., Smith, R. A., Watanabe, Y., Tobimatsu, Y., Ralph, J., Demura, T., Ellis, B., & Samuels, A. L. (2014). Laccases direct lignification in the discrete secondary cell wall domains of protoxylem. *Plant Physiology*, 166(2), 798–807. <https://doi.org/10.1104/pp.114.245597>
- Schulz, M. H., Weese, D., Holtgrewe, M., Dimitrova, V., Niu, S., Reinert, K., & Richard, H. (2014). Fiona: A parallel and automatic strategy for read error correction. *Bioinformatics*, 30(17), i356-63. <https://doi.org/10.1093/bioinformatics/btu440>
- Schulz, M. H., Zerbino, D. R., Vingron, M., & Birney, E. (2012). Oases: robust de novo RNA-seq assembly across the dynamic range of expression levels. *Bioinformatics*, 28(8), 1086–1092. <https://doi.org/10.1093/bioinformatics/bts094>
- Schuster, C., Gailloch, C., & Lohmann, J. U. (2015). Arabidopsis *HECATE* genes function in phytohormone control during gynoceum development. *Development*, 142(19), 3343–3350. <https://doi.org/10.1242/dev.120444>
- Schwallier, R., Gravendeel, B., de Boer, H., Nylinder, S., van Heuven, B. J., Sieder, A., Sumail, S., van Vugt, R., & Lens, F. (2017). Evolution of wood anatomical characters in *Nepenthes* and close relatives of Caryophyllales. *Annals of Botany*, 119(7), 1179–1193. <https://doi.org/10.1093/aob/mcx010>
- Schwallier, R., van Wely, V., Baak, M., Vos, R., van Heuven, B. J., Smets, E., van Vugt, R. R., & Gravendeel, B. (2020). Ontogeny and anatomy of the dimorphic pitchers of *Nepenthes rafflesiana* Jack. *Plants*, 9(11), 1603. <https://doi.org/10.3390/plants9111603>

References

- Schweingruber, F. H., & Börner, A. (2018). *The Plant Stem: A Microscopic Aspect*. Springer International Publishing. <https://doi.org/10.1007/978-3-319-73524-5>
- Seppey, M., Manni, M., & Zdobnov, E. M. (2019). BUSCO: assessing genome assembly and annotation completeness. *Methods in Molecular Biology*, *1962*, 227–245. https://doi.org/10.1007/978-1-4939-9173-0_14
- Serrano, A. M., Arana, M. V., Vanhaelewyn, L., Ballaré, C. L., Van Der Straeten, D., & Vandebussche, F. (2018). Following the star: inflorescence heliotropism. *Environmental and Experimental Botany*, *147*, 75–85. <https://doi.org/10.1016/j.envexpbot.2017.11.007>
- Sessions, A., Nemhauser, J. L., McColl, A., Roe, J. L., Feldmann, K. A., & Zambryski, P. C. (1997). *ETTIN* patterns the Arabidopsis floral meristem and reproductive organs. *Development*, *124*(22), 4481–4491. <https://doi.org/10.1242/dev.124.22.4481>
- Seymour, G. B., Østergaard, L., Chapman, N. H., Knapp, S., & Martin, C. (2013). Fruit development and ripening. *Annual Review of Plant Biology*, *64*, 219–241. <https://doi.org/10.1146/annurev-arplant-050312-120057>
- Shakya, M., Lo, C.-C., & Chain, P. S. G. (2019). Advances and challenges in metatranscriptomic analysis. *Frontiers in Genetics*, *10*, 904. <https://doi.org/10.3389/fgene.2019.00904>
- Shen, C., Li, G., Dreni, L., & Zhang, D. (2021). Molecular control of carpel development in the grass family. *Frontiers in Plant Science*, *12*, 635500. <https://doi.org/10.3389/fpls.2021.635500>
- Shen, C.-Y., Chen, Y.-Y., Liu, K.-W., Lu, H.-C., Chang, S.-B., Hsiao, Y.-Y., Yang, F., Zhu, G., Zou, S.-Q., Huang, L.-Q., Liu, Z.-J., & Tsai, W.-C. (2021). Orchid *B₃ESTER* gene *PeMADS28* displays conserved function in ovule integument development. *Scientific Reports*, *11*(1), 1205. <https://doi.org/10.1038/s41598-020-79877-9>
- Shiraki, T., Kondo, S., Katayama, S., Waki, K., Kasukawa, T., Kawaji, H., Kodzius, R., Watahiki, A., Nakamura, M., Arakawa, T., Fukuda, S., Sasaki, D., Podhajska, A., Harbers, M., Kawai, J., Carninci, P., & Hayashizaki, Y. (2003). Cap analysis gene expression for high-throughput analysis of transcriptional starting point and identification of promoter usage. *Proceedings of the National Academy of Sciences of the United States of America*, *100*(26), 15776–15781. <https://doi.org/10.1073/pnas.2136655100>
- Shi, Y., Tyson, G. W., & DeLong, E. F. (2009). Metatranscriptomics reveals unique microbial small RNAs in the ocean's water column. *Nature*, *459*(7244), 266–269. <https://doi.org/10.1038/nature08055>
- Shrestha, B., Guragain, B., & Sridhar, V. V. (2014). Involvement of co-repressor LUH and the adapter proteins SLK1 and SLK2 in the regulation of abiotic stress response genes in Arabidopsis. *BMC Plant Biology*, *14*, 54. <https://doi.org/10.1186/1471-2229-14-54>
- Sims, D., Sudbery, I., Ilott, N. E., Heger, A., & Ponting, C. P. (2014). Sequencing depth and coverage: key considerations in genomic analyses. *Nature Reviews. Genetics*, *15*(2), 121–132. <https://doi.org/10.1038/nrg3642>
- Simmons, C., Söll, D., & Migliaccio, F. (1995). Circumnutation and gravitropism cause root waving in *Arabidopsis thaliana*. *Journal of Experimental Botany*, *46*(1), 143–150. <https://doi.org/10.1093/jxb/46.1.143>
- Sisodia, R., and S. C. Bhatla. 2018. Plant Movements. *Plant physiology, development and metabolism*, 907–935. Springer Singapore, Singapore.
- Sitaraman, J., Bui, M., & Liu, Z. (2008). *LEUNIG HOMOLOG* and *LEUNIG* perform partially redundant functions during Arabidopsis embryo and floral development. *Plant Physiology*, *147*(2), 672–681. <https://doi.org/10.1104/pp.108.115923>
- Smith-Unna, R., Bournnell, C., Patro, R., Hibberd, J. M., & Kelly, S. (2016). TransRate: reference-free quality assessment of de novo transcriptome assemblies. *Genome Research*, *26*(8), 1134–1144. <https://doi.org/10.1101/gr.196469.115>
- Snow, G. R. S. (1962). The transverse growth theory of plant torsions. *Proceedings of the Royal Society B: Biological Sciences*, *156*, 210–219.
- Soltis, P. S., & Soltis, D. E. (2009). The role of hybridization in plant speciation. *Annual Review of Plant Biology*, *60*, 561–588. <https://doi.org/10.1146/annurev-arplant.043008.092039>
- Soltis, P. S., & Soltis, D. E. (2016). Ancient WGD events as drivers of key innovations in angiosperms. *Current Opinion in Plant Biology*, *30*, 159–165. <https://doi.org/10.1016/j.pbi.2016.03.015>

- Soltis, P. S., & Soltis, D. E. (2020). Plant genomes: markers of evolutionary history and drivers of evolutionary change. *Plants, People, Planet*, 3, 74–82. <https://doi.org/10.1002/ppp3.10159>
- Song, I. J., Nakamura, T., Fukuda, T., Yokoyama, J., Ito, T., Ichikawa, H., Horikawa, Y., Kameya, T., & Kanno, A. (2006). Spatiotemporal expression of duplicate *AGAMOUS* orthologues during floral development in *Phalaenopsis*. *Development Genes and Evolution*, 216(6), 301–313. <https://doi.org/10.1007/s00427-005-0057-0>
- Song, L., & Florea, L. (2015). Rcorrector: efficient and accurate error correction for Illumina RNA-seq reads. *GigaScience*, 4, 48. <https://doi.org/10.1186/s13742-015-0089-y>
- Specht, C. D., & Howarth, D. G. (2015). Adaptation in flower form: a comparative evodevo approach. *The New Phytologist*, 206(1), 74–90. <https://doi.org/10.1111/nph.13198>
- Sreeja, R., Balaji, S., Arul, L., Nirmala Kumari, A., Kannan Babu, J. R., & Subramanian, A. (2016). Association of lignin and *FLEXIBLE CULM 1 (FC1)* ortholog in imparting culm strength and lodging resistance in kodo millet (*Paspalum scrobiculatum* L.). *Molecular Breeding*, 36(11), 149. <https://doi.org/10.1007/s11032-016-0577-5>
- Staedler, Y. M., Masson, D., & Schönenberger, J. (2013). Plant tissues in 3D via X-ray tomography: simple contrasting methods allow high resolution imaging. *Plos One*, 8(9), e75295. <https://doi.org/10.1371/journal.pone.0075295>
- Ståldal, V., Sohlberg, J. J., Eklund, D. M., Ljung, K., & Sundberg, E. (2008). Auxin can act independently of *CRC*, *LUG*, *SEU*, *SPT* and *STY1* in style development but not apical-basal patterning of the Arabidopsis gynoecium. *The New Phytologist*, 180(4), 798–808. <https://doi.org/10.1111/j.1469-8137.2008.02625.x>
- Stark, R., Grzelak, M., & Hadfield, J. (2019). RNA sequencing: the teenage years. *Nature Reviews. Genetics*, 20(11), 631–656. <https://doi.org/10.1038/s41576-019-0150-2>
- Steeves, T. A., & Sussex, I. M. (1989). *Pattern in plant development* (Vol. 101). Cambridge University Press.
- Steiner, K. (1998). The evolution of beetle pollination in a South African orchid. *American Journal of Botany*, 85(8), 1180. <https://doi.org/10.2307/2446351>
- Strauss, M. S., & Arditti, J. (1982). Postpollination phenomena in orchid flowers. X. transport and fate of auxin. *Botanical Gazette*, 143(3), 286–293. <https://doi.org/10.1086/337302>
- Suetsugu, K., Kawakita, A., & Kato, M. (2015). Avian seed dispersal in a mycoheterotrophic orchid *Cyrtosia septentrionalis*. *Nature Plants*, 1(5), 15052. <https://doi.org/10.1038/nplants.2015.52>
- Suetsugu, K., Sugita, R., Yoshihara, A., Okada, H., Akita, K., Nagata, N., Tanoi, K., & Kobayashi, K. (2023). Aerial roots of the leafless epiphytic orchid *Taeniophyllum* are specialized for performing crassulacean acid metabolism photosynthesis. *New Phytologist*, 238, 932–937. <https://doi.org/10.1111/nph.18812>
- Suetsugu, K. (2018a). Independent recruitment of a novel seed dispersal system by camel crickets in achlorophyllous plants. *The New Phytologist*, 217(2), 828–835. <https://doi.org/10.1111/nph.14859>
- Suetsugu, K. (2018b). Seed dispersal in the mycoheterotrophic orchid *Yuania japonica*: Further evidence for endozoochory by camel crickets. *Plant Biology*, 20(4), 707–712. <https://doi.org/10.1111/plb.12731>
- Suetsugu, K. (2020). A novel seed dispersal mode of *Apostasia nipponica* could provide some clues to the early evolution of the seed dispersal system in Orchidaceae. *Evolution Letters*, 4(5), 457–464. <https://doi.org/10.1002/evl3.188>
- Sun, T.-P., & Gubler, F. (2004). Molecular mechanism of gibberellin signaling in plants. *Annual Review of Plant Biology*, 55, 197–223. <https://doi.org/10.1146/annurev.arplant.55.031903.141753>
- Su, C. L., Chen, W. C., Lee, A. Y., Chen, C. Y., Chang, Y. C., Chao, Y. T., & Shih, M. C. (2013). A modified ABCDE model of flowering in orchids based on gene expression profiling studies of the moth orchid *Phalaenopsis aphrodite*. *Plos One*, 8(11), e80462. <https://doi.org/10.1371/journal.pone.0080462>
- Su, S.-H., Gibbs, N. M., Jancewicz, A. L., & Masson, P. H. (2017). Molecular mechanisms of root gravitropism. *Current Biology*, 27(17), R964–R972. <https://doi.org/10.1016/j.cub.2017.07.015>

References

- Sundell, D., Street, N. R., Kumar, M., Mellerowicz, E. J., Kucukoglu, M., Johnsson, C., Kumar, V., Mannapperuma, C., Delhomme, N., Nilsson, O., Tuominen, H., Pesquet, E., Fischer, U., Niittylä, T., Sundberg, B., & Hvidsten, T. R. (2017). AspWood: high-spatial-resolution transcriptome profiles reveal uncharacterized modularity of wood formation in *Populus tremula*. *The Plant Cell*, *29*(7), 1585–1604. <https://doi.org/10.1105/tpc.17.00153>
- Swarup, R., Kramer, E. M., Perry, P., Knox, K., Leyser, H. M. O., Haseloff, J., Beemster, G. T. S., Bhalerao, R., & Bennett, M. J. (2005). Root gravitropism requires lateral root cap and epidermal cells for transport and response to a mobile auxin signal. *Nature Cell Biology*, *7*(11), 1057–1065. <https://doi.org/10.1038/ncb1316>
- Szemenyei, H., Hannon, M., & Long, J. A. (2008). TOPLESS mediates auxin-dependent transcriptional repression during Arabidopsis embryogenesis. *Science*, *319*(5868), 1384–1386. <https://doi.org/10.1126/science.1151461>
- Tang, C.-Y., & Chen, W.-H. (2007). Breeding and development of new varieties in *Phalaenopsis*. In *Orchid biotechnology* (pp. 1–22). World Scientific. https://doi.org/10.1142/9789812775900_0001
- Tani, E., Polidoros, A. N., & Tsaftaris, A. S. (2007). Characterization and expression analysis of *FRUITFULL*- and *SHATTERPROOF*-like genes from peach (*Prunus persica*) and their role in split-pit formation. *Tree Physiology*, *27*(5), 649–659. <https://doi.org/10.1093/treephys/27.5.649>
- Taylor, S., Wakem, M., Dijkman, G., Alsarraj, M., & Nguyen, M. (2010). A practical approach to RT-qPCR-publishing data that conform to the MIQE guidelines. *Methods*, *50*(4), S1–5. <https://doi.org/10.1016/j.ymeth.2010.01.005>
- Teramoto, S., Takayasu, S., Kitomi, Y., Arai-Sanoh, Y., Tanabata, T., & Uga, Y. (2020). High-throughput three-dimensional visualization of root system architecture of rice using X-ray computed tomography. *Plant Methods*, *16*, 66. <https://doi.org/10.1186/s13007-020-00612-6>
- Theißen, G., & Saedler, H. (2001). Floral quartets. *Nature*, *409*(6819), 469–471. <https://doi.org/10.1038/35054172>
- Theißen, G. (2001). Development of floral organ identity: stories from the MADS house. *Current Opinion in Plant Biology*, *4*(1), 75–85. [https://doi.org/10.1016/S1369-5266\(00\)00139-4](https://doi.org/10.1016/S1369-5266(00)00139-4)
- Thibivilliers, S., Anderson, D., & Libault, M. (2020). Isolation of plant root nuclei for single cell RNA sequencing. *Current Protocols in Plant Biology*, *5*(4), e20120. <https://doi.org/10.1002/cppb.20120>
- Thoma, S., Kaneko, Y., & Somerville, C. (1993). A non-specific lipid transfer protein from Arabidopsis is a cell wall protein. *The Plant Journal*, *3*(3), 427–436. <https://doi.org/10.1046/j.1365-313x.1993.t01-25-00999.x>
- Thompson, B. E., Bartling, L., Whipple, C., Hall, D. H., Sakai, H., Schmidt, R., & Hake, S. (2009). bearded-ear encodes a MADS box transcription factor critical for maize floral development. *The Plant Cell*, *21*(9), 2578–2590. <https://doi.org/10.1105/tpc.109.067751>
- Thonglim, A., Delzon, S., Larter, M., Karami, O., Rahimi, A., Offringa, R., Keurentjes, J. J. B., Balazadeh, S., Smets, E., & Lens, F. (2020). Intervessel pit membrane thickness best explains variation in embolism resistance amongst stems of *Arabidopsis thaliana* accessions. *Annals of Botany*, *128*(2), 171–182. <https://doi.org/10.1093/aob/mcaa196>
- Tracy, S. R., Gómez, J. F., Sturrock, C. J., Wilson, Z. A., & Ferguson, A. C. (2017). Non-destructive determination of floral staging in cereals using X-ray micro computed tomography (µCT). *Plant Methods*, *13*, 9. <https://doi.org/10.1186/s13007-017-0162-x>
- Trapnell, C., Roberts, A., Goff, L., Pertea, G., Kim, D., Kelley, D. R., Pimentel, H., Salzberg, S. L., Rinn, J. L., & Pachter, L. (2012). Differential gene and transcript expression analysis of RNA-seq experiments with TopHat and Cufflinks. *Nature Protocols*, *7*(3), 562–578. <https://doi.org/10.1038/nprot.2012.016>
- Tsai, C. C., Chiang, Y. C., Huang, S. C., Chen, C. H., & Chou, C. H. (2010). Molecular phylogeny of *Phalaenopsis* Blume (Orchidaceae) on the basis of plastid and nuclear DNA. *Plant Systematics and Evolution*, *288*(1–2), 77–98. <https://doi.org/10.1007/s00606-010-0314-1>
- Tsai, W. C., Kuoh, C. S., Chuang, M. H., Chen, W. H., & Chen, H. H. (2004). Four *DEF*-like MADS box genes displayed distinct floral morphogenetic roles in *Phalaenopsis* orchid. *Plant & Cell Physiology*, *45*(7), 831–844. <https://doi.org/10.1093/pcp/pch095>

- Tsai, W. C., Lee, P. F., Chen, H. I., Hsiao, Y. Y., Wei, W. J., Pan, Z. J., Chuang, M. H., Kuoh, C. S., Chen, W. H., & Chen, H. H. (2005). *PeMADS6*, a *GLOBOSA/PISTILLATA*-like gene in *Phalaenopsis equestris* involved in petaloid formation, and correlated with flower longevity and ovary development. *Plant & Cell Physiology*, *46*(7), 1125–1139. <https://doi.org/10.1093/pcp/pci125>
- Tsai, W. C., Pan, Z. J., Hsiao, Y. Y., Jeng, M. F., Wu, T. F., Chen, W. H., & Chen, H. H. (2008). Interactions of B-class complex proteins involved in tepal development in *Phalaenopsis* orchid. *Plant & Cell Physiology*, *49*(5), 814–824. <https://doi.org/10.1093/pcp/pcn059>
- Ullah, M. Z., Hasan, M. J., Chowdhury, A., Saki, A. I., & Rahman, A. (2012). Genetic variability and correlation in exotic cucumber (*Cucumis sativus* L.) varieties. *Bangladesh Journal of Plant Breeding and Genetics*, *25*(1), 17–23.
- Ungaro, A., Pech, N., Martin, J.-F., McCairns, R. J. S., Mévy, J.-P., Chappaz, R., & Gilles, A. (2017). Challenges and advances for transcriptome assembly in non-model species. *Plos One*, *12*(9), e0185020. <https://doi.org/10.1371/journal.pone.0185020>
- UniProt Consortium. (2021). UniProt: the universal protein knowledgebase in 2021. *Nucleic Acids Research*, *49*(D1), D480–D489. <https://doi.org/10.1093/nar/gkaa1100>
- Urru, I., Stensmyr, M. C., & Hansson, B. S. (2011). Pollination by brood-site deception. *Phytochemistry*, *72*(13), 1655–1666. <https://doi.org/10.1016/j.phytochem.2011.02.014>
- Valoroso, M. C., De Paolo, S., Iazzetti, G., & Aceto, S. (2017). Transcriptome-wide identification and expression analysis of *DIVARICATA* and *RADIALIS*-like genes of the Mediterranean orchid *Orchis italica*. *Genome Biology and Evolution*, *9*(6), 1418–1431. <https://doi.org/10.1093/gbe/evx101>
- Valoroso, M. C., Sobral, R., Saccone, G., Salvemini, M., Costa, M. M. R., & Aceto, S. (2019). Evolutionary conservation of the orchid MYB transcription factors DIV, RAD, and DRIF. *Frontiers in Plant Science*, *10*, 1359. <https://doi.org/10.3389/fpls.2019.01359>
- Van Der Pijl, L., & Dodson, C. H. (1966). *Orchid flowers: Their pollination and evolution* (1st edition, p. 214). Univ of Miami Press.
- Van Verk, M. C., Hickman, R., Pieterse, C. M. J., & Van Wees, S. C. M. (2013). RNA-Seq: revelation of the messengers. *Trends in Plant Science*, *18*(4), 175–179. <https://doi.org/10.1016/j.tplants.2013.02.001>
- Van Wyk, B. E., & Albrecht, C. (2008). A review of the taxonomy, ethnobotany, chemistry and pharmacology of *Sutherlandia frutescens* (Fabaceae). *Journal of Ethnopharmacology*, *119*(3), 620–629. <https://doi.org/10.1016/j.jep.2008.08.003>
- Vaughn, K. C., Bowling, A. J., & Ruel, K. J. (2011). The mechanism for explosive seed dispersal in *Cardamine hirsuta* (Brassicaceae). *American Journal of Botany*, *98*(8), 1276–1285. <https://doi.org/10.3732/ajb.1000374>
- Velculescu, V. E., Zhang, L., Zhou, W., Vogelstein, J., Basrai, M. A., Bassett, D. E., Hieter, P., Vogelstein, B., & Kinzler, K. W. (1997). Characterization of the yeast transcriptome. *Cell*, *88*(2), 243–251. [https://doi.org/10.1016/s0092-8674\(00\)81845-0](https://doi.org/10.1016/s0092-8674(00)81845-0)
- Vereecken, N. J., Dorchin, A., Dafni, A., Hötling, S., Schulz, S., & Watts, S. (2013). A pollinators' eye view of a shelter mimicry system. *Annals of Botany*, *111*(6), 1155–1165. <https://doi.org/10.1093/aob/mct081>
- Voshall, A., & Moriyama, E. N. (2018). Next-generation transcriptome assembly: strategies and performance analysis. In I. Y. Abdurakhmonov (Ed.), *Bioinformatics in the era of post genomics and big data*. InTech. <https://doi.org/10.5772/intechopen.73497>
- Wang, B., Kumar, V., Olson, A., & Ware, D. (2019). Reviving the transcriptome studies: an insight into the emergence of single-molecule transcriptome sequencing. *Frontiers in Genetics*, *10*, 384. <https://doi.org/10.3389/fgene.2019.00384>
- Wang, S. Y., Lee, P. F., Lee, Y. I., Hsiao, Y. Y., Chen, Y. Y., Pan, Z. J., Liu, Z. J., & Tsai, W. C. (2011). Duplicated C-class MADS-box genes reveal distinct roles in gynostemium development in *Cymbidium ensifolium* (Orchidaceae). *Plant & Cell Physiology*, *52*(3), 563–577. <https://doi.org/10.1093/pcp/pcr015>
- Wang, T., Wang, H., Cai, D., Gao, Y., Zhang, H., Wang, Y., Lin, C., Ma, L., & Gu, L. (2017). Comprehensive profiling of rhizome-associated alternative splicing and alternative polyadenylation in moso bamboo (*Phyllostachys edulis*). *The Plant Journal*, *91*(4), 684–699. <https://doi.org/10.1111/tj.13597>

References

- Wang, Z., Gerstein, M., & Snyder, M. (2009). RNA-Seq: a revolutionary tool for transcriptomics. *Nature Reviews. Genetics*, *10*(1), 57–63. <https://doi.org/10.1038/nrg2484>
- Wani, M. R., Kozgar, M. I., Tomlekova, N., Khan, S., Kazi, A. G., Sheikh, S. A., & Ahmad, P. (2014). Mutation breeding: A novel technique for genetic improvement of pulse crops particularly chickpea (*Cicer arietinum* L.). In P. Ahmad, M. R. Wani, M. M. Azooz, & L.-S. Phan Tran (Eds.), *Improvement of crops in the era of climatic changes* (pp. 217–248). Springer New York. https://doi.org/10.1007/978-1-4614-8824-8_9
- Watteyn, C., Scaccabarozzi, D., Muys, B., Van Der Schueren, N., Van Meerbeek, K., Guizar Amador, M. F., Ackerman, J. D., Cedeño Fonseca, M. V., Chinchilla Alvarado, I. F., Reubens, B., Pillco Huarcaya, R., Cozzolino, S., & Karremans, A. P. (2022). Trick or treat? Pollinator attraction in *Vanilla pompona* (Orchidaceae). *Biotropica*, *54*(1), 268–274. <https://doi.org/10.1111/btp.13034>
- Weber, A. P. M., Weber, K. L., Carr, K., Wilkerson, C., & Ohlrogge, J. B. (2007). Sampling the Arabidopsis transcriptome with massively parallel pyrosequencing. *Plant Physiology*, *144*(1), 32–42. <https://doi.org/10.1104/pp.107.096677>
- Wellesen, K., Durst, F., Pinot, F., Benveniste, I., Nettesheim, K., Wisman, E., Steiner-Lange, S., Saedler, H., & Yephremov, A. (2001). Functional analysis of the *LACERATA* gene of Arabidopsis provides evidence for different roles of fatty acid omega -hydroxylation in development. *Proceedings of the National Academy of Sciences of the United States of America*, *98*(17), 9694–9699. <https://doi.org/10.1073/pnas.171285998>
- Weng, H., Molina, I., Shockey, J., & Browse, J. (2010). Organ fusion and defective cuticle function in a *lacs1 lacs2* double mutant of Arabidopsis. *Planta*, *231*(5), 1089–1100. <https://doi.org/10.1007/s00425-010-1110-4>
- Whippo, C. W., & Hangarter, R. P. (2006). Phototropism: bending towards enlightenment. *The Plant Cell*, *18*(5), 1110–1119. <https://doi.org/10.1105/tpc.105.039669>
- Wickham, H. (2016). *Ggplot2: Elegant graphics for data analysis* (2nd ed., p. 260). Springer International Publishing.
- Wilfinger, W. W., Mackey, K., & Chomczynski, P. (1997). Effect of pH and ionic strength on the spectrophotometric assessment of nucleic acid purity. *Biotechniques*, *22*(3), 474–476, 478. <https://doi.org/10.2144/97223st01>
- Wilkins, M. B. (1966). Geotropism. *Annual Review of Plant Physiology*, *17*(1), 379–408. <https://doi.org/10.1146/annurev.pp.17.060166.002115>
- Woudstra, Y., Quatela, A. S., Kidner, C., Viruel, J., Zuntini, A., Martin, M. D., Michel, T., & Grace, O. M. (2022). Chapter 14 Target capture. In H. de Boer, M. O. Rydmark, B. Verstraete, & B. Gravendeel (Eds.), *Molecular identification of plants: from sequence to species. Advance Books* (pp. 190–212). Pensoft.
- Wurz, A., Grass, I., & Tschardtke, T. (2021). Hand pollination of global crops – A systematic review. *Basic and Applied Ecology*, *56*, 299–321. <https://doi.org/10.1016/j.baae.2021.08.008>
- Wyatt, R. (1982). Inflorescence architecture: How flower number, arrangement, and phenology affect pollination and fruit-set. *American Journal of Botany*, *69*(4), 585–594. <https://doi.org/10.1002/j.1537-2197.1982.tb13295.x>
- Xiaohua, J., Dezhu, L., Zongxin, R., & Xiaoguo, X. (2012). A generalized deceptive pollination system of *Doritis pulcherrima* (Aeridinae: Orchidaceae) with non-reconfigured pollinaria. *BMC Plant Biology*, *12*, 67. <https://doi.org/10.1186/1471-2229-12-67>
- Xu, Y., Teo, L. L., Zhou, J., Kumar, P. P., & Yu, H. (2006). Floral organ identity genes in the orchid *Dendrobium crumenatum*. *The Plant Journal*, *46*(1), 54–68. <https://doi.org/10.1111/j.1365-313X.2006.02669.x>
- Yadav, Y. C., Kumar, S., Bisen, B., & Dixit, S. K. (2009). Genetic variability, heritability and genetic advance for some traits in cucumber. *Indian J Horticulture*, *66*(4), 488–91.
- Yamaguchi, T., Nagasawa, N., Kawasaki, S., Matsuoka, M., Nagato, Y., & Hirano, H. Y. (2004). The *YABBY* gene *DROOPING LEAF* regulates carpel specification and midrib development in *Oryza sativa*. *The Plant Cell*, *16*(2), 500–509.
- Yam, T. W., Arditti, J., & Cameron, K. M. (2009). “The orchids have been a splendid sport”—an alternative look at Charles Darwin’s contribution to orchid biology. *American Journal of Botany*, *96*(12), 2128–2154. <https://doi.org/10.3732/ajb.0900122>

- Yang, Z., Kumar, S., & Nei, M. (1995). A new method of inference of ancestral nucleotide and amino acid sequences. *Genetics*, *141*(4), 1641–1650. <https://doi.org/10.1093/genetics/141.4.1641>
- Yeats, T. H., Huang, W., Chatterjee, S., Viart, H. M.-F., Clausen, M. H., Stark, R. E., & Rose, J. K. C. (2014). Tomato Cutin Deficient 1 (CD1) and putative orthologs comprise an ancient family of Cutin Synthase-like (CUS) proteins that are conserved among land plants. *The Plant Journal*, *77*(5), 667–675. <https://doi.org/10.1111/tj.12422>
- Yeats, T. H., & Rose, J. K. C. (2013). The formation and function of plant cuticles. *Plant Physiology*, *163*(1), 5–20. <https://doi.org/10.1104/pp.113.222737>
- Yeh, H.-Y., Lin, C.-S., & Chang, S.-B. (2017). Chromosome number variation in the emergent orchid model species *Erycina pusilla*. In *Orchid biotechnology III* (pp. 51–60). WORLD SCIENTIFIC. https://doi.org/10.1142/9789813109223_0003
- Yeung, E. C. (2017). A perspective on orchid seed and protocorm development. *Botanical Studies (Taipei, Taiwan)*, *58*(1), 33. <https://doi.org/10.1186/s40529-017-0188-4>
- Yu, G., Smith, D. K., Zhu, H., Guan, Y., & Lam, T. T. Y. (2016). ggtree: An R package for visualization and annotation of phylogenetic trees with their covariates and other associated data. *Methods in Ecology and Evolution*, *8*, 28–36. <https://doi.org/10.1111/2041-210X.12628>
- Yu, T., Mu, Z., Fang, Z., Liu, X., Gao, X., & Liu, J. (2020). TransBorrow: genome-guided transcriptome assembly by borrowing assemblies from different assemblers. *Genome Research*, *30*(8), 1181–1190. <https://doi.org/10.1101/gr.257766.119>
- Zeng, X., Ling, H., Chen, X., & Guo, S. (2019). Genome-wide identification, phylogeny and function analysis of GRAS gene family in *Dendrobium catenatum* (Orchidaceae). *Gene*, *705*, 5–15. <https://doi.org/10.1016/j.gene.2019.04.038>
- Zhang, G. Q., Liu, K. W., Li, Z., Lohaus, R., Hsiao, Y. Y., Niu, S. C., Wang, J. Y., Lin, Y. C., Xu, Q., Chen, L. J., Yoshida, K., Fujiwara, S., Wang, Z. W., Zhang, Y. Q., Mitsuda, N., Wang, M., Liu, G. H., Pecoraro, L., Huang, H. X., ... Liu, Z. J. (2017). The *Apostasia* genome and the evolution of orchids. *Nature*, *549*(7672), 379–383. <https://doi.org/10.1038/nature23897>
- Zhang, W., Zhang, G., Zeng, P., Zhang, Y., Hu, H., Liu, Z., & Cai, J. (2021). Genome sequence of *Apostasia ramifera* provides insights into the adaptive evolution in orchids. *BMC Genomics*, *22*(1), 536. <https://doi.org/10.1186/s12864-021-07852-3>
- Zhang, Y., Li, Y.-Y., Wang, M., Liu, J., Luo, F., & Lee, Y.-I. (2021). Seed dispersal in *Neuwiedia singaporeana*: novel evidence for avian endozoochory in the earliest diverging clade in Orchidaceae. *Botanical Studies (Taipei, Taiwan)*, *62*(1), 3. <https://doi.org/10.1186/s40529-020-00308-z>
- Zhao, D., Han, C., Tao, J., Wang, J., Hao, Z., Geng, Q., & Du, B. (2012). Effects of inflorescence stem structure and cell wall components on the mechanical strength of inflorescence stem in herbaceous peony. *International Journal of Molecular Sciences*, *13*(4), 4993–5009. <https://doi.org/10.3390/ijms13044993>
- Zhao, D., Luan, Y., Xia, X., Shi, W., Tang, Y., & Tao, J. (2020). Lignin provides mechanical support to herbaceous peony (*Paeonia lactiflora* Pall.) stems. *Horticulture Research*, *7*(1), 213. <https://doi.org/10.1038/s41438-020-00451-5>
- Zhao, S., Zhang, Y., Gamini, R., Zhang, B., & von Schack, D. (2018). Evaluation of two main RNA-seq approaches for gene quantification in clinical RNA sequencing: polyA+ selection versus rRNA depletion. *Scientific Reports*, *8*(1), 4781. <https://doi.org/10.1038/s41598-018-23226-4>
- Zheng, H., Rowland, O., & Kunst, L. (2005). Disruptions of the Arabidopsis Enoyl-CoA reductase gene reveal an essential role for very-long-chain fatty acid synthesis in cell expansion during plant morphogenesis. *The Plant Cell*, *17*(5), 1467–1481. <https://doi.org/10.1105/tpc.104.030155>
- Zou, L.-H., Huang, J.-X., Zhang, G.-Q., Liu, Z.-J., & Zhuang, X.-Y. (2015). A molecular phylogeny of Aeridinae (Orchidaceae: Epidendroideae) inferred from multiple nuclear and chloroplast regions. *Molecular Phylogenetics and Evolution*, *85*, 247–254. <https://doi.org/10.1016/j.ympev.2015.02.014>

Appendices

ACKNOWLEDGEMENTS

Completing my PhD in the Netherlands has been a transformative journey, both intellectually and personally. Despite challenges such as moving house six times and dealing with the COVID-19 pandemic, I am grateful for the opportunities to gain knowledge, learn new techniques, and connect with remarkable individuals.

I express my deepest gratitude to my collaborators, whose insights have enriched my research. Special thanks go to Ozan Çiftçi, Dr. Yannick Woudstra, Dr. Monique Welten, Jaques Kleynen, Jean Claessen, Prof. Annette Becker, Clemens Roessner, Oliver Rupp, Dr. Oscar Alejandro Pérez-Escobar, Dr. Alexander Kocyan, Prof. Reinout Heijungs, Dr. Frederic Lens, Twan Kranenburg, Prof. K. Joost Batenburg, Dr. Alexander Kostenko, Nick Roth, Ivo Horn, and Dr. Annemarie Heiduk for their support and collaboration. I thank Esmée Winkel for her beautiful drawings and illustrations. Dr. Diego Bogarín deserves thanks for his kind words, emotional support, and help with ancestral character reconstructions. I also thank Dr. Anita Dirks-Mulder for her research support, suggestions, and guidance throughout my PhD journey.

I thank Naturalis Biodiversity Center and Leiden University, especially the Institute of Biology Leiden, for providing an excellent environment to conduct my PhD research. I extend my gratitude to Johan Mols, Dominique van der Sterren, and Thirza de Kruijff for their help with administration. I also appreciate the training and assistance provided by Elza Duijm, Marcel Eurlings, Kees van den Berg, Roland Butôt, Bertie-Joan van Heuven, Rob Langelaan, Dirk van der Marel, Gerda Lamers, and Joost Willemse. I would like to express my appreciation to my internship students: Niels Meesters, Marlies Spaans, Nemi Dorst, Lotta Vaskimo, Kevin Droppert, Anne Fleur von Barnau Sythoff, Lieke Helderma, Shadee Albronda, Winny Phan, and Caitlyn Wheeler, who assisted me with my project and became friends along the way. Their dedication, positive energy, and commitment to my PhD project have been remarkable and are greatly appreciated.

I express my sincere gratitude for the support from Sustainable Management for Agricultural Research Development and Technology Dissemination-Indonesian Agency of Agriculture Research and Development (SMARTD-IAARD), Ministry of Agriculture, Republic of Indonesia, for providing the scholarship that made my PhD possible.

I would like to thank my friends and colleagues from IOCRI/BRIN for their continuous support along the way. Special thanks to my friends for supporting me and making my PhD journey less difficult: Ghent travel mates (Nita, Oka, and Merlin), Sylvius Indonesian group (Richa, Andika, Aninda, Nida, Sasa, Mega, and Elsa), the ‘Spicy Girls’ (Deyi, Le Qin, Ajaree, and Eka), and fellow PhD students and postdocs from Naturalis (Andres,

Bob, Doel, Esther, Héctor, Isolde, Izai, Kasper, Kevin, Larissa, Leon, Lisette, Marcel, Mehrdad, Ozan, Panos, Paula, Renyong, Roderick, Sofia, Tiedo, Vicky, Werner, and Zac), the Leiden Indonesian community (Hana, Nabila, Rani, Suki, Astri, Ayu, Wina, Fida), and the Wageningen 2011 alumni (Titis, Nila and family, Emil and family, Wardah and family, Tika, Nuning, Ayu, Bening, Hana, Linda, Indra, Taufik, Pini, Atiek, Aviv, and Hachi).

Lastly, I would like to express my heartfelt appreciation to my family: my late parents, Mama Titin, my brothers, my sisters, my brothers and sisters-in-law, and my lovely nephews for their love and support. I am incredibly grateful to my husband, Zulfikar Yunus, for his love, encouragement, and constant support. Finally, I would like to express my deepest gratitude to my late mother, who was my constant source of inspiration and belief in my abilities. Though physically absent, her presence remains with me, guiding and inspiring me every day.

The support and contributions of all these individuals and organizations have been invaluable to the completion of this research. Although their names are listed here, my appreciation extends beyond words. I am genuinely grateful for their presence in my life.

CURRICULUM VITAE

Dewi Pramanik was born on May 4th, 1980, in Ciamis, Indonesia. In 1998, she obtained a BSc in Plant Breeding and Seed Technology from IPB University (Bogor Agricultural University). She then started working as a laboratory assistant in the Treub Tissue Culture Laboratory of the Bogor Botanical Garden. In 2004-2005, she worked as an assistant manager of plant tissue culture initiation in Bumi Tekno Kultura Unggul Tbk. From 2005 until 2022 she worked as a scientist and breeder at the Indonesian Ornamental Crops Research Institute. In June 2022, she joined the National Research and Innovation Agency (BRIN).



Dewi is interested in tissue culture technologies, plant breeding, and plant genetic resources of orchids and other ornamentals. Her first meeting with international scientists took place in 2007 when she followed a three-months course at Wageningen University and Research (WUR) as part of the HORTIN project, a joint partnership between Indonesia and the Netherlands. She learned haploid technology by culturing microspores of *Brassica napus*. This experience made her decide to pursue a MSc degree at WUR. In 2012 she was granted a scholarship from Indonesian Agricultural Research and Development Agency (IAARD) to study plant breeding and genetic resources in Wageningen. She completed her MSc thesis on tulip and *Arabidopsis* tissue culture and produced two publications. She subsequently completed her minor thesis in 2012 by evaluating the over-expression of WRKY genes in tomato GMOs related to salt tolerance.

In 2015, Dewi was awarded a scholarship from Nuffic to learn more about the management of plant genetic resources at the Center of Development and Innovation in the Netherlands. In 2016, she received a scholarship from IAARD and Sakata Seed Corporation to study *Impatiens* at the University of Tokyo, Japan. These two events influenced her desire to pursue a PhD degree in biodiversity, particularly on the genetics underpinning flower and fruit development.

In 2017, she began her SMARTD-IAARD funded PhD research on the evolution and development of orchid flowers and fruits at Naturalis Biodiversity Center and Leiden University in the Netherlands. Throughout her PhD project, Dewi acquired various research-related skills, ranging from molecular to imaging techniques. She also attended scientific conferences and initiated a collaboration with ecologist Annemarie Heiduk on

evolution and development of flowers of *Ceropegia sandersonii*. In addition, she collaborated with composer Nick Roth, who translated protein-coding sequences of floral developmental genes of representative species of the five orchid subfamilies into musical notes.

Dewi enjoys traveling in her spare time, but due to the Covid-19 pandemic, this was temporarily not possible. At this time, Dewi began to enjoy running. For her, running promotes tranquility and creativity. A PhD project is a protracted battle, requiring a solid mind to endure the pressure. Physical activity, such as running, is a way for Dewi to maintain physical and emotional wellness.

LIST OF PUBLICATIONS AND PLANT VARIETY REGISTRATION CERTIFICATES

Publications and manuscripts in this PhD thesis

Pramanik, D., Ciftci, O., Woudstra, Y., 2022. Transcriptomics. In: de Boer, H., Marcella, M.O., Verstraete, B., Gravendeel, B. (Eds.), *Molecular Identification of Plants: From Sequence to Species*. Pensoft publisher, Sofia-Bulgaria. doi: 10.3897/ab.e98875

Pramanik, D., Dorst, N., Meesters, N., Spaans, M., Smets, E., Welten, M., Gravendeel, B., 2020. Evolution and development of three highly specialized floral structures of bee-pollinated *Phalaenopsis* species. *Evodevo* 11, 16. doi:10.1186/s13227-020-00160-z

Pramanik, D., Becker, A., Roessner, C., Rupp, O., Bogarin, D., Perez-Escobar, O.A., Dirks-Mulder, A., Droppert, K., Kocyan, A., Smets, E., Gravendeel, B.. Evolution and development of fruits of *Erycina pusilla* and other orchid species. Accepted by *PLOS ONE*.

Pramanik, D., Vaskimo, L., Batenburg, K.J., Kostenko, A., Droppert, K., Smets, E., Gravendeel, B., Resupination of orchid fruits and roots analysed with 2D photographs and a bioinformatics pipeline for processing sequential 3D scans. Provisionally accepted by *Applications in Plant Sciences*.

Pramanik, D., Spaans, M., Kranenburg, T., Bogarin, D., Heijungs, R., Lens, F., Smets, E., Gravendeel, B., 2022. Inflorescence lignification of natural species and horticultural hybrids of *Phalaenopsis* orchids. *Scientia Horticulturae* 295, 110845. doi:10.1016/j.scienta.2021.110845

Additional Peer reviewed publications

Heiduk, A., **Pramanik, D.**, Spaans, M., Gast, L., Dorst, N., van Heuven, B.J., Gravendeel, B., 2020. Pitfall flower development and organ identity of *Ceropegia sandersonii* (Apocynaceae-Asclepiadoideae). *Plants* 9. doi:10.3390/plants9121767

Soehendi, R., Kartikaningrum, S., **Pramanik, D.**, Meilasaria, R., Fibrianty, E., Yufdy, M.P., Marwoto, B., Kamogawa, T., 2021. Genetic and phenotypic variabilities of 24 *Impatiens platypetala* accessions from South Sulawesi, Indonesia. *Agriculture and Natural Resources* 55, 265–272. doi:10.34044/j.anres.2021.55.2.15

Rachmawati, F., **Pramanik, D.**, Winarto, B., 2020. Adventitious shoots derived from leaf explants in in vitro mass propagation of Indonesian selected anthurium clones. *International Journal of Agriculture, Forestry and Life Sciences* 4, 48–55.

Herlin, D., Kartikaningrum, S., **Pramanik, D.**, Wegadara, M., 2019. Genetic variability of some *Lilium longiflorum* cultivars in Indonesia. *Acta Horticulturae* 1240 (18): 111–116. doi:10.17660/ActaHortic.2019.1240.18

Rianawati, S., **Pramanik, D.**, Kartikaningrum, S., Dewanti, M., Suryanah, Budiarto, K., Marwoto, B., 2019. Clustering analysis on interspecific hybrid of *Paphiopedilum Maudiae x tonsum* crossing. IOP Conf. Ser.: *Environmental Earth Sciences* 308, 012082. doi:10.1088/1755-1315/308/1/012082

Gravendeel, B., Bogarin, D., Dirks-Mulder, A., Wati, R.K., **Pramanik, D.**, 2018. The orchid genomic toolkit, in: What Future for Orchids? *Les Cahiers de la Societe Francaise d'Orchidophilie* 9, pp. 72–76.

de Klerk, G.-J., **Pramanik, D.**, 2017. Trichloroacetate, an inhibitor of wax biosynthesis, prevents the development of hyperhydricity in Arabidopsis seedlings. *Plant Cell, Tissue, and Organ Culture* 131, 89–95. doi:10.1007/s11240-017-1264-x

Pramanik, D., Rachmawati, F., Winarto, B. 2016a. Propagation of *Phalaenopsis* 'Puspa Tiara Kencana' via somatic embryogenesis. *Acta Horticulturae* 1113 (3): 21–26. doi:10.17660/ActaHortic.2016.1113.3

Pramanik, D., Yufdy, M.P., Shintiavira, H., Winarto, B., 2016b. *In vitro* secondary embryogenesis derived from meta-topoline treatment on mass propagation of *Phalaenopsis* 'AMP 17.' *Notulae Scientia Biologicae* 8, 62–68. doi:10.15835/nsb819692

Shintiavira, H., **Pramanik, D.**, Winarto, B., 2015. *In vitro* organogenesis of Lisianthus [*Eustoma grandiflorum* (Raf.) Shinn] derived from leaf explant. *Thai Journal of Agricultural Science* 48, 199–206.

de Klerk, G.J.M., **Pramanik, D.**, 2014. Plants growing in vitro. Are there profits in removing epidermal wax? *Prophyta, The Annual* 2014, 42–43.

Winarto, B., Rachmawati, F., **Pramanik, D.**, Teixeira da Silva, J.A., 2011. Morphological and cytological diversity of regenerants derived from half-anther cultures of anthurium. *Plant Cell, Tissue and Organ Culture* 105, 363–374. doi:10.1007/s11240-010-9876-4

Abstracts

Pramanik, D., Rachmawati, F., Winarto, B. Propagation of *Phalaenopsis* 'Puspa Tiara Kencana' via somatic embryogenesis. 29th International Horticultural Congress (IHC2014). Brisbane, Australia, 17-22 August 2014. (Poster presentation)

Pramanik, D., and Gravendeel, B. Evolution and Development of *Phalaenopsis* flowers. European Orchid Show & Conference. Scientific meeting: What future for orchids? Paris, France, March 23-25th, 2018. (Poster presentation)

Pramanik, D., Dorst, N., Meesters, N., Smets, E., and Gravendeel, B. Evolution and development of pollination related floral traits in *Phalaenopsis*. 2nd conference of the Netherlands Society for Evolutionary Biology (NLSEB). Ede, The Netherlands, 16 April 2019. (Poster presentation)

Pramanik, D., and Gravendeel, B. Evolution and development of pollination related floral traits in *Phalaenopsis*. 7th International Orchids Conservation Conference, 27 May to 1 June 2019, London, UK. (Oral presentation)

Pramanik, D., von Barnau Sythoff, A.F., Helderma, L., Albronda, S., Pha, W., and Gravendeel, B. Expression of floral dorsoventral asymmetry genes in *Phalaenopsis* orchid transcriptomes. The 23rd World Orchid Congress (Virtual Conference), 23 to 26 April 2021, Taichung, Taiwan. (Poster Presentation)

Outreach

de Klerk, GJM, Bos, H, and **Pramanik, D.** 2014. Tulpscheutjes in weefselweek blijken zwaar ondervoed. *BloembollenVisie* (305), pp. 18–19.

Pramanik, D. 2020. New insight in evolution of butterfly orchid flowers. *Nature Today*. <https://www.naturetoday.com/intl/en/nature-reports/message/?msg=26586>

Plant variety registration certificates

Suskandarai Kartikaningrum, Rudy Soehendi, Mega Wegadara, Minangsari Dewanti, Mawaddah, and **Dewi Pramanik**. 2022. Plant registration certificate *Impatiens* Gincu Agrihorti. Indonesian Ornamental Crops Reserch Institute (IOCRI).

Suskandarai Kartikaningrum, Rudy Soehendi, Mega Wegadara, Minangsari Dewanti, Mawaddah, and **Dewi Pramanik**. 2022. Plant registration certificate *Impatiens* Mojang Timo Agrihorti. Indonesian Ornamental Crops Reserch Institute (IOCRI).

Rudy Soehendi, Suskandari Kartikaningrum, Budi Marwoto, Muhamad Taufik Ratule, Fadjry Djufry, Ronald Bunga Mayang, Mega Wegadara, and **Dewi Pramanik**. 2021. Plant registration certificate *Impatiens* Imadata Agrihorti. Indonesian Ornamental Crops Reserch Institute (IOCRI).

Sri Rianawati, Suskandari Kartikaningrum, Rudy Soehendi, Minangsari Dewanti, **Dewi Pramanik**, Fitri Rcahmawati, Suryanah, Euis Rohayati, Eneng Yulianti, and Sadeli. 2019. Plant registration certificate var. *Paphiopedilum* Tonsina Agrihorti. Indonesian Ornamental Crops Reserch Institute (IOCRI).

Sri Rianawati, Budi Marwoto, **Dewi Pramanik**, Rudy Soehendi, Minangsari Dewanti, Kurniawan Budiarto, Syafni, Euis Rohayati, Eneng Yulianti, and Sadeli. 2019. Plant registration certificate var. *Paphiopedilum* Mauredi Agrihorti. Indonesian Ornamental Crops Reserch Institute (IOCRI).

Sri Rianawati, Budi Marwoto, Yoyo Sulyo, Rudy Soehendi, Minangsari Dewanti, Nur Qomariah Hayati, **Dewi Pramanik**, Suryanah, Nina Marlina, Laily Qodriah, Sadeli. 2019. Plant registration certificate var. *Cymbidium* Tortilla Agrihorti. Indonesian Ornamental Crops Reserch Institute (IOCRI).

Darliah, Eka Fibrianti, Suskandari Kartikaningrum, Rudy Soehendi, **Dewi Pramanik**, Nina Rosana, Siti Hajar, and Nina Marlina. 2018. Plant registration certificate var. *Dendrobium* Almira Agrihorti. Indonesian Ornamental Crops Reserch Institute (IOCRI).

Lia Sanjaya, Lila H., Budi Marwoto, Rudy Soehendi, Indiyarto B. Rahardjo, Eka Fibrianty, Minangsari Dewanti, Sri Rianawati, **Dewi Pramanik**, Budi Winarto, Dedeh Siti Badriah, and Supenti. 2017. Plant registration certificate var. *Phalaenopsis* Adelina-2 Agrihorti. Indonesian Ornamental Crops Reserch Institute (IOCRI).

Kristina Dwiatmini, **Dewi Pramanik**, Sri Rianawati, and Kustatang. 2011. Plant registration certificate var. *Phalaenopsis* PB NV001. Indonesian Ornamental Crops Reserch Institute (IOCRI).

Kristina Dwiatmini, **Dewi Pramanik**, Sri Rianawati, and Sadeli. 2011. Plant registration certificate var. *Phalaenopsis* PB NV002. Indonesian Ornamental Crops Reserch Institute (IOCRI).

Kristina Dwiatmini, **Dewi Pramanik**, Kustatang, and Sadeli. 2011. Plant registration certificate var. *Phalaenopsis* PB MF004. Indonesian Ornamental Crops Reserch Institute (IOCRI).


Kristina Dwiatmini, **Dewi Pramanik**, Muchdar Soedarjo, and Sadeli. 2011. Plant registration certificate var. *Phalaenopsis* PB MF006. Indonesian Ornamental Crops Reserch Institute (IOCRI).

Kristina Dwiatmini, **Dewi Pramanik**, Muchdar Soedarjo, and Kustatang. 2011. Plant registration certificate var. *Phalaenopsis* PB MF007. Indonesian Ornamental Crops Reserch Institute (IOCRI).

Budi Marwoto, Yusdar Hilman, Lia Sanjaya, dan **Dewi Pramanik**. 2008. Plant registration certificate Lily var. Delino. Indonesian Ornamental Crops Reserch Institute (IOCRI).

PE&RC TRAINING AND EDUCATION STATEMENT

With the training and education activities listed below the PhD candidate has complied with the requirements set by the C.T. de Wit Graduate School for Production Ecology and Resource Conservation (PE&RC) which comprises of a minimum total of 32 ECTS (= 22 weeks of activities).



Review/project proposal (6 ECTS)

- Genetic regulation of orchid flower and fruit development
- Evolution and development of orchid flowers and fruits

Post-graduate courses (3.4 ECTS)

- 3D Visualization workshop Avizo; Naturalis Biodiversity Center (2017, 2018)
- Phylogenetics: principles and methods; Wageningen University (2018)
- Introduction course on R; PE&RC (2018)
- Distance learning executive course on intellectual property and genetic resources in the life sciences; World Intellectual Property Organization (2023)

Laboratory training and working visits (1.5 ECTS)

- Application of laser micro dissection (LMD) for isolation of RNA from dehiscence zones of *Erycina pusilla* fruits; Department of Botany, Justus Liebig University, Giessen, Germany (2020)

Invited review of journal manuscripts (1 ECTS)

- Horticultural Science: plant genetic resources (2023)

Competence strengthening/skills courses (4.4 ECTS)

- Time management; Leiden University (2018)
- Speed reading; Leiden University (2018)
- Improve memory for PhD; Leiden University (2018)
- Communication in science; Leiden University (2019)
- Effective communication; Leiden University (2020)
- LaTeX workshop; Wageningen University (2020)
- PhD Career webinar; Naturalis Biodiversity Center and Yellow Research (2021)

Scientific integrity/ethics in science activities (0.6 ECTS)

- Scientific conduct; Leiden University (2019)

PE&RC Annual meetings, seminars and the PE&RC retreat (2.1 ECTS)

- PE&RC First years weekend (2017)
- PE&RC midterm weekend (2018)
- PE&RC Last year's weekend (2020)

Discussion groups/local seminars or scientific meetings (7.5 ECTS)

- Endless forms/evolutionary ecology focus group meetings (2017-2021)
- IBL Spotlight seminars (2018)
- 7th Euro evolution and development conference; Galway, Ireland (2018)
- Naturalis colloquium (2019-2021)
- State of the world's plants and fungi virtual symposium; Royal Botanic Gardens (2022)

International symposia, workshops and conferences (6.42 ECTS)

- European orchid show & conference; poster presentation; Paris, France (2018)
- NLSEB Conference; poster presentation; Ede, the Netherlands (2019)
- 7th International orchid conservation conference; oral presentation; London, UK (2019)
- 23rd World orchid congress; poster presentation; online (2020)

Societally relevant exposure (5.1 ECTS)

- New insight in evolution of butterfly orchid flowers (2020)
- Pitfall flower development of *Ceropegia sandersonii* (2020)
- Music project orchidees (2021)
- Jury of orchids in the 23rd world orchid congress (2021)
- Transcriptomics chapter of e-book (2022)

Committee work (1 ECTS)

- Naturalis inclusive group (2020-2021)

Lecturing/supervision of practicals/tutorials (7.2 ECTS)

- Evolutionary biology (2017, 2018)
- Genomic architecture (2018, 2019)

BSc/MSc thesis supervision 4 students (20 ECTS)

- 4 Research topics