



Universiteit
Leiden
The Netherlands

Insights from scanning tunneling microscopy experiments into correlated electron systems

Benschop, T.

Citation

Benschop, T. (2023, September 26). *Insights from scanning tunneling microscopy experiments into correlated electron systems*. Casimir PhD Series. Retrieved from <https://hdl.handle.net/1887/3642190>

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis
in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/3642190>

Note: To cite this publication please use the final published version (if applicable).

Insights from Scanning Tunneling Microscopy Experiments into Correlated Electron Systems

Proefschrift

ter verkrijging van
de graad van doctor aan de Universiteit Leiden,
op gezag van rector magnificus prof.dr.ir. H. Bijl,
volgens besluit van het college voor promoties
te verdedigen op dinsdag 26 september 2023
klokke 10.00 uur

door

Tjerk Benschop

geboren te Spijkenisse

in 1995

Promotores:

Dr. M.P. Allan

Prof. dr. J. Aarts

Promotiecommissie:

Dr. M. Rösner

(Radboud Universiteit Nijmegen)

Prof. dr. C. Schönenberger

(University of Basel)

Dr. S. Bhattacharyya

Prof. dr. E.R. Eliel

Prof. dr. ir. S.J. van der Molen



Universiteit
Leiden



Casimir PhD series, Delft-Leiden 2023-20

ISBN 978-90-8593-568-1

An electronic version of this dissertation is available at

<https://scholarlypublications.universiteitleiden.nl/>

Printed by Gildeprint

The cover was designed by Xingchen Chen

This work was financed by the Dutch Research Council (NWO) as part of the Frontiers of Nanoscience program (NanoFront).

Copyright © 2023 Tjerk Benschop.

Contents

1	Introduction	1
1.1	Motivation	1
1.2	Thesis outline	3
2	Puddle formation, persistent gaps, and non-mean-field breakdown of superconductivity in overdoped $(\text{Pb},\text{Bi})_2\text{Sr}_2\text{CuO}_{6+\delta}$	7
2.1	Introduction	8
2.2	Gap Quantification	9
2.3	Breakdown of superconductivity through filling of the gap	13
2.4	On what is filling the gap	15
2.5	Summary	17
3	Measuring local moiré lattice heterogeneity of twisted bilayer graphene	19
3.1	Introduction	20
3.2	Methods	22
3.3	Spatial lock-in algorithm	24
3.4	Results	26
3.5	Conclusion	29
4	Amplifier for scanning tunneling microscopy at MHz frequencies	31
4.1	Introduction	32
4.2	Noise sources in STM	33
4.3	Amplifier and circuit	35
4.3.1	General idea	35
4.3.2	Circuit elements and printed circuit board design	35
4.4	Noise spectroscopy performance on atomically Au(111)	38
4.5	Conclusions and outlook	39
5	Noise enhancement in the tunneling current between an STM tip and Sr_2IrO_4	41
5.1	Introduction	42
5.2	STM on Sr_2IrO_4	43
5.3	Noise measurements	44
5.4	Random telegraph noise	47

Contents

5.5 Summary and outlook	50
A Supplementary information to puddle formation, persistent gaps, and non-mean-field breakdown of superconductivity in overdoped $(\text{Pb},\text{Bi})_2\text{Sr}_2\text{CuO}_{6+\delta}$	51
A.1 Experimental Methods	52
A.2 The phenomenological model to fit spectra	52
A.2.1 The d-wave gap model	52
A.2.2 Statistical analysis with and without the excluded spectra	53
A.2.3 Fit parameters figure 2.2c	58
A.2.4 Energy range for fitting and approximations for the normal density of states	58
A.2.5 An alternative model	60
A.3 Temperature dependence	63
A.4 Intrinsic Metal-Induced Pair-Breaking Effects Within a Superconducting Puddle Embedded in a Metallic Matrix	63
A.5 Rigid band shift in overdoped Bi2201	69
A.6 Gap filling and DOS from other experiments	71
A.7 Pair breaking, Gap filling and competing orders	71
B Supplementary information to measuring local moiré lattice heterogeneity of twisted bilayer graphene	73
B.1 Spatial Lock-in Algorithm	73
B.1.1 Deformations of a lattice	73
B.1.2 Properties of the deformation	74
B.1.3 Determination of the displacement field $\mathbf{u}(\mathbf{r})$	75
B.1.4 Additional notes on choice of reference vectors	76
B.2 Relation of moiré lattice to relative displacement	77
B.2.1 Relation to uniaxial strain models	79
B.3 Phase unwrapping & singularities	80
B.4 Device overview	80
B.5 Accuracy of the algorithm	81
B.6 Validity check with more data	83
B.7 Heterogeneity comparison with other devices and data overview	84
B.8 Homogeneity quantification	86
B.9 Artificial resolution limitation for comparison with SOT	86
B.10 Error estimation of the heterostrain model	87
B.11 Twist angle homogeneity overview	88
B.12 Data processing	88
Bibliography	91
Summary	105
Samenvatting	109

Contents

Curriculum Vitae	113
List of publications	115
Acknowledgments	117

Contents
