



Universiteit
Leiden
The Netherlands

**Cortical contributions to cognitive control of language and beyond:
evidence from functional connectivity profiles of the inferior parietal
cortex and cognitive control-related resting state networks**

Tabassi Mofrad, F.

Citation

Tabassi Mofrad, F. (2023, October 12). *Cortical contributions to cognitive control of language and beyond: evidence from functional connectivity profiles of the inferior parietal cortex and cognitive control-related resting state networks*. LOT dissertation series. LOT, Amsterdam. Retrieved from <https://hdl.handle.net/1887/3643667>

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/3643667>

Note: To cite this publication please use the final published version (if applicable).

List of Figures

Figure 2.1	
Resting state networks from the current study ($5 < z < 12$)	37
Figure 2.2	Results of the dual regression analyses
	40
Figure 3.1	Lateral right and dorsal view of the IPC division to the rostral (yellow-red), the middle (cyan), and the caudal (violet) clusters
	59
Figure 3.2	L1 and L2 RTs in millisecond in the switch and non-switch contexts in both the by- participants and the by-item analyses
	69
Figure 3.3	Showing clusters, that the right IPC rostral cluster has functional connectivity with, as a result of switching to L1
	70
Figure 3.4	Showing clusters, that the left IPC rostral cluster has functional connectivity with, as a result of switching to L1
	71
Figure 3.5	Showing clusters, that the right IPC rostral cluster has functional connectivity with, as a result of switching to L2
	73
Figure 4.1	L1 and L2 RTs in millisecond in the switch and non-switch contexts
	107
Figure 4.2	Demonstration of the seed regions, the left and the right IPC caudal clusters, and brain areas that the seed regions have functional connectivity with, when switching to L1
	109
Figure 4.3	Demonstration of the seed region, the left IPC caudal cluster, and brain areas that the seed region has functional connectivity with, when switching to L2
	112

Figure 4.4 Demonstration of the seed region, the left IPC caudal cluster, and brain areas that the seed region has functional connectivity with, when switching to L1 in females 114

Figure 4.5 Demonstration of the seed region, the left IPC caudal cluster, and brain areas that the seed region has functional connectivity with, when switching to L2 in females 116

Figure 5.1 Visualization of the distribution of the behavioral results (in RTs) in all four conditions of the experiment 144

Figure 5.2 Demonstration of the seed regions, the left and the right IPC middle clusters, and brain areas that the seed regions had functional connectivity with, when switching to L1 146

Figure 5.3 Demonstration of the seed region, the left IPC middle cluster, and brain areas that the seed region had functional connectivity with, when switching to L2 148

Figure 6.1 Demonstration of brain areas that the rostral IPC is functionally connected with, in the more demanding context 166

Figure 6.2 Demonstration of brain areas that the rostral IPC is functionally connected with, in the less demanding context 167

Figure 6.3 Demonstration of brain areas that the caudal IPC is functionally connected with, in the more demanding context 169

Figure 6.4 Demonstration of brain areas that the caudal IPC is functionally connected with, in the less demanding context 170

Figure 6.5 Demonstration of brain areas that the middle IPC is functionally connected with, in the more demanding context 172

Figure 6.6 Demonstration of brain areas that the middle IPC is functionally connected with, in the less demanding context 173

Figure 7.1 Demonstration of the clusters of the IPC and brain areas that the seed regions had functional connectivity with, when switching to L1 193

Figure 7.2 Demonstration of the clusters of the IPC and brain areas that the seed regions had functional connectivity with, when switching to L2 194

List of Tables

Table 2.1 Summary of matching the variables of the stimuli. This summary provides details on each variable that the stimuli were matched on in L1 & L2 with t-test statistics	30
Table 2.2 Summary of the behavioral data	35
Table 2.3 Dual regression summary	39
Table 3.1 Details of the participants included in the analysis	63
Table 3.2 Summary of each variable that the stimuli were matched on in L1 & L2 with t-test statistics	64
Table 3.3 Clusters that the rostral cluster IPC R/L has functional connectivity with, when switching to L1/L2	74
Table 4.1 Summary of each variable that the stimuli were matched on in L1 & L2 with t-test statistics	101
Table 4.2 Summary of each variable that the stimuli were matched on in sets A & B with regard to L1	102
Table 4.3 Summary of each variable that the stimuli were matched on in sets A & B with regard to L2	103
Table 4.4 Clusters that the R/L IPC caudal cluster has functional connectivity with, when switching to L1/L2	113
Table 4.5 Clusters that the R/L IPC caudal cluster has functional connectivity with, when females switched to L1/L2	117

Table 5.1 Clusters that the R/L IPC middle cluster has functional connectivity with, when switching to the L1/L2 149

