



Universiteit
Leiden

The Netherlands

Probing cosmic monsters: confronting hydrodynamic simulations with new observations of high-density environments

Ahad, S.L.

Citation

Ahad, S. L. (2023, November 21). *Probing cosmic monsters: confronting hydrodynamic simulations with new observations of high-density environments*. Retrieved from <https://hdl.handle.net/1887/3663135>

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/3663135>

Note: To cite this publication please use the final published version (if applicable).

Probing Cosmic Monsters

Confronting Hydrodynamic Simulations with
New Observations of High-density Environments

Proefschrift

ter verkrijging van
de graad van doctor aan de Universiteit Leiden,
op gezag van rector magnificus prof.dr.ir. H. Bijl,
volgens besluit van het college voor promoties
te verdedigen op dinsdag 21 november 2023
klokke 11:15 uur

door

Syeda Lammim Ahad

geboren te Madaripur, Bangladesh
in 1992

Promotores:

Prof. dr. H. Hoekstra

Dr. Y.M. Bahé

(École Polytechnique Fédérale de Lausanne)

Promotiecommissie:

Prof. dr. I.A.G. Snellen

Prof. dr. K. Kuijken

Prof. dr. M. Kriek

Dr. N. Hatch

(University of Nottingham)

Dr. A. Muzzin

(York University)

Copyright © 2023 *Syeda Lammim Ahad*.

ISBN: 978-94-93330-40-5

Cover art: The habitat of cosmic monsters, watercolour painting by the author. Digitally modified to add the text by R. Brilenkov.

“The sky is full of the sun and stars
The universe is full of life,
Among all these, I have found a place,
At the wonder, my heart sings.”
— Rabindranath Tagore

“আকাশ ভরা সূর্য-তারা বিশ্বভরা প্রাণ,
তাহারি মাঝখানে আমি পেয়েছি মোর স্থান,
বিস্ময়ে তাই জাগে আমার গান।”
--- রবীন্দ্রনাথ ঠাকুর

Contents

1	Introduction	1
1.1	Our understanding of the Universe: A brief history	1
1.2	The Standard Model of Cosmology	2
1.3	Hierarchical structure formation	4
1.4	Galaxy evolution in high-density environments	6
1.4.1	Some recent highlights of the field	8
1.5	Cosmological Hydrodynamic simulations	10
1.5.1	Current state of the field	15
1.6	Detailed comparison between simulations and observations	18
1.7	Thesis outline	20
	References	23
2	The stellar mass function and evolution of the density profile of galaxy clusters from the Hydrangea simulations at $0 < z < 1.5$	27
2.1	Introduction	28
2.2	Simulated Data	31
2.2.1	The Hydrangea Simulation Suite	31
2.2.2	Verifying the consistency between satellite stellar masses from SUBFIND and observations	33
2.2.3	Total stellar mass fractions predicted at different redshifts	37
2.3	Observational Data	41
2.3.1	MENeaCS and CCCP	41
2.3.2	<i>Planck</i> -SZ	42
2.3.3	GCLASS and GOGREEN	42
2.4	Galaxy Stellar Mass Function	43
2.4.1	Accounting for differences in cluster halo mass	43

2.4.2	Confronting simulations and observations	47
2.5	Radial satellite density profiles within the clusters	51
2.5.1	Evolution of the DM halo concentration	51
2.5.2	Concentration of stellar density profile	52
2.5.3	Interpreting the concentration evolution of DM and satellites	57
2.6	Summary and Conclusions	59
	References	62
	Appendix A	64
	Appendix B	65
	Appendix C	67
3	How to Interpret Measurements of Diffuse Light in Stacked Observations of Groups and Clusters of Galaxies	71
3.1	Introduction	72
3.2	GAMA group data	75
3.2.1	Galaxy and Mass Assembly survey data	75
3.2.2	Challenges in identifying the central galaxy in groups	76
3.3	Simulated data	81
3.3.1	The Hydrangea Simulation Suite	81
3.3.2	Group Selection	83
3.4	Effect of miscentring on the IGL fraction	85
3.4.1	Selection of miscentred groups in Hydrangea sample	85
3.4.2	Mass density profiles of GAMA and Hydrangea groups	87
3.4.3	Surface brightness profiles of Hydrangea groups	90
3.5	Towards a better IGL interpretation	94
3.5.1	Effect of group and central galaxy properties on the stacking	94
3.5.2	Central-IGL separation	100
3.5.3	Radial (u-r) colour profile of central+IGL	105
3.6	Summary and Conclusions	109
	References	112
4	The intragroup light in KiDS+GAMA groups	115
4.1	Introduction	116
4.2	Data	119
4.2.1	Galaxy and Mass Assembly survey data	119
4.2.2	Kilo Degree Survey	120
4.2.3	Customized data processing	122

4.3	Galaxy profiles	129
4.3.1	Impact of background subtraction on extended galaxy profiles .	129
4.3.2	Masking the satellites	131
4.4	Prediction from simulations	131
4.4.1	Point spread function	132
4.5	The intragroup light in GAMA+KiDS groups	137
4.5.1	Radial surface brightness profiles	137
4.5.2	Profile selection to lower measurement bias in stacking	138
4.5.3	Sub-stacking based on BGG luminosity	139
4.5.4	Residual background subtraction	139
4.5.5	Fraction of light in IGL	141
4.6	Discussion and Summary	147
4.6.1	Summary	148
	References	151
	Appendix A	152
5	An environment-dependent halo mass function as a driver for the	
	early quenching of $z \geq 1.5$ cluster galaxies	155
5.1	Introduction	156
5.2	Data	159
5.2.1	Simulations	159
5.2.2	Sample selection	160
5.2.3	Galaxy properties	160
5.3	Results	161
5.3.1	Halo mass function in cluster and field	161
5.3.2	Stellar-to-halo-mass relation and galaxy quenching	163
5.3.3	Quenched fraction and halo mass	167
5.4	Discussion	168
5.4.1	Quenched fraction in clusters and the field	168
5.4.2	Do $v_{\max, \text{peak}}$ and halo mass have the same effect on quenching?	169
5.5	Summary and Conclusions	171
	References	173
	Appendix A	174
	Appendix B	175
	Nederlandse samenvatting	181

Contents

Publications	187
Curriculum Vitae	189
Acknowledgements	193