Universiteit Leiden
The Netherlands

Probing cosmic monsters: confronting hydrodynamic simulations with new observations of high-density environments

Ahad, S.L.

Citation

Ahad, S. L. (2023, November 21). *Probing cosmic monsters: confronting hydrodynamic simulations with new observations of high-density environments*. Retrieved from https://hdl.handle.net/1887/3663135

Version:	Publisher's Version
License:	Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden
Downloaded from:	https://hdl.handle.net/1887/3663135

Note: To cite this publication please use the final published version (if applicable).

Probing Cosmic Monsters

Confronting Hydrodynamic Simulations with New Observations of High-density Environments

Proefschrift

ter verkrijging van
de graad van doctor aan de Universiteit Leiden,
op gezag van rector magnificus prof.dr.ir. H. Bijl,
volgens besluit van het college voor promoties
te verdedigen op dinsdag 21 november 2023
klokke 11:15 uur

door

Syeda Lammim Ahad

geboren te Madaripur, Bangladesh
in 1992

Promotores:

Prof. dr. H. Hoekstra	
Dr. Y.M. Bahé	(École Polytechnique Fédérale de Lausanne)

Promotiecommissie:

Prof. dr. I.A.G. Snellen	
Prof. dr. K. Kuijken	
Prof. dr. M. Kriek	
Dr. N. Hatch	(University of Nottingham)
Dr. A. Muzzin	(York University)

Copyright © *2023 Syeda Lammim Ahad.*

ISBN: 978-94-93330-40-5

Cover art: The habitat of cosmic monsters, watercolour painting by the author. Digitally modified to add the text by R. Brilenkov.

"The sky is full of the sun and stars
The universe is full of life,
Among all these, I have found a place,
At the wonder, my heart sings."
— Rabindranath Tagore

''আকাশ ভরা সূর্য-তারা বিশ্বভরা প্রাণ,
তাহারি মাঝখানে আমি পেয়েছি মোর স্থান,
বিস্ময়ে তাই জাগে আমার গান।''
--- রবীন্দ্রনাথ ঠাকুর

Contents

1 Introduction **1**

1.1 Our understanding of the Universe: A brief history 1

1.2 The Standard Model of Cosmology 2

1.3 Hierarchical structure formation 4

1.4 Galaxy evolution in high-density environments 6

1.4.1 Some recent highlights of the field 8

1.5 Cosmological Hydrodynamic simulations 10

1.5.1 Current state of the field 15

1.6 Detailed comparison between simulations and observations 18

1.7 Thesis outline 20

References 23

2 The stellar mass function and evolution of the density profile of galaxy clusters from the Hydrangea simulations at $0 < z < 1.5$ **27**

2.1 Introduction 28

2.2 Simulated Data 31

2.2.1 The Hydrangea Simulation Suite 31

2.2.2 Verifying the consistency between satellite stellar masses from SUBFIND and observations 33

2.2.3 Total stellar mass fractions predicted at different redshifts . . . 37

2.3 Observational Data 41

2.3.1 MENeaCS and CCCP 41

2.3.2 *Planck*-SZ 42

2.3.3 GCLASS and GOGREEN 42

2.4 Galaxy Stellar Mass Function 43

2.4.1 Accounting for differences in cluster halo mass 43

2.4.2 Confronting simulations and observations 47
2.5 Radial satellite density profiles within the clusters 51
2.5.1 Evolution of the DM halo concentration 51
2.5.2 Concentration of stellar density profile 52
2.5.3 Interpreting the concentration evolution of DM and satellites . 57
2.6 Summary and Conclusions 59
References 62
Appendix A 64
Appendix B 65
Appendix C 67

3 How to Interpret Measurements of Diffuse Light in Stacked Observations of Groups and Clusters of Galaxies 71
3.1 Introduction 72
3.2 GAMA group data 75
3.2.1 Galaxy and Mass Assembly survey data 75
3.2.2 Challenges in identifying the central galaxy in groups 76
3.3 Simulated data 81
3.3.1 The Hydrangea Simulation Suite 81
3.3.2 Group Selection 83
3.4 Effect of miscentring on the IGL fraction 85
3.4.1 Selection of miscentred groups in Hydrangea sample 85
3.4.2 Mass density profiles of GAMA and Hydrangea groups 87
3.4.3 Surface brightness profiles of Hydrangea groups 90
3.5 Towards a better IGL interpretation 94
3.5.1 Effect of group and central galaxy properties on the stacking . 94
3.5.2 Central-IGL separation 100
3.5.3 Radial (u-r) colour profile of central+IGL 105
3.6 Summary and Conclusions 109
References 112

4 The intragroup light in KiDS+GAMA groups 115
4.1 Introduction 116
4.2 Data 119
4.2.1 Galaxy and Mass Assembly survey data 119
4.2.2 Kilo Degree Survey 120
4.2.3 Customized data processing 122

4.3 Galaxy profiles 129
4.3.1 Impact of background subtraction on extended galaxy profiles . 129
4.3.2 Masking the satellites 131
4.4 Prediction from simulations 131
4.4.1 Point spread function 132
4.5 The intragroup light in GAMA+KiDS groups 137
4.5.1 Radial surface brightness profiles 137
4.5.2 Profile selection to lower measurement bias in stacking 138
4.5.3 Sub-stacking based on BGG luminosity 139
4.5.4 Residual background subtraction 139
4.5.5 Fraction of light in IGL 141
4.6 Discussion and Summary 147
4.6.1 Summary 148
References 151
Appendix A 152

5 An environment-dependent halo mass function as a driver for the early quenching of $z \geq 1.5$ cluster galaxies 155
5.1 Introduction 156
5.2 Data 159
5.2.1 Simulations 159
5.2.2 Sample selection 160
5.2.3 Galaxy properties 160
5.3 Results 161
5.3.1 Halo mass function in cluster and field 161
5.3.2 Stellar-to-halo-mass relation and galaxy quenching 163
5.3.3 Quenched fraction and halo mass 167
5.4 Discussion 168
5.4.1 Quenched fraction in clusters and the field 168
5.4.2 Do $v_{\mathrm{max,peak}}$ and halo mass have the same effect on quenching? 169
5.5 Summary and Conclusions 171
References 173
Appendix A 174
Appendix B 175

Nederlandse samenvatting 181

Publications **187**

Curriculum Vitae **189**

Acknowledgements **193**