



Universiteit
Leiden
The Netherlands

Optoplasmonic detection of single particles and molecules in motion

Asgari, N.

Citation

Asgari, N. (2023, November 28). *Optoplasmonic detection of single particles and molecules in motion. Casimir PhD Series*. Retrieved from <https://hdl.handle.net/1887/3665158>

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/3665158>

Note: To cite this publication please use the final published version (if applicable).

Optoplasmonic Detection of Single Particles and Molecules in Motion

Proefschrift

ter verkrijging van
de graad van doctor aan de Universiteit Leiden,
op gezag van rector magnificus prof. dr. ir. H. Bijl,
volgens besluit van het college voor promoties
te verdedigen op dinsdag 28 november 2023
klokke 10:00 uur

door

Nasrin Asgari

geboren te Zanjan, Iran

in 1991

Promotor: Prof. dr. M.A.G.J. Orrit
Co-promotor: Dr. M.D. Baaske

Promotiecommissie: Dr. W. Albrecht (AMOLF)
Dr. ir.S. Faez (Utrecht University)
Prof. dr. J. Aarts
Prof. dr. A. Kros
Prof. dr. ir.S.J.T. van Noort

Copyright © 2023 by N. Asgari.
Casimir PhD Series, Delft-Leiden 2023-34
ISBN 978-90-8593-581-0

An electronic version of this dissertation is available at
<https://openaccess.leidenuniv.nl>

The present work is financially supported by the Netherlands Organization for Scientific Research (NWO).

The cover designed by Nasrin Asgari. The front page shows a sensor gold nanorod which has been immobilized on a glass substrate. Single proteins and small gold nanorods are freely diffusing around the sensor rod. The proteins structures (Hemoglobin and Glucose oxidase) have been downloaded from protein data bank (PDB) and visualized in blender software. The back side shows a gold nanorod performing a random rotation and a random coil of polymer has been bind to the gold nanorod.

Contents

1	Introduction	1
1.1	Optical properties of noble metal nanoparticles	2
1.2	Refractive-index-based plasmonic detection	3
1.3	Single nanoparticles and molecules in motion	5
1.4	Optical microscopy	7
1.4.1	iSCAT	8
1.4.2	Photothermal contrast microscopy	9
1.5	Outline of this Thesis	10
2	Photothermal Spectro-Microscopy as Benchmark for Optoplasmonic Bio-Detection	13
2.1	Introduction	14
2.2	Methods	15
2.3	Results and Discussion	15
2.4	Conclusion	24
3	Nanosecond time scale transient optoplasmonic detection of single proteins	25
3.1	Introduction	26
3.2	Result	27
3.2.1	Sensor principle	27
3.2.2	Photothermal calibration	28
3.2.3	Single-molecule measurements	29
3.2.4	Proof of single-protein detection	34
3.3	Conclusion	35
3.4	Supplementary information	36

3.4.1	Autocorrelation measurements	36
3.4.2	SEM-Micrographs and Sizes of Gold Nanorods	37
3.4.3	BEM Simulations	38
3.4.4	Statistical Proof of Single-Protein Detection	40
3.4.5	Dynamic Light Scattering Measurements	41
4	Burst-by-Burst Measurement of Rotational Diffusion at Nanosecond Resolution	45
4.1	Introduction	46
4.2	Results and discussion	48
4.2.1	Rotational diffusion and scattering	48
4.2.2	Rotational correlation function	49
4.2.3	Comparing crossed and parallel polarizations	51
4.2.4	Rotational hot Brownian motion	54
4.2.5	Rotational diffusion in dilute PVA solutions	56
4.3	Conclusion	59
4.4	Supplementary information	60
4.4.1	TEM	60
4.4.2	Estimation of events overlap	62
4.4.3	Simulations of rotational diffusion	62
4.4.4	LSPR-based detection	69
4.4.5	The rotational diffusion times are independent of laser detuning from LSPR	71
4.4.6	Rotational Hot Brownian motion (HBM)	73
4.4.7	Optical torque	79
4.4.8	Rotational diffusion in PVA solutions	81
5	Towards Plasmonic Nanoscale Goniometers	85
5.1	Introduction	86
5.1.1	Simulations	89
5.1.2	Experiment	91
5.2	Results and discussion	92
5.3	Conclusion	99
5.4	Methods	99
5.4.1	Immobilizing sensor GNR	99
5.4.2	Analytes	100
5.4.3	Optical setup	100

5.5	Supplementary information	101
5.5.1	Simulation	101
5.5.2	Plasmonic dipole-dipole coupling (theory)	107
5.5.3	Optical setup	109
5.5.4	Analytes	110
5.5.5	Temperature estimation around the sensor GNR	113
5.5.6	Time Resolution	114
5.5.7	More events with different analytes	116
5.5.8	Translational diffusion	120
5.5.9	Confocal monitoring of the rotational diffusion of analytes . . .	121
5.5.10	Angle sensitivity	123
6	Conclusion and outlook	129
Bibliography		133
Summary		147
Samenvatting		149
Curriculum Vitae		151
List of Publication		153
Acknowledgements		155

