



Universiteit  
Leiden  
The Netherlands

## Optoplasmonic detection of single particles and molecules in motion

Asgari, N.

### Citation

Asgari, N. (2023, November 28). *Optoplasmonic detection of single particles and molecules in motion*. *Casimir PhD Series*. Retrieved from <https://hdl.handle.net/1887/3665158>

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/3665158>

**Note:** To cite this publication please use the final published version (if applicable).

# Propositions

Accompanying the thesis

## Optoplasmonic Detection of Single Particles and Molecules in Motion

1. Characterization of single molecules via refractive index-based plasmonic detection is impossible without optimization of signal-to-noise ratio.

*Chapter 2 and 3 of this thesis.*

2. High bandwidth of interferometric scattering techniques enables them to measure fast dynamical process on the nanoscale.

*Chapter 3 of this thesis.*

3. The rotational correlation function is not an inherent property of a particle, but it also depends on the configuration of the measurement system.

*Chapter 4 of this thesis.*

4. Even though coupled plasmonic nanorods provide high signal-to-noise ratio, obtaining high angle sensitivity is challenging; therefore the chemical effort to build a plasmonic goniometer is not justifiable.

*Chapter 5 of this thesis.*

5. Scattering-based detection techniques are able to measure the hydrodynamic volume and mass of single molecules via translational diffusion but don't provide enough signal-to-noise ratio to address the rotational diffusion.

*Nano Letters* **23**, 1629-1636, (2023); *Nucleic acids research* **48**, e97-e97 (2020).

6. Inspired by biology, we can make physical systems such as nanomachines. Therefore, new methods to study the dynamics of biological process at the single-particle and single molecule level in real time are highly desirable.

*Nature nanotechnology* **7**, 379-382 (2012).

7. To improve the sensing performance of plasmonics sensors beyond the classical limit, quantum resources are promising.

*ACS Photonics* **3**, no. **6**, 992-999 (2016); *Chemical Reviews* **121**, no. **8** (2021): 4743-4804.

8. Brownian motion is more than just random motion, it has significant implications in understanding the nanoscopic world to biological process.

*Nature* **397**, no. **6715** (1999): 129-134.

9. Artificial intelligence can yield countless hours of productivity for society. It can also dramatically influence the healthcare facilities and reduce costs.

Nasrin Asgari  
Leiden, 2023