



Universiteit
Leiden
The Netherlands

Data-driven donation strategies: understanding and predicting blood donor deferral

Vinkenoog, M.

Citation

Vinkenoog, M. (2024, February 15). *Data-driven donation strategies: understanding and predicting blood donor deferral*. Retrieved from <https://hdl.handle.net/1887/3717530>

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/3717530>

Note: To cite this publication please use the final published version (if applicable).

English summary

The research in this dissertation aims to optimise blood donation processes in the framework of the Dutch national blood bank Sanquin. The primary health risk for blood donors is iron deficiency, which is evaluated based on donors' hemoglobin and ferritin levels. If either of these levels are inadequate, donors are deferred from donation. Deferral due to low hemoglobin levels occurs on-site, meaning that donors have already traveled to the blood bank and then have to return home without donating, which is demotivating for the donor and inefficient for the blood bank. A large part of this dissertation therefore has the objective to develop a prediction model for donors' hemoglobin levels, based on historical measurements and donor characteristics.

The prediction model that was developed reduces the deferral rate by approximately 60% (from 3% to 1% for women, and from 1% to 0.4% for men), showing the potential of using data to enhance blood bank policy efficiency. Additionally, the model predictions were made explainable, providing the blood bank with insights into why specific predictions are made. These insights increase our understanding of the relationships between donor characteristics and hemoglobin levels. If this prediction model would be implemented in practice, the explanations could also be shared with the donor to help them understand why they are (not) invited to donate, which could also contribute to donor satisfaction and retention.

In a collaborative effort with blood banks in Australia, Belgium, Finland and South Africa, the same prediction model was applied on data from each blood bank. Despite differences in blood bank policies and donor demographics, the models found similar associations with the predictor variables in all countries. Differences in performance



could mostly be attributed to differences in deferral rates, with blood banks with higher deferral rates obtaining higher model accuracy.

Beyond hemoglobin prediction models, additional research questions are explored. One study aims to identify determinants of ferritin levels in donors through repeated measurements, and linking these to environmental variables. Another study involves modeling the pharmacokinetics of antibodies in COVID-19 recovered donors, and finding relationships between patient characteristics, symptoms, and antibody levels over time.

In summary, the research in this dissertation shows the potential within the wealth of data collected by blood banks. The proposed data-driven donation strategies not only decrease deferral rates but also increase donor retention and understanding. This comprehensive approach allows Sanquin to provide more personalised feedback to donors regarding their iron status, ultimately optimising the blood donation process and contributing to the overall efficacy of blood banking systems.