



Universiteit
Leiden

The Netherlands

Freezing conditions in warm disks: snowlines and their effect on the chemical structure of planet-forming disks

Leemker, M.

Citation

Leemker, M. (2024, February 14). *Freezing conditions in warm disks: snowlines and their effect on the chemical structure of planet-forming disks*. Retrieved from <https://hdl.handle.net/1887/3717617>

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/3717617>

Note: To cite this publication please use the final published version (if applicable).

Freezing conditions in warm disks

snowlines and their effect on the chemical structure of
planet-forming disks

Proefschrift

ter verkrijging van
de graad van doctor aan de Universiteit Leiden,
op gezag van rector magnificus prof. dr. ir. H. Bijl,
volgens besluit van het college voor promoties
te verdedigen op woensdag 14 februari 2024
klokke 10:00 uur
door

Margot Leemker

geboren te Zwijndrecht, Nederland
in 1996

Promotores:

Prof. dr. E. F. van Dishoeck

Prof. dr. M. R. Hogerheijde Universiteit Leiden
Universiteit van Amsterdam

Co-promotor:

Dr. A. S. Booth Harvard & Smithsonian Center for Astrophysics

Promotiecommissie:

Prof. dr. I. A. G. Snellen

Prof. dr. H. V. J. Linnartz

Prof. dr. E. A. Bergin University of Michigan

Prof. dr. H. Nomura National Astronomical Observatory of Japan

Dr. V. V. Guzmán Pontificia Universidad Católica

ISBN:

Cover design: Marta Paula Tychoniec

The universe is made of stories, not of atoms.
- *Muriel Rukeyser*

Table of contents

1	Introduction	1
1.1	Star and planet formation	1
1.2	Protoplanetary disks	4
1.2.1	Evolution of disks	4
1.2.2	Dust evolution and planet formation	6
1.2.3	Observations of disks with ALMA	8
1.2.4	Disks are not smooth in dust	9
1.2.5	Disks are not smooth in gas	11
1.2.6	Dust traps are ice traps	12
1.2.7	Vertical structure in disks	13
1.3	Astrochemistry	13
1.3.1	Gas-phase chemistry	14
1.3.2	Grain surface chemistry	15
1.3.3	Inheritance or reset	15
1.3.4	Snowlines	17
1.3.4.1	Tracers of snowlines	18
1.4	Thermometers in disks	20
1.4.1	Brightness temperature	20
1.4.2	Line ratios	21
1.5	Modelling of protoplanetary disks using DALI	22
1.6	This thesis	24
1.6.1	Outlook	25
2	Chemically tracing the water snowline in protoplanetary disks with HCO⁺	27
2.1	Introduction	29
2.2	Protoplanetary disk model	31
2.2.1	Disk structure	31
2.2.2	Chemical models	34
2.2.3	Radiative transfer	35
2.3	Modelling results	37
2.3.1	Chemistry	37
2.3.1.1	Water versus electrons	38

2.3.1.2	Effect of the CO, H ₂ O abundance, and cosmic ray ionisation rate on the HCO ⁺ abundance	39
2.3.2	HCO ⁺ and H ¹³ CO ⁺ emission	40
2.3.2.1	Continuum optical depth	42
2.3.2.2	Molecular excitation	43
2.3.2.3	Chemistry	45
2.3.2.4	What causes HCO ⁺ rings?	45
2.3.3	Line profiles	45
2.4	Comparison with observations	46
2.4.1	H ¹³ CO ⁺ observations	48
2.4.2	HCO ⁺ observations	50
2.4.3	Model HCO ⁺ images: locating the snowline	50
2.5	Conclusions	53
	Appendices	54
2.A	Freeze-out and desorption coefficients	54
2.B	Chemical network	55
2.B.1	Analytical approximation for network NW	55
2.B.2	Initial conditions	56
2.C	HCO ⁺ and H ¹³ CO ⁺ $J = 1 - 0$, $J = 3 - 2$, and $J = 4 - 3$ transitions	57
2.D	V883 Ori	57
3	Resolving snow surfaces of water and methanol in the V883 Ori disk	63
3.1	Introduction	65
3.2	Methods	67
3.3	Results	68
3.4	Discussion	70
3.4.1	Layered or mixed ices on the grains	70
3.4.2	HDO and methanol snow surfaces in other disks	71
3.5	Conclusions	72
3.6	Acknowledgements	72
	Appendices	74
3.A	Channel maps	74
3.B	Optical depth	74
4	Gas temperature structure across transition disk cavities	77
4.1	Introduction	79
4.2	Observations	81
4.2.1	The sources	81
4.2.2	Data	84
4.3	Results	89
4.3.1	Dust	89
4.3.2	Gas	90
4.3.2.1	Radial profiles	90
4.3.2.2	Brightness temperatures	91
4.3.2.3	Spectra	93

4.4	Analysis	94
4.4.1	Temperature and column density determination	94
4.4.2	Results for LkCa15	96
4.4.3	Results for HD 169142	100
4.5	Thermochemical models	101
4.6	Discussion	103
4.6.1	Comparing models and observations	103
4.6.2	Comparison to other sources	105
4.6.3	Implications for the cause of the gas cavity	106
4.7	Conclusions	108
	Appendices	110
4.A	Observations	110
4.A.1	Channel maps $^{13}\text{CO } J = 6 - 5$	110
4.A.2	Azimuthally averaged radial profiles	110
4.A.3	Brightness temperature	110
4.A.4	Spectra	112
4.B	Line ratio analysis	114
4.B.1	Temperature and column density	114
4.B.2	Optical depth	114
4.C	DALI	116
4.C.1	Model setup	116
4.C.2	DALI models for other parameters	123
5	A major asymmetric ice trap in a planet-forming disk. IV. Nitric oxide gas and a lack of CN tracing sublimating ices and a C/O ratio <1	125
5.1	Introduction	127
5.2	Observations and methods	129
5.2.1	Data	129
5.2.2	Data analysis	132
5.2.3	Column densities	133
5.3	Observational results	135
5.3.1	Detected lines	135
5.3.2	NO column density	137
5.3.3	Upper limits on nitrogen-bearing molecules and C/O ratio	137
5.3.4	Upper limits on H_2O and OH	139
5.4	Models	140
5.4.1	Dust trap cools the disk midplane	143
5.4.2	Effect of sublimating ices: H_2O and NH_3	146
5.4.3	Effects of sublimating ices: Additional NO	149
5.4.4	Chemical composition of the non-dust trap side	150
5.5	Discussion	150
5.5.1	Possible parent molecules of NO	150
5.5.2	Comparison to other sources	152
5.6	Conclusions	154
5.7	Acknowledgements	154

Appendices	156
5.A Observations	156
5.B DALI	157
5.B.1 Model setup	157
5.B.1.1 Gas and dust density structure	157
5.B.1.2 Stellar spectrum	162
5.B.1.3 Chemical network	162
5.B.2 Model results	168
5.B.2.1 Initial distribution of nitrogen	168
5.B.2.2 Effect of evaporating ices on CN and C ₂ H	168
5.B.2.3 Chemical composition of the non-dust trap side	170
5.B.2.4 Time evolution	170
6 Chemistry across dust and gas gaps in protoplanetary disks: modelling the co-spatial molecular rings in the HD 100546 disk	179
6.1 Introduction	181
6.2 Methods	184
6.2.1 Source: HD 100546	184
6.2.2 ALMA data covering [C I]	185
6.2.3 DALI	185
6.2.3.1 Gas density structure	185
6.2.3.2 Dust density structure	186
6.2.4 Stellar spectrum	187
6.2.5 Chemistry	187
6.2.6 Raytracing	188
6.2.7 The fiducial model	188
6.3 Results	191
6.3.1 2D abundance maps	192
6.3.2 Integrated intensity maps	193
6.3.3 A deeper gas gap	195
6.3.3.1 Column densities	195
6.3.3.2 Emission maps	197
6.3.3.3 Molecular column densities and line ratios	197
6.3.4 Different C/O ratios	199
6.3.4.1 Column densities and emission profiles	199
6.3.4.2 Column density and emission line ratios	203
6.3.5 Background UV	203
6.3.6 Flaring	204
6.4 Discussion	205
6.4.1 Radial structures	205
6.4.1.1 CO isotopologues, HCO ⁺ , and HCN	205
6.4.1.2 CN, C ₂ H, and NO	206
6.4.2 Chemistry in the rings and gap	207
6.5 Conclusions	209
6.6 Acknowledgements	210
Appendices	211

6.A	Observed lines	211
6.B	DALI	212
6.B.1	Model setup	212
6.B.1.1	Radial and vertical structure	212
6.B.1.2	Initial conditions of the chemical networks	213
6.B.2	Model predictions	218
6.B.2.1	Emission profiles and emitting heights of CO isotopologues	218
6.B.2.2	Emission profiles and column densities of [C I], HCN, CN, C ₂ H, NO, and HCO ⁺ for different gas gaps	219
6.B.2.3	Column densities of [C I], HCN, CN, C ₂ H, NO, and HCO ⁺ for different C/O ratios	222
6.B.3	Molecular ratios	222
6.B.3.1	Column density ratios for different gap depths	222
6.B.3.2	Emission line ratios for different gap depths	224
6.B.3.3	Column density and line ratios for different C/O ratios	225
6.B.4	Background UV	226
6.B.5	Flaring	226
	Bibliography	226
	Nederlandse samenvatting	255
	Publications	263
	Curriculum Vitae	267
	Acknowledgements	269

