



Universiteit  
Leiden  
The Netherlands

## **Withstanding the cold: energy feedback in simulations of galaxies that include a cold interstellar medium**

Chaikin, E.

### **Citation**

Chaikin, E. (2024, February 27). *Withstanding the cold: energy feedback in simulations of galaxies that include a cold interstellar medium*. Retrieved from <https://hdl.handle.net/1887/3719692>

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/3719692>

**Note:** To cite this publication please use the final published version (if applicable).

# Withstanding the cold

Energy feedback in simulations of galaxies that include  
a cold interstellar medium

Proefschrift

ter verkrijging van  
de graad van doctor aan de Universiteit Leiden,  
op gezag van rector magnificus prof.dr.ir. H. Bijl,  
volgens besluit van het college voor promoties  
te verdedigen op dinsdag 27 februari 2024  
klokke 11:15 uur

door

Evgenii Chaikin

geboren te Kaliningrad, Rusland  
in 1995

**Promotor:**

Prof.dr. J. Schaye

**Co-promotor:**

Dr. M. Schaller

**Promotiecommissie:**

Prof.dr. R.A. Crain (Liverpool John Moores University)

Prof.dr. J.F. Hennawi

Prof.dr. M.T. Kriek

Dr. S. Ploeckinger (University of Vienna)

Prof.dr. S.F. Portegies Zwart

Prof.dr. I.A.G. Snellen

Copyright © (2024) *Evgenii Chaikin*

ISBN: 978-94-6496-025-9

Cover by the author. Shown are AGN-driven outflows in cosmological hydrodynamical simulations of galaxy formation with the COLIBRE galaxy formation model. The outflow images were created using SWIFTSIMIO and edited in Adobe Photoshop 25.1.0.

Printed by: Gildeprint



Universiteit  
Leiden



BiD4BES has received funding from the European Union's Horizon 2020 research and innovation programme under the Marie Skłodowska-Curie grant agreement No 860744.







# Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
1.1	Cosmological background . . . . .	1
1.1.1	The $\Lambda$ CDM model . . . . .	3
1.1.2	Density perturbations and their growth in time . . . . .	5
1.2	Baryons and galaxies . . . . .	7
1.2.1	First galaxies . . . . .	8
1.2.2	Basics of stellar nucleosynthesis . . . . .	9
1.2.3	Stellar feedback and metal enrichment . . . . .	10
1.2.4	Core-collapse supernovae . . . . .	12
1.2.5	Type-Ia supernovae . . . . .	14
1.2.6	Black holes . . . . .	15
1.2.7	Active galactic nuclei . . . . .	16
1.3	Numerical simulations of galaxy formation . . . . .	17
1.3.1	Motivation . . . . .	17
1.3.2	Resolution and volume requirements . . . . .	19
1.3.3	Simulating dark matter using gravity solvers . . . . .	20
1.3.4	Simulating baryons using smoothed particle hydrodynamics . . . . .	23
1.4	Subgrid physics in simulations of galaxy formation . . . . .	27
1.4.1	Simulating radiative cooling and heating processes . . . . .	28
1.4.2	Simulating star formation . . . . .	30
1.4.3	Simulating stellar mass loss . . . . .	32
1.4.4	Simulating energy feedback from core-collapse supernovae . . . . .	33
1.4.5	Simulating other forms of feedback from stars . . . . .	34
1.4.6	Seeding of supermassive black holes in galaxy simulations . . . . .	35
1.4.7	Simulating mass growth of supermassive black holes . . . . .	35
1.4.8	Simulating AGN feedback . . . . .	37
1.5	Simulations of galaxy formation. Current status and future steps . . . . .	39
1.5.1	Comparisons between simulated galaxies and observational data . . . . .	41
1.5.2	Challenges in numerical galaxy formation . . . . .	43
1.6	This thesis . . . . .	44
	<b>References</b>	<b>47</b>

<b>2 Simulations of <math>^{60}\text{Fe}</math> entrained in ejecta from a near-Earth supernova: effects of observer motion</b>	<b>51</b>
2.1 Introduction . . . . .	52
2.2 Methods . . . . .	55
2.2.1 Simulation setup . . . . .	55
2.2.2 Heating and cooling . . . . .	56
2.2.3 Analytical solution . . . . .	57
2.2.4 Accuracy test. Runs with and without cooling . . . . .	59
2.2.5 Ejecta tracing and diffusion . . . . .	60
2.2.6 Blastwave properties . . . . .	62
2.3 Simulation results . . . . .	66
2.3.1 Well-mixed ejecta . . . . .	66
2.3.2 Ejecta as predicted by the simulation . . . . .	69
2.3.3 Peak complexity and agreement with data . . . . .	73
2.4 Discussion . . . . .	75
2.4.1 Major differences with the well-mixed scenario and ram pressure . . . . .	75
2.4.2 Comparison with previous work . . . . .	76
2.4.3 Caveats and limitations . . . . .	77
2.5 Conclusions . . . . .	78
<b>References</b>	<b>82</b>
<b>Appendix</b>	<b>84</b>
2.A Resolution tests . . . . .	84
2.B Uncertainties in distribution of ejecta . . . . .	84
2.B.1 Effect of diffusion constant . . . . .	84
2.B.2 Impact of initial distribution of ejecta . . . . .	86
<b>3 The importance of the way in which supernova energy is distributed around young stellar populations in simulations of galaxies</b>	<b>91</b>
3.1 Introduction . . . . .	92
3.2 Neighbour selection . . . . .	95
3.2.1 Mass-weighted method . . . . .	95
3.2.2 Isotropic method . . . . .	95
3.2.3 Minimum distance method . . . . .	96
3.2.4 Minimum and maximum density methods . . . . .	98
3.3 Numerical simulations . . . . .	98
3.3.1 Code and setup . . . . .	98
3.3.2 Initial conditions . . . . .	99
3.3.3 Subgrid model for galaxy evolution . . . . .	101
3.3.4 Runs . . . . .	105
3.4 Results . . . . .	106
3.4.1 Isolated galaxy simulations . . . . .	106

3.4.2	Cosmological simulations . . . . .	117
3.5	Discussion . . . . .	119
3.5.1	Comparison with previous work . . . . .	119
3.5.2	Extension to other hydro solvers than SPH . . . . .	121
3.5.3	Extension to other subgrid feedback models . . . . .	121
3.6	Conclusions . . . . .	122
<b>References</b>		<b>125</b>
<b>Appendix</b>		<b>127</b>
3.A	Degree of isotropy as a function of resolution . . . . .	127
3.B	Distribution of distances between stars and their heated gas neighbours . . . . .	127
<b>4</b>	<b>A thermal-kinetic subgrid model for supernova feedback in simulations of galaxy formation</b>	<b>131</b>
4.1	Introduction . . . . .	132
4.2	SN feedback model . . . . .	135
4.2.1	Thermal channel . . . . .	135
4.2.2	Kinetic channel . . . . .	137
4.3	Numerical simulations . . . . .	146
4.3.1	Code and setup . . . . .	146
4.3.2	Initial conditions . . . . .	147
4.3.3	Subgrid model for galaxy evolution . . . . .	148
4.3.4	Runs . . . . .	151
4.4	Results . . . . .	154
4.4.1	Variations in the fraction of kinetic energy . . . . .	154
4.4.2	Variations in the desired kick velocity . . . . .	168
4.4.3	Variations in numerical resolution . . . . .	175
4.5	Discussion . . . . .	177
4.5.1	Comparison with previous work . . . . .	177
4.5.2	Interpreting the different channels for injecting SN energy . . . . .	178
4.5.3	The effect of correcting for relative gas-star motion . . . . .	179
4.6	Conclusions . . . . .	180
<b>References</b>		<b>184</b>
<b>Appendix</b>		<b>186</b>
4.A	Gas-star relative motion and multiple kicks in SN kinetic feedback . . . . .	186
4.B	Impact of the star formation criterion . . . . .	188
<b>5</b>	<b>COLIBRE: calibrating subgrid feedback in cosmological simulations that include a cold gas phase</b>	<b>191</b>
5.1	Introduction . . . . .	192
5.2	Simulations . . . . .	195



5.2.1	Initial conditions . . . . .	196
5.2.2	Radiative cooling . . . . .	197
5.2.3	Chemistry . . . . .	198
5.2.4	Dust . . . . .	199
5.2.5	Star formation . . . . .	200
5.2.6	Stellar evolution and chemical enrichment . . . . .	201
5.2.7	Early stellar feedback . . . . .	202
5.2.8	Core collapse supernova feedback . . . . .	203
5.2.9	Type-Ia supernovae . . . . .	208
5.2.10	Black holes . . . . .	208
5.3	Emulators . . . . .	212
5.3.1	Setup . . . . .	213
5.3.2	The emulated relations . . . . .	213
5.3.3	Target observational data . . . . .	214
5.3.4	The search for the best-fitting parameter values . . . . .	215
5.4	Calibration with emulators . . . . .	217
5.4.1	Models with simplified supernova feedback . . . . .	218
5.4.2	Selection of subgrid parameters for calibration with emulators . . . . .	219
5.4.3	Training data for emulators . . . . .	222
5.4.4	Best-fitting parameters and extra simulations . . . . .	225
5.5	Results . . . . .	225
5.5.1	Basic and ThermalKinetic models . . . . .	226
5.5.2	ThermalKineticVariable $\Delta T$ and Reference models . . . . .	235
5.5.3	Galaxy properties to which the models were not explicitly calibrated . . . . .	240
5.5.4	Other feedback parameter variations . . . . .	250
5.6	Conclusions . . . . .	254
	<b>References</b>	<b>258</b>
	<b>Appendix</b>	<b>262</b>
	5.A The effect of energy feedback from type-Ia SNe . . . . .	262
	<b>Nederlandse samenvatting</b>	<b>265</b>
	Introductie . . . . .	265
	Dit proefschrift . . . . .	267
	<b>Publications</b>	<b>271</b>
	<b>Curriculum Vitae</b>	<b>273</b>
	<b>Acknowledgements</b>	<b>275</b>