



Universiteit
Leiden
The Netherlands

Withstanding the cold: energy feedback in simulations of galaxies that include a cold interstellar medium

Chaikin, E.

Citation

Chaikin, E. (2024, February 27). *Withstanding the cold: energy feedback in simulations of galaxies that include a cold interstellar medium*. Retrieved from <https://hdl.handle.net/1887/3719692>

Version: Publisher's Version

[Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

License: <https://hdl.handle.net/1887/3719692>

Note: To cite this publication please use the final published version (if applicable).

Withstanding the cold

Energy feedback in simulations of galaxies that include
a cold interstellar medium

Proefschrift

ter verkrijging van
de graad van doctor aan de Universiteit Leiden,
op gezag van rector magnificus prof.dr.ir. H. Bijl,
volgens besluit van het college voor promoties
te verdedigen op dinsdag 27 februari 2024
klokke 11:15 uur

door

Evgenii Chaikin

geboren te Kaliningrad, Rusland
in 1995

Promotor:

Prof.dr. J. Schaye

Co-promotor:

Dr. M. Schaller

Promotiecommissie:

Prof.dr. R.A. Crain (Liverpool John Moores University)

Prof.dr. J.F. Hennawi

Prof.dr. M.T. Kriek

Dr. S. Ploeckinger (University of Vienna)

Prof.dr. S.F. Portegies Zwart

Prof.dr. I.A.G. Snellen

Copyright © (2024) *Evgenii Chaikin*

ISBN: 978-94-6496-025-9

Cover by the author. Shown are AGN-driven outflows in cosmological hydrodynamical simulations of galaxy formation with the **COLIBRE** galaxy formation model. The outflow images were created using **SWIFTSIMIO** and edited in Adobe Photoshop 25.1.0.

Printed by: Gildeprint



BiD4BEST has received funding from the European Union's Horizon 2020 research and innovation programme under the Marie Skłodowska-Curie grant agreement No 860744.



Contents

1	Introduction	1
1.1	Cosmological background	1
1.1.1	The Λ CDM model	3
1.1.2	Density perturbations and their growth in time	5
1.2	Baryons and galaxies	7
1.2.1	First galaxies	8
1.2.2	Basics of stellar nucleosynthesis	9
1.2.3	Stellar feedback and metal enrichment	10
1.2.4	Core-collapse supernovae	12
1.2.5	Type-Ia supernovae	14
1.2.6	Black holes	15
1.2.7	Active galactic nuclei	16
1.3	Numerical simulations of galaxy formation	17
1.3.1	Motivation	17
1.3.2	Resolution and volume requirements	19
1.3.3	Simulating dark matter using gravity solvers	20
1.3.4	Simulating baryons using smoothed particle hydrodynamics	23
1.4	Subgrid physics in simulations of galaxy formation	27
1.4.1	Simulating radiative cooling and heating processes	28
1.4.2	Simulating star formation	30
1.4.3	Simulating stellar mass loss	32
1.4.4	Simulating energy feedback from core-collapse supernovae	33
1.4.5	Simulating other forms of feedback from stars	34
1.4.6	Seeding of supermassive black holes in galaxy simulations	35
1.4.7	Simulating mass growth of supermassive black holes	35
1.4.8	Simulating AGN feedback	37
1.5	Simulations of galaxy formation. Current status and future steps .	39
1.5.1	Comparisons between simulated galaxies and observational data	41
1.5.2	Challenges in numerical galaxy formation	43
1.6	This thesis	44
References		47

2 Simulations of ^{60}Fe entrained in ejecta from a near-Earth supernova: effects of observer motion	51
2.1 Introduction	52
2.2 Methods	55
2.2.1 Simulation setup	55
2.2.2 Heating and cooling	56
2.2.3 Analytical solution	57
2.2.4 Accuracy test. Runs with and without cooling	59
2.2.5 Ejecta tracing and diffusion	60
2.2.6 Blastwave properties	62
2.3 Simulation results	66
2.3.1 Well-mixed ejecta	66
2.3.2 Ejecta as predicted by the simulation	69
2.3.3 Peak complexity and agreement with data	73
2.4 Discussion	75
2.4.1 Major differences with the well-mixed scenario and ram pressure	75
2.4.2 Comparison with previous work	76
2.4.3 Caveats and limitations	77
2.5 Conclusions	78
References	82
Appendix	84
2.A Resolution tests	84
2.B Uncertainties in distribution of ejecta	84
2.B.1 Effect of diffusion constant	84
2.B.2 Impact of initial distribution of ejecta	86
3 The importance of the way in which supernova energy is distributed around young stellar populations in simulations of galaxies	91
3.1 Introduction	92
3.2 Neighbour selection	95
3.2.1 Mass-weighted method	95
3.2.2 Isotropic method	95
3.2.3 Minimum distance method	96
3.2.4 Minimum and maximum density methods	98
3.3 Numerical simulations	98
3.3.1 Code and setup	98
3.3.2 Initial conditions	99
3.3.3 Subgrid model for galaxy evolution	101
3.3.4 Runs	105
3.4 Results	106
3.4.1 Isolated galaxy simulations	106

3.4.2	Cosmological simulations	117
3.5	Discussion	119
3.5.1	Comparison with previous work	119
3.5.2	Extension to other hydro solvers than SPH	121
3.5.3	Extension to other subgrid feedback models	121
3.6	Conclusions	122
References		125
Appendix		127
3.A	Degree of isotropy as a function of resolution	127
3.B	Distribution of distances between stars and their heated gas neighbours	127
4	A thermal-kinetic subgrid model for supernova feedback in simulations of galaxy formation	131
4.1	Introduction	132
4.2	SN feedback model	135
4.2.1	Thermal channel	135
4.2.2	Kinetic channel	137
4.3	Numerical simulations	146
4.3.1	Code and setup	146
4.3.2	Initial conditions	147
4.3.3	Subgrid model for galaxy evolution	148
4.3.4	Runs	151
4.4	Results	154
4.4.1	Variations in the fraction of kinetic energy	154
4.4.2	Variations in the desired kick velocity	168
4.4.3	Variations in numerical resolution	175
4.5	Discussion	177
4.5.1	Comparison with previous work	177
4.5.2	Interpreting the different channels for injecting SN energy	178
4.5.3	The effect of correcting for relative gas-star motion	179
4.6	Conclusions	180
References		184
Appendix		186
4.A	Gas-star relative motion and multiple kicks in SN kinetic feedback	186
4.B	Impact of the star formation criterion	188
5	COLIBRE: calibrating subgrid feedback in cosmological simulations that include a cold gas phase	191
5.1	Introduction	192
5.2	Simulations	195

5.2.1	Initial conditions	196
5.2.2	Radiative cooling	197
5.2.3	Chemistry	198
5.2.4	Dust	199
5.2.5	Star formation	200
5.2.6	Stellar evolution and chemical enrichment	201
5.2.7	Early stellar feedback	202
5.2.8	Core collapse supernova feedback	203
5.2.9	Type-Ia supernovae	208
5.2.10	Black holes	208
5.3	Emulators	212
5.3.1	Setup	213
5.3.2	The emulated relations	213
5.3.3	Target observational data	214
5.3.4	The search for the best-fitting parameter values	215
5.4	Calibration with emulators	217
5.4.1	Models with simplified supernova feedback	218
5.4.2	Selection of subgrid parameters for calibration with emulators	219
5.4.3	Training data for emulators	222
5.4.4	Best-fitting parameters and extra simulations	225
5.5	Results	225
5.5.1	Basic and ThermalKinetic models	226
5.5.2	ThermalKineticVariable ΔT and Reference models	235
5.5.3	Galaxy properties to which the models were not explicitly calibrated	240
5.5.4	Other feedback parameter variations	250
5.6	Conclusions	254
References		258
Appendix		262
5.A	The effect of energy feedback from type-Ia SNe	262
Nederlandse samenvatting		265
Introductie		265
Dit proefschrift		267
Publications		271
Curriculum Vitae		273
Acknowledgements		275