



Universiteit
Leiden

The Netherlands

**Above- and belowground interactions in *Jacobaea vulgaris*:
zooming in and zooming out from a plant-soil feedback
perspective**

Liu, X.

Citation

Liu, X. (2024, May 15). *Above- and belowground interactions in *Jacobaea vulgaris*: zooming in and zooming out from a plant-soil feedback perspective*. Retrieved from <https://hdl.handle.net/1887/3753963>

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/3753963>

Note: To cite this publication please use the final published version (if applicable).

References

References

A

- Abbas T, Zahir ZA, Naveed M, Kremer RJ (2018) Limitations of existing weed control practices necessitate development of alternative techniques based on biological approaches, 1st edn. Elsevier Inc.
- Adams DO, Yang SF (1981) Ethylene the gaseous plant hormone: mechanism and regulation of biosynthesis. *Trends Biochem Sci* 6:161–164. [https://doi.org/10.1016/0968-0004\(81\)90059-1](https://doi.org/10.1016/0968-0004(81)90059-1)
- Aerts R, Boot RGA, van der Aart PJM (1991) The relation between above- and belowground biomass allocation patterns and competitive ability. *Oecologia* 87: 551–559. <https://doi.org/10.1007/BF00320419>
- Agrawal AA, Lau JA, Hambäck PA (2006) Community heterogeneity and the evolution of interactions between plants and insect herbivores. *Q. Rev. Biol.* 81:349–376. <https://doi.org/10.1086/511529>
- Agrawal AA, Van Zandt PA (2003) Ecological play in the coevolutionary theatre: Genetic and environmental determinants of attack by a specialist weevil on milkweed. *J Ecol* 91:1049–1059. <https://doi.org/10.1046/j.1365-2745.2003.00831.x>
- Ahonsi MO, Berner DK, Emechebe AM, Lagoke ST (2002) Selection of rhizobacterial strains for suppression of germination of *Striga hermonthica* (Del.) Benth. seeds. *Biol Control* 24:143–152. [https://doi.org/10.1016/S1049-9644\(02\)00019-1](https://doi.org/10.1016/S1049-9644(02)00019-1)
- Ailstock MS, Shafer DJ, Magoun AD (2010) Effects of planting depth, sediment grain size, and nutrients on *Ruppia maritima* and *Potamogeton perfoliatus* seedling emergence and growth. *Restor Ecol* 18:574–583. <https://doi.org/10.1111/j.1526-100X.2010.00697.x>
- Allison SD, Martiny JBH (2008) Resistance, resilience, and redundancy in microbial communities. *Proc Natl Acad Sci USA* 105:11512–11519. <https://doi.org/10.1073/pnas.0801925105>
- Anand A, Chinchilla D, Tan C, et al (2020) Contribution of hydrogen cyanide to the antagonistic activity of *pseudomonas* strains against *phytophthora infestans*. *Microorganisms* 8:1–10. <https://doi.org/10.3390/microorganisms8081144>
- Armas C, Ordiales R, Pugnaire FI (2004) Measuring plant interactions: A new comparative index. *Ecology* 85:2682–2686. <https://doi.org/10.1890/03-0650>

B

- Badri DV, Zolla G, Bakker MG, Manter DK, Vivanco JM (2013) Potential impact of soil microbiomes on the leaf metabolome and on herbivore feeding behavior. *New Phytol* 198:264–273. <https://doi.org/10.1111/nph.12124>
- Bagchi R, Gallery RE, Gripenberg S, Gurr SJ, Narayan L, Addis CE, Freckleton RP, Lewis OT (2014) Pathogens and insect herbivores drive rainforest plant diversity and composition. *Nature* 506:85–88. <https://doi.org/10.1038/nature12911>
- Bailly A, Groenhagen U, Schulz S, et al (2014) The inter-kingdom volatile signal indole promotes root development by interfering with auxin signalling. *Plant J* 80:758–771. <https://doi.org/10.1111/tpj.12666>
- Barbosa P, Hines J, Kaplan I, et al (2009) Associational resistance and associational susceptibility: Having right or wrong neighbors. *Annu Rev Ecol Evol Syst* 40:1–20. <https://doi.org/10.1146/annurev.ecolsys.110308.120242>
- Bardgett RD, van der Putten WH (2014) Belowground biodiversity and ecosystem functioning. *Nature* 515:505–511. <https://doi.org/10.1038/nature13855>
- Bardgett RD, Wardle DA (2010) Aboveground-belowground linkages: Biotic interactions, ecosystem processes, and global change. Oxford University Press.
- Barker KR (1998) Introduction and synopsis of advancements in nematology. In: Barker KR, Pederson GA, Windham GL, Bartels JM (eds.) Plant and nematode interactions. American Society of Agronomy, Madison, pp 1-20
- Barot S, Gignoux J, Menaut J (1999) Demography of a Savana palm tree: Predictions from comprehensive spatial pattern analyses. *Ecology* 80:1987–2005. [https://doi.org/10.1890/0012-9658\(1999\)080\[1987:DOASPT\]2.0.CO;2](https://doi.org/10.1890/0012-9658(1999)080[1987:DOASPT]2.0.CO;2)
- Bartoń K (2022) MuMIn: Multi-Model Inference. R package version 1.46.0. <https://CRAN.R-project.org/package=MuMIn>.
- Barton KE, Koricheva J (2010) The ontogeny of plant defense and herbivory: Characterizing general patterns using meta-analysis. *American Naturalist* 175: 481–493. <https://doi.org/10.1086/650722>.

- Bates D, Mächler M, Bolker BM, Walker SC (2015) Fitting linear mixed-effects models using lme4. *J Stat Softw* 67:1–48. <https://doi.org/10.18637/jss.v067.i01>
- Beals KK, Moore JAM, Kivlin SN, et al. (2020). Predicting plant-soil feedback in the field: Meta-analysis reveals that competition and environmental stress differentially influence PSF. *Front ecol evol* 8:660. <https://doi.org/10.3389/fevo.2020.00191>
- Becker D, Stanke R, Fendrik I, et al (2002) Expression of the NH_4^+ -transporter gene LEAMT1;2 is induced in tomato roots upon association with N_2 -fixing bacteria. *Planta* 215:424–429. <https://doi.org/10.1007/s00425-002-0773-x>
- Bennett JA, Klironomos J (2019) Mechanisms of plant–soil feedback: interactions among biotic and abiotic drivers. *New Phytol* 222:91–96. <https://doi.org/10.1111/nph.15603>
- Bennett JA, Maherali H, Reinhart KO, et al (2017) Plant-soil feedbacks and mycorrhizal type influence temperate forest population dynamics. *Science* 355:181–184. <https://doi.org/10.1126/science.aai8212>
- Bennett SI, Howard C, Albrecht R, et al (2020) Simulated herbivory weakens plant-soil feedbacks in competitive mixtures of native and invasive woodland plants. *Front Ecol Evol* 7:1–10. <https://doi.org/10.3389/fevo.2019.00497>
- Bennett SI, Reynolds HL (2023) Simulated aboveground herbivory is not a source of context dependence in plant-soil feedbacks for individually-grown native and invasive woodland plants. *Plant Soil* 485:133–142. <https://doi.org/10.1007/s11104-023-05922-x>
- Ben-Said, M. (2021). Spatial point-pattern analysis as a powerful tool in identifying pattern-process relationships in plant ecology: an updated review. *Ecol Process* 10:56. <https://doi.org/10.1186/s13717-021-00314-4>
- Berendsen RL, Pieterse CMJ, Bakker PAHM (2012) The rhizosphere microbiome and plant health. *Trends Plant Sci* 17:478–486. <https://doi.org/10.1016/j.tplants.2012.04.001>
- Bever JD (1994) Feedback between plants and their soil communities in an old field community. *Ecology* 75:1965–1977. <https://doi.org/10.2307/1941601>
- Bever JD, Westover KM, Antonovics J (1997) Incorporating the soil community into plant population dynamics: The utility of the feedback approach. *J Ecol* 85:561–573. <https://doi.org/10.2307/2960528>
- Bezemer TM, Fountain MT, Barea JM, et al (2010) Divergent composition but similar function of soil food webs of individual plants: Plant species and community effects. *Ecology* 91:3027–3036. <https://doi.org/10.1890/09-2198.1>
- Bezemer TM, Harvey JA, Kowalchuk GA, Korpershoek H, van der Putten WH (2006) Interplay between *Senecio jacobaea* and plant, soil, and aboveground insect community composition. *Ecology*, 87:2002–2013. [https://doi.org/10.1890/0012-9658\(2006\)87\[2002:IBSJAP\]2.0.CO;2](https://doi.org/10.1890/0012-9658(2006)87[2002:IBSJAP]2.0.CO;2)
- Bezemer TM, Jing J, Bakx-Schotman JMT, Bijleveld EJ (2018) Plant competition alters the temporal dynamics of plant-soil feedbacks. *J Ecol* 106:2287–2300. <https://doi.org/10.1111/1365-2745.12999>
- Bezemer TM, van der Putten WH (2007) Ecology: Diversity and stability in plant communities. *Nature* 446:2006–2008. <https://doi.org/10.1038/nature05749>
- Bezemer TM, van der Putten WH, Martens H, et al (2013) Above- and below-ground herbivory effects on below-ground plant-fungus interactions and plant-soil feedback responses. *J Ecol* 101:325–333. <https://doi.org/10.1111/1365-2745.12045>
- Birt HWG, Tharp CL, Custer GF, Dini-Andreote F (2022) Root phenotypes as modulators of microbial microhabitats. *Front Plant Sci* 13:1003868. <https://doi.org/10.3389/fpls.2022.1003868>
- Blom D, Fabbri C, Connor EC, et al (2011a) Production of plant growth modulating volatiles is widespread among rhizosphere bacteria and strongly depends on culture conditions. *Environ Microbiol* 13:3047–3058. <https://doi.org/10.1111/j.1462-2920.2011.02582.x>
- Blom D, Fabbri C, Eberl L, Weisskopf L (2011b) Volatile-mediated killing of *Arabidopsis thaliana* by bacteria is mainly due to hydrogen cyanide. *Appl Environ Microbiol* 77:1000–1008. <https://doi.org/10.1128/AEM.01968-10>
- Blubaugh CK, Carpenter-Boggs L, Reganold JP, et al (2018) Bacteria and competing herbivores weaken top-down and bottom-up aphid suppression. *Front Plant Sci* 9:1239. <https://doi.org/10.3389/fpls.2018.01239>
- Bo AB, Khaïtov B, Umurzokov M, Cho KM, Park KW, Choi JS (2020) Biological control using plant pathogens

References

- in weed management. *Weed Turf Sci* 9:11–19. <https://doi.org/10.5660/WTS.2020.9.1.11>
- Bongers T (1988) De Nematoden van Nederland. In: KNNV. Utrecht, The Netherlands
- Bonsall MB, van Der Meijden E, Crawley MJ (2003) Contrasting dynamics in the same plant-herbivore interaction. *Proc Natl Acad Sci U S A* 100:14932–14936. <https://doi.org/10.1073/pnas.2535677100>
- Borgström P, Strebom J, Marini L, et al (2017) Above-and belowground insect herbivory modifies the response of a grassland plant community to nitrogen eutrophication. *Ecology* 98:545–554. <https://doi.org/10.1002/ecy.1667>
- Brinkman EP, Duyts H, Karssen G, et al (2015) Plant-feeding nematodes in coastal sand dunes: occurrence, host specificity and effects on plant growth. *Plant Soil* 397:17–30. <https://doi.org/10.1007/s11104-015-2447-z>
- Brinkman EP, Duyts H, van der Putten WH (2005) Competition between endoparasitic nematodes and effect on biomass of *Ammophila arenaria* (marram grass) as affected by timing of inoculation and plant age. *Nematology* 7:169–178. <https://doi.org/10.1163/1568541054879647>
- Brinkman EP, van der Putten WH, Bakker E, Verhoeven KJF (2010) Plant-soil feedback: Experimental approaches, statistical analyses and ecological interpretations. *J Ecol* 98:1063–1073. <https://doi.org/10.1111/j.1365-2745.2010.01695.x>
- Brooker RW (2006) Plant-plant interactions and environmental change. *New Phytol* 171:271–284. <https://doi.org/10.1111/j.1469-8137.2006.01752.x>

C

- Cameron E (1935) A study of the natural control of ragwort (*Senecio Jacobaea* L.). *J Ecol* 23:265–322. <https://doi.org/10.2307/2256123>
- Cardarelli M, Woo SL, Rouphael Y, Colla G (2022) Seed treatments with microorganisms can have a biostimulant effect by influencing germination and seedling growth of crops. *Plants* 11:259. <https://doi.org/10.3390/plants11030259>
- Cardinaux A, Hart SP, Alexander JM (2018) Do soil biota influence the outcome of novel interactions between plant competitors? *J Ecol* 106:1853–1863. <https://doi.org/10.1111/1365-2745.13029>
- Carrion VJ, Perez-Jaramillo J, Cordovez V, et al (2019) Pathogen-induced activation of disease-suppressive functions in the endophytic root microbiome. *Science* 366:606–612. <https://doi.org/10.1126/science.aaw9285>
- Carson WP, Root RB (2000) Herbivory and plant species coexistence: Community regulation by an outbreaking phytophagous insect. *Ecol Monogr* 70:73–99. [https://doi.org/10.1890/0012-9615\(2000\)070\[0073:HAPSCC\]2.0.CO;2](https://doi.org/10.1890/0012-9615(2000)070[0073:HAPSCC]2.0.CO;2)
- Carvalho LM, Antunes PM, Martins-Loução MA, Klironomos JN (2010) Disturbance influences the outcome of plant-soil biota interactions in the invasive *Acacia longifolia* and in native species. *Oikos* 119:1172–1180. <https://doi.org/10.1111/j.1600-0706.2009.18148.x>
- Casper BB, Cahill JF, Hyatt LA (1998) Above-ground competition does not alter biomass allocated to roots in *Abutilon theophrasti*. *New Phytol* 140: 231–238. <https://doi.org/10.1046/j.1469-8137.1998.00271.x>
- Castagneyrol B, Jactel H, Moreira X (2018) Anti-herbivore defences and insect herbivory: Interactive effects of drought and tree neighbours. *J Ecol* 106:2043–2057. <https://doi.org/10.1111/1365-2745.12956>
- Catton HA, Lalonde RG, De Clerck-Floate RA (2015) Nontarget herbivory by a weed biocontrol insect is limited to spillover, reducing the chance of population-level impacts. *Ecol Appl* 25:517–530. <https://doi.org/10.1890/14-0250.1>
- Chahtane H, Fuller TN, Allard PM, et al (2018) The plant pathogen *Pseudomonas aeruginosa* triggers a DELLA-dependent seed germination arrest in *Arabidopsis*. *elife* 7:1–34. <https://doi.org/10.7554/eLife.37082>
- Chen Y, Vogel A, Wagg C, et al (2022) Drought-exposure history increases complementarity between plant species in response to a subsequent drought. *Nat Commun* 13:1–11. <https://doi.org/10.1038/s41467-022-30954-9>

- Chung YA (2023) The temporal and spatial dimensions of plant–soil feedbacks. *New Phytol* 237:2012–2019. <https://doi.org/10.1111/nph.18719>
- Chung YA, Ke PJ, Adler PB (2023) Mechanistic approaches to investigate soil microbe-mediated plant competition. *J Ecol* 1590–1597. <https://doi.org/10.1111/1365-2745.14156>
- Clements DR, Cole DE, Darbyshire S, et al (2004) The biology of Canadian weeds. 128. *Leucanthemum vulgare* Lam. *Can J Plant Sci* 84:343–363. <https://doi.org/10.4141/P02-112>
- Comita LS, Queenborough SA, Murphy SJ, Eck JL, Xu K, Krishnadas M, Beckman N, Zhu Y (2014) Testing predictions of the Janzen-Connell hypothesis: A meta-analysis of experimental evidence for distance- and density-dependent seed and seedling survival. *J Ecol* 102:845–856. <https://doi.org/10.1111/1365-2745.12232>
- Connell JH (1971) On the role of natural enemies in preventing competitive exclusion in some marine animals and in rain forest trees. In Boer P. J. and Graadwell G. R. (Eds.), *Dynamics of numbers in populations* (pp. 298–312). Centre for Agricultural Publishing and Documentation, Wageningen, The Netherlands.
- Cordovez V, Schop S, Hordijk K, et al (2018) Priming of plant growth promotion by volatiles of root-associated *Microbacterium* spp. *Appl Environ Microbiol* 84:1–16. <https://doi.org/10.1128/AEM.01865-18>
- Cortois R, Schröder-Georgi T, Weigelt A, et al (2016) Plant-soil feedbacks: Role of plant functional group and plant traits. *J Ecol* 104:1608–1617. <https://doi.org/10.1111/1365-2745.12643>
- Craine JM, Wedin DA, Iii FSC, Reich PB (2002) Relationship between the structure of root systems and resource use for 11 North American grassland plants. *Plant Ecol* 165:85–100. <https://doi.org/10.1023/A:1021414615001>
- Crawford KM, Bauer JT, Comita LS, et al (2019) When and where plant-soil feedback may promote plant coexistence: A meta-analysis. *Ecol. Lett.* 22:1274–1284. <https://doi.org/10.1111/ele.13278>

D

- Dahiya A, Chahar K, Sindhu SS (2019) The rhizosphere microbiome and biological control of weeds: A review. *Spanish J Agric Res* 17:1–13. <https://doi.org/10.5424/sjar/2019174-15073>
- Das Gupta S, Pinno BD (2018) Spatial patterns and competition in trees in early successional reclaimed and natural boreal forests. *Acta Oecologica* 92:138–147. <https://doi.org/10.1016/j.actao.2018.05.003>
- Davis EL, Mitchum MG (2005) Nematodes. Sophisticated parasites of legumes. *Plant Physiol* 137:1182–1188. <https://doi.org/10.1104/pp.104.054973>
- De Deyn GB, Raaijmakers CE, Van Ruijven J, et al (2004) Plant species identity and diversity effects on different trophic levels of nematodes in the soil food web. *Oikos* 106:576–586. <https://doi.org/10.1111/j.0030-1299.2004.13265.x>
- De Deyn GB, Raaijmakers CE, Zoomer HR, et al (2003) Soil invertebrate fauna enhances grassland succession and diversity. *Nature* 422:711–713. <https://doi.org/10.1038/nature01548>
- de la Peña E, Baeten L, Steel H et al (2016) Beyond plant-soil feedbacks: Mechanisms driving plant community shifts due to land-use legacies in post-agricultural forests. *Funct Ecol* 30:1073–1085. <https://doi.org/10.1111/1365-2435.12672>
- de la Peña E, Bonte D, Moens M (2009) Evidence of population differentiation in the dune grass *Ammophila arenaria* and its associated root-feeding nematodes. *Plant Soil* 324:307–316. <https://doi.org/10.1007/s11104-009-9958-4>
- De Long JR, Fry EL, Veen GF, Kardol P (2019) Why are plant-soil feedbacks so unpredictable, and what to do about it? *Funct Ecol* 33:118–128. <https://doi.org/10.1111/1365-2435.13232>
- De Long JR, Heinen R, Hannula SE, et al (2023a) Plant-litter-soil feedbacks in common grass species are slightly negative and only marginally modified by litter exposed to insect herbivory. *Plant Soil* 485:227–244. <https://doi.org/10.1007/s11104-022-05590-3>
- De Long JR, Heinen R, Heinze J, et al (2023b) Plant-soil feedback: incorporating untested influential drivers and reconciling terminology. *Plant Soil* 485:7–43. <https://doi.org/10.1007/s11104-023-05908-9>

References

- De Long JR, Heinen R, Jongen R, et al (2021) How plant–soil feedbacks influence the next generation of plants. *Ecol Res* 36:32–44. <https://doi.org/10.1111/1440-1703.12165>
- De Luis M, Raventós J, Wiegand T, González-Hidalgo JC (2008) Temporal and spatial differentiation in seedling emergence may promote species coexistence in Mediterranean fire-prone ecosystems. *Ecography* 31:620–629. <https://doi.org/10.1111/j.0906-7590.2008.05433.x>
- de Matos C da C, Monteiro LCP, Gallo SAD, et al (2019) Changes in soil microbial communities modulate interactions between maize and weeds. *Plant Soil* 440:249–264. <https://doi.org/10.1007/s11104-019-04066-1>
- de Souza Barros VM, Pedrosa JLF, Gonçalves DR, de Medeiros FCL, Carvalho GR, Gonçalves AH, Teixeira PVVQ (2021) Herbicides of biological origin: A review. *J Hortic Sci Biotechnol* 96:288–296. <https://doi.org/10.1080/14620316.2020.1846465>
- De Vleeschauwer D, Höfte M (2007) Using *Serratia plymuthica* to control fungal pathogens of plants. *CAB Rev Perspect Agric Vet Sci Nutr Nat Resour* 2. <https://doi.org/10.1079/PAVSNNR20072046>
- del Carmen Orozco-Mosqueda M, Velázquez-Becerra C, Macías-Rodríguez LI, et al (2013) *Arthrobacter agilis* UMCV2 induces iron acquisition in *Medicago truncatula* (strategy I plant) in vitro via dimethylhexadecylamine emission. *Plant Soil* 362:51–66. <https://doi.org/10.1007/s11104-012-1263-y>
- Diez JM, Dickie I, Edwards G, et al (2010) Negative soil feedbacks accumulate over time for non-native plant species. *Ecol Lett* 13:803–809. <https://doi.org/10.1111/j.1461-0248.2010.01474.x>
- Doorduyn LJ, Vrieling K (2011) A review of the phytochemical support for the shifting defence hypothesis. *Phytochem Rev* 10:99–106. <https://doi.org/10.1007/s11101-010-9195-8>
- Douma JC, Weedon JT (2019) Analysing continuous proportions in ecology and evolution: A practical introduction to beta and Dirichlet regression. *Methods in Ecology and Evolution*, 10(9), 1412–1430. <https://doi.org/10.1111/2041-210X.13234>
- Dudenhöffer JH, Ebeling A, Klein AM, Wagg C (2018) Beyond biomass: Soil feedbacks are transient over plant life stages and alter fitness. *J Ecol* 106:230–241. <https://doi.org/10.1111/1365-2745.12870>
- E**
- Elger A, Lemoine DG, Fenner M, Hanley ME (2009) Plant ontogeny and chemical defence: Older seedlings are better defended. *Oikos* 118:767–773. <https://doi.org/10.1111/j.1600-0706.2009.17206.x>
- Elhady A, Adss S, Hallmann J, Heuer H (2018) Rhizosphere microbiomes modulated by pre-crops assisted plants in defense against plant-parasitic nematodes. *Front Microbiol* 9. <https://doi.org/10.3389/fmicb.2018.01133>
- Enagbonma BJ, Fadiji AE, Ayangbenro AS, Babalola OO (2023) Communication between plants and rhizosphere microbiome: Exploring the root microbiome for sustainable agriculture. *Microorganisms* 11:2003. <https://doi.org/10.3390/microorganisms11082003>
- F**
- Fang W, Liu F, Wu Z, Zhang Z, Wang K (2022) Plant-associated bacteria as sources for the development of bioherbicides. *Plants* 11:1–24. <https://doi.org/10.3390/plants11233404>
- Fawcett JK, Scott JE (1960) A rapid and precise method for the determination of urea. *J Clin Pathol* 13:156–159. <https://doi.org/10.1136/jcp.13.2.156>
- Fei M, Gols R, Harvey JA (2014) Seasonal phenology of interactions involving short-lived annual plants, a multivoltine herbivore and its endoparasitoid wasp. *J Anim Ecol* 83:234–244. <https://doi.org/10.1111/1365-2656.12122>
- Feldman LJ (1984) Regulation of root development. *Annu Rev Plant Physiol* 35:223–242. <https://doi.org/10.1146/annurev.pp.35.060184.001255>
- Flores-Vargas RD, O'Hara GW (2006) Isolation and characterization of rhizosphere bacteria with potential for biological control of weeds in vineyards. *J Appl Microbiol* 100:946–954.

- <https://doi.org/10.1111/j.1365-2672.2006.02851.x>
- Flury P, Aellen N, Ruffner B, et al (2016) Insect pathogenicity in plant-beneficial pseudomonads: Phylogenetic distribution and comparative genomics. *ISME J* 10:2527–2542. <https://doi.org/10.1038/ismej.2016.5>
- Forero LE, Grenzer J, Heinze J, et al (2019) Greenhouse- and field-measured plant-soil feedbacks are not correlated. *Front Environ Sci* 7:184. <https://doi.org/10.3389/fenvs.2019.00184>
- Forero LE, Kulmatiski A, Grenzer J, Norton J (2022) Plant-soil feedbacks help explain plant community productivity. *Ecology* 103:1–13. <https://doi.org/10.1002/ecy.3736>
- Forrister DL, Endara M, Younkin GC, Coley PD, Kursar TA (2019) Herbivores as drivers of negative density dependence in tropical forest saplings. *Science*, 363:1213–1216. <https://doi.org/10.1126/science.aau9460>
- Forster MA, Ladd B, Bonser SP (2011) Optimal allocation of resources in response to shading and neighbours in the heteroblastic species, *Acacia implexa*. *Ann. Bot.* 107:219–228. <https://doi.org/10.1093/aob/mcq228>
- Fransen B, Blijenberg J, De Kroon H (1999) Root morphological and physiological plasticity of perennial grass species and the exploitation of spatial and temporal heterogeneous nutrient patches. *Plant Soil* 211:179–189. <https://doi.org/10.1023/A:1004684701993>
- Fransen B, de Kroon H, Berendse F (1998) Root morphological plasticity and nutrient acquisition of perennial grass species from habitats of different nutrient availability. *Oecologia* 115:351–358. <https://doi.org/10.1007/s004420050527>
- Fraser LH, Grime JP (1999) Interacting effects of herbivory and fertility on a synthesized plant community. *J Ecol* 87:514–525. <https://doi.org/10.1046/j.1365-2745.1999.00373.x>
- Friman J (2021) Tripartite interactions between *Brassica oleracea*, soil microbes, and shoot- and root feeding insects [Doctoral dissertation]. Wageningen University
- Friman J, Karssemeijer PN, Haller J, de Kreek K, van Loon JJA, Dicke M (2021a) Shoot and root insect herbivory change the plant rhizosphere microbiome and affects cabbage-insect interactions through plant–soil feedback. *New Phytol* 232:2475–2490. <https://doi.org/10.1111/NPH.17746>
- Friman J, Pineda A, Gershenson J, Dicke M, van Loon JJA (2021b) Differential effects of the rhizobacterium *Pseudomonas simiae* on above- and belowground chewing insect herbivores. *J Appl Entomol* 145:250–260. <https://doi.org/10.1111/jen.12842>
- Friman J, Pineda A, van Loon JJA, Dicke M (2021c) Bidirectional plant-mediated interactions between rhizobacteria and shoot-feeding herbivorous insects: a community ecology perspective. *Ecol. Entomol.* 46:1–10. <https://doi.org/10.1111/een.12966>
- Frostegard A, Tunlid A, Baath E (1993) Phospholipid fatty acid composition, biomass, and activity of microbial communities from two soil types experimentally exposed to different heavy metals. *Appl Environ Microbiol* 59:3605–3617. <https://doi.org/10.1128/aem.59.11.3605-3617.1993>
- Fry EL, Evans AL, Sturrock CJ, et al (2018) Root architecture governs plasticity in response to drought. *Plant Soil* 433:189–200. <https://doi.org/10.1007/s11104-018-3824-1>
- Fukami T, Nakajima M (2013) Complex plant-soil interactions enhance plant species diversity by delaying community convergence. *J Ecol*, 101:316–324. <https://doi.org/10.1111/1365-2745.12048>

G

- Gallery RE, Dalling JW, Arnold A (2007) Diversity, host affinity, and distribution of seed-infecting fungi: A case study with *Cecropia*. *J Ecol* 88:582–588. <https://doi.org/10.1890/05-1207>
- Gallien L, Zimmermann NE, Levine JM, Adler PB (2017) The effects of intransitive competition on coexistence. *Ecol Lett* 20:791–800. <https://doi.org/10.1111/ele.12775>
- Gao CG (2023) Plant-soil interactions determine ecosystem aboveground and belowground processes in primary dune ecosystems [Doctoral dissertation]. Leiden University.

References

- Garbeva P, Weiszkopf L (2020) Airborne medicine: bacterial volatiles and their influence on plant health. *New Phytol* 226:32–43. <https://doi.org/10.1111/nph.16282>
- Getzin S, Wiegand T, Wiegand K, He F (2008) Heterogeneity influences spatial patterns and demographics in forest stands. *J Ecol* 96: 807–820. <https://doi.org/10.1111/j.1365-2745.2008.01377.x>
- Gomes SIF, Kielak AM, Hannula SE, Heinen R, Jongen R, Keesmaat I, De Long JR, Bezemer TM (2020) Microbiomes of a specialist caterpillar are consistent across different habitats but also resemble the local soil microbial communities. *Anim Microbiome* 2:37 <https://doi.org/10.1186/s42523-020-00055-3>
- Gomis-Cebolla J, Berry C (2023) *Bacillus thuringiensis* as a biofertilizer in crops and their implications in the control of phytopathogens and insect pests. *Pest Manag Sci* 79:2992–3001. <https://doi.org/10.1002/ps.7560>
- Goodlass G, Smith KA (1979) Effects of ethylene on root extension and nodulation of pea (*Pisum sativum* L.) and white clover (*Trifolium repens* L.). *Plant Soil* 51:387–395. <https://doi.org/10.1007/BF02197785>
- Goossens EP, Minden V, Van Poucke F, Olde Venterink H (2023) Negative plant-soil feedbacks disproportionately affect dominant plants, facilitating coexistence in plant communities. *npj Biodivers* 2:27. <https://doi.org/10.1038/s44185-023-00032-4>
- Grady KL, Sorensen JW, Stopnisek N, et al (2019) Assembly and seasonality of core phyllosphere microbiota on perennial biofuel crops. *Nat Commun* 10:1–10. <https://doi.org/10.1038/s41467-019-11974-4>
- Graff P, Aguiar MR (2011) Testing the role of biotic stress in the stress gradient hypothesis. Processes and patterns in arid rangelands. *Oikos* 120:1023–1030. <https://doi.org/10.1111/j.1600-0706.2010.19059.x>
- Grenzer J, Kulmatiski A, Forero L, et al (2021) Moderate plant-soil feedbacks have small effects on the biodiversity–productivity relationship: A field experiment. *Ecol Evol* 11:11651–11663. <https://doi.org/10.1002/ece3.7819>
- Gronwald JW, Plaisance KL, Ide DA, Wyse DL (2002) Assessment of *Pseudomonas syringae* pv. *tagetis* as a biocontrol agent for Canada thistle. *Weed Sci* 50:397–404. [https://doi.org/10.1614/0043-1745\(2002\)050\[0397:aopspt\]2.0.co;2](https://doi.org/10.1614/0043-1745(2002)050[0397:aopspt]2.0.co;2)
- ## H
- Haag JJ, Coupe MD, Cahill JF (2004) Antagonistic interactions between competition and insect herbivory on plant growth. *J Ecol* 92:156–167. <https://doi.org/10.1111/j.1365-2745.2004.00847.x>
- Haas D, Défago G (2005) Biological control of soil-borne pathogens by fluorescent pseudomonads. *Nat Rev Microbiol* 3:307–319. <https://doi.org/10.1038/nrmicro1129>
- Hambäck PA, Inouye BD, Andersson P, Underwood N (2014) Effects of plant neighborhoods on plant-herbivore interactions: Resource dilution and associational effects. *Ecology* 95:1370–1383. <https://doi.org/10.1890/13-0793.1>
- Han X, Li Y, Li Y, et al (2022) Soil inoculum identity and rate jointly steer microbiomes and plant communities in the field. *ISME Commun* 2:1–10. <https://doi.org/10.1038/s43705-022-00144-1>
- Hannula SE, Heinen R, Huberty M, et al (2021) Persistence of plant-mediated microbial soil legacy effects in soil and inside roots. *Nat Commun* 12:1–13. <https://doi.org/10.1038/s41467-021-25971-z>
- Hannula SE, Kielak AM, Steinauer K, et al (2019) Time after time: Temporal variation in the effects of grass and forb species on soil bacterial and fungal communities. *MBio* 10:. <https://doi.org/10.1128/mBio.02635-19>
- Hannula SE, Zhu F, Heinen R, Bezemer TM (2019) Foliar-feeding insects acquire microbiomes from the soil rather than the host plant. *Nat Commun* 10: 1254. <https://doi.org/10.1038/s41467-019-09284-w>
- Hannula, S. E., Heinen, R., Huberty, M., Steinauer, K., De Long, J. R., Jongen, R., Bezemer, T. M. (2021). Persistence of plant-mediated microbial soil legacy effects in soil and inside roots. *Nature Communications*, 12(1), 1–13. <https://doi.org/10.1038/s41467-021-25971-z>

- Harding DP, Raizada MN (2015) Controlling weeds with fungi, bacteria and viruses: A review. *Front Plant Sci* 6: 659. <https://doi.org/10.3389/fpls.2015.00659>
- Harkes P, Verhoeven A, Sterken MG, et al (2017) The differential impact of a native and a non-native ragwort species (*Senecioneae*) on the first and second trophic level of the rhizosphere food web. *Oikos* 126:1790–1803. <https://doi.org/10.1111/oik.04530>
- Harper JL, Wood WA (1957) *Senecio Jacobaea* L. *J Ecol* 45:617–637. <https://doi.org/10.2307/2256946>
- Hautier Y, Niklaus PA, Hector A (2009) Competition for light causes plant biodiversity loss after eutrophication. *Science* (80-) 324:636–638. <https://doi.org/10.1126/science.1169640>
- Hawkes C V, Kivlin SN, Du J, Eviner VT (2013) The temporal development and additivity of plant-soil feedback in perennial grasses. *Plant Soil* 369:141–150. <https://doi.org/10.1007/s11104-012-1557-0>
- He A-L, Zhao L-Y, Ren W, et al (2023) A volatile producing *Bacillus subtilis* strain from the rhizosphere of *Haloxylon ammodendron* promotes plant root development. *Plant Soil*. <https://doi.org/10.1007/s11104-023-05901-2>
- He L, Xu J, Hu L, et al (2019) Nurse effects mediated by acid-tolerance of target species and arbuscular mycorrhizal colonization in an acid soil. *Plant Soil* 441:161–172. <https://doi.org/10.1007/s11104-019-04103-z>
- Heie OE (1986) The *Aphidoidea* (Hemiptera) of Fennoscandia and Denmark. III. *Fauna Entomologica Scandinavica* 17:180–181. E.J. Brill/Scandinavian Science Press Ltd. Leiden.
- Heinen R, Hannula SE, De Long JR, et al (2020) Plant community composition steers grassland vegetation via soil legacy effects. *Ecol Lett* 23:973–982. <https://doi.org/10.1111/ele.13497>
- Heinen R, van der Sluijs M, Biere A, et al (2018) Plant community composition but not plant traits determine the outcome of soil legacy effects on plants and insects. *J Ecol* 106:1217–1229. [doi:10.1111/1365-2745.12907](https://doi.org/10.1111/1365-2745.12907)
- Heinze J, Simons NK, Seibold S, et al (2019) The relative importance of plant-soil feedbacks for plant-species performance increases with decreasing intensity of herbivory. *Oecologia* 190:651–664. <https://doi.org/10.1007/s00442-019-04442-9>
- Heinze J, Sitte M, Schindhelm A, et al (2016) Plant-soil feedbacks: A comparative study on the relative importance of soil feedbacks in the greenhouse versus the field. *Oecologia* 181:559–569. <https://doi.org/10.1007/s00442-016-3591-8>
- Heinze J, Wacker A, Kulmatiski A (2020) Plant-soil feedback effects altered by aboveground herbivory explain plant species abundance in the landscape. *Ecology* 101:e03023. <https://doi.org/10.1002/ecy.3023>
- Heinze J, Joshi J (2018) Plant-soil feedback effects can be masked by aboveground herbivory under natural field conditions. *Oecologia* 186:235–246. <https://doi.org/10.1007/s00442-017-3997-y>
- Heinze J, Simons NK, Seibold S, et al (2019) The relative importance of plant-soil feedbacks for plant-species performance increases with decreasing intensity of herbivory. *Oecologia* 190:651–664. <https://doi.org/10.1007/s00442-019-04442-9>
- Heinze J, Sitte M, Schindhelm A, Wright J, Joshi J (2016) Plant-soil feedbacks: A comparative study on the relative importance of soil feedbacks in the greenhouse versus the field. *Oecologia* 181:559–569. <https://doi.org/10.1007/s00442-016-3591-8>
- Hinz HL, Winston RL, Schwarzländer M (2019) How safe is weed biological control? A global review of direct nontarget attack. *Q Rev Biol* 94:1–27. <https://doi.org/10.1086/702340>
- Hodge A, Robinson D, Griffiths BS, Fitter AH (1999) Why plants bother: Root proliferation results in increased nitrogen capture from an organic patch when two grasses compete. *Plant Cell Environ* 22:811–820. <https://doi.org/10.1046/j.1365-3040.1999.00454.x>
- Hol WHG (2011) The effect of nutrients on pyrrolizidine alkaloids in *Senecio* plants and their interactions with herbivores and pathogens. *Phytochem Rev* 10:119–126. <https://doi.org/10.1007/s11101-010-9188-7>
- Hol WHG, de Boer W, Termorshuizen AJ, et al (2010) Reduction of rare soil microbes modifies plant-herbivore interactions. *Ecol Lett* 13:292–301. <https://doi.org/10.1111/j.1461-0248.2009.01424.x>

References

- Hol WHG, Macel M, van Veen JA, van der Meijden E (2004) Root damage and aboveground herbivory change concentration and composition of pyrrolizidine alkaloids of *Senecio jacobaea*. *Basic Appl Ecol* 5:253–260. <https://doi.org/10.1016/j.baec.2003.12.002>
- Hothorn T, Bretz F, Westfall P (2008) Simultaneous inference in general parametric models. *Biometrical J* 50:346–363. <https://doi.org/10.1002/bimj.200810425>
- Hu L, Robert CAM, Cadot S, et al (2018) Root exudate metabolites drive plant-soil feedbacks on growth and defense by shaping the rhizosphere microbiota. *Nat Commun* 9:1–13. <https://doi.org/10.1038/s41467-018-05122-7>
- Huang W, Gfeller V, Erb M (2019) Root volatiles in plant-plant interactions II: Root volatiles alter root chemistry and plant-herbivore interactions of neighbouring plants. *Plant Cell Environ* 42:1964–1973. <https://doi.org/10.1111/pce.13534>
- Huang W, Zwimpfer E, Hervé MR, et al (2018) Neighbourhood effects determine plant-herbivore interactions below-ground. *J Ecol* 106:347–356. <https://doi.org/10.1111/1365-2745.12805>
- Huberty M, Steinauer K, Heinen R, et al (2022) Temporal changes in plant-soil feedback effects on microbial networks, leaf metabolomics and plant-insect interactions. *J Ecol* 110:1328–1343. <https://doi.org/10.1111/1365-2745.13872>
- Huberty M, Choi Y H, Heinen R, et al (2020) Above-ground plant metabolomic responses to plant-soil feedbacks and herbivory. *J Ecol* 108:1703–1712. <https://doi.org/10.1111/1365-2745.13394>
- Hurek T, Handley LL, Reinhold-Hurek B, Piché Y (2002) Azoarcus grass endophytes contribute fixed nitrogen to the plant in an unculturable state. *Mol Plant-Microbe Interact* 15:233–242. <https://doi.org/10.1094/MPMI.2002.15.3.233>
- I**
- Illian J, Penttinen A, Stoyan H, Stoyan D (2008) Statistical analysis and modelling of spatial point patterns. John Wiley and Sons, Chichester.
- Imaizumi S, Honda M, Fujimori T (1999) Effect of temperature on the control of annual bluegrass (*Poa annua* L.) with *Xanthomonas campestris* pv. *poae* (JT-P482). *Biol Control* 16:13–17. <https://doi.org/10.1006/bcon.1999.0728>
- J**
- Jacoby R, Peukert M, Succurro A, et al (2017) The role of soil microorganisms in plant mineral nutrition—current knowledge and future directions. *Front Plant Sci* 8:1–19. <https://doi.org/10.3389/fpls.2017.01617>
- Janzen DH (1970) Herbivores and the number of tree species in tropical forests. *Am Nat* 104:501–528. <https://doi.org/10.1086/282687>
- Jevon FV, Record S, Grady J, et al (2020) Seedling survival declines with increasing conspecific density in a common temperate tree. *Ecosphere* 11:e03292. <https://doi.org/10.1002/ecs2.3292>
- Jing J, Bezemer TM, van der Putten WH (2015a) Interspecific competition of early successional plant species in ex-arable fields as influenced by plant-soil feedback. *Basic Appl Ecol* 16:112–119. <https://doi.org/10.1016/j.baec.2015.01.001>
- Jing J, Cong WF, Bezemer TM (2022) Legacies at work: Plant-soil-microbiome interactions underpinning agricultural sustainability. *Trends Plant Sci* 27:781–792. <https://doi.org/10.1016/j.tplants.2022.05.007>
- Jing J, Raaijmakers C, Kostenko O, et al (2015b) Interactive effects of above- and belowground herbivory and plant competition on plant growth and defence. *Basic Appl Ecol* 16:500–509. <https://doi.org/10.1016/j.baec.2015.04.009>
- Johnson DR, Wyse DL, Jones KJ (1996) Controlling weeds with phytopathogenic bacteria. *Weed Technol* 10:621–624. <https://doi.org/10.1017/s0890037x00040549>

- Johnson SN, Benerfer CM, Frew A, et al (2016a) New frontiers in belowground ecology for plant protection from root-feeding insects. *Appl Soil Ecol* 108:96–107. <https://doi.org/10.1016/j.apsoil.2016.07.017>
- Johnson SN, Erb M, Hartley SE (2016b) Roots under attack: Contrasting plant responses to below- and aboveground insect herbivory. *New Phytol* 210:413–418. <https://doi.org/10.1111/nph.13807>
- Joosten L, van Veen JA (2011) Defensive properties of pyrrolizidine alkaloids against microorganisms. *Phytochem Rev* 10:127–136. <https://doi.org/10.1007/s11101-010-9204-y>
- Joosten L, Mulder PPJ, Klinkhamer PGL, van Veen JA (2009) Soil-borne microorganisms and soil-type affect pyrrolizidine alkaloids in *Jacobaea vulgaris*. *Plant Soil* 325:133–143. <https://doi.org/10.1007/s11104-009-9963-7>
- Joshi J, Vrieling K (2005) The enemy release and EICA hypothesis revisited: Incorporating the fundamental difference between specialist and generalist herbivores. *Ecol Lett* 8:704–714. <https://doi.org/10.1111/j.1461-0248.2005.00769.x>

K

- Kai M, Crespo E, Cristescu SM, et al (2010) *Serratia odorifera*: Analysis of volatile emission and biological impact of volatile compounds on *Arabidopsis thaliana*. *Appl Microbiol Biotechnol* 88:965–976. <https://doi.org/10.1007/s00253-010-2810-1>
- Kaplan I, Halitschke R, Kessler A, et al (2008) Constitutive and induced defenses to herbivory in above- and belowground plant tissues. *Ecology* 89:392–406. <https://doi.org/10.1890/07-0471.1>
- Kaplan I, Sardanelli S, Denno RF (2009) Field evidence for indirect interactions between foliar-feeding insect and root-feeding nematode communities on *Nicotiana tabacum*. *Ecol Entomol* 34:262–270. <https://doi.org/10.1111/j.1365-2311.2008.01062.x>
- Kardol P, De Deyn GB, Laliberté E, et al (2013) Biotic plant-soil feedbacks across temporal scales. *J Ecol* 101:309–315. <https://doi.org/10.1111/1365-2745.12046>
- Kardol P, Bezemer TM, van der Putten WH (2006) Temporal variation in plant-soil feedback controls succession. *Ecol Lett* 9:1080–1088. <https://doi.org/10.1111/j.1461-0248.2006.00953.x>
- Kardol P, Yang T, Arroyo DN, Teste FP (2023) Plant-soil feedback in the ‘real world’: How does fire fit into all of this? *Plant Soil* 485:91–102. <https://doi.org/10.1007/s11104-022-05778-7>
- Kassambara A (2022) rstatix: pipe-friendly framework for basic statistical tests. <https://CRAN.R-project.org/package=rstatix>.
- Ke PJ, Levine JM (2021) The temporal dimension of plant-soil microbe interactions: Mechanisms promoting feedback between generations. *Am Nat* 198:80–94. <https://doi.org/10.1086/715577>
- Ke PJ, Miki T, Ding TS (2015) The soil microbial community predicts the importance of plant traits in plant-soil feedback. *New Phytol* 206:329–341. <https://doi.org/10.1111/nph.13215>
- Ke PJ, Zee PC, Fukami T (2021) Dynamic plant-soil microbe interactions: the neglected effect of soil conditioning time. *New Phytol* 231:1546–1558. <https://doi.org/10.1111/nph.17420>
- Keeler AM, Rafferty NE (2022) Legume germination is delayed in dry soils and in sterile soils devoid of microbial mutualists: Species-specific implications for upward range expansions. *Ecol Evol* 12:e9186. <https://doi.org/10.1002/ece3.9186>
- Kempel A, Rindisbacher A, Fischer M, Allan E (2018) Plant soil feedback strength in relation to large-scale plant rarity and phylogenetic relatedness. *Ecology* 99:597–606. <https://doi.org/10.1002/ecy.2145>
- Kennedy AC, Johnson BN, Stubbs TL (2001) Host range of a deleterious rhizobacterium for biological control of downy brome. *Weed Sci* 49:792–797. [https://doi.org/10.1614/0043-1745\(2001\)049\[0792:HROADR\]2.0.CO;2](https://doi.org/10.1614/0043-1745(2001)049[0792:HROADR]2.0.CO;2)
- Kennedy AC, Young FL, Elliott LF, Douglas CL (1991) Rhizobacteria suppressive to the weed downy brome. *Soil Sci Soc Am J* 55:722–727. <https://doi.org/10.2136/sssaj1991.03615995005500030014x>
- Kim DR, Cho G, Jeon CW, et al (2019) A mutualistic interaction between *Streptomyces* bacteria, strawberry plants and pollinating bees. *Nat Commun* 10:4802. <https://doi.org/10.1038/s41467-019-12785-3>

References

- Kim TN (2017) How plant neighborhood composition influences herbivory: Testing four mechanisms of associational resistance and susceptibility. *PLoS ONE*, 12:e0176499. <https://doi.org/10.1371/journal.pone.0176499>
- Kim TN, Underwood N, Cronin JT (2015) Plant neighborhood effects on herbivory: Damage is both density and frequency dependent. *Ecology* 96:1431–1437. <https://doi.org/10.1890/14-1097.1>
- Kim TN, Underwood N, Inouye BD (2013) Insect herbivores change the outcome of plant competition through both inter- and intraspecific processes. *Ecology* 94:1753–1763. <https://doi.org/10.1890/12-1261.1>
- Kliromonos JN (2002) Feedback with soil biota contributes to plant rarity and invasiveness in communities. *Nature* 417:1096–1099. <https://doi.org/10.1038/417067a>
- Körner K, Pfestorf H, May F, Jeltsch F (2014) Modelling the effect of belowground herbivory on grassland diversity. *Ecol Modell* 273:79–85. <https://doi.org/10.1016/j.ecolmodel.2013.10.025>
- Kos M, Bukovinszky T, Mulder PPJ, Bezemer TM (2015c) Disentangling above- and belowground neighbor effects on the growth, chemistry, and arthropod community on a focal plant. *Ecology* 96:164–175. <https://doi.org/10.1890/14-0563.1>
- Kos M, Kabouw P, Noordam R, Hendriks K, Vet LEM, van Loon JJA, Dicke M (2011) Prey-mediated effects of glucosinolates on aphid predators. *Ecol Entomol* 36:377–388. <https://doi.org/10.1111/j.1365-2311.2011.01282.x>
- Kos M, Tuijl MAB, de Roo J, et al (2015a) Species-specific plant-soil feedback effects on above-ground plant-insect interactions. *J Ecol* 103:904–914. <https://doi.org/10.1111/1365-2745.12402>
- Kos M, Tuijl MAB, De Roo J, et al (2015b) Plant-soil feedback effects on plant quality and performance of an aboveground herbivore interact with fertilisation. *Oikos* 124:658–667. <https://doi.org/10.1111/oik.01828>
- Kos M, Veendrick J, Bezemer TM (2013) Local variation in conspecific plant density influences plant-soil feedback in a natural grassland. *Basic Appl Ecol* 14:506–514. <https://doi.org/10.1016/j.baae.2013.07.002>
- Kostenko O, Bezemer TM (2020) Abiotic and biotic soil legacy effects of plant diversity on plant performance. *Front Ecol Evol* 8:87. <https://doi.org/10.3389/fevo.2020.00087>
- Kostenko O, Grootemaat S, van der Putten WH, Bezemer TM (2012b) Effects of diversity and identity of the neighbouring plant community on the abundance of arthropods on individual ragwort (*Jacobaea vulgaris*) plants. *Entomol Exp Appl* 144:27–36. <https://doi.org/10.1111/j.1570-7458.2012.01251.x>
- Kostenko O, Mulder PPJ, Bezemer TM (2013) Effects of root herbivory on pyrrolizidine alkaloid content and aboveground plant-herbivore-parasitoid interactions in *Jacobaea vulgaris*. *J Chem Ecol* 39:109–119. <https://doi.org/10.1007/s10886-012-0234-3>
- Kostenko O, Mulder PPJ, Courbois M, Bezemer TM (2017) Effects of plant diversity on the concentration of secondary plant metabolites and the density of arthropods on focal plants in the field. *J Ecol* 105:647–660. <https://doi.org/10.1111/1365-2745.12700>
- Kostenko O, van de Voorde TFJ, Mulder PPJ, et al (2012a) Legacy effects of aboveground-belowground interactions. *Ecol Lett* 15:813–821. <https://doi.org/10.1111/j.1461-0248.2012.01801.x>
- Król P, Adamska J, Kępczyńska E (2014) Enhancement of *Festuca rubra* L. germination and seedling growth by seed treatment with pathogenic *Agrobacterium rhizogenes*. *Acta Physiol Plant* 36:3263–3274. <https://doi.org/10.1007/s11738-014-1692-8>
- Kshetrimayum K, Devi RN, Sharma Aribam P, et al (2018) Quantitative estimation of total chlorophyll and carotenoid content in *Oreopanax xalapensis*. *Ijpbs Tm* 8:410–415.
- Kudoyarova G, Arkhipova T, Korshunova T, et al (2019) Phytohormone mediation of interactions between plants and non-symbiotic growth promoting bacteria under edaphic stresses. *Front Plant Sci* 10:1–11. <https://doi.org/10.3389/fpls.2019.01368>

- Kulmatiski A (2016) Factorial and ‘self vs. other’ plant soil feedback experiments produce similar predictions of plant growth in communities. *Plant Soil* 408:485–492. <https://doi.org/10.1007/s11104-016-2946-6>
- Kulmatiski A, Beard KH, Norton JM et al (2017). Live long and prosper: plant-soil feedback, lifespan, and landscape abundance covary. *Ecology* 98:3063–3073. <https://doi.org/10.1002/ecy.2011>
- Kulmatiski A, Beard KH, Stark JM (2006) Soil history as a primary control on plant invasion in abandoned agricultural fields. *J Appl Ecol* 43:868–876. <https://doi.org/10.1111/j.1365-2664.2006.01192.x>
- Kulmatiski A, Beard KH, Stevens JR, Cobbold SM (2008) Plant-soil feedbacks: A meta-analytical review. *Ecol Lett* 11:980–992. <https://doi.org/10.1111/j.1461-0248.2008.01209.x>
- Kulmatiski A, Kardol P (2008) Getting plant-soil feedbacks out of the greenhouse: Experimental and conceptual approaches. In U. Lüttge, W. Beyschlag, J. Murata (Eds.), *Progress in Botany* (pp. 449–472). Springer, Berlin, Heidelberg.
- Kučáková E, Mészárosová L, Baldrian P, et al (2023) Plant-soil feedbacks in a diverse grassland: Soil remembers, but not too much. *J Ecol* 111:1203–1217. <https://doi.org/10.1111/1365-2745.14104>
- Kuzyakov Y, Xu X (2013) Competition between roots and microorganisms for nitrogen: Mechanisms and ecological relevance. *New Phytol* 198:656–669. <https://doi.org/10.1111/nph.12235>
- L**
- Lahlali R, Ezrari S, Radouane N, et al (2022) Biological control of plant pathogens: A global perspective. *Microorganisms* 10:596. <https://doi.org/10.3390/microorganisms10030596>
- Legendre P, Gallagher ED (2001) Ecologically meaningful transformations for ordination of species data. *Oecologia* 129:271–280. <https://doi.org/10.1007/s004420100716>
- Leiss KA (2011) Management practices for control of ragwort species. *Phytochem Rev* 10:153–163. <https://doi.org/10.1007/s11101-010-9173-1>
- Lepik A, Abakumova M, Davison J, et al (2020) Spatial mapping of root systems reveals diverse strategies of soil exploration and resource contest in grassland plants. *J Ecol* 652–663. <https://doi.org/10.1111/1365-2745.13535>
- Lepinay C, Vondráková Z, Dostálek T, Münzbergová Z (2018) Duration of the conditioning phase affects the results of plant-soil feedback experiments via soil chemical properties. *Oecologia* 186:459–470. <https://doi.org/10.1007/s00442-017-4033-y>
- Li Y, Han X, Li B, et al (2023) Soil addition improves multifunctionality of degraded grasslands through increasing fungal richness and network complexity. *Geoderma* 437: <https://doi.org/10.1016/j.geoderma.2023.116607>
- Lin T, Klinkhamer PGL, Vrieling K (2018) Evolutionary changes in growth, regrowth and carbohydrate storage in an invasive plant. *Sci Rep* 8:14917. <https://doi.org/10.1038/s41598-018-33218-z>
- Liu S, Tao C, Zhang L, et al (2023) Plant pathogen resistance is mediated by recruitment of specific rhizosphere fungi. *ISME J* 17:931–942. <https://doi.org/10.1038/s41396-023-01406-z>
- Liu X, Etienne RS, Liang M et al (2015) Experimental evidence for an intraspecific Janzen-Connell effect mediated by soil biota. *Ecology* 96:662–671. <https://doi.org/10.1890/14-0014.1>
- Liu X, Parker IM, Gilbert GS, et al (2022) Coexistence is stabilized by conspecific negative density dependence via fungal pathogens more than oomycete pathogens. *Ecology* 103:1–12. <https://doi.org/10.1002/ecy.3841>
- Liu Y, Dawson W, Prati D, et al (2016) Does greater specific leaf area plasticity help plants to maintain a high performance when shaded? *Ann Bot* 118:1329–1336. <https://doi.org/10.1093/aob/mcw180>
- Louthan AM, Doak DF, Goheen JR, et al (2014) Mechanisms of plant-plant interactions: concealment from herbivores is more important than abiotic-stress mediation in an African savannah. *Proc Royal Soc B* 281:20132647. <https://doi.org/10.1098/rspb.2013.2647>

References

- Lowman MD (1982) Seasonal variation in insect abundance among three Australian rain forests, with particular reference to phytophagous types. *Austral J Ecol* 7:353–361. <https://doi.org/10.1111/j.1442-9993.1982.tb01310.x>
- Lucke M, Correa MG, Levy A (2020) The role of secretion systems, effectors, and secondary metabolites of beneficial rhizobacteria in interactions with plants and microbes. *Front Plant Sci* 11: 589416. <https://doi.org/10.3389/fpls.2020.589416>
- Lüdecke D, Ben-Shachar M, Patil I, et al (2021) performance: An R package for assessment, comparison and testing of statistical models. *J Open Source Softw* 6:3139. <https://doi.org/10.21105/joss.03139>
- Lyu S, Alexander JM (2022) Competition contributes to both warm and cool range edges. *Nat Commun* 13:1–24. <https://doi.org/10.1038/s41467-022-30013-3>
- M**
- Mai A-G (2018) *Serratia* a novel source of secondary metabolites. *Adv Biotechnol Microbiol* 11:1–5. <https://doi.org/10.19080/aibm.2018.11.555814>
- Macel M (2011) Attract and deter: A dual role for pyrrolizidine alkaloids in plant-insect interactions. *Phytochem Rev* 10:75–82. <https://doi.org/10.1007/s11101-010-9181-1>
- Mackay J, Kotanien PM (2008) Local escape of an invasive plant, common ragweed (*Ambrosia artemisiifolia* L.), from above-ground and below-ground enemies in its native area. *J Ecol* 96:1152–1161. <https://doi.org/10.1111/j.1365-2745.2008.01426.x>
- Madhavi BGK, Basak JK, Paudel B, Kim NE, Choi GM, Kim HT (2022) Prediction of strawberry leaf color using RGB mean values based on soil physicochemical parameters using machine learning models. *Agronomy* 12:981. <https://doi.org/10.3390/agronomy12050981>
- Mahapatra S, Yadav R, Ramakrishna W (2022) *Bacillus subtilis* impact on plant growth, soil health and environment: Dr. Jekyll and Mr. Hyde. *J Appl Microbiol* 1–20. <https://doi.org/10.1111/jam.15480>
- Malik N, Edwards D, Freckleton RP (2023) Distance and density dependence in two native Bornean dipterocarp species. *Ecol Evol* 13:e10004. <https://doi.org/10.1002/ece3.10004>
- Mangan SA, Schnitzer SA, Herre EA, et al (2010) Negative plant-soil feedback predicts tree-species relative abundance in a tropical forest. *Nature* 466:752–755. <https://doi.org/10.1038/nature09273>
- Maron JL, Marler M, Klironomos JN, Cleveland CC (2011) Soil fungal pathogens and the relationship between plant diversity and productivity. *Ecol Lett* 14:36–41. <https://doi.org/10.1111/j.1461-0248.2010.01547.x>
- Martín-Sánchez L, Ariotti C, Garbeva P, Vigani G (2020) Investigating the effect of belowground microbial volatiles on plant nutrient status: perspective and limitations. *J Plant Interact* 15:188–195. <https://doi.org/10.1080/17429145.2020.1776408>
- Massot F, Bernard N, Alvarez LMM, et al (2022) Microbial associations for bioremediation. What does “microbial consortia” mean? *Appl Microbiol Biotechnol* 106:2283–2297. <https://doi.org/10.1007/s00253-022-11864-8>
- Masteling R, Lombard L, de Boer W, Raaijmakers JM, Dini-Andreote F (2019) Harnessing the microbiome to control plant parasitic weeds. *Curr Opin Microbiol* 49:26–33. <https://doi.org/10.1016/j.mib.2019.09.006>
- Mazzoleni S, Bonanomi G, Incerti G, et al (2015b). Inhibitory and toxic effects of extracellular self-DNA in litter: a mechanism for negative plant-soil feedbacks? *New Phytol* 205:1195–1210. <https://doi.org/10.1111/nph.13121>
- Mazzoleni S, Carteni F, Bonanomi G, et al (2015a) Inhibitory effects of extracellular self-DNA : a general biological process? *New Phytol* 206:127–132. <https://doi.org/10.1111/nph.13306>
- McEvoy P, Cox C, Coombs E (1991) Successful biological control of ragwort, *Senecio jacobaea*, by introduced insects in Oregon. *Ecol Appl* 1:430–442. <https://doi.org/10.2307/1941900>

- McEvoy PB, Cox CS (1987) Wind dispersal distances in dimorphic achenes of ragwort, *Senecio Jacobaea*. *Ecology*, 68:2006–2015. <https://doi.org/10.2307/1939891>.
- Mendes R, Kruijt M, De Bruijn I, et al (2011) Deciphering the rhizosphere microbiome for disease-suppressive bacteria. *Science* 332:1097–1100. <https://doi.org/10.1126/science.1203980>
- Miao N, Xu H, Moermond TC, Li Y, Liu S (2018) Density-dependent and distance-dependent effects in a 60-ha tropical mountain rain forest in the Jianfengling mountains, Hainan Island, China: Spatial pattern analysis. *For Ecol Manag* 429:226–232. <https://doi.org/10.1016/j.foreco.2018.07.013>
- Miller EC, Perron GG, Collins CD (2019) Plant-driven changes in soil microbial communities influence seed germination through negative feedbacks. *Ecol Evol* 9: 9298–9311. <https://doi.org/10.1002/ece3.5476>
- Mills KE, Bever JD (1998) Maintenance of diversity within plant communities: Soil pathogens as agents of negative feedback. *Ecology* 79:1595–1601. [https://doi.org/10.1890/0012-9658\(1998\)079\[1595:MODWPC\]2.0.CO;2](https://doi.org/10.1890/0012-9658(1998)079[1595:MODWPC]2.0.CO;2)
- Moens M, Perry RN (2009) Migratory plant endoparasitic nematodes: A group rich in contrasts and divergence. *Annu Rev Phytopathol* 47:313–332. <https://doi.org/10.1146/annurev-phyto-080508-081846>
- Moeur M (1997) Spatial models of competition and gap dynamics in old-growth *Tsuga heterophylla/Thuja plicata* forests. *For Ecol Manag* 94: 175–186. [https://doi.org/10.1016/S0378-1127\(96\)03976-X](https://doi.org/10.1016/S0378-1127(96)03976-X).
- Möhler H, Diekötter T, Bauer GM, Donath TW (2021) Conspecific and heterospecific grass litter effects on seedling emergence and growth in ragwort (*Jacobaea vulgaris*). *PLoS One* 16:e0246459. <https://doi.org/10.1371/journal.pone.0246459>
- Monohon SJ, Manter DK, Vivanco JM (2021) Conditioned soils reveal plant-selected microbial communities that impact plant drought response. *Sci Rep* 11:1–11. <https://doi.org/10.1038/s41598-021-00593-z>
- Murphy SJ, Wiegand T, Comita LS (2017) Distance-dependent seedling mortality and long-term spacing dynamics in a neotropical forest community. *Ecol Lett* 20:1469–1478. <https://doi.org/10.1111/ele.12856>
- N**
- Nadarajah K, Abdul Rahman NSN (2021) Plant-microbe interaction: Aboveground to belowground, from the good to the bad. *Int J Mol Sci* 22:. <https://doi.org/10.3390/ijms221910388>
- Nandi M, Selin C, Brawerman G, Dilantha Fernando WG, de Kievit T (2017) Hydrogen cyanide, which contributes to *Pseudomonas chlororaphis* strain PA23 biocontrol, is upregulated in the presence of glycine. *Biol Control* 108:47–54. <https://doi.org/10.1016/j.biocontrol.2017.02.008>
- Nannipieri P, Hannula SE, Pietramellara G, et al (2023) Legacy effects of rhizodeposits on soil microbiomes: A perspective. *Soil Biol Biochem* 184:109107. <https://doi.org/10.1016/j.soilbio.2023.109107>
- Neu AT, Allen EE, Roy K (2021) Defining and quantifying the core microbiome: Challenges and prospects. *Proc Natl Acad Sci USA* 118:1–10. <https://doi.org/10.1073/pnas.2104429118>
- Niemelä M, Markkola A, Mutikainen P (2008) Modification of competition between two grass species by a hemiparasitic plant and simulated grazing. *Basic Appl Ecol* 9:117–125. <https://doi.org/10.1016/j.baec.2007.01.001>
- O**
- Oduor AMO, Stift M, Van Kleunen M (2015) The interaction between root herbivory and competitive ability of native and invasive-range populations of *Brassica nigra*. *PLoS One* 10:e0141857. <https://doi.org/10.1371/journal.pone.0141857>
- Oduor AMO, van Kleunen M, Stift M (2017) In the presence of specialist root and shoot herbivory, invasive-range *Brassica nigra* populations have stronger competitive effects than native-range populations. *J Ecol* 105:1679–1686. <https://doi.org/10.1111/1365-2745.12779>
- Oksanen J, Simpson G, Blanchet F, et al (2022) vegan: Community Ecology Package. R package version 2.5-5. <https://CRAN.R-project.org/package=vegan>.

References

- Olivoto T (2022) Lights, camera, pliman! An R package for plant image analysis. *Methods Ecol Evol* 13:789–798. <https://doi.org/10.1111/2041-210X.13803>
- Olsson PA, Bååth E, Jakobsen I, Söderström B (1995) The use of phospholipid and neutral lipid fatty acids to estimate biomass of arbuscular mycorrhizal fungi in soil. *Mycol Res* 99:623–629. [https://doi.org/10.1016/S0953-7562\(09\)80723-5](https://doi.org/10.1016/S0953-7562(09)80723-5)
- Oostenbrink M (1960) The family Criconematidae. In: Sasser JN, Jenkins WR (Eds.) *Nematology. Fundamentals and recent advances with emphasis on plant parasitic and soil forms*. The University of North Carolina Press, Chapel Hill, pp 196-205
- Ossowicki A, Jafra S, Garbeva P (2017) The antimicrobial volatile power of the rhizospheric isolate *Pseudomonas donghuensis* P482. *PLoS One* 12:1–13. <https://doi.org/10.1371/journal.pone.0174362>
- Otway SJ, Hector A, Lawton JH (2005) Resource dilution effects on specialist insect herbivores in a grassland biodiversity experiment. *J Anim Ecol* 74:234–240. <https://doi.org/10.1111/J.1365-2656.2005.00913.X>

P

- Packer A, Clay K (2000) Soil pathogens and spatial patterns of seedling mortality in a temperate tree. *Nature* 404:278–281. <https://doi.org/10.1038/35005072>
- Pangesti N, Pineda A, Hannula SE, Bezemer TM (2020) Soil inoculation alters the endosphere microbiome of chrysanthemum roots and leaves. *Plant Soil* 455:107–119. <https://doi.org/10.1007/s11104-020-04655-5>
- Pangesti N, Pineda A, Pieterse CMJ, Dicke M, van Loon JJ (2013) Two-way plant-mediated interactions between root-associated microbes and insects: From ecology to mechanisms. *Front Plant Sci* 4:1–11. <https://doi.org/10.3389/fpls.2013.00414>
- Pantigoso HA, Newberger D, Vivanco JM (2022) The rhizosphere microbiome: Plant–microbial interactions for resource acquisition. *J Appl Microbiol* 133:2864–2876. <https://doi.org/10.1111/jam.15686>
- Pascale A, Proietti S, Pantelides IS, Stringlis IA (2020) Modulation of the root microbiome by plant molecules: The basis for targeted disease suppression and plant growth promotion. *Front Plant Sci* 10:1–23. <https://doi.org/10.3389/fpls.2019.01741>
- Pashalidou FG, Eyman L, Sims J, et al (2020). Plant volatiles induced by herbivore eggs prime defences and mediate shifts in the reproductive strategy of receiving plants. *Ecol Lett* 23:1097–1106. <https://doi.org/10.1111/ele.13509>
- Pearson DE, Ortega YK, Runyon JB, Butler JL (2016) Secondary invasion: The bane of weed management. *Biol Conserv* 197:8–17. <https://doi.org/10.1016/j.biocon.2016.02.029>
- Peltzer DA (2001) Plant responses to competition and soil origin across a prairie-forest boundary. *J Ecol* 89:176–185. <https://doi.org/10.1046/j.1365-2745.2001.00544.x>
- Pereira MF, Rossi CC, Da Silva GC, Rosa JN, Bazzolli DMS (2020) *Galleria mellonella* as an infection model: An in-depth look at why it works and practical considerations for successful application. *Pathog Dis* 78:1–15. <https://doi.org/10.1093/femspd/ftaa056>
- Pessarodona A, Boada J, Pagès JF, et al (2019) Consumptive and non-consumptive effects of predators vary with the ontogeny of their prey. *Ecology* 100: e02649. <https://doi.org/10.1002/ecy.2649>
- Petermann JS, Fergus AGF, Turnbull LA, Schmid B (2008) Janzen-Connell effects are widespread and strong enough to maintain diversity in grasslands. *Ecology* 89:2399–2406. <https://doi.org/10.1890/07-2056.1>
- Philippot L, Raaijmakers JM, Lemanceau P, van der Putten WH (2013) Going back to the roots: The microbial ecology of the rhizosphere. *Nat Rev Microbiol* 11:789–799. <https://doi.org/10.1038/nrmicro3109>
- Pineda A, Dicke M, Pieterse CMJ, Pozo MJ (2013) Beneficial microbes in a changing environment: Are they always helping plants to deal with insects? *Funct Ecol* 27:574–586. <https://doi.org/10.1111/1365-2435.12050>
- Pineda A, Kaplan I, Bezemer TM (2017) Steering soil microbiomes to suppress aboveground insect

- pests. *Trends Plant Sci* 22:770–778. <https://doi.org/10.1016/j.tplants.2017.07.002>
- Pineda A, Kaplan I, Hannula SE, et al (2020) Conditioning the soil microbiome through plant-soil feedbacks suppresses an aboveground insect pest. *New Phytol* 226:595–608. <https://doi.org/10.1111/nph.16385>
- Pineda A, Zheng SJ, van Loon JJA, et al (2010) Helping plants to deal with insects: The role of beneficial soil-borne microbes. *Trends Plant Sci* 15:507–514. <https://doi.org/10.1016/j.tplants.2010.05.007>
- Pinheiro J, Bates D, DebRoy S, et al (2019) nlme: Linear and nonlinear mixed effects models. <https://cran.r-project.org/package=nlme>. R-project
- Piśkiewicz AM, Duyts H, van der Putten WH (2008) Multiple species-specific controls of root-feeding nematodes in natural soils. *Soil Biol Biochem* 40:2729–2735. <https://doi.org/10.1016/j.soilbio.2008.07.006>
- Png GK, De Long JR, Fry EL, et al (2023) Plant-soil feedback: the next generation. *Plant Soil* 485:1–5. <https://doi.org/10.1007/s11104-023-06000-y>
- Poorter H, Niklas KJ, Reich PB, Oleksyn J, Poot P, Mommer L (2012) Biomass allocation to leaves, stems and roots: meta-analyses of interspecific variation and environmental control. *New Phytol* 193:30–50. <https://doi.org/10.1111/j.1469-8137.2011.03952.x>
- Pugnaire FI, Morillo JA, Peñuelas J, et al (2019) Climate change effects on plant-soil feedbacks and consequences for biodiversity and functioning of terrestrial ecosystems. *Sci Adv* 5:1–11. <https://doi.org/10.1126/sciadv.aaz1834>

Q

- Quast C, Pruesse E, Yilmaz P, et al (2013) The SILVA ribosomal RNA gene database project: Improved data processing and web-based tools. *Nucleic Acids Res* 41:590–596. <https://doi.org/10.1093/nar/gks1219>

R

- R Core Team (2022). R: A language and environment for statistical computing. R Foundation for Statistical Computing, Vienna, Austria. URL <https://www.R-project.org/>
- Raaijmakers JM, Mazzola M (2016) Soil immune responses soil microbiomes may be harnessed for plant health. *Science* 352:1392–1393. <https://doi.org/10.1126/science.aaf3252>
- Rallo P, Hannula SE, Ten FC, et al (2022) Inter- and intraspecific plant-soil feedbacks of grass species. *Plant Soil*. <https://doi.org/10.1007/s11104-023-05893-z>
- Ramsell J, Malloch AJC, Whittaker JB (1993) When grazed by *Tipula Paludosa*, *Lolium Perenne* is a stronger competitor of *Rumex Obtusifolius*. *J Ecol* 81:777. <https://doi.org/10.2307/2261675>
- Rasmann S, Agrawal AA (2008) In defense of roots: A research agenda for studying plant resistance to belowground herbivory. *Plant Physiol* 146:875–880. <https://doi.org/10.1104/pp.107.112045>
- Rausch T, Fritz MHY, Untergasser A, Benes V (2020) Tracy: basecalling, alignment, assembly and deconvolution of sanger chromatogram trace files. *BMC Genomics* 21:1–9. <https://doi.org/10.1186/s12864-020-6635-8>
- Ravenek JM, Mommer L, Visser EJW, et al (2016) Linking root traits and competitive success in grassland species. *Plant Soil* 407:39–53. <https://doi.org/10.1007/s11104-016-2843-z>
- Raza W, Jiang G, Eisenhauer N, et al (2024) Microbe-induced phenotypic variation leads to overyielding in clonal plant populations. *Nat Ecol Evol*. <https://doi.org/10.1038/s41559-023-02297-1>
- Rees M, Brown VK (1992) Interactions between invertebrate herbivores and plant competition. *J Ecol* 80:353. <https://doi.org/10.2307/2261017>
- Reinhart KO, Bauer JT, McCarthy-Neumann S, et al (2021) Globally, plant-soil feedbacks are weak predictors of plant abundance. *Ecol Evol* 11:1756–1768. <https://doi.org/10.1002/ece3.7167>
- Revillini D, Gehring CA, Johnson NC (2016) The role of locally adapted mycorrhizas and rhizobacteria in plant-soil feedback systems. *Funct Ecol* 30:1086–1098. <https://doi.org/10.1111/1365-2435.12668>
- Rijavec T, Lapanje A (2016) Hydrogen cyanide in the rhizosphere: Not suppressing plant pathogens, but rather regulating availability of phosphate. *Front Microbiol* 7:1–14.

References

- <https://doi.org/10.3389/fmicb.2016.01785>
- Ristok C, Poeschl Y, Dudenhöffer JH, et al (2019) Plant species richness elicits changes in the metabolome of grassland species via soil biotic legacy. *J Ecol* 107:2240–2254. <https://doi.org/10.1111/1365-2745.13185>
- Ritz C, Baty F, Streibig JC, Gerhard D (2015) Dose-response analysis using R. *PLoS One* 10:1–13. <https://doi.org/10.1371/journal.pone.0146021>
- Roberts PD, Pullin AS (2007) The effectiveness of management interventions used to control ragwort species. *Environ Manage* 39:691–706. <https://doi.org/10.1007/s00267-006-0039-7>
- Rolli E, Marasco R, Saderi S, Corretto E, Mapelli F, Cherif A, Borin S, Valenti L, Sorlini C, Daffonchio D (2017) Root-associated bacteria promote grapevine growth: from the laboratory to the field. *Plant Soil* 410:369–382. <https://doi.org/10.1007/s11104-016-3019-6>
- Romano A, Stevanato P (2020) Germination data analysis by time-to-event approaches. *Plants* 9:617. <https://doi.org/10.3390/plants9050617>
- Rousk J, Bååth E (2011) Growth of saprotrophic fungi and bacteria in soil. *FEMS Microbiol Ecol* 78:17–30. <https://doi.org/10.1111/j.1574-6941.2011.01106.x>
- Rusch G, van der Maare E (1992) Species turnover and seedling recruitment in Limestone grasslands. *Oikos* 63:139–146. <https://doi.org/10.2307/3545523>
- Rutten G, Allan E (2023) Using root economics traits to predict biotic plant soil-feedbacks. *Plant Soil* 485:71–89. <https://doi.org/10.1007/s11104-023-05948-1>
- Rybakova D, Schmuck M, Wetzlinger U, Varo-Suarez A, Murgu O, Müller H, Berg G (2016) Kill or cure? The interaction between endophytic *Paenibacillus* and *Serratia* strains and the host plant is shaped by plant growth conditions. *Plant Soil* 405:65–79. <https://doi.org/10.1007/s11104-015-2572-8>
- Ryu CM, Faragt MA, Hu CH, et al (2003) Bacterial volatiles promote growth in *Arabidopsis*. *Proc Natl Acad Sci U S A* 100:4927–4932. <https://doi.org/10.1073/pnas.0730845100>
- S**
- Saeed Q, Xiukang W, Haider FU, et al (2021) Rhizosphere bacteria in plant growth promotion, biocontrol, and bioremediation of contaminated sites: A comprehensive review of effects and mechanisms. *Int J Mol Sci* 22: 10529. <https://doi.org/10.3390/ijms221910529>
- Sarwar M, Kremer RJ (1995) Enhanced suppression of plant growth through production of L-tryptophan-derived compounds by deleterious rhizobacteria. *Plant Soil* 172:261–269. <https://doi.org/10.1007/BF00011328>
- Sasidharan R, Voesenek LACJ (2015) Ethylene-mediated acclimations to flooding stress. *Plant Physiol* 169:3–12. <https://doi.org/10.1104/pp.15.00387>
- Schädler M, Brandl R, Haase J (2007) Antagonistic interactions between plant competition and insect herbivory. *Ecology* 88:1490–1498. <https://doi.org/10.1890/06-0647>
- Schaffner U, Steinbach S, Sun Y, et al (2020) Biological weed control to relieve millions from *Ambrosia* allergies in Europe. *Nat Commun* 11:1–7. <https://doi.org/10.1038/s41467-020-15586-1>
- Scheublin TR, van Logtestijn RSP, van Der Heijden MGA (2007) Presence and identity of arbuscular mycorrhizal fungi influence competitive interactions between plant species. *J Ecol* 95:631–638. <https://doi.org/10.1111/j.1365-2745.2007.01244.x>
- Schittko C, Runge C, Strupp M, et al (2016) No evidence that plant-soil feedback effects of native and invasive plant species under glasshouse conditions are reflected in the field. *J Ecol* 104:1243–1249. <https://doi.org/10.1111/1365-2745.12603>
- Schouteden N, Waele D De, Panis B, Vos CM (2015) Arbuscular mycorrhizal fungi for the biocontrol of plant-parasitic nematodes: A review of the mechanisms involved. *Front. Microbiol.* 6:1280. <https://doi.org/10.3389/fmicb.2015.01280>

- Seebens H, Bacher S, Blackburn TM, et al (2021) Projecting the continental accumulation of alien species through to 2050. *Glob Chang Biol* 27:970–982. <https://doi.org/10.1111/gcb.15333>
- Seebens H, Blackburn TM, Dyer EE, et al (2017) No saturation in the accumulation of alien species worldwide. *Nat Commun* 8:1–9. <https://doi.org/10.1038/ncomms14435>
- Semchenko M, Barry KE, de Vries FT, et al (2022) Deciphering the role of specialist and generalist plant–microbial interactions as drivers of plant–soil feedback. *New Phytol.* 234:1929–1944. <https://doi.org/10.1111/nph.18118>
- Sessitsch A, Howieson JG, Perret X, et al (2002) Advances in rhizobium research. *CRC Crit Rev Plant Sci* 21:323–378. <https://doi.org/10.1080/0735-260291044278>
- Shade A, Handelsman J (2012) Beyond the Venn diagram: The hunt for a core microbiome. *Environ Microbiol* 14:4–12. <https://doi.org/10.1111/j.1462-2920.2011.02585.x>
- Shahrtash M, Brown SP (2021) A path forward: Promoting microbial-based methods in the control of invasive plant species. *Plants* 10:943. <https://doi.org/10.3390/plants10050943>
- Shantharaj D, Williams MA, Potnis NS, Liles MR (2021) *Burkholderia gladioli* C101 metabolites protect tomato plants against *Xanthomonas perforans* infection. *J Plant Dis Prot* 128:379–390. <https://doi.org/10.1007/s41348-020-00416-9>
- Siefert A, Zillig KW, Friesen ML, Strauss SY (2018) Mutualists stabilize the coexistence of congeneric legumes. *Am Nat* 193:200–212. <https://doi.org/10.1086/701056>
- Sikder MM, Vestergård M (2020) Impacts of root metabolites on soil nematodes. *Front Plant Sci* 10:1792. <https://doi.org/10.3389/fpls.2019.01792>
- Simberloff D, Martin JL, Genovesi P, et al (2013) Impacts of biological invasions: What’s what and the way forward. *Trends Ecol Evol* 28:58–66. <https://doi.org/10.1016/j.tree.2012.07.013>
- Smith H, Firbank LG, MacDonald DW (1999) Uncropped edges of arable fields managed for biodiversity do not increase weed occurrence in adjacent crops. *Biol Conserv* 89:107–111. [https://doi.org/10.1016/S0006-3207\(98\)00125-6](https://doi.org/10.1016/S0006-3207(98)00125-6)
- Solomon PS, Tan KC, Oliver RP (2003) The nutrient supply of pathogenic fungi; a fertile field for study. *Mol Plant Pathol* 4:203–10. <https://doi.org/10.1046/j.1364-3703.2003.00161.x>
- Sorokan A, Cherepanova E, Burkhanova G, et al (2020) Endophytic *Bacillus* spp. as a prospective biological tool for control of viral diseases and non-vector *Leptinotarsa decemlineata* Say. in *Solanum tuberosum* L. *Front Microbiol* 11:1–13. <https://doi.org/10.3389/fmicb.2020.569457>
- Stein C, Unsicker SS, Kahmen A, et al (2010) Impact of invertebrate herbivory in grasslands depends on plant species diversity. *Ecology* 91:1639–1650. <https://doi.org/10.1890/09-0600.1>
- Steinauer K, Thakur MP, Hannula SE, et al (2023) Root exudates and rhizosphere microbiomes jointly determine temporal shifts in plant–soil feedbacks. *Plant Cell Environ* 1–15. <https://doi.org/10.1111/pce.14570>
- Steiner AA (1968) Soilless culture. Proceedings of the 6th colloquium of the International Potash Institute, pp: 324–341, Florence, Italy.
- Stoffel MA, Nakagawa S, Schielzeth H (2021) partR2: partitioning R2 in generalized linear mixed models. *PeerJ* 9:e11414. <https://doi.org/10.7717/peerj.11414>
- Stokes K, Stiling P (2013) Effects of relative host plant abundance, density and inter-patch distance on associational resistance to a coastal gall-making midge, *Asphondylia borrichiae* (Diptera: *Cecidomyiidae*). *Fla Entomol* 96:1143–1148. <https://doi.org/10.1653/024.096.0355>
- Stopnisek N, Shade A (2021) Persistent microbiome members in the common bean rhizosphere: An integrated analysis of space, time, and plant genotype. *ISME J* 15:2708–2722. <https://doi.org/10.1038/s41396-021-00955-5>
- Sugio A, Dubreuil G, Giron D, Simon JC (2015) Plant–insect interactions under bacterial influence: ecological implications and underlying mechanisms. *J Exp Bot* 66:467–478. <https://doi.org/10.1093/jxb/eru435>
- Sun M, Liu J, Li J, Huang Y (2022) Endophytic bacterium *Serratia plymuthica* from Chinese leek suppressed apple ring rot on postharvest apple fruit. *Front Microbiol* 12:1–14.

References

- <https://doi.org/10.3389/fmicb.2021.802887>
- Sunita K, Mishra I, Mishra J, et al (2020) Secondary metabolites from halotolerant plant growth promoting rhizobacteria for ameliorating salinity stress in plants. *Front Microbiol* 11:1–12. <https://doi.org/10.3389/fmicb.2020.567768>
- Swamy V, Terborgh J (2010) Distance-responsive natural enemies strongly influence seedling establishment patterns of multiple species in an Amazonian rain forest. *J Ecol* 98:1096–1170. <https://doi.org/10.1111/j.1365-2745.2010.01686.x>
- Swamy V, Terborgh J, Dexter KG, Best BD, Alvarez P, Cornejo F (2011) Are all seeds equal? Spatially explicit comparisons of seed fall and sapling recruitment in a tropical forest. *Ecol Lett* 14:195–201. <https://doi.org/10.1111/j.1461-0248.2010.01571.x>

T

- Tack AJM, Dicke M (2013) Plant pathogens structure arthropod communities across multiple spatial and temporal scales. *Funct Ecol* 27:633–645. <https://doi.org/10.1111/1365-2435.12087>
- Tahvanainen JO, Root RB (1972) The influence of vegetational diversity on the population ecology of a specialized herbivore, *Phyllotreta cruciferae* (Coleoptera: Chrysomelidae). *Oecologia* 10:321–346. <https://doi.org/10.1007/BF00345736>
- Thakur MP, van der Putten WH, Wilschut RA, et al (2021) Plant-soil feedbacks and temporal dynamics of plant diversity-productivity relationships. *Trends Ecol. Evol.* 36:651–661. <https://doi.org/10.1016/j.tree.2021.03.011>
- Thoden TC, Boppré M (2010) Plants producing pyrrolizidine alkaloids: Sustainable tools for nematode management? *Nematology* 12:1–24. <https://doi.org/10.1163/138855409X12549869072248>
- Thoden TC, Boppré M, Hallmann J (2009a) Effects of pyrrolizidine alkaloids on the performance of plant-parasitic and free-living nematodes. *Pest Manag Sci* 65:823–830. <https://doi.org/10.1002/ps.1764>
- Thoden TC, Hallmann J, Boppré M (2009b) Effects of plants containing pyrrolizidine alkaloids on the northern root-knot nematode *Meloidogyne hapla*. *Eur J Plant Pathol* 123:27–36. <https://doi.org/10.1007/s10658-008-9335-9>
- Tichich RP, Doll JD (2006) Field-based evaluation of a novel approach for infecting Canada thistle (*Cirsium arvense*) with *Pseudomonas syringae* pv. *tagetis*. *Weed Sci* 54:166–171. <https://doi.org/10.1614/ws-03-144r3.1>
- Tinney GW, Hatcher PE, Ayres PG, Ayres PG, Paul ND, Whittaker JB (1998) Inter- and intra-species differences in plants as hosts to *Tyria jacobaeae*. *Entomol Exp Appl* 88:137–145. <https://doi.org/10.1046/j.1570-7458.1998.00355.x>
- Trivedi P, Schenk PM, Wallenstein MD, Singh BK (2017) Tiny Microbes, Big yields: Enhancing food crop production with biological solutions. *Microb Biotechnol* 10:999–1003. <https://doi.org/10.1111/1751-7915.12804>

U

- Underwood N, Inouye BD, Hambäck PA (2014) A conceptual framework for associational effects: when do neighbors matter and how would we know? *Q Rev Biol* 89:1–19. <https://doi.org/10.1086/674991>

V

- van de Voorde TFJ, Ruijten M, van der Putten WH, Bezemer TM (2012a) Can the negative plant-soil feedback of *Jacobaea vulgaris* be explained by autotoxicity? *Basic Appl Ecol* 13:533–541. <https://doi.org/10.1016/j.baec.2012.08.012>
- van de Voorde TFJ, van der Putten WH, Bezemer TM (2011) Intra- and interspecific plant-soil interactions, soil legacies and priority effects during old-field succession. *J Ecol* 99:945–953.

- <https://doi.org/10.1111/j.1365-2745.2011.01815.x>
- van de Voorde TFJ, van der Putten WH, Bezemer TM (2012b) The importance of plant-soil interactions, soil nutrients, and plant life history traits for the temporal dynamics of *Jacobaea vulgaris* in a chronosequence of old-fields. *Oikos* 121:1251–1262. <https://doi.org/10.1111/j.1600-0706.2011.19964.x>
- van der Meijden E, van der Waals-Kooi RE (1979) The Population Ecology of *Senecio Jacobaea* in a Sand Dune System: I. Reproductive Strategy and the Biennial Habit. *J Ecol* 67:131. <https://doi.org/10.2307/2259341>
- van der Meijden, E. (1979). Herbivore exploitation of a fugitive plant species: local survival and extinction of the cinnabar moth and ragwort in a heterogeneous environment. *Oecologia* 42:307–323. <https://doi.org/10.1007/BF00346596>
- van der Putten WH, Bardgett RD, Bever JD, et al (2013) Plant-soil feedbacks: The past, the present and future challenges. *J Ecol* 101:265–276. <https://doi.org/10.1111/1365-2745.12054>
- van der Putten WH, Bradford MA, Brinkman EP, van de Voorde TFJ, Veen GF (2016) Where, when and how plant–soil feedback matters in a changing world. *Funct Ecol* 30: 1109–1121. <https://doi.org/10.1111/1365-2435.12657>
- van der Putten WH, Mortimer SR, Hedlund K, et al (2000) Plant species diversity as a driver of early succession in abandoned fields: A multi-site approach. *Oecologia* 124:91–99. <https://doi.org/10.1007/s004420050028>
- van der Putten WH, van Dijk C, Peters B (1993) Plant-specific soil-borne diseases contribute to succession in foredune vegetation. *Nature* 362:53–56. <https://doi.org/10.1038/362053a0>
- van der Putten WH, Vet LEM, Harvey JA, Wäckers FL (2001) Linking above- and belowground multitrophic interactions of plants, herbivores, pathogens, and their antagonists. *Trends Ecol Evol* 16:547–554. [https://doi.org/10.1016/S0169-5347\(01\)02265-0](https://doi.org/10.1016/S0169-5347(01)02265-0)
- van der Stoel CD, van der Putten WH, Duyts H (2002) Development of a negative plant-soil feedback in the expansion zone of the clonal grass *Ammophila arenaria* following root formation and nematode colonization. *J Ecol* 90:978–988. <https://doi.org/10.1046/j.1365-2745.2002.00727.x>
- van Loon LC, Bakker PAHM, Pieterse CMJ (1998) Systemic resistance induced by rhizosphere bacteria. *Annu Rev Phytopathol* 36:453–483. <https://doi.org/10.1146/annurev.phyto.36.1.453>
- Van Nuland ME, Ke PJ, Wan J, Peay KG (2022) Mycorrhizal nutrient acquisition strategies shape tree competition and coexistence dynamics. *J Ecol* 1–14. <https://doi.org/10.1111/1365-2745.14040>
- Veen GF, van der Putten WH, Bezemer TM (2018) Biodiversity-ecosystem functioning relationships in a long-term non-weeded field experiment. *Ecology* 99:1836–1846. <https://doi.org/10.1002/ecy.2400>
- Velázquez E, Martínez I, Getzin S, et al (2016) An evaluation of the state of spatial point pattern analysis in ecology. *Ecography* 39:1042–1055. <https://doi.org/10.1111/ecog.01579>
- Velázquez-Becerra C, Macías-Rodríguez LI, López-Bucio J, et al (2011) A volatile organic compound analysis from *Arthrobacter agilis* identifies dimethylhexadecylamine, an amino-containing lipid modulating bacterial growth and *Medicago sativa* morphogenesis in vitro. *Plant Soil* 339:329–340. <https://doi.org/10.1007/s11104-010-0583-z>
- Vellend M (2010) Conceptual synthesis in community ecology. *Q Rev Biol* 85:183–206. <https://doi.org/10.1086/652373>
- Vellend M (2016) *The theory of ecological communities*. Princeton University Press, Princeton and Oxford.
- Venables, WN, Ripley BD (2002) *Modern Applied Statistics with S*. Fourth Edition. Springer, New York. <https://www.stats.ox.ac.uk/pub/MASS4/>
- Verschoor BC, Pronk TE, De Goede RGM, Brussaard L (2002) Could plant-feeding nematodes affect the competition between grass species during succession in grasslands under restoration management? *J Ecol* 90:753–761. <https://doi.org/10.1046/j.1365-2745.2002.00710.x>

References

- Viketoft M, Palmberg C, Sohlenius B, et al (2005) Plant species effects on soil nematode communities in experimental grasslands. *Appl Soil Ecol* 30:90–103. <https://doi.org/10.1016/j.apsoil.2005.02.007>
- Vilà M, Espinar JL, Hejda M, et al (2011) Ecological impacts of invasive alien plants: a meta-analysis of their effects on species, communities and ecosystems. *Ecol Lett* 14:702–708. <https://doi.org/10.1111/j.1461-0248.2011.01628.x>
- Violle C, Navas ML, Vile D, et al (2007) Let the concept of trait be functional! *Oikos* 116:882–892. <https://doi.org/10.1111/j.0030-1299.2007.15559.x>
- Voglar GE, Mrak T, Krizman M, et al (2019) Effect of contaminated soil on multitrophic interactions in a terrestrial system. *Plant Soil* 435:337–351. <https://doi.org/10.1007/s11104-018-03903-z>
- Vrieling K, de Vos H, van Wijk CAM (1993) Genetic analysis of the concentrations of pyrrolizidine alkaloids in *Senecio jacobaea*. *Phytochemistry* 32:1141–1144. [https://doi.org/10.1016/S0031-9422\(00\)95079-9](https://doi.org/10.1016/S0031-9422(00)95079-9)
- Vrieling K, Smit W, van der Meijden E (1991) Tritrophic interactions between aphids (*Aphis jacobaeae* Schrank), ant species, *Tyria jacobaeae* L., and *Senecio jacobaea* L. lead to maintenance of genetic variation in pyrrolizidine alkaloid concentration. *Oecologia* 86:177–182. <https://doi.org/10.1007/BF00317529>
- W**
- Wang G, Burrill HM, Podzikowski LY, et al (2023) Dilution of specialist pathogens drives productivity benefits from diversity in plant mixtures. *Nat Commun* 14:1–11. <https://doi.org/10.1038/s41467-023-44253-4>
- Wang M, De Deyn GB, Bezemer TM (2019) Separating effects of soil microorganisms and nematodes on plant community dynamics. *Plant Soil* 441:455–467. <https://doi.org/10.1007/s11104-019-04137-3>
- Wang M, Ruan W, Kostenko O, et al (2019) Removal of soil biota alters soil feedback effects on plant growth and defense chemistry. *New Phytol* 221:1478–1491. <https://doi.org/10.1111/nph.15485>
- Wang S, Callaway RM (2021) Plasticity in response to plant-plant interactions and water availability. *Ecology* 102:1–11. <https://doi.org/10.1002/ecy.3361>
- Wang X, Jiang C, Li FY, Tai Y, Liang C, Hou Y, Zhang W (2020) Population neighborhood density at different scales between grazed and ungrazed communities. *Ecosphere*, 11:e03275. <https://doi.org/10.1002/ecs2.3275>
- Wang Y, Liu Z, Hao X, et al (2023) Biodiversity of the beneficial soil-borne fungi steered by *Trichoderma*-amended biofertilizers stimulates plant production. *npj Biofilms Microbiomes* 9:1–9. <https://doi.org/10.1038/s41522-023-00416-1>
- Wardle D (1987) The ecology of ragwort (*Senecio Jacobaea* L.) – a review. *N Z J Ecol* 10:67–76.
- Watson DM, Roshier DA, Wiegand T (2007) Spatial ecology of a root parasite – From pattern to process. *Austral Ecol* 32: 359–369. <https://doi.org/10.1111/j.1442-9993.2007.01701.x>
- Wei W, Yang M, Liu Y, et al (2018) Fertilizer N application rate impacts plant-soil feedback in a sanqi production system. *Sci Total Environ* 633:796–807. <https://doi.org/10.1016/j.scitotenv.2018.03.219>
- Weidner S, Koller R, Latz E, et al (2015) Bacterial diversity amplifies nutrient-based plant-soil feedbacks. *Funct Ecol* 29:1341–1349. <https://doi.org/10.1111/1365-2435.12445>
- Weissmann R, Gerhardson B (2001) Selective plant growth suppression by shoot application of soil bacteria. *Plant Soil* 234:159–170. <https://doi.org/10.1023/A:1017916717160>
- Weller DM, Raaijmakers JM, McSpadden Gardener BB, Thomashow LS (2002) Microbial populations responsible for specific soil suppressiveness to plant pathogens. *Annu Rev Phytopathol* 40:309–348. <https://doi.org/10.1146/annurev.phyto.40.030402.110010>
- Wenke K, Wanke D, Kilian J, Berendzen K, Harter K, Piechulla B (2012) Volatiles of two growth-inhibiting rhizobacteria commonly engage AtWRKY18 function. *Plant J* 70:445–459. <https://doi.org/10.1111/j.1365-313X.2011.04891.x>
- Wenke K, Wanke D, Kilian J, et al (2012) Volatiles of two growth-inhibiting rhizobacteria commonly engage

- AtWRKY18 function. *Plant J* 70:445–459. <https://doi.org/10.1111/j.1365-313X.2011.04891.x>
- Westoby, M. (1984). The self-thinning rule. *Adv Ecol Res* 14:167–225. [https://doi.org/10.1016/S0065-2504\(08\)60171-3](https://doi.org/10.1016/S0065-2504(08)60171-3).
- White JA, Andow DA (2006) Habitat modification contributes to associational resistance between herbivores. *Oecologia* 148:482–490. <https://doi.org/10.1007/s00442-006-0388-1>
- White JA, Whitham TG (2000) Associational susceptibility of cottonwood to a box elder herbivore. *Ecology* 81:1795–1803. [https://doi.org/10.1890/0012-9658\(2000\)081\[1795:ASOCTA\]2.0.CO;2](https://doi.org/10.1890/0012-9658(2000)081[1795:ASOCTA]2.0.CO;2)
- Wiegand T, Kissling WD, Cipriotti PA, Aguiar MR (2006) Extending point pattern analysis for objects of finite size and irregular shape. *J Ecol* 94: 825–837. <https://doi.org/10.1111/j.1365-2745.2006.01113.x>.
- Wiegand T, Moloney KA (2004) Rings, circles, and null-models for point pattern analysis in ecology. *Oikos* 104:209–229. <https://doi.org/10.1111/j.0030-1299.2004.12497.x>
- Wiegand T, Moloney KA (2014) *Handbook of spatial point-pattern analysis in ecology* (1st ed.). Chapman and Hall/CRC Press, USA.
- Wilschut RA, van der Putten WH, Garbeva P, et al (2019) Root traits and belowground herbivores relate to plant–soil feedback variation among congeners. *Nat Commun* 10: <https://doi.org/10.1038/s41467-019-09615-x>
- Wilson JB (1988) Shoot competition and root competition. *J Appl Ecol* 25:279–296. <https://doi.org/10.2307/2403626>.
- Winston RL, Schwarzländer M, Hinz HL, Day MD, Cock MJW, Julien MH (2023) *Biological control of weeds: a world catalogue of agents and their target weeds*. USDA Forest Service, Forest Health Technology Enterprise Team, Morgantown, WV, USA. (<https://www.ibiocontrol.org/catalog/>)
- Wubs ERJ, van der Putten WH, Bosch M, Bezemer TM (2016) Soil inoculation steers restoration of terrestrial ecosystems. *Nat Plants* 2:1–5. <https://doi.org/10.1038/NPLANTS.2016.107>
- Wurst S, Ohgushi T (2015) Do plant- and soil-mediated legacy effects impact future biotic interactions? *Functional Ecology*, 29(11), 1373–1382. <https://doi.org/10.1111/1365-2435.12456>.
- Wurst S, Rillig MC (2011) Additive effects of functionally dissimilar above-and belowground organisms on a grassland plant community. *J Plant Ecol* 4:221–227. <https://doi.org/10.1093/jpe/rtr012>
- X**
- Xi N, Adler PB, Chen D, et al (2021) Relationships between plant-soil feedbacks and functional traits. *J Ecol* 109:3411–3423. <https://doi.org/10.1111/1365-2745.13731>
- Y**
- Yang SF, Hoffman NE (1984) Ethylene biosynthesis and its regulation in higher plants. *Annu Rev Plant Physiol* 35:155–189. <https://doi.org/10.1146/annurev.pp.35.060184.001103>
- Yasmin H, Rashid U, Hassan MN, et al (2021) Volatile organic compounds produced by *Pseudomonas pseudoalcaligenes* alleviated drought stress by modulating defense system in maize (*Zea mays* L.). *Physiol Plant* 172:896–911. <https://doi.org/10.1111/ppl.13304>
- Yeates GW, Bongers T, De Goede RGM, Freckman DW, Georgieva SS (1993) Feeding habits in soil nematode families and genera—an outline for soil ecologists. *J Nematol* 25:315-331
- Z**
- Zaat SAJ, Van Brussel AAN, Tak T, et al (1989) The ethylene-inhibitor aminoethoxyvinylglycine restores normal nodulation by *Rhizobium leguminosarum* biovar. *viciae* on *Vicia sativa* subsp. *nigra* by suppressing the “Thick and short roots” phenotype. *Planta* 177:141–150. <https://doi.org/10.1007/BF00392802>
- Zamioudis C, Korteland J, Van Pelt JA, et al (2015) Rhizobacterial volatiles and photosynthesis-

References

- related signals coordinate MYB72 expression in *Arabidopsis* roots during onset of induced systemic resistance and iron-deficiency responses. *Plant J* 84:309–322. <https://doi.org/10.1111/tpj.12995>
- Zhang J, Klinkhamer PGL, Vrieling K, Bezemer TM (2022a) The negative effects of soil microorganisms on plant growth only extend to the first weeks. *J Plant Ecol* 15:854–863. <https://doi.org/10.1093/jpe/rtac022>
- Zhang S, Li Z, Shu J, Xue H, Guo K, Zhou X (2022b) Soil-derived bacteria endow *Camellia weevil* with more ability to resist plant chemical defense. *Microbiome* 10:1–19. <https://doi.org/10.1186/s40168-022-01290-3>
- Zhao RM, Zhang H, An LZ (2020) Spatial patterns and interspecific relationships of two dominant cushion plants at three elevations on the Kunlun Mountain, China. *Environ Sci Pollut Res* 27:17339–17349. <https://doi.org/10.1007/s11356-020-08324-z>
- Zhou X, Gao H, Zhang X, et al (2023) Plant extracellular self-DNA inhibits growth and induces immunity via the jasmonate signaling pathway. *Plant Physiol* 192:2475–2491. <https://doi.org/10.1093/plphys/kiad195>
- Zhu F, Heinen R, van der Sluijs M, Raaijmakers C, Biere A, Bezemer TM (2018) Species-specific plant–soil feedbacks alter herbivore-induced gene expression and defense chemistry in *Plantago lanceolata*. *Oecologia* 188:801–811. <https://doi.org/10.1007/s00442-018-4245-9>
- Zhu Y, Mi X, Ren H, Ma K (2010) Density dependence is prevalent in a heterogeneous subtropical forest. *Oikos* 119:109–119. <https://doi.org/10.1111/j.1600-0706.2009.17758.x>