



Universiteit  
Leiden  
The Netherlands

## Machine learning-based NO<sub>2</sub> estimation from seagoing ships using TROPOMI/S5P satellite data

Kurchaba, S.

### Citation

Kurchaba, S. (2024, June 11). *Machine learning-based NO<sub>2</sub> estimation from seagoing ships using TROPOMI/S5P satellite data*. Retrieved from <https://hdl.handle.net/1887/3762166>

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/3762166>

**Note:** To cite this publication please use the final published version (if applicable).

# Machine learning-based NO<sub>2</sub> estimation from seagoing ships using TROPOMI/S5P satellite data

Proefschrift

ter verkrijging van  
de graad van doctor aan de Universiteit Leiden,  
op gezag van rector magnificus prof.dr.ir. H. Bijl,  
volgens besluit van het college voor promoties  
te verdedigen op dinsdag 11 juni 2024  
klokke 10:00 uur

door

Solomiia Kurchaba  
geboren te Lviv, Oekraïne  
in 1995

**Promotores:**

Prof.dr.ir. F.J. Verbeek

Prof.dr. J.J. Meulman

**Co-promotor:**

Dr. C.J. Veenman

**Promotiecommissie:**

Prof.dr. I. Aben (SRON Netherlands Institute for Space Research)

Prof.dr. T.H.W. Bäck

Dr. K.F. Boersma (Wageningen University and Research)

Prof.dr. M.M. Bonsangue

Prof.dr.ir. N. Mentens

This work is funded by the Netherlands Human Environment and Transport Inspectorate, the Dutch Ministry of Infrastructure and Water Management, and the SCIPPER project, which receives funding from the European Union's Horizon 2020 research and innovation program under grant agreement Nr.814893.



Human Environment and Transport  
Inspectorate  
*Ministry of Infrastructure  
and Water Management*

*To my grandpa.*

*“... We must have perseverance and above all confidence in ourselves. We must believe that we are gifted for something and that this thing must be attained ...”*

*Maria Salomea Skłodowska-Curie*

# Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
1.1	Ship emission monitoring . . . . .	2
1.2	Satellite observations . . . . .	3
1.3	Machine learning . . . . .	5
1.4	Research questions . . . . .	6
1.5	Outline . . . . .	9
<b>2</b>	<b>General workflow</b>	<b>11</b>
2.1	Data integration . . . . .	12
2.2	Feature engineering . . . . .	14
2.3	Model selection and optimization . . . . .	16
2.4	Results evaluation . . . . .	21
<b>3</b>	<b>Sensitivity analysis for the detection of NO<sub>2</sub> plumes from seagoing ships using TROPOMI data</b>	<b>23</b>
3.1	Introduction . . . . .	25
3.2	Dataset . . . . .	26
3.3	Experiments and results . . . . .	30
3.4	Discussion . . . . .	46
3.5	Conclusions . . . . .	49
<b>4</b>	<b>Automated assignation of a ship Region of Interest for estimation of NO<sub>2</sub> emission from individual ships using satellite data</b>	<b>51</b>
4.1	Introduction . . . . .	53
4.2	Method . . . . .	54
4.3	Results . . . . .	58
4.4	Conclusions . . . . .	60

## Contents

---

<b>5 Ship plume segmentation with supervised machine learning</b>	<b>63</b>
5.1 Introduction . . . . .	65
5.2 Materials and methods . . . . .	66
5.3 Results . . . . .	78
5.4 Conclusions . . . . .	85
5.5 Discussion . . . . .	86
<b>6 Automatic detection of anomalously emitting ships</b>	<b>91</b>
6.1 Introduction . . . . .	93
6.2 Data . . . . .	94
6.3 Method . . . . .	95
6.4 Results . . . . .	101
6.5 Discussion . . . . .	110
6.6 Conclusions . . . . .	111
<b>7 Conclusions and future work</b>	<b>113</b>
7.1 Future directions . . . . .	116
7.2 Final remarks . . . . .	117
<b>Bibliography</b>	<b>119</b>
<b>List of publications</b>	<b>129</b>
<b>Samenvatting</b>	<b>131</b>
<b>Summary</b>	
<b>Acknowledgements</b>	
<b>Curriculum Vitae</b>	