



Universiteit  
Leiden  
The Netherlands

## Measuring gold molecular gas across cosmic time

Frias Castillo, M.

### Citation

Frias Castillo, M. (2024, June 20). *Measuring gold molecular gas across cosmic time*. Retrieved from <https://hdl.handle.net/1887/3764659>

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/3764659>

**Note:** To cite this publication please use the final published version (if applicable).

# Measuring Cold Molecular Gas Across Cosmic Time

Proefschrift

ter verkrijging van  
de graad van doctor aan de Universiteit Leiden,  
op gezag van rector magnificus prof.dr.ir. H. Bijl,  
volgens besluit van het college voor promoties  
te verdedigen op donderdag 20 juni 2024  
klokke 12.30 uur

door

Marta Frías Castillo

geboren te Granada, Spanje  
in 1997







# CONTENTS

<b>1. Introduction</b>	<b>1</b>
1.1. The Interstellar Medium . . . . .	1
1.1.1. Star Formation . . . . .	2
1.2. Cold Molecular Gas . . . . .	4
1.2.1. Tracers of cold molecular gas . . . . .	4
1.2.1.1. Carbon Monoxide . . . . .	4
1.2.1.2. Atomic Carbon . . . . .	5
1.2.1.3. Dust . . . . .	6
1.2.2. Current results . . . . .	7
1.3. Submillimeter Galaxies . . . . .	8
1.3.1. Molecular Gas in SMGs . . . . .	9
1.3.2. Towards large spectroscopically-confirmed SMG samples . .	12
1.4. Instruments . . . . .	13
1.4.1. Karl G. Jansky Very Large Array (JVLA) . . . . .	14
1.4.2. NORthern Extended Millimeter Array (NOEMA) . . . . .	14
1.4.3. Atacama Large sub-Millimeter Array (ALMA) . . . . .	14
1.5. This Thesis . . . . .	16
1.6. Future Work . . . . .	17
<b>2. Kiloparsec-scale imaging of the CO(1-0)-traced cold molecular gas reservoir in a <math>z\sim 3.4</math> submillimeter galaxy</b>	<b>19</b>
2.1. Introduction . . . . .	20
2.2. Observations and data reduction . . . . .	22
2.2.1. JVLA K-Band . . . . .	22
2.2.2. Plateau de Bure Interferometer . . . . .	22
2.3. Results . . . . .	23
2.3.1. CO(1-0) Line Detection . . . . .	23
2.3.2. Moment Maps . . . . .	27
2.3.3. Source Size Estimation . . . . .	27
2.3.4. SED Fitting . . . . .	27
2.4. Analysis . . . . .	31
2.4.1. Molecular Gas Mass, Gas Fraction and Depletion Time . .	31
2.4.2. Dynamical Modeling and CO-H <sub>2</sub> Conversion Factor . . . .	32
2.4.3. Gas Excitation . . . . .	34
2.5. Discussion . . . . .	36
2.5.1. Comparison with the literature . . . . .	36

2.5.2. The fate of SMM J13120 . . . . .	37
2.6. Conclusion . . . . .	39
2.7. Acknowledgements . . . . .	40
Appendices . . . . .	40
2.A. Appendix . . . . .	40
<b>3. At the end of cosmic noon: Short gas depletion times in unobscured quasars at <math>z \sim 1</math></b>	<b>45</b>
3.1. Introduction . . . . .	46
3.2. Observations and data reduction . . . . .	49
3.2.1. Target sample . . . . .	49
3.2.2. NOEMA observations and data reduction . . . . .	50
3.3. Results . . . . .	51
3.3.1. CO(2–1) line . . . . .	51
3.3.2. Rest-frame 1.3-mm continuum . . . . .	51
3.3.3. Upper limits on outflow flux . . . . .	57
3.3.4. Spectral energy distribution decomposition . . . . .	57
3.3.5. Spectral stacking - Upper limits on dense-gas tracers . . . . .	59
3.4. Analysis . . . . .	59
3.4.1. Unobscured QSOs on the SFR– $M_*$ plane . . . . .	61
3.4.2. $L'_{\text{CO}}$ versus $L_{\text{IR}}$ . . . . .	61
3.4.3. $L'_{\text{CO}}$ and gas masses . . . . .	64
3.4.4. Gas fractions and depletion times . . . . .	67
3.4.5. Comparison with simulations . . . . .	70
3.5. Discussion . . . . .	72
3.6. Conclusions . . . . .	74
3.7. Acknowledgements . . . . .	75
Appendices . . . . .	76
3.A. Observations summary . . . . .	76
3.B. SED fits . . . . .	76
<b>4. VLA Legacy Survey of Molecular Gas in Massive Star-forming Galaxies at High Redshift</b>	<b>81</b>
4.1. Introduction . . . . .	82
4.2. Observations and data reduction . . . . .	83
4.2.1. Sample . . . . .	83
4.2.2. Observations . . . . .	86
4.3. Results . . . . .	86
4.3.1. Line Detections . . . . .	86
4.3.2. SED Fitting . . . . .	89
4.4. Analysis . . . . .	91
4.4.1. CO Line Luminosities . . . . .	91
4.4.2. Gas masses, gas fractions and depletion times . . . . .	93
4.4.3. Comparison with Dust-based Gas Mass Estimates . . . . .	96
4.4.4. CO Spectral Line Energy Distributions and Line Ratios . . . . .	98
4.4.5. Comparison With Semi-analytic Models . . . . .	103

4.5. Conclusions . . . . .	105
4.6. Acknowledgements . . . . .	106
Appendices . . . . .	108
4.A. Curve of Growth . . . . .	108
4.B. Non Detections . . . . .	108
<b>5. A Comparative Study of the Ground State Transitions of CO and [C I] as Molecular Gas Tracers at High-Redshift</b>	<b>111</b>
5.1. Introduction . . . . .	112
5.2. Data Reduction and Results . . . . .	115
5.2.1. Sample . . . . .	115
5.2.2. JVLA CO(1-0) Data . . . . .	116
5.2.3. ALMA Data and Reduction . . . . .	116
5.2.4. [C I] Line and Continuum Detections . . . . .	119
5.3. Analysis . . . . .	119
5.3.1. [C I] Line Luminosities . . . . .	119
5.3.2. PDR Modelling . . . . .	121
5.3.3. Comparison Between Molecular Gas Tracers . . . . .	122
5.3.3.1. [C I](1-0) Line Emission as a Gas Mass Tracer . . . . .	123
5.3.3.2. Dust Continuum Emission as a Gas Mass Tracer . . . . .	124
5.3.4. CMB Effect on CO and [C I] Emission at High Redshift . . . . .	125
5.4. Discussion . . . . .	128
5.5. Conclusions . . . . .	131
5.6. Acknowledgments . . . . .	131
Appendices . . . . .	132
5.A. CMB Effect on Dust Emission . . . . .	132
<b>Bibliography</b>	<b>132</b>
<b>English Summary</b>	<b>149</b>
<b>Nederlandse samenvatting</b>	<b>153</b>
<b>Resumen</b>	<b>157</b>
<b>Publications</b>	<b>161</b>
<b>Curriculum Vitae</b>	<b>163</b>
<b>Acknowledgements</b>	<b>165</b>



