



Universiteit  
Leiden

The Netherlands

## Pushing the characterization of exoplanet atmospheres down to temperate rocky planets in the era of JWST

Zieba, S.

### Citation

Zieba, S. (2024, June 25). *Pushing the characterization of exoplanet atmospheres down to temperate rocky planets in the era of JWST*. Retrieved from <https://hdl.handle.net/1887/3765836>

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/3765836>

**Note:** To cite this publication please use the final published version (if applicable).

Pushing the Characterization of  
Exoplanet Atmospheres Down to  
Temperate Rocky Planets  
in the Era of JWST

Proefschrift

ter verkrijging van  
de graad van doctor aan de Universiteit Leiden,  
op gezag van rector magnificus prof.dr.ir. H. Bijl,  
volgens besluit van het college voor promoties  
te verdedigen op dinsdag 25 juni 2024  
klokke 12:30 uur

door  
Sebastian Zieba

geboren te Salzburg, Oostenrijk

in 1995

Promotores:

Prof. dr. L. Kreidberg    MPIA, Heidelberg

Prof. dr. I.A.G. Snellen

Promotiecommissie:

Dr. M.A. Kenworthy

Prof. dr. B.R. Brandl

Dr. A.A. Vidotto

Prof. dr. M. Gillon    Université de Liège

Prof. dr. L.D. Deming    University of Maryland

ISBN: 9789090386959

Frontcover and backcover: *Brianna Zawadzki*

Copyright © 2024 *Sebastian Zieba*.

I've never been a natural,  
all I do is try, try, try.

*Taylor Swift*



# Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
1.1	Exoplanet Population . . . . .	1
1.1.1	Rocky exoplanets . . . . .	2
1.1.2	Ultra-short-period planets . . . . .	4
1.1.3	Lava planets . . . . .	8
1.2	Observing techniques of atmospheres . . . . .	8
1.2.1	Transmission spectroscopy . . . . .	9
1.2.2	Emission spectroscopy . . . . .	10
1.2.3	Phase curves . . . . .	12
1.3	Notable Planets and Systems . . . . .	13
1.3.1	55 Cnc e . . . . .	13
1.3.2	Kepler-10 b . . . . .	14
1.3.3	LHS 3844 b . . . . .	15
1.3.4	TRAPPIST-1 . . . . .	15
1.4	Facilities . . . . .	17
1.5	This thesis . . . . .	19
<b>2</b>	<b><i>K2</i> and <i>Spitzer</i> phase curves of the rocky ultra-short-period planet <i>K2-141 b</i> hint at a tenuous rock vapor atmosphere</b>	<b>23</b>
2.1	Introduction . . . . .	25
2.2	Observations and data reduction . . . . .	28
2.2.1	<i>Spitzer</i> photometry . . . . .	28
2.2.2	<i>K2</i> photometry . . . . .	30
2.3	Light curve fits . . . . .	31
2.3.1	<i>Spitzer</i> only fit . . . . .	33
2.3.2	Goodness of <i>Spitzer</i> only fit . . . . .	36
2.3.3	Joint <i>Spitzer</i> and <i>Kepler</i> fit . . . . .	36
2.3.4	Goodness of joint <i>Spitzer</i> and <i>Kepler</i> fit . . . . .	42
2.3.5	Improved ephemerides . . . . .	42
2.3.6	Results . . . . .	42
2.4	Atmospheric constraints . . . . .	43
2.4.1	Pseudo-2D rock vapor model . . . . .	43
2.4.2	1D turbulent boundary layer model . . . . .	45
2.4.3	Comparison of the models . . . . .	47
2.4.4	Comparison between the models and the data . . . . .	47

2.5	Discussion . . . . .	50
2.5.1	Evidence against a thick atmosphere . . . . .	50
2.5.2	Evidence for a thin rock vapor atmosphere . . . . .	50
2.6	Summary and conclusions . . . . .	51
	Appendices . . . . .	55
2.A	Updated ephemeris for K2-141 c . . . . .	55
2.B	Additional tables . . . . .	58
2.B.1	Rescaling of uncertainties . . . . .	58
2.B.2	Parameters of the fit models . . . . .	59
2.C	Additional plots . . . . .	62
2.C.1	Systematics . . . . .	62
2.C.2	<i>Spitzer</i> pointings . . . . .	65
2.C.3	<i>Spitzer</i> BLISS maps . . . . .	66
2.C.4	<i>Spitzer</i> Allan deviation plots . . . . .	67
2.C.5	<i>Spitzer</i> fit: Sinusoidal ( $\phi = 0$ ) . . . . .	68
2.C.6	<i>Spitzer</i> fit: Sinusoidal ( $\phi$ free) . . . . .	69
2.C.7	<i>Spitzer</i> fit: two temperature model . . . . .	70
2.C.8	Joint ( <i>K2</i> and <i>Spitzer</i> ) fit: toy model ( $F = 0$ ) . . . . .	71
2.C.9	Joint ( <i>K2</i> and <i>Spitzer</i> ) fit: toy model ( $F$ free) . . . . .	72
2.C.10	Joint ( <i>K2</i> and <i>Spitzer</i> ) fit: two temperature model . . . . .	73
<b>3</b>	<b>PACMAN: A pipeline to reduce and analyze Hubble Wide Field Camera 3 IR Grism data</b>	<b>75</b>
3.1	Statement of need . . . . .	77
3.2	Outline of the pipeline steps . . . . .	77
3.3	Dependencies . . . . .	79
3.4	Documentation . . . . .	81
3.5	Future work . . . . .	81
<b>4</b>	<b>No thick carbon dioxide atmosphere on the rocky exoplanet TRAPPIST-1 c</b>	<b>83</b>
4.1	Introduction . . . . .	85
4.2	Observations . . . . .	85
4.3	Data reduction and analysis . . . . .	85
4.4	Discussion . . . . .	86
4.4.1	Comparison to emission models . . . . .	86
4.4.2	Water inventory . . . . .	90
	Appendices . . . . .	92
4.A	<i>JWST</i> MIRI Observations . . . . .	92
4.B	Data Reduction . . . . .	93
4.B.1	Data Reduction SZ . . . . .	96
4.B.2	Data Reduction ED . . . . .	96
4.B.3	Data Reduction MG . . . . .	98
4.B.4	Data Reduction PT . . . . .	99
4.C	Data Analysis . . . . .	99
4.C.1	Data Analysis SZ . . . . .	99

4.C.2	Data Analysis ED	100
4.C.3	Data Analysis MG	101
4.C.4	Data Analysis PT	103
4.D	Brightness Temperature Calculation	104
4.E	Emission modelling for TRAPPIST-1 c	104
4.E.1	Bare Rock	105
4.E.2	Simple 1+D O <sub>2</sub> /CO <sub>2</sub> Mixtures	106
4.E.3	Coupled Climate-Photochemical Venus-like Atmospheres	106
4.F	Atmospheric Escape models	107
4.G	Interior structure model	108
4.H	Stellar Properties	108
4.I	Eclipse Timing Variations	110
<b>5</b>	<b>A Hubble WFC3 infrared look at the transmission spectrum of the hot, inflated sub-Saturn KELT-11 b</b>	<b>115</b>
5.1	Introduction	117
5.2	Observations and Data Reduction	118
5.3	Light Curve Analysis	121
5.3.1	<i>HST</i> /WFC3 White Light Transit	121
5.3.2	<i>HST</i> /WFC3 Spectroscopic Transit	127
5.4	Discussion	132
5.4.1	Systematic bias from divide-white fitting technique	132
5.4.2	Comparison of G141 to other hot inflated sub-Saturns	132
5.4.3	Shape of G102	133
5.5	Summary	135
	Appendices	137
5.A	Best fitting white light curve model	137
5.B	Spectroscopic light curve fits	144
<b>6</b>	<b>The <math>\beta</math> Pictoris b Hill sphere transit campaign - II. Searching for the signatures of the <math>\beta</math> Pictoris exoplanets through time delay analysis of the <math>\delta</math> Scuti pulsations</b>	<b>151</b>
6.1	Introduction	153
6.2	The $\beta$ Pictoris system	154
6.2.1	The star	154
6.2.2	The planets: $\beta$ Pictoris b and c	154
6.3	Observations	156
6.3.1	BRITe-Constellation	158
6.3.2	bRing	158
6.3.3	ASTEP	159
6.3.4	TESS	159
6.4	Theory and methodology	160
6.4.1	$\delta$ Scuti stars	160
6.4.2	The ephemeris equation	161
6.4.3	Frequency modulation and phase modulation: The state of the art	161



---

6.4.4	Time delays . . . . .	162
6.4.5	Phase modulation method: Methodology . . . . .	164
6.4.6	Intrinsic amplitude and phase variations . . . . .	167
6.4.7	Light curve reduction . . . . .	167
6.5	Results . . . . .	168
6.5.1	Frequency stability between the different observations . . .	168
6.5.2	Simulation based on Kepler data . . . . .	168
6.5.3	Time delay analysis of the photometry . . . . .	170
6.5.4	Detection limits for $\beta$ Pictoris . . . . .	173
6.5.5	Analysis of pulsational stability using TESS data . . . . .	174
6.5.6	Comparison to KIC 7917485 . . . . .	176
6.6	Conclusions . . . . .	178
	Appendices . . . . .	181
6.A	TESS frequency analysis . . . . .	181
6.A.1	Frequency list . . . . .	181
6.A.2	Gaussian high-pass filter . . . . .	182
	<b>Bibliography</b>	<b>183</b>
	<b>English summary</b>	<b>207</b>
	<b>Nederlandse samenvatting</b>	<b>215</b>
	<b>Deutsche Zusammenfassung</b>	<b>223</b>
	<b>Publications</b>	<b>229</b>
	<b>Curriculum Vitae</b>	<b>233</b>
	<b>Acknowledgements</b>	<b>236</b>