



Universiteit
Leiden

The Netherlands

Unveiling the third dimension: vertical structure as a probe of planet formation conditions

Paneque Carreño, T.

Citation

Paneque Carreño, T. (2024, September 13). *Unveiling the third dimension: vertical structure as a probe of planet formation conditions*. Retrieved from <https://hdl.handle.net/1887/4083418>

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/4083418>

Note: To cite this publication please use the final published version (if applicable).

Unveiling the third dimension: vertical structure as a probe of planet formation conditions

Proefschrift

ter verkrijging van
de graad van doctor aan de Universiteit Leiden,
op gezag van rector magnificus prof. dr. ir. H. Bijl,
volgens besluit van het college voor promoties
te verdedigen op vrijdag 13 september 2024
klokke 10:00 uur
door

Teresa Paneque Carreño

geboren te Madrid, España
in 1997

Promotor:

Prof. dr. E. F. van Dishoeck

Co-promotor:

Dr A. Miotello European Southern Observatory

Promotiecommissie:

Prof. dr. I.A.G. Snellen

Prof. dr. M.R. Hogerheijde Universiteit Leiden

Universiteit van Amsterdam

Prof. dr. E. Bergin University of Michigan, USA

Dr. C. Walsh University of Leeds, UK

Dr. C. Pinte Monash University, Australia

ISBN:

Cover design: Juan Carlos Cortés

Table of contents

1	Introduction	1
1.1	Star and planet formation	2
1.2	Protoplanetary disks	4
1.2.1	Composition and mass	4
1.2.1.1	Dust	4
1.2.1.2	Gas	5
1.2.2	Disk evolution	6
1.2.3	Disk structure	8
1.2.3.1	Radial distribution	8
1.2.3.2	Vertical structure	10
1.3	Studying the disk vertical structure	11
1.3.1	Framework from theoretical models	11
1.3.2	Extreme inclination disks	13
1.3.2.1	Edge-on	13
1.3.2.2	Face-on	14
1.3.3	Mid-inclination disks	15
1.3.4	Applications of vertical structure analysis in mid-inclination disks	17
1.4	This thesis	18
1.4.1	Future prospects	21
2	Vertically extended and asymmetric CN emission in the Elias 2-27 protoplanetary disk	23
2.1	Introduction	25
2.2	Observations	27
2.2.1	Self calibration and imaging	27
2.2.2	Emission morphology and line ratios	28
2.3	Vertical structure analysis	32
2.3.1	Height of CN emission	32
2.3.2	CN versus CO emission	35
2.3.3	Lack of envelope or large-scale emission	37
2.4	Asymmetric distribution of CN emission	37
2.5	Physical properties	40
2.6	Discussion	45

2.6.1	Origin of CN emission and comparison to theoretical models	45
2.6.2	Comparison with resolved emission in other systems	46
2.6.3	Asymmetric CN, further evidence for infall or a warp? . . .	47
2.7	Conclusions	49
	Appendices	50
2.A	Channel maps	50
2.B	CO isotopolog observations	50
3	Directly tracing the vertical stratification of molecules in pro-	
	toplanetary disks	55
3.1	Introduction	57
3.2	Observations and method	59
3.2.1	Data	59
3.2.2	Method	60
3.2.2.1	Vertical profile extraction	60
3.2.2.2	Brightness temperature calculation	63
3.3	Results	64
3.3.1	The special case of HD 163296	64
3.3.2	CO isotopologue vertical structure of the full sample	66
3.3.2.1	Modulations in the surface and correlation to kine-	
	matical and dust features	67
3.3.2.2	Brightness temperature profiles	70
3.3.2.3	Calculation of disk scale height	71
3.3.3	Other tracers	75
3.3.3.1	Complete sample	75
3.3.3.2	Structure in HCN and H ₂ CO	77
3.4	Discussion	79
3.4.1	CO isotopologue vertical layering	79
3.4.2	Vertical distribution of other molecules	80
3.4.3	CO modulations: Correlation to millimetre gaps and kine-	
	matic features	82
3.5	Conclusions	83
	Appendices	85
3.A	WaOph 6 data and self-calibration	85
3.B	Data and best-fit parameters for the emitting layers	86
3.B.1	Data points and averaged vertical profiles	86
3.B.2	Modulations in vertical surface	87
3.C	Tests and comparisons of the gas pressure scale height	87
3.C.1	Comparison scattering surfaces to CO and gas pressure scale	
	height.	87
3.C.2	Conversion factors between z_{CO} and H and an alternative	
	estimate	88
3.C.3	DALI model setups	89
4	High turbulence in the IM Lup protoplanetary disk: Direct	
	observational constraints from CN and C₂H emission	107

4.1	Introduction	109
4.2	Observations	111
4.3	Emission morphology	114
4.3.1	Vertical profile	114
4.3.2	Brightness temperature	116
4.4	Parametric emission model: DISCMINER fit	117
4.4.1	Model setup	117
4.4.2	Comparison to CN observations	119
4.5	Turbulence as traced by CN	120
4.6	Discussion	123
4.6.1	Vertical location of CN and C ₂ H	123
4.6.2	Origin of high turbulence in IM Lup	124
4.6.3	Possible overestimation of the nonthermal component	126
4.6.4	Comparison with other methods and results	128
4.7	Conclusions	129
	Appendices	130
4.A	Radial features	130
4.B	Channel map analysis	131
4.C	DISCMINER best-fit parameters	131
4.D	Effect of vertical layer width	131
5	Vertical CO surfaces as a probe for protoplanetary disk mass and carbon depletion	137
5.1	Introduction	139
5.2	Modelling	141
5.2.1	Initial DALI setup	141
5.2.2	Hydrostatic equilibrium	143
5.3	Results	146
5.3.1	Parameters that affect vertical CO surface	147
5.3.2	Model comparison to observations	148
5.3.3	Accounting for volatile carbon depletion	151
5.4	Discussion	153
5.5	Discussion	153
5.5.1	Low gas-to-dust or high carbon depletion?	153
5.5.2	Synergy with other methods	154
5.5.3	Caveats and future perspectives	155
5.6	Conclusions	155
	Appendices	156
5.A	Full emission surfaces from models and observational sample	156
5.B	CO isotopologue model fluxes using hydrostatic equilibrium solver	157
	Bibliography	158
	Nederlandse samenvatting	175
	English summary	181

Resumen en castellano	187
Publications	193
Curriculum Vitae	197
Acknowledgements	199