



Universiteit
Leiden
The Netherlands

What's in the diet? DNA-based analysis for qualitative and quantitative assessment of animal diet

Groen, K.

Citation

Groen, K. (2024, October 9). *What's in the diet?: DNA-based analysis for qualitative and quantitative assessment of animal diet*.

Retrieved from <https://hdl.handle.net/1887/4094106>

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/4094106>

Note: To cite this publication please use the final published version (if applicable).

References

- Abt, K. F., & Bock, W. F. (1998). Seasonal variations of diet composition in farmland field mice *Apodemus* spp. and bank voles *Clethrionomys glareolus*. *Acta Theriologica*, **43**(4), 379–389.
- Afgan, E., Baker, D., Batut, B., Van Den Beek, M., Bouvier, D., Ech, M., Chilton, J., Clements, D., Coraor, N., Grüning, B. A., Guerler, A., Hillman-Jackson, J., Hiltemann, S., Jalili, V., Rasche, H., Soranzo, N., Goecks, J., Taylor, J., Nekrutenko, A., & Blankenberg, D. (2018). The Galaxy platform for accessible, reproducible and collaborative biomedical analyses: 2018 update. *Nucleic Acids Research*, **46**(W1), W537–W544. <https://doi.org/10.1093/nar/gky379>
- Alberdi, A., Aizpurua, O., Bohmann, K., Gopalakrishnan, S., Lynggaard, C., Nielsen, M., & Gilbert, M. T. P. (2018). Promises and pitfalls of using high-throughput sequencing for diet analysis. *Molecular Ecology Resources*, **19**(2), 327–348. <https://doi.org/10.1111/1755-0998.12960>
- Alberdi, A., Razgour, O., Aizpurua, O., Novella-Fernandez, R., Aihartza, J., Budinski, I., Garin, I., Ibáñez, C., Izaguirre, E., Rebelo, H., Russo, D., Vlaschenko, A., Zhelyazkova, V., Zrnčić, V., & Gilbert, M. T. P. (2020). DNA metabarcoding and spatial modelling link diet diversification with distribution homogeneity in European bats. *Nature Communications*, **11**(1). <https://doi.org/10.1038/s41467-020-14961-2>
- Allen, M. L., Gunther, M. S., & Wilmers, C. C. (2016). The scent of your enemy is my friend? The acquisition of large carnivore scent by a smaller carnivore. *Journal of Ethology*, **35**(1), 13–19. <https://doi.org/10.1007/s10164-016-0492-6>
- Allio, R., Donegà, S., Galtier, N., & Nabholz, B. (2017). Large Variation in the Ratio of Mitochondrial to Nuclear Mutation Rate across Animals: Implications for Genetic Diversity and the Use of Mitochondrial DNA as a Molecular Marker. *Molecular Biology and Evolution*, **34**(11), 2762–2772. <https://doi.org/10.1093/molbev/msx197>
- Amundsen, P., & Sánchez-Hernández, J. (2019). Feeding studies take guts – critical review and recommendations of methods for stomach contents analysis in fish. *Journal of Fish Biology*, **95**(6), 1364–1373. <https://doi.org/10.1111/jfb.14151>
- Ando, H., Mukai, H., Komura, T., Dewi, T., Ando, M., & Isagi, Y. (2020). Methodological trends and perspectives of animal dietary studies by noninvasive fecal DNA metabarcoding. *Environmental DNA*, **2**(4), 391–406. <https://doi.org/10.1002/edn3.117>
- Andres, K. J., Sethi, S. A., Lodge, D. M., & Andrés, J. Á. (2021). Nuclear eDNA estimates population allele frequencies and abundance in experimental mesocosms and field samples. *Molecular Ecology*, **30**(3), 685–697. <https://doi.org/10.1111/mec.15765>
- Andres, K. J., Lodge, D. M., Sethi, S. A., & Andrés, J. Á. (2023). Detecting and analysing intraspecific genetic variation with eDNA: From population genetics to species abundance. *Molecular Ecology*, **32**(15), 4118–4132. <https://doi.org/10.1111/mec.17031>
- Angelakis, E., Yasir, M., Bachar, D., Azhar, E. I., Lagier, J., Bibi, F., Jiman-Fatani, A. A., Alawi, M., Bakarman, M. A., Robert, C., & Raoult, D. (2016). Gut microbiome and dietary patterns in different Saudi populations and monkeys. *Scientific Reports*, **6**(1). <https://doi.org/10.1038/srep32191>
- Asarian, L., & Geary, N. (2013). Sex differences in the physiology of eating. *American journal of physiology. Regulatory, integrative and comparative physiology*, **305**(11), R1215–R1267. <https://doi.org/10.1152/ajpregu.00446.2012>
- Atkins, J. L., Long, R. A., Pansu, J., Daskin, J. H., Potter, A. B., Stalmans, M. E., Tarnita, C. E., & Pringle, R. M. (2019). Cascading impacts of large-carnivore extirpation in an African ecosystem. *Science*, **364**(6436), 173–177. <https://doi.org/10.1126/science.aau3561>
- Ayliffe, M. A., Scott, N. S., & Timmis, J. N. (1998). Analysis of plastid DNA-like sequences within the nuclear genomes of higher plants. *Molecular biology and evolution*, **15**(6), 738–745. <https://doi.org/10.1093/oxfordjournals.molbev.a025977>
- Baerwald, M. R., Goodbla, A., Nagarajan, R. P., Gootenberg, J. S., Abudayyeh, O. O., Zhang, F., & Schreier, A. (2020). Rapid and accurate species identification for ecological studies and monitoring using CRISPR-based SHERLOCK. *Molecular Ecology Resources*, **20**(4), 961–970. <https://doi.org/10.1111/1755-0998.13186>
- Bahrndorff, S., Alemu, T., Alemneh, T., & Nielsen, J. L. (2016). The Microbiome of Animals: Implications for Conservation Biology. *International Journal of Genomics*, 2016, 1–7. <https://doi.org/10.1155/2016/5304028>
- Baird, D. J., & Hajibabaei, M. (2012). Biomonitoring 2.0: a new paradigm in ecosystem assessment made possible by next-generation DNA sequencing. *Molecular Ecology*, **21**(8), 2039–2044. <https://doi.org/10.1111/j.1365-294x.2012.05519.x>
- Barnardo, T., Tambling, C. J., Davies, A. B., Klein-Snakenborg, S., Asner, G. P., le Roux, E., Cromsigt, J. P. G. M., Druce, D. J., & Kerley, G. I. H. (2020). Opportunistic feeding by lions: non-preferred prey comprise an important part of lion diets in a habitat where preferred prey are abundant. *Mammal Research*, **65**(2), 235–243. <https://doi.org/10.1007/s13364-020-00481-3>
- Bartley, T., McCann, K. S., Bieg, C., Cazelles, K., Granados, M., Guzzo, M. M., MacDougall, A. S., Tunney, T. D., & McMeans, B. C. (2019). Food web rewiring in a changing world. *Nature Ecology and Evolution*, **3**(3), 345–354. <https://doi.org/10.1038/s41559-018-0772-3>
- Bauer, H., Vanherle, N., Silvestre, I. Di, & Iongh, H. H. D. (2008). Lion - prey relations in West and Central Africa. *Mammalian Biology*, **73**(1), 70–73. <https://doi.org/10.1016/j.mambio.2006.11.006>
- Beng, K. C., & Corlett, R. T. (2020). Applications of environmental DNA (eDNA) in ecology and conservation: opportunities, challenges and prospects. *Biodiversity and Conservation*, **29**(7), 2089–2121. <http://doi.org/10.1007/s10531-020-01980-0>
- Benjamini, Y., & Hochberg, Y. (1995). Controlling the False Discovery Rate: A Practical and Powerful Approach to Multiple Testing. *Journal of the Royal Statistical Society: Series B (Methodological)*, **57**(1), 289–300. <https://doi.org/10.1111/j.2517-6161.1995.tb02031.x>
- BirdLife International. (2018). *Phoenicopterus chilensis*. The IUCN Red List of Threatened Species 2018: e.T22697365A132068236. <https://dx.doi.org/10.2305/IUCN.UK.2018-2.RLTS.T22697365A132068236.en>. Accessed on 15 June 2023.
- Bonin, M. A., Dussault, C., Taillon, J., Lecomte, N., & Côté, S. D. (2020). Combining stable isotopes, morphological, and molecular analyses to reconstruct the diet of free-ranging consumers. *Ecology and Evolution*, **10**(13), 6664–6676. <https://doi.org/10.1002/ece3.6397>
- Boukhoud, L., Saliba, C., Parker, L. D., McInerney, N. R., Kahale, R., Saliba, I., Maldonado, J. E., & Kharrat, M. B. D. (2021). Using DNA metabarcoding to decipher the diet plant component of mammals from the Eastern Mediterranean region. *Metabarcoding and Metagenomics*, **5**. <https://doi.org/10.3897/mbmg.5.70107>
- Bowles, E., Schulte, P. M., Tollit, D. J., Deagle, B. E., & Trites, A. W. (2011). Proportion of prey consumed can be determined from faecal DNA using real-time PCR. *Molecular ecology resources*, **11**(3), 530–540. <https://doi.org/10.1111/j.1755-0998.2010.02974.x>
- Branch, B. (2014). A photographic guide to snakes other reptiles and amphibians of East Africa. Struik Nature.

Brühl, C. A., & Zaller, J. G. (2019). Biodiversity Decline as a Consequence of an Inappropriate Environmental Risk Assessment of Pesticides. *Frontiers in Environmental Science*, *7*. <https://doi.org/10.3389/fenvs.2019.00177>

Bundotich, G., Jirimo, T., Mukeka, J., Davidson, Z., & Kenana L. (2016). Meru lion and other large carnivores census report 2016. Kenya Wildlife Service

Camacho, C., Coulouris, G., Avagyan, V., Ma, N., Papadopoulos, J., Bealer, K., & Madden, T. L. (2009). BLAST+: architecture and applications. *BMC bioinformatics*, *10*, 421. <https://doi.org/10.1186/1471-2105-10-421>

Carbone, C., Mace, G. M., Roberts S. C. & Macdonald D. W. (1999). Energetic constraints on the diet of terrestrial carnivores. *Nature*, *402*(6759), 286–288. <https://doi.org/10.1038/46266>

Carpenter, J., & Bithell, J. (2000). Bootstrap confidence intervals: when, which, what? A practical guide for medical statisticians. *Statistics in medicine*, *19*(9), 1141–1164.

Carroll, E. L., Bruford, M. W., DeWoody, J. A., Leroy, G., Strand, A. E., Waits, L. P., & Wang, J. (2018). Genetic and genomic monitoring with minimally invasive sampling methods. *Evolutionary Applications*, *11*(7), 1094–1119. <https://doi.org/10.1111/eva.12600>

Casper, R. M., Jarman, S. N., Deagle, B. E., Gales, N. J., & Hindell, M.A. (1997). Detecting prey from DNA in predator scats: A comparison with morphological analysis, using Arctocephalus seals fed a known diet. *Journal of Experimental Marine Biology and Ecology*, *347*(1–2), 144–154.

Cassidy, L., Fynn, R. W., & Sethebe, B. (2013). Effects of restriction of wild herbivore movement on woody and herbaceous vegetation in the Okavango Delta Botswana. *African Journal of Ecology*, *51*(4), 513–527. <https://doi.org/10.1111/aje.12061>

Castle, S., Allan, N., Clifford, D. L., Aylward, C. M., Ramsey, J. J., Fascetti, A. J., Pesapane, R., Roy, A., Statham, M. J., Sacks, B. N., & Foley, J. E. (2020). Diet composition analysis provides new management insights for a highly specialized endangered small mammal. *PLOS ONE*, *15*(10), e0240136. <https://doi.org/10.1371/journal.pone.0240136>

Chapman, P. M. (1995). Extrapolating laboratory toxicity results to the field. *Environmental Toxicology and Chemistry*, *14*(6), 927–930. <https://doi.org/10.1002/etc.5620140601>

Chiou, K. L., & Bergey, C. M. (2018). Methylation-based enrichment facilitates low-cost, noninvasive genomic scale sequencing of populations from feces. *Scientific Reports*, *8*(1). <https://doi.org/10.1038/s41598-018-20427-9>

Chiron, F., Hein, S., Chargé, R., Julliard, R., Martin, L., Roguet, A., & Jacob, J. (2018). Validation of hair tubes for small mammal population studies. *Journal of Mammalogy*, *99*(2), 478–485. <https://doi.org/10.1093/jmammal/gyx178>

Clare E. L. (2014). Molecular detection of trophic interactions: emerging trends, distinct advantages, significant considerations and conservation applications. *Evolutionary applications*, *7*(9), 1144–1157. <https://doi.org/10.1111/eva.12225>

Clements, H. S., Tambling, C. J., Hayward, M. W., & Kerley, G. I. H. (2014). An Objective Approach to Determining the Weight Ranges of Prey Preferred by and Accessible to the Five Large African Carnivores. *PLoS ONE*, *9*(7), e101054. <https://doi.org/10.1371/journal.pone.0101054>

Conceição-Neto, N., Godinho, R., Álvares, F., Yinda, C. K., Deboutte, W., Zeller, M., Laenen, L., Heylen, E., Roque, S., Petrucci-Fonseca, F., Santos, N., Van Ranst, M., Mesquita, J. R., & Matthijnssens, J. (2017). Viral gut metagenomics of sympatric wild and domestic canids, and monitoring of viruses: Insights from an endangered wolf population. *Ecology and Evolution*, *7*(12), 4135–4146. <https://doi.org/10.1002/ece3.2991>

Coyle, H. M. (2014). Development of a Quantitative Real-Time Polymerase Chain Reaction (RT-PCR) Assay for Plant Species. *Journal of Forensic Research and Criminal Studies*, *1*, 1–5.

Creel, S., Becker, M., Durant, S. M., M'soka, J., Matandiko, W., Dickman, A., Christianson, D., Dröge, E., Mweetwa, T., Pettoelli, N., Rosenblatt, E. I., Schuette, P., Woodroffe, R., Bashir, S., Beudels-Jamar, R., Blake, S., Borner, M., Breitenmoser, C., Broekhuis, F., . . . & Zimmermann, A. (2013). Conserving large populations of lions - the argument for fences has holes. *Ecology Letters*, *16*(11), 1413–e3. <https://doi.org/10.1111/ele.12145>

Creel, S., Spong, G., Becker, M. S., Simukonda, C., Norman, A. J., Schifftaler, B., & Chifunte, C. (2019). Carnivores, competition and genetic connectivity in the Anthropocene. *Scientific Reports*, *9*(1). <https://doi.org/10.1038/s41598-019-52904-0>

Creer, S., Fonseca, V. G., Porazinska, D. L., Giblin-Davis, R. M., Sung, W., Power, D. M., Packer, M., Carvalho, G. R., Blaxter, M., Lambshead, P. J. D., & Thomas, W. K. (2010). Ultrasequencing of the meiofaunal biosphere: practice, pitfalls and promises. *Molecular Ecology*, *19*(s1), 4–20. <https://doi.org/10.1111/j.1365-294x.2009.04473.x>

Creer, S., Deiner, K., Frey, S., Porazinska, D., Taberlet, P., Thomas, W. K., Potter, C., & Bik, H. M. (2016). The ecologist's field guide to sequence-based identification of biodiversity. *Methods in Ecology and Evolution*, *7*(9), 1008–1018. <https://doi.org/10.1111/2041-210X.12574>

Cresci, G. A., & Bawden, E. (2015). Gut Microbiome. *Nutrition in Clinical Practice*, *30*(6), 734–746. <https://doi.org/10.1177/0884533615609899>

Daam, M. A., Teixeira, H., Lillebø, A. I., & Nogueira, A. J. (2019). Establishing causal links between aquatic biodiversity and ecosystem functioning: Status and research needs. *Science of the Total Environment*, *656*, 1145–1156. <https://doi.org/10.1016/j.scitotenv.2018.11.413>

Dalsgaard, J., St John, M., Kattner, G., Müller-Navarra, D. C., & Hagen, W. (2003). Fatty acid trophic markers in the pelagic marine environment. In *Advances in Marine Biology* (pp. 225–340). [https://doi.org/10.1016/s0065-2881\(03\)46005-7](https://doi.org/10.1016/s0065-2881(03)46005-7)

Davidson, Z., Valeix, M., Van Kesteren, F., Loveridge, A. J., Hunt, J. E., Murindagomo, F., & Macdonald, D. W. (2013). Seasonal Diet and Prey Preference of the African Lion in a Waterhole-Driven Semi-Arid Savanna. *PLoS ONE*, *8*(2), e55182. <https://doi.org/10.1371/journal.pone.0055182>

Davies-Mostert, H. T., Mills, M. J., & Macdonald, D. W. (2013). Hard boundaries influence African wild dogs' diet and prey selection. *Journal of Applied Ecology*, *50*(6), 1358–1366. <https://doi.org/10.1111/1365-2664.12129>

De Barba, M., Miquel, C., Boyer, F., Mercier, C., Rioux, D., Coissac, E., & Taberlet, P. (2014). DNA metabarcoding multiplexing and validation of data accuracy for diet assessment: application to omnivorous diet. *Molecular Ecology Resources*, *14*(2), 306–323. <https://doi.org/10.1111/1755-0998.12188>

De Barba, M., Miquel, C., Lobréaux, S., Quenette, P., Swenson, J. E., & Taberlet, P. (2016). High-throughput microsatellite genotyping in ecology: improved accuracy, efficiency, standardization and success with low-quantity and degraded DNA. *Molecular Ecology Resources*, *17*(3), 492–507. <https://doi.org/10.1111/1755-0998.12594>

De Barba, M., Baur, M., Boyer, F., Fumagalli, L., Konec, M., Miquel, C., Pazhenkova, E., Remollino, N., Skrbínšek, T., Stoffel, C., & Taberlet, P. (2023). Individual genotypes from environmental DNA: Fingerprinting snow tracks of three large carnivore species. *Molecular ecology resources*, e13915. Advance online publication. <https://doi.org/10.1111/1755-0998.13915>

Deagle, B. E., Tollit, D. J., Jarman, S. N., Hindell, M. A., Trites, A. W., & Gales, N. J. (2005). Molecular scatology as a tool to study diet: analysis of prey DNA in scats from captive Steller sea lions. *Molecular Ecology*, *14*(6), 1831–1842. <https://doi.org/10.1111/j.1365-294x.2005.02531.x>

- Deagle, B. E., Gales, N., Evans, K., Jarman, S., Robinson, S., Trebilco, R., & Hindell, M. A. (2007). Studying Seabird Diet through Genetic Analysis of Faeces: A Case Study on Macaroni Penguins (*Eudyptes chrysolophus*). *PLOS ONE*, *2*(9), e831. <https://doi.org/10.1371/journal.pone.0000831>
- Deagle, B. E., Kirkwood, R., & Jarman, S. N. (2009). Analysis of Australian fur seal diet by pyrosequencing prey DNA in faeces. *Molecular ecology*, *18*(9), 2022–2038. <https://doi.org/10.1111/j.1365-294X.2009.04158.x>
- Deagle, B. E., Chiaradia, A., McInnes, J. C., & Jarman, S. (2010). Pyrosequencing faecal DNA to determine diet of little penguins: is what goes in what comes out? *Conservation Genetics*, *11*(5), 2039–2048. <https://doi.org/10.1007/s10592-010-0096-6>
- Deagle, B. E., Thomas, A. C., Shaffer, A. K., Trites, A. W., & Jarman, S. N. (2013). Quantifying sequence proportions in a DNA-based diet study using Ion Torrent amplicon sequencing: which counts count?. *Molecular ecology resources*, *13*(4), 620–633. <https://doi.org/10.1111/1755-0998.12103>
- Deagle, B. E., Thomas, A. C., McInnes, J. C., Clarke, L. J., Vesterinen, E. J., Clare, E. L., Kartzinel, T. R., & Eveson, J. P. (2018). Counting with DNA in metabarcoding studies: How should we convert sequence reads to dietary data? *Molecular Ecology*, *28*(2), 391–406. <https://doi.org/10.1111/mec.14734>
- Deagle, B. E., Thomas, A. C., McInnes, J. C., Clarke, L. J., Vesterinen, E. J., Clare, E. L., ... Eveson, J. P. (2019). Counting with DNA in metabarcoding studies: How should we convert sequence reads to dietary data? *Molecular ecology*, *28*(2), 391–406.
- Deiner, K., Renshaw, M. A., Li, Y., Olds, B. P., Lodge, D. M., & Pfrender, M. E. (2017). Long-range PCR allows sequencing of mitochondrial genomes from environmental DNA. *Methods in Ecology and Evolution*, *8*(12), 1888–1898. <https://doi.org/10.1111/2041-210x.12836>
- Del Rio, C. M., Wolf, N., Carleton, S. A., & Gannes, L. Z. (2009). Isotopic ecology ten years after a call for more laboratory experiments. *Biological Reviews*, *84*(1), 91–111. <https://doi.org/10.1111/j.1469-185x.2008.00064.x>
- Dell'Agnello, F., Natali, C., Bertolino, S., Fattorini, L., Fedele, E., Foggi, B., Martini, M., Pisani, C., Riga, F., Sgarlata, A., Ciofi, C., & Zaccaroni, M. (2019). Assessment of seasonal variation of diet composition in rodents using DNA barcoding and Real-Time PCR. *Scientific Reports*, *9*(1). <https://doi.org/10.1038/s41598-019-50676-1>
- Di Bernardi, C., Wikenros, C., Hedmark, E., Boitani, L., Ciucci, P., Sand, H., & Åkesson, M. (2021). Multiple species-specific molecular markers using nanofluidic array as a tool to detect prey DNA from carnivore scats. *Ecology and Evolution*, *11*(17), 11739–11748. <https://doi.org/10.1002/ece3.7918>
- Dunn, O. (1964). Multiple Comparisons Using Rank Sums. *Technometrics*, *6*(3), 241–252. [doi:10.2307/1266041](https://doi.org/10.2307/1266041)
- Dupuis-Desormeaux, M., Davidson, Z., Pratt, L. A., Mwololo, M., & MacDonald, S. E. (2016). Testing the effects of perimeter fencing and elephant exclosures on lion predation patterns in a Kenyan wildlife conservancy. *PeerJ*, *4*, e1681. <https://doi.org/10.7717/peerj.1681>
- EFSA, European Food Safety Authority. (2009). Guidance Document on Risk Assessment for Birds & Mammals on request from EFSA. *EFSA Journal*, *7*(12), 1438.
- Egater, B., Bishop, P. J., & Robertson, B. C. (2014). Detecting frogs as prey in the diets of introduced mammals: a comparison between morphological and DNA-based diet analyses. *Molecular Ecology Resources*, *15*(2), 306–316. <https://doi.org/10.1111/1755-0998.12309>
- Egater, B., Roe, C. M., Peixoto, S., Puppo, P., Easton, L. J., Pinto, J., Bishop, P. J., & Robertson, B. C. (2019). Using molecular diet analysis to inform invasive species management: A case study of introduced rats consuming endemic New Zealand frogs. *Ecology and Evolution*, *9*(9), 5032–5048. <https://doi.org/10.1002/ece3.4903>
- Eigaard, O. R., Van Deurs, M., Behrens, J., Bekkevold, D., Brander, K., Plambech, M., Plet-Hansen, K. S., & Mosegaard, H. (2014). Prey or predator—expanding the food web role of sandeel *Ammodytes marinus*. *Marine Ecology Progress Series*, *516*, 267–273. <https://doi.org/10.3354/meps11064>
- Eisenhauer, N., Schielzeth, H., Barnes, A. D., Barry, K. E., Bonn, A., Brose, U., Bruehlheide, H., Buchmann, N., Buscot, F., Ebeling, A., Ferlian, O., Freschet, G. T., Giling, D. P., Hättenschwiler, S., Hillebrand, H., Hines, J., Isbell, F., Koller-France, E., König-Ries, B., ... Jochum, M. (2019). A multitrophic perspective on biodiversity–ecosystem functioning research. In *Advances in Ecological Research* (pp. 1–54). <https://doi.org/10.1016/bs.aecr.2019.06.001>
- Elliot, N. B., Bett, A., Chege, M., Sankan, K., Souza, N., Kariuki, L., Broekhuis, F., Omondi, P., Ngene, S., & Gopalaswamy, A. M. (2020). The importance of reliable monitoring methods for the management of small, isolated populations. *Conservation Science and Practice*, *2*(7). <https://doi.org/10.1111/csp2.217>
- Emmerson, M., Morales, M., Oñate, J., Batáry, P., Berendse, F., Liira, J., Aavik, T., Guerrero, I., Bommarco, R., Eggers, S., Pärt, T., Tscharnitke, T., Weisser, W., Clement, L., & Bengtsson, J. (2016). How Agricultural Intensification Affects Biodiversity and Ecosystem Services. *Advances in Ecological Research*, 43–97. <https://doi.org/10.1016/bs.aecr.2016.08.005>
- EPRS, European Parliamentary Research Service & STOA, Panel for the Future of Science and Technology. (2019). Farming without plant protection products: Can we grow without using herbicides, fungicides and insecticides? <https://doi.org/10.2861/05433>
- Estes, J. A., Terborgh, J., Brashares, J. S., Power, M. E., Berger, J., Bond, W. J., Carpenter, S. R., Essington, T. E., Holt, R. D., Jackson, J. B. C., Marquis, R. J., Oksanen, L., Oksanen, T., Paine, R. T., Pickett, E. K., Ripple, W. J., Sandin, S. A., Scheffer, M., Schoener, T. W., ... Wardle, D. A. (2011). Trophic downgrading of planet Earth. *Science*, *333*(6040), 301–306. <https://doi.org/10.1126/science.1205106>
- Estes, R. D., Otte, D., & Wilson, E. O. (2012). The Behavior Guide to African Mammals: Including Hoofed Mammals, Carnivores, Primates, 20th Anniversary Edition (First). University of California Press.
- European Food Safety Authority. (2009). Guidance Document on Risk Assessment for Birds & Mammals on request from EFSA. *EFSA Journal*, *7*(12), 1438.
- Eurostat. (2020). [apro_cpn1]. Retrieved from: <https://appsso.eurostat.ec.europa.eu/nui/submitViewTableAction.do>
- Ewen, J. G., Parker, K. J., Richardson, K., Armstrong, D. P., & Smuts-Kennedy, C. (2011). Translocation of hihi *Notiomystis cincta* to Maungatautari, a mainland reserve protected by a predator-exclusion fence, Waikato, New Zealand. *Conservation Evidence*. https://www.hihibconservation.com/wp-content/uploads/2011/07/Ewen_et_al_2011_Maungatautari-Conservation-Evidence.pdf
- Fedriani, J. M., & Kohn, M. H. (2001). Genotyping faeces links individuals to their diet. *Ecology Letters*, *4*(5), 477–483. <https://doi.org/10.1046/j.1461-0248.2001.00250.x>
- Feit, B., Feit, A., & Letnic, M. (2019). Apex predators decouple population dynamics between mesopredators and their prey. *Ecosystems*, *22*(7), 1606–1617. <https://doi.org/10.1007/s10021-019-00360-2>

- Fernandes, R., Millard, A. R., Brabec, M., Nadeau, M., & Grootes, P. M. (2014). Food reconstruction using isotopic transferred signals (FRUITS): a Bayesian model for diet reconstruction. *PLOS ONE*, **9**(2), e87436. <https://doi.org/10.1371/journal.pone.0087436>
- Ferreras, P., & Fernandez-de-Simon, J. (2019). Correction factors for estimating food consumption by red fox *Vulpes vulpes* from scats. *Wildlife Biology*, **2019**(1). <https://doi.org/10.2981/wlb.00557>
- Floren, C., Wiedemann, I., Brenig, B., Schütz, E., & Beck, J. (2015). Species identification and quantification in meat and meat products using droplet digital PCR (ddPCR). *Food Chemistry*, **173**, 1054–1058. <https://doi.org/10.1016/j.foodchem.2014.10.138>
- Ford, A. T., Goheen, J. R., Otieno, T. O., Bidner, L. R., Isbell, L. A., Palmer, T. M., Ward, D., Woodroffe, R., & Pringle, R. M. (2014). Large carnivores make savanna tree communities less thorny. *Science*, **346**(6207), 346–349. <https://doi.org/10.1126/science.1252753>
- Ford, A. T., & Goheen, J. R. (2015). Trophic Cascades by Large Carnivores: A Case for Strong Inference and Mechanism. *Trends in Ecology and Evolution*, **30**(12), 725–735. <https://doi.org/10.1016/j.tree.2015.09.012>
- Forin-Wiart, M. A., Poulle, M. L., Piry, S., Cosson, J. F., Larose, C., & Galan, M. (2018). Evaluating metabarcoding to analyse diet composition of species foraging in anthropogenic landscapes using Ion Torrent and Illumina sequencing. *Scientific Reports*, **8**(1), 1–12. <https://doi.org/10.1038/s41598-018-34430-7>
- G**alan, M., Pons, J. B., Tournayre, O., Pierre, É., Leuchtmann, M., Pontier, D., & Charbonnel, N. (2018). Metabarcoding for the parallel identification of several hundred predators and their prey: Application to bat species diet analysis. *Molecular ecology resources*, **18**(3), 474–489. <https://doi.org/10.1111/1755-0998.12749>
- Geiger, F., Bengtsson, J., Berendse, F., Weisser, W. W., Emmerson, M., Morales, M. B., Ceryngier, P., Liira, J., Tschamtké, T., Winqvist, C., Eggers, S., Bommarco, R., Pärt, T., Bretagnolle, V., Plantegenest, M., Clement, L. W., Dennis, C., Palmer, C., Oñate, J. J., . . . Inchausti, P. (2010). Persistent negative effects of pesticides on biodiversity and biological control potential on European farmland. *Basic and Applied Ecology*, **11**(2), 97–105. <https://doi.org/10.1016/j.baae.2009.12.001>
- Gosselin, E. N., Lonsinger, R. C., & Waits, L. P. (2017). Comparing morphological and molecular diet analyses and fecal DNA sampling protocols for a terrestrial carnivore. *Wildlife Society Bulletin*, **41**(2), 362–369. <https://doi.org/10.1002/wsb.749>
- Gül, M. R., & Griffen, B. D. (2020). Diet, energy storage, and reproductive condition in a bioindicator species across beaches with different levels of human disturbance. *Ecological Indicators*, **117**, 106636. <https://doi.org/10.1016/j.ecolind.2020.106636>
- H**an, H., Wei, W., Hu, Y., Nie, Y., Ji, X., Li, Y., Zhang, Z., Shi, X., Zhu, L., Luo, Y., Chen, W., & Wei, F. (2019). Diet evolution and habitat contraction of giant pandas via stable isotope analysis. *Current Biology*, **29**(4), 664–669.e2. <https://doi.org/10.1016/j.cub.2018.12.051>
- Hart, A., Smith, G. C., Macarthur, R., & Rose, M. (2003). Application of uncertainty analysis in assessing dietary exposure. *Toxicology Letters*, **140–141**, 437–442. [https://doi.org/10.1016/s0378-4274\(03\)00040-7](https://doi.org/10.1016/s0378-4274(03)00040-7)
- Hay, C. T., Cross, P. C., & Funston, P. J. (2008). Trade-offs of predation and foraging explain sexual segregation in African buffalo. *Journal of Animal Ecology*, **77**(5), 850–858. <https://doi.org/10.1111/j.1365-2656.2008.01409.x>
- Hayden, B., Harrod, C., & Kahilainen, K. K. (2014). Dual fuels: intra-annual variation in the relative importance of benthic and pelagic resources to maintenance, growth and reproduction in a generalist salmonid fish. *Journal of Animal Ecology*, **83**(6), 1501–1512. <https://doi.org/10.1111/1365-2656.12233>
- Hayden, B., Harrod, C., Sonninen, E., & Kahilainen, K. K. (2015). Seasonal depletion of resources intensifies trophic interactions in subarctic freshwater fish communities. *Freshwater Biology*, **60**(5), 1000–1015. <https://doi.org/10.1111/fwb.12564>
- Hayward, M. W., & Kerley, G. I. H. (2005). Prey preferences of the lion (*Panthera leo*). *Journal of Zoology*, **267**(3), 309–322. <https://doi.org/10.1017/s0952836905007508>
- Hebert, P. D. N., & Gregory, T. R. (2005). The promise of DNA barcoding for taxonomy. *Systematic Biology*, **54**(5), 852–859. <https://doi.org/10.1080/10635150500354886>
- Hein, S., & Jacob, J. (2019). Population recovery of a common vole population (*Microtus arvalis*) after population collapse. *Pest management science*, **75**(4), 908–914. <https://doi.org/10.1002/ps.5211>
- Hernández, M. C., Navarro-Castilla, L., & Barja, I. (2019). Wood mouse feeding effort and decision-making when encountering a restricted unknown food source. *PLOS ONE*, **14**(6), e0212716. <https://doi.org/10.1371/journal.pone.0212716>
- Hetland, H., & Svihus, B. (2001). Effect of oat hulls on performance, gut capacity and feed passage time in broiler chickens. *British poultry science*, **42**(3), 354–361. <https://doi.org/10.1080/00071660120055331>
- Hibert, F., Taberlet, P., Chave, J., Scotti-Saintagne, C., Sabatier, D., & Richard-Hansen, C. (2013). Unveiling the diet of elusive rainforest herbivores in next generation sequencing era? The tapir as a case study. *PloS one*, **8**(4), e60799. <https://doi.org/10.1371/journal.pone.0060799>
- Hilbers, J. P., Hoondert, R. P. J., Schipper, A. M., & Huijbregts, M. A. J. (2018). Using field data to quantify chemical impacts on wildlife population viability. *Ecological Applications*, **28**(3), 771–785. <https://www.jstor.org/stable/26623184>
- Hoogeveen, M. (2019). naturalis/galaxy-tool-add-metadata-otutable. GitHub. <https://github.com/naturalis/galaxy-tool-add-metadata-otutable>
- Hopcraft, J. G. C., Sinclair, A. R. E., & Packer, C. (2005). Planning for success: Serengeti lions seek prey accessibility rather than abundance. *Journal of Animal Ecology*, **74**(3), 559–566. <https://doi.org/10.1111/j.1365-2656.2005.00955.x>
- Hopcraft, J. G. C., Olf, H., & Sinclair, A. (2010). Herbivores, resources and risks: alternating regulation along primary environmental gradients in savannas. *Trends in Ecology & Evolution*, **25**(2), 119–128. <https://doi.org/10.1016/j.tree.2009.08.001>
- Horswill, C., Jackson, J. A., Medeiros, R., Nowell, R. W., Trathan, P., & O'Connell, T. C. (2018). Minimising the limitations of using dietary analysis to assess foodweb changes by combining multiple techniques. *Ecological Indicators*, **94**, 218–225. <https://doi.org/10.1016/j.ecolind.2018.06.035>
- Höss, M., Kohn, M. H., Pääbo, S., Knauer, F., & Schröder, W. P. (1992). Excrement analysis by PCR. *Nature*, **359**(6392), 199. <https://doi.org/10.1038/359199a0>
- Huqa, T. J. (2019). The impact of climate variability on the ecology of a lion (*Panthera leo*, Linnaeus 1758) population and lion livestock conflicts in the Amboseli ecosystem, Kenya. Doctoral dissertation, Leiden University, Leiden, The Netherlands). Retrieved from <https://scholarlypublications.universiteitleiden.nl/handle/1887/36401>
- Hyslop, E. J. (1980). Stomach contents analysis-a review of methods and their application. *Journal of Fish Biology*, **17**(4), 411–429. <https://doi.org/10.1111/j.1095-8649.1980.tb02775.x>

- Iversen, L. L., Kielgast, J., & Sand-Jensen, K. (2015). Monitoring of animal abundance by environmental DNA — An increasingly obscure perspective: A reply to Klymus et al, Monitoring of animal abundance by environmental DNA — An increasingly obscure perspective: A reply to Klymus. *Biological Conservation*, *192*, 479–480. <https://doi.org/10.1016/j.biocon.2015.09.024>
- Jacobs, J. (1974). Quantitative measurement of food selection. *Oecologia*, *14*(4), 413–417. <https://doi.org/10.1007/bf00384581>
- Jakes, A. F., Jones, P. S., Paige, L. C., Seidler, R. G., & Huijser, M. P. (2018). A fence runs through it: A call for greater attention to the influence of fences on wildlife and ecosystems. *Biological Conservation*, *227*, 310–318. <https://doi.org/10.1016/j.biocon.2018.09.026>
- Jardine, T. D., Kidd, K. A., & Fisk, A. T. (2006). Applications, considerations, and sources of uncertainty when using stable isotope analysis in ecotoxicology. *Environmental Science & Technology*, *40*(24), 7501–7511. <https://doi.org/10.1021/es061263h>
- Jarman, S., Deagle, B. E., & Gales, N. J. (2004). Group-specific polymerase chain reaction for DNA-based analysis of species diversity and identity in dietary samples. *Molecular Ecology*, *13*(5), 1313–1322. <https://doi.org/10.1111/j.1365-294x.2004.02109.x>
- Jones, C. H., McGhee, R., & Wilkie, D. M. (1990). Hamsters (*Mesocricetus auratus*) use spatial memory in foraging for food to hoard. *Behavioural Processes*, *21*(2–3), 179–187. [https://doi.org/10.1016/0376-6357\(90\)90023-9](https://doi.org/10.1016/0376-6357(90)90023-9)
- Jusino, M. A., Banik, M. T., Palmer, J. M., Wray, A. K., Xiao, L., Pelton, E., ... Lindner, D. L. (2019). An improved method for utilizing high-throughput amplicon sequencing to determine the diets of insectivorous animals. *Molecular ecology resources*, *19*(1), 176–190. <https://doi.org/10.1111/1755-0998.12951>
- Kallimanis, A. S., Mazaris, A. D., Tsakanikas, D., Dimopoulos, P., Pantis, J. D., & Sgardelis, S. P. (2012). Efficient biodiversity monitoring: Which taxonomic level to study? *Ecological Indicators*, *15*(1), 100–104. <https://doi.org/10.1016/j.ecolind.2011.09.024>
- Karasov, W. H., & Douglas, A. E. (2013). Comparative digestive physiology. *Comprehensive Physiology*, *3*(2), 741–783. <https://doi.org/10.1002/cphy.c110054>
- Kartzinel, T. R., Chen, P., Coverdale, T. C., Erickson, D. L., Kress, W. J., Kuzmina, M. L., Rubenstein, D. I., Wang, W., & Pringle, R. M. (2015). DNA metabarcoding illuminates dietary niche partitioning by African large herbivores. *Proceedings of the National Academy of Sciences of the United States of America*, *112*(26), 8019–8024. <https://doi.org/10.1073/pnas.1503283112>
- Kassambara, A. (2020). ggpubr: 'ggplot2' Based Publication Ready Plots. R package version 0.4.0. <https://CRAN.R-project.org/package=ggpubr>
- Kassily, F. N., Tsingalia, H. M., & Gossow, H. (2008). Mitigating human-wildlife conflicts through wildlife fencing: A Kenyan case study. *Wildlife Biology in Practice*, *4*(1). <https://doi.org/10.2461/wbp.2008.4.3>
- Kelly, R. P., Shelton, A. O., & Gallego, R. (2019). Understanding PCR processes to draw meaningful conclusions from environmental DNA studies. *Scientific Reports*, *9*(1), 1–14.
- Kesch, M. K., Bauer, D., & Loveridge, A. J. (2015). Break on Through to the Other Side: The Effectiveness of Game Fencing to Mitigate Human–Wildlife Conflict. *South African Journal of Wildlife Research - 24-month Delayed Open Access*, *45*(1), 76. <https://doi.org/10.3957/056.045.0109>
- King, R. A., Read, D. S., Traugott, M., & Symondson, W. O. (2008). Molecular analysis of predation: a review of best practice for DNA-based approaches. *Molecular ecology*, *17*(4), 947–963. <https://doi.org/10.1111/j.1365-294X.2007.03613.x>
- Klare, U., Kamler, J. F., & Macdonald, D. W. (2011). A comparison and critique of different scat-analysis methods for determining carnivore diet. *Mammal Review*, *41*(4), 294–312. <https://doi.org/10.1111/j.1365-2907.2011.00183.x>
- Koepfli, C., Nguitragool, W., Hofmann, N. E., Robinson, L. J., Ome-Kaius, M., Sattabongkot, J., ... Mueller, I. (2016). Sensitive and accurate quantification of human malaria parasites using droplet digital PCR (ddPCR). *Scientific reports*, *6*, 39183. <https://doi.org/10.1038/srep39183>
- Kohn, M. H., Knauer, F., Stoffella, A., Schröder, W. P., & Pääbo, S. (1995). Conservation genetics of the European brown bear - a study using excremental PCR of nuclear and mitochondrial sequences. *Molecular Ecology*, *4*(1), 95–104. <https://doi.org/10.1111/j.1365-294x.1995.tb00196.x>
- Kratina, P., LeCraw, R. M., Ingram, T., & Anholt, B. R. (2012). Stability and persistence of food webs with omnivory: Is there a general pattern? *Ecosphere*, *3*(6), 1–18. <https://doi.org/10.1890/es12-00121.1>
- Kröschel, M., Reineking, B., Werwie, F., Wildi, F., & Storch, I. (2017). Remote monitoring of vigilance behavior in large herbivores using acceleration data. *Animal Biotelemetry*, *5*(1). <https://doi.org/10.1186/s40317-017-0125-z>
- Lambert, J.E. (1998). Primate digestion: Interactions among anatomy, physiology, and feeding ecology. *Evolutionary Anthropology*, *7*(1), 8–20.
- Laszlo, A. H., Derrington, I. M., Ross, B., Brinkerhoff, H., Adey, A., Nova, I. C., Craig, J. M., Langford, K. W., Samson, J. M., Daza, R. M., Doering, K., Shendure, J., & Gundlach, J. H. (2014). Decoding long nanopore sequencing reads of natural DNA. *Nature Biotechnology*, *32*(8), 829–833. <https://doi.org/10.1038/nbt.2950>
- Lehmann, M. B., Funston, P. J., Owen, C. R., & Slotow, R. (2008). Feeding behaviour of lions (*Panthera leo*) on a small reserve. *African Journal of Wildlife Research*, *38*(1), 66–78. <https://doi.org/10.3957/0379-4369-38.1.66>
- Lesilau, F. L. (2019). Human-Lion conflict around Nairobi National Park: Lion (*Panthera leo melanochaita*, Hamilton Smith, 1842) Population Structure, Landscape Use and Diet, in a Semi-Fenced Park. (Doctoral dissertation, Leiden University, Leiden, The Netherlands). Retrieved from <https://scholarlypublications.universiteitleiden.nl/handle/1887/81380>
- Letelier, R. M., Bidigare, R. R., Hebel, D. V., Ondrusek, M., Winn, C. D., & Karl, D. M. (1993). Temporal variability of phytoplankton community structure based on pigment analysis. *Limnology and Oceanography*, *38*(7), 1420–1437. <https://doi.org/10.4319/lo.1993.38.7.1420>
- Li, L., Victoria, J., Wang, C., Jones, M. S. M., Fellers, G. M., Kunz, T., & Delwart, E. (2010). Bat Guano Virome: Predominance of Dietary Viruses from Insects and Plants plus Novel Mammalian Viruses. *Journal of Virology*, *84*(14), 6955–6965. <https://doi.org/10.1128/jvi.00501-10>
- Libralato, S., Christensen, V., & Pauly, D. (2006). A method for identifying keystone species in food web models. *Ecological Modelling*, *195*(3–4), 153–171. <https://doi.org/10.1016/j.ecolmodel.2005.11.029>
- Lindsey, P. A., Petracca, L. S., Funston, P. J., Bauer, H., Dickman, A., Everatt, K. T., ... Hunter, L. T. B. (2017). The performance of African protected areas for lions and their prey. *Biological Conservation*, *209*, 137–149. <https://doi.org/10.1016/j.biocon.2017.01.011>
- Liu, G., Zhang, S., Zhao, X., Li, C., & Gong, M. (2021). Advances and Limitations of next generation sequencing in animal diet analysis. *Genes*, *12*(12), 1854. <https://doi.org/10.3390/genes12121854>

- Loarie, S. R., Tambling, C. J., & Asner, G. P. (2013). Lion hunting behaviour and vegetation structure in an African savanna. *Animal Behaviour*, **85**(5), 899–906. <https://doi.org/10.1016/j.anbehav.2013.01.018>
- Louw, J. A., Funston, P. J., Greeff, A., & Kloppeers, H. (2012). The Applicability of Lion Prey Selection Models to Smaller Game Reserves in South Africa. *South African Journal of Wildlife Research*, **42**(2), 73–81. <https://doi.org/10.3957/056.042.0211>
- Løvschal, M., Bøcher, P. K., Pilgaard, J., Amoke, I., Odingo, A. A., Thuo, A. D. M., & Svenning, J. (2017). Fencing bodes a rapid collapse of the unique Greater Mara ecosystem. *Scientific Reports*, **7**(1). <https://doi.org/10.1038/srep41450>
- Magoč, T., & Salzberg, S. L. (2011). FLASH: Fast length adjustment of short reads to improve genome assemblies. *Bioinformatics*, **27**(21), 2957–2963. <https://doi.org/10.1093/bioinformatics/btr507>
- Mangiafico, S. (2021). rcompanion: Functions to Support Extension Education Program Evaluation. R package version 2.4.1. <https://CRAN.R-project.org/package=rcompanion>
- Martin, M. (2013). Cutadapt removes adapter sequences from high-throughput sequencing reads. *EMBnet Journal*, **17**(1), 10–12. <https://doi.org/https://doi.org/10.14806/ej.17.1.200>
- Massart, L.M., Vandeginste, B.G.M., Buydens, L.M.C., De Jong, S., Lewi, P.J., Smeyers-Verbeke, J. (1997) *Handbook of Chemometrics and Qualimetrics: Part A*, p. 200.
- Mata, V. A., Rebelo, H., Amorim, F., McCracken, G. F., Jarman, S., & Beja, P. (2019). How much is enough? Effects of technical and biological replication on metabarcoding dietary analysis. *Molecular ecology*, **28**(2), 165–175. <https://doi.org/10.1111/mec.14779>
- Matley, J. K., Maes, G. E., Devloo-Delva, F., Huerlimann, R., Chua, G., Tobin, A. J., Fisk, A. T., Simpfendorfer, C. A., & Heupel, M. R. (2018). Integrating complementary methods to improve diet analysis in fishery-targeted species. *Ecology and Evolution*, **8**(18), 9503–9515. <https://doi.org/10.1002/ece3.4456>
- McCann, K. S. (2007). Protecting biostructure. *Nature*, **446**(7131), 29. <https://doi.org/10.1038/446029a>
- McCracken, G. F., Westbrook, J. K., Brown, V. A., Eldridge, M., Federico, P., & Kunz, T. H. (2012). Bats track and exploit changes in insect pest populations. *PloS one*, **7**(8), e43839. <https://doi.org/10.1371/journal.pone.0043839>
- McCutchan, J. H., Lewis, W. M., Kendall, C., & McGrath, C. C. (2003). Variation in trophic shift for stable isotope ratios of carbon, nitrogen, and sulfur. *Oikos*, **102**(2), 378–390. <https://doi.org/10.1034/j.1600-0706.2003.12098.x>
- McInnes, J. C., Alderman, R., Deagle, B. E., Lea, M., Raymond, B., & Jarman, S. (2016). Optimised scat collection protocols for dietary DNA metabarcoding in vertebrates. *Methods in Ecology and Evolution*, **8**(2), 192–202. <https://doi.org/10.1111/2041-210x.12677>
- McInturff, A., Xu, W., Wilkinson, C. F., Dejid, N., & Brashares, J. S. (2020). Fence Ecology: Frameworks for understanding the ecological effects of fences. *BioScience*. <https://doi.org/10.1093/biosci/biaa103>
- McMeans, B. C., McCann, K. S., Humphries, M. M., Rooney, N., & Fisk, A. T. (2015). Food web structure in Temporally-Forced ecosystems. *Trends in Ecology and Evolution*, **30**(11), 662–672. <https://doi.org/10.1016/j.tree.2015.09.001>
- Mesa-Cruz, J. B., Brown, J. L., Waits, L. P., & Kelly, M. J. (2016). Non-invasive genetic sampling reveals diet shifts, but little difference in endoparasite richness and faecal glucocorticoids, in Belizean felids inside and outside protected areas. *Journal of Tropical Ecology*, **32**(3), 226–239. <https://doi.org/10.1017/s0266467416000213>
- Meyer, J. M., Leempoel, K., Losapio, G., & Hadly, E. A. (2020). Molecular Ecological Network Analyses: an effective conservation tool for the assessment of biodiversity, trophic interactions, and community structure. *Frontiers in Ecology and Evolution*, **8**. <https://doi.org/10.3389/fevo.2020.588430>
- Michener, R. H., Kaufman, L., & Lajtha, K. (1994). Stable isotope ratios as tracers in marine aquatic food webs. *Stable Isotopes in Ecology and Environmental Science*, **7**, 138–157. <https://ci.ni.ac.jp/naid/10026140602>
- Miller, K. M., & McEwen, L. C. (1995). Diet of nesting Savannah Sparrows in interior Alaska. *Journal of Field Ornithology*, **66**(1), 152–158.
- Miotke, L., Lau, B. T., Rumma, R. T., & Ji, H. P. (2014). High sensitivity detection and quantitation of DNA copy number and single nucleotide variants with single color droplet digital PCR. *Analytical chemistry*, **86**(5), 2618–2624. <https://doi.org/10.1021/ac403843j>
- Mitchell-Jones, A.J., Amori, G., Bogdanowicz, W., Krystufek, B., Reijnders, P.J.H., Spitzenberger, F., ... Zima, J., (1999). The atlas of European mammals. London, UK: T.Poyser & A.D.Poyser.
- Montague T. L., & Cullen, J. M. (1985). Comparison of techniques to recover stomach contents from penguins. *Australian Wildlife Research*, **12**(2), 327–330.
- Monterroso, P., Godinho, R., De Oliveira, T. M., Ferreras, P., Kelly, M. J., Morin, D. J., Waits, L. P., Alves, P. C., & Mills, L. S. (2018). Feeding ecological knowledge: the underutilised power of faecal DNA approaches for carnivore diet analysis. *Mammal Review*, **49**(2), 97–112. <https://doi.org/10.1111/mam.12144>
- Moon, K. (2015). R statistics and graphs for medical writing (Korean Edition). Hannarae Academy.
- Moon, K. (2020). CRAN - Package webr. Retrieved October 13, 2022, from
- Morin, D. J., Higdon, S. D., Lonsinger, R. C., Gosselin, E. N., Kelly, M. J., & Waits, L. P. (2019). Comparing methods of estimating carnivore diets with uncertainty and imperfect detection. *Wildlife Society Bulletin*, **43**(4), 651–660. <https://doi.org/10.1002/wsb.1021>
- Morisset, D., Štebih, D., Milavec, M., Gruden, K., & Žel, J. (2013). Quantitative analysis of food and feed samples with droplet digital PCR. *PloS one*, **8**(5), e62583. <https://doi.org/10.1371/journal.pone.0062583>
- Mumma, M. A., Adams, J. R., Zieminski, C., Fuller, T. K., Mahoney, S. P., & Waits, L. P. (2016). A comparison of morphological and molecular diet analyses of predator scats, *Journal of Mammalogy*, **97**(1), 112–120, doi: 10.1093/jmammal/gyv160
- Murray, D. C., Bunce, M., Cannell, B., Oliver, R., Houston, J., White, N. E., Barrero, R. A., Bellgard, M., & Haile, J. (2011). DNA-Based Faecal Dietary Analysis: A comparison of QPCR and high throughput sequencing approaches. *PLOS ONE*, **6**(10), e25776. <https://doi.org/10.1371/journal.pone.0025776>
- Naha, D., Périquet, S., Kilian, J. W., Kupferman, C. A., Hoth-Hanssen, T., & Beasley, J. C. (2023). Fencing affects movement patterns of two large carnivores in Southern Africa. *Frontiers in Ecology and Evolution*, **11**. <https://doi.org/10.3389/fevo.2023.1031321>

- Nakahara, F., Ando, H., Ito, H., Murakami, A., Morimoto, N., Yamasaki, M., Takayanagi, A., & Isagi, Y. (2015). The applicability of DNA barcoding for dietary analysis of sika deer. *DNA Barcodes*, *3*(1). <https://doi.org/10.1515/dna-2015-0021>
- Nielsen, J. M., Clare, E. L., Hayden, B., Brett, M. T., & Kratina, P. (2017). Diet tracing in ecology: Method comparison and selection. *Methods in Ecology and Evolution*, *9*(2), 278–291. <https://doi.org/10.1111/2041-210x.12869>
- Notz, E., Imholt, C., Reil, D., & Jacob, J. (2017). Testing automated sensor traps for mammal field studies. *Wildlife Research*, *44*(1), 72. <https://doi.org/10.1071/wr16192>
- Ogle, D. H., Wheeler, P., & Dinno, A. (2021). FSA: Fisheries Stock Analysis. R package version 0.9.0, <https://github.com/droglenc/FSA>.
- Oja, R., Soe, E., Valdmann, H., & Saarma, U. (2017). Non-invasive genetics outperforms morphological methods in faecal dietary analysis, revealing wild boar as a considerable conservation concern for ground-nesting birds. *PLOS ONE*, *12*(6), e0179463. <https://doi.org/10.1371/journal.pone.0179463>
- Okello, M. M., Manka, S. G., & D'Amour, D. E. (2008). The relative importance of large mammal species for tourism in Amboseli National Park, Kenya. *Tourism Management*, *29*(4), 751–760. <https://doi.org/10.1016/j.tourman.2007.08.003>
- Oksanen, J., Blanchet, F. G., Kindt, R., Legendre, P., Minchin, P. R., O'Hara, R. B., Simpson, G. L., Sólymos, P., Stevens, M. H. H., Wagner, H. H., . . . & Weedon, J. (2022). vegan: Community Ecology Package. R Package Version 2.6-4. <https://CRAN.R-project.org/package=vegan>
- Owen-Smith, N., & Mills, M. G. L. (2008). Predator-prey size relationships in an African large-mammal food web. *Journal of Animal Ecology*, *77*(1), 173–183. <https://doi.org/10.1111/j.1365-2656.2007.01314.x>
- Packer, L., Gibbs, J., Sheffield, C. S., & Hanner, R. (2009). DNA barcoding and the mediocrity of morphology. *Molecular Ecology Resources*, *9*(s1), 42–50. <https://doi.org/10.1111/j.1755-0998.2009.02631.x>
- Packer, C., Loveridge, A., Canney, S. M., Caro, T., Garnett, S. T., Pfeifer, M., Zander, K. K., Swanson, A., MacNulty, D. R., Balme, G., Bauer, H., Begg, C. M., Begg, K. S., Bhalla, S., Bissett, C., Bodasing, T., Brink, H., Burger, A., Burton, A., . . . & Polasky, S. (2013a). Conserving large carnivores: dollars and fence. *Ecology Letters*, *16*(5), 635–641. <https://doi.org/10.1111/ele.12091>
- Packer, C., Swanson, A., Canney, S. M., Loveridge, A., Garnett, S. T., Pfeifer, M., Burton, A., Bauer, H., & MacNulty, D. R. (2013b). The case for fencing remains intact. *Ecology Letters*, *16*(11), 1414–e4. <https://doi.org/10.1111/ele.12171>
- Pedersen, A. B., Jones, K. E., Nunn, C. L., & Altizer, S. (2007). Infectious diseases and extinction risk in wild mammals. *Conservation Biology*, *21*(5), 1269–1279. <https://doi.org/10.1111/j.1523-1739.2007.00776.x>
- Pelz, H.J., 1986. Damage by wood mice (*Apodemus sylvaticus*) to sugarbeet seeds in relation to food availability. *Control of mammal pests (A supplement to tropical pest management)* *32*, 5-14.
- Pennycuik, C. J., & Rudnai, J. (1970). A method of identifying individual lions *Panthera leo* with an analysis of the reliability of identification. *Journal of Zoology*, *160*(4), 497–508. <https://doi.org/10.1111/j.1469-7998.1970.tb03093.x>
- Pereira, A., Xavier, R., Perera, A., Salvi, D., & Harris, D. J. (2019). DNA metabarcoding to assess diet partitioning and feeding strategies in generalist vertebrate predators: a case study on three syntopic lacertid lizards from Morocco. *Biological Journal of the Linnean Society*, *127*(4), 800–809. <https://doi.org/10.1093/biolinnean/blz061>
- Phelps, M. (2019). Increasing eDNA capabilities with CRISPR technology for real-time monitoring of ecosystem biodiversity. *Molecular Ecology Resources*, *19*(5), 1103–1105. <https://doi.org/10.1111/1755-0998.13084>
- Pierce, G. J., & Boyle, P. R. (1991). A review of methods for diet analysis in piscivorous marine mammals. *Oceanography and Marine Biology*, *29*(29), 409–486. <https://abdn.pure.elsevier.com/en/publications/a-review-of-methods-for-diet-analysis-in-piscivorous-marine-mamma>
- Piñol, J., Andrés, V. S., Clare, E. L., Mir, G., & Symondson, W. O. C. (2014). A pragmatic approach to the analysis of diets of generalist predators: the use of next-generation sequencing with no blocking probes. *Molecular Ecology Resources*, *14*(1), 18–26. <https://doi.org/10.1111/1755-0998.12156>
- Piñol, J., Senar, M. A., & Symondson, W. O. (2018). The choice of universal primers and the characteristics of the species mixture determine when DNA metabarcoding can be quantitative. *Molecular Ecology*, *28*(2), 407–419. doi:10.1111/mec.14776
- Piñol, J. (2021). Genotype by sequencing: An alternative new method to amplicon metabarcoding and shotgun metagenomics for the assessment of eukaryote biodiversity. *Molecular Ecology Resources*, *21*(4), 1001–1004. <https://doi.org/10.1111/1755-0998.13320>
- Pompanon, F., Deagle, B. E., Symondson, W. O. C., Brown, D., Jarman, S. N., & Taberlet, P. (2012). Who is eating what: diet assessment using next generation sequencing. *Molecular Ecology*, *21*(8), 1931–1950. <https://doi.org/10.1111/j.1365-294x.2011.05403.x>
- Power, R. J. (2002). Prey selection of lions *Panthera leo* in a small, enclosed reserve. *Koedoe*, *45*(2). <https://doi.org/10.4102/koedoe.v45i2.32>
- Pringle, R. M., & Hutchinson, M. C. (2020). Resolving Food-Web Structure. *Annual Review of Ecology, Evolution, and Systematics*, *51*(1), 55–80. <https://doi.org/10.1146/annurev-eolsys-110218-024908>
- Pujolar, J. M., Limborg, M. T., Ehrlich, M., & Jaspers, C. (2022). High throughput SNP chip as cost effective new monitoring tool for assessing invasion dynamics in the comb jelly *Mnemiopsis leidyi*. *Frontiers in Marine Science*, *9*. <https://doi.org/10.3389/fmars.2022.1019001>
- Quy, R., Chandler-Morris, S., Watkins, R., & Thompson, H. (2005, May 22–26). Guidance on Risk Assessment for Birds and Mammals: Hoarding of pesticide-treated seed extends the exposure period. [Poster session]. SETAC EU, Lille, France.
- R Core Team (2014). R: A language and environment for statistical computing. R Foundation for Statistical Computing, Vienna, Austria. <http://www.R-project.org/>
- R Core Team (2020). R: A language and environment for statistical computing. R Foundation for Statistical Computing, Vienna, Austria. <https://www.R-project.org/>.
- R Core Team (2021). R: A language and environment for statistical computing. R Foundation for Statistical Computing, Vienna, Austria. <https://www.R-project.org/>.

- R Core Team. (2022). R: A language and environment for statistical computing. R Foundation for Statistical Computing, Vienna, Austria. <https://www.R-project.org/>.
- Ranke, J. (2022). chemCal: Calibration Functions for Analytical Chemistry. R package version 0.2.3. <https://CRAN.R-project.org/package=chemCal>
- Ratnasingham, S., & Hebert, P. D. N. (2007). BOLD: The Barcode of Life Data System: Barcoding. *Molecular Ecology Notes*, 7(3), 355–364. <https://doi.org/10.1111/j.1471-8286.2007.01678.x>
- Razgour, O., Clare, E. L., Zeale, M. R., Hanmer, J., Schnell, I. B., Rasmussen, M., Gilbert, M. T. P., & Jones, G. (2011). High-throughput sequencing offers insight into mechanisms of resource partitioning in cryptic bat species. *Ecology and Evolution*, 1(4), 556–570. <https://doi.org/10.1002/ece3.49>
- Reed, J. Z., Tollit, D. J., Thompson, P. M., & Amos, W. (1997). Molecular scatology: the use of molecular genetic analysis to assign species, sex and individual identity to seal faeces. *Molecular Ecology*, 6(3), 225–234. <https://doi.org/10.1046/j.1365-294x.1997.00175.x>
- Reeves, L. E., Gillett-kaufman, J. L., Kawahara, A. Y., & Kaufman, E. (2018). Barcoding blood meals: New vertebrate-specific primer sets for assigning taxonomic identities to host DNA from mosquito blood meals. *PLoS Neglected Tropical Diseases*, 12(8), 1–18.
- Riaz, T., Shehzad, W., Viari, A., Pompanon, F., Taberlet, P., & Coissac, E. (2011). EcoPrimers: Inference of new DNA barcode markers from whole genome sequence analysis. *Nucleic Acids Research*, 39(21), 1–11. <https://doi.org/10.1093/nar/gkr732>
- Richly, E., & Leister, D. (2004). NUPTs in sequenced eukaryotes and their genomic organization in relation to NUMTs. *Molecular biology and evolution*, 21(10), 1972–1980. <https://doi.org/10.1093/molbev/msh210>
- Rindorf, A., & Lewy, P. (2004). Bias in estimating food consumption of fish by stomach-content analysis. Canadian *Journal of Fisheries and Aquatic Sciences*, 61(12), 2487–2498. <https://doi.org/10.1139/f04-200>
- Ripple, W. J., Estes, J. A., Beschta, R. L., Wilmers, C. C., Ritchie, E. G., Hebblewhite, M., Berger, J., Elmhagen, B., Letnic, M., Nelson, M. P., Schmitz, O. J., Smith, D. W., Wallach, A. D., & Wirsing, A. J. (2014). Status and Ecological Effects of the World's Largest Carnivores. *Science*, 343(6167). <https://doi.org/10.1126/science.1241484>
- Rizzi, A., Raddadi, N., Sorlini, C., Nordgrd, L., Nielsen, K. M., & Daffonchio, D. (2012). The Stability and Degradation of Dietary DNA in the Gastrointestinal Tract of Mammals: Implications for Horizontal Gene Transfer and the Biosafety of GMOs. *Critical Reviews in Food Science and Nutrition*, 52(2), 142–161. <https://doi.org/10.1080/10408398.2010.499480>
- Robeson, M. S., Khanipov, K., Golovko, G., Wisely, S. M., White, M. D., Bodenchuck, M., Smyser, T. J., Fofanov, Y., Fierer, N., & Piaggio, A. J. (2017). Assessing the utility of metabarcoding for diet analyses of the omnivorous wild pig (*Sus scrofa*). *Ecology and Evolution*, 8(1), 185–196. <https://doi.org/10.1002/ece3.3638>
- Rognes, T., Flouri, T., Nichols, B., Quince, C., & Mahé, F. (2016). VSEARCH: A versatile open source tool for metagenomics. *PeerJ*, 2016(10), 1–22. <https://doi.org/10.7717/peerj.2584>
- Roslin, T., & Majaneva, S. (2016). The use of DNA barcodes in food web construction-terrestrial and aquatic ecologists unite!. *Genome*, 59(9), 603–628. <https://doi.org/10.1139/gen-2015-0229>
- Roy, C. L., Coy, P. L., Chen, D., Ponder, J., & Jankowski, M. D. (2019). Multi-scale availability of neonicotinoid-treated seed for wildlife in an agricultural landscape during spring planting. *Science of the Total Environment*, 682, 271–281. <https://doi.org/10.1016/j.scitotenv.2019.05.010>
- Rubbmark, O. R., Sint, D., Horngacher, N., & Traugott, M. (2018). A broadly applicable COI primer pair and an efficient single- tube amplicon library preparation protocol for metabarcoding. *Ecol Evol*. 2018; 8: 12335–12350. <https://doi.org/10.1002/ece3.4520>
- Sayers, E. W., Bolton, E. E., Brister, J. R., Canese, K., Chan, J., Comeau, D. C., Connor, R., Funk, K., Kelly, C., Kim, S., Madej, T., Marchler-Bauer, A., Lanczycki, C., Lathrop, S., Lu, Z., Thibaud-Nissen, F., Murphy, T., Phan, L., Skripchenko, Y., Tse, T., ... Sherry, S. T. (2022). Database resources of the national center for biotechnology information. *Nucleic acids research*, 50(D1), D20–D26. <https://doi.org/10.1093/nar/gkab1112>
- Schaller, G. B. (1972). The Serengeti Lion: A Study of Predator-Prey Relations (Wildlife Behavior and Ecology series) (1st ed.). University of Chicago Press.
- Schmieder, R., & Edwards, R. (2011). Quality control and preprocessing of metagenomic datasets. *Bioinformatics*, 27(6), 863–864. <https://doi.org/10.1093/bioinformatics/btr026>
- Schoener, T. W. (1974). Resource partitioning in ecological communities. *Science*, 185(4145), 27–39. <https://doi.org/10.1126/science.185.4145.27>
- Schwarz, D., Spitzer, S. M., Thomas, A. C., Kohnert, C. M., Keates, T. R., & Acevedo-Gutiérrez, A. (2018). Large-scale molecular diet analysis in a generalist marine mammal reveals male preference for prey of conservation concern. *Ecology and Evolution*, 8(19), 9889–9905. <https://doi.org/10.1002/ece3.4474>
- Scott, M. (1988). The Impact of infection and disease on Animal Populations: Implications for Conservation Biology. *Conservation Biology*, 2(1), 40–56. <https://doi.org/10.1111/j.1523-1739.1988.tb00334.x>
- Sethi, S. A., Larson, W. A., Turnquist, K., & Isermann, D. (2018). Estimating the number of contributors to DNA mixtures provides a novel tool for ecology. *Methods in Ecology and Evolution*, 10(1), 109–119. <https://doi.org/10.1111/2041-210x.13079>
- Shashank, P. R., Parker, B., Rananaware, S. R., Plotkin, D., Couch, C., Yang, L. G., Nguyễn, L. T., Prasannakumar, N. R., Braswell, W. E., Jain, P., & Kawahara, A. Y. (2023). CRISPR-based diagnostics detects invasive insect pests. *Molecular Ecology Resources*, 24(1). <https://doi.org/10.1111/1755-0998.13881>
- Shehzad, W., Riaz, T., Nawaz, M. A., Miquel, C., Poillot, C., Shah, S. A., Pompanon, F., Coissac, E., & Taberlet, P. (2012). Carnivore diet analysis based on next-generation sequencing: Application to the leopard cat (*Prionailurus bengalensis*) in Pakistan. *Molecular Ecology*, 21(8), 1951–1965. <https://doi.org/10.1111/j.1365-294X.2011.05424.x>
- Shelton, A. O., Gold, Z., Jensen, A. J., D'Agnese, E., Allan, E. A., Van Cise, A., Gallego, R., Ramón-Laca, A., Garber-Yonts, M., Parsons, K. M., & Kelly, R. P. (2022). Toward quantitative metabarcoding. *Ecology*, 104(2). <https://doi.org/10.1002/ecy.3906>
- Shum, P., & Palumbi, S. R. (2021). Testing small-scale ecological gradients and intraspecific differentiation for hundreds of kelp forest species using haplotypes from metabarcoding. *Molecular Ecology*, 30(13), 3355–3373. <https://doi.org/10.1111/mec.15851>
- Sitienei, A. J., Jiwen, G., & Ngene, S. M. (2014). Assessing the cost of living with elephants (*Loxodonta africana*) in areas adjacent to Meru National Park, Kenya. *European Journal of Wildlife Research*, 60(2), 323–330. <https://doi.org/10.1007/s10344-013-0789-5>
- Slobodian, V., Rizzato, P. P., & Sobral, G. (2021). Vertebrates (Chordata). In Springer eBooks (pp. 1–28). https://doi.org/10.1007/978-3-319-47829-6_1426-2

- Sogbohossou, E. A., de longh, H. H., Sinsin, B., de Snoo, G. R., & Funston, P. J. (2011). Human–carnivore conflict around Pendjari Biosphere Reserve, northern Benin. *Oryx*, **45**(4), 569–578. <https://doi.org/10.1017/s0030605310001109>
- Soininen, E. M., Gauthier, G., Bilodeau, F., Berteaux, D., Gielly, L., Taberlet, P., ... Yoccoz, N. G. (2015). Highly overlapping winter diet in two sympatric lemming species revealed by DNA metabarcoding. *PloS one*, **10**(1), e0115335. <https://doi.org/10.1371/journal.pone.0115335>
- Sousa, L. L., Silva, S., & Xavier, R. (2019). DNA metabarcoding in diet studies: Unveiling ecological aspects in aquatic and terrestrial ecosystems. *Environmental DNA*, **1**(3), 199–214. <https://doi.org/10.1002/edn3.27>
- Spaulding, R. L., Krausman, P. R., & Ballard, W. B. (2000). Observer bias and analysis of gray wolf diets from scats. *Wildlife Society Bulletin*, **28**(4), 947–950. <https://www.cabdirect.org/abstracts/20013035381.html>
- Steenweg, R., Gillingham, M. P., Parker, K. L., & Heard, D. C. (2015). Considering sampling approaches when determining carnivore diets: the importance of where, how, and when scats are collected. *Mammal Research*, **60**(3), 207–216. <https://doi.org/10.1007/s13364-015-0222-4>
- Stevenson, T., & Fanshawe, J. (2002). The Birds of East Africa: Kenya, Tanzania, Uganda, Rwanda, Burundi (Princeton Field Guides, 14) (1st Edition). Princeton University Press.
- Stoate, C., Báldi, A., Beja, P., Boatman, N. D., Herzon, I., van Doorn, A., de Snoo, G. R., Rakosy, L., & Ramwell, C. (2009). Ecological impacts of early 21st century agricultural change in Europe—a review. *Journal of environmental management*, **91**(1), 22–46. <https://doi.org/10.1016/j.jenvman.2009.07.005>
- Storck, V., Karpouzias, D. G., & Martin-Laurent, F. (2017). Towards a better pesticide policy for the European Union. *Science of The Total Environment*, **575**, 1027–1033. <https://doi.org/10.1016/j.scitotenv.2016.09.167>
- Stuart, C., & Stuart, M. (2013). Pocket Guide - Mammals of East Africa. Struik Nature.
- Stunkard, A. J. (1983). Nutrition, aging and obesity: a critical review of a complex relationship. *International Journal of Obesity*, **7**(3), 201–220. <https://pubmed.ncbi.nlm.nih.gov/6885229/>
- Symondson, W. O. C. (2002). Molecular identification of prey in predator diets. *Molecular ecology*, **11**(4), 627–641. <https://doi.org/10.1046/j.1365-294x.2002.01471.x>
- Symondson, W. O. C. (2012). The Molecular Revolution: Using Polymerase Chain Reaction based Methods to Explore the Role of Predators in Terrestrial Food Webs. In Gurr, G. M., Wratten, S. D., Snyder, W.E., & Read, D.M.Y. (Eds.), Biodiversity and Insect Pests: Key Issues for Sustainable Management, (pp. 166–184). New Jersey, USA: Wiley-Blackwell.
- T**ercel, M. P. T. G., Symondson, W. O. C., & Cuff, J. P. (2021). The problem of omnivory: A synthesis on omnivory and DNA metabarcoding. *Molecular Ecology*, **30**(10), 2199–2206. <https://doi.org/10.1111/mec.15903>
- Thalinger, B., Oehm, J., Zeisler, C., Vorhauser, J., & Traugott, M. (2018). Sex-specific prey partitioning in breeding piscivorous birds examined via a novel, noninvasive approach. *Ecology and Evolution*, **8**(17), 8985–8998. <https://doi.org/10.1002/ece3.4421>
- Thomas, A. C., Jarman, S. N., Haman, K. H., Trites, A. W., & Deagle, B. E. (2014). Improving accuracy of DNA diet estimates using food tissue control materials and an evaluation of proxies for digestion bias. *Molecular Ecology*, **23**(15), 3706–3718. <https://doi.org/10.1111/mec.12523>
- Thomas, A. C., Deagle, B. E., Eveson, J. P., Harsch, C. H., & Trites, A. W. (2015). Quantitative DNA metabarcoding: improved estimates of species proportional biomass using correction factors derived from control material. *Molecular Ecology Resources*, **16**(3), 714–726. <https://doi.org/10.1111/1755-0998.12490>
- Thuo, D., Furlan, E., Broekhuis, F., Kamau, J., Macdonald, K., & Gleeson, D. M. (2019). Food from faeces: Evaluating the efficacy of scat DNA metabarcoding in dietary analyses. *PLOS ONE*, **14**(12), e0225805. <https://doi.org/10.1371/journal.pone.0225805>
- Tollit, D. J., Schulze, A. D., Trites, A. W., Olesiuk, P. F., Crockford, S. J., Gelatt, T. S., Ream, R. R., & Miller, K. M. (2009). Development and application of DNA techniques for validating and improving pinniped diet estimates. *Ecological Applications*, **19**(4), 889–905. <https://doi.org/10.1890/07-1701.1>
- Traugott, M., Kamenova, S., Rueß, L., Seeber, J., & Plantegenest, M. (2013). Empirically characterising trophic networks. In Advances in Ecological Research (pp. 177–224). <https://doi.org/10.1016/b978-0-12-420002-9.00003-2>
- Traugott, M., Thalinger, B., Wallinger, C., & Sint, D. (2020). Fish as predators and prey: DNA-based assessment of their role in food webs. *Journal of Fish Biology*, **98**(2), 367–382. <https://doi.org/10.1111/jfb.14400>
- Trinkel, M., Fleischmann, P., & Slotow, R. (2016). Electrifying the fence or living with consequences? Problem animal control threatens the long-term viability of a free-ranging lion population. *Journal of Zoology*, **301**(1), 41–50. <https://doi.org/10.1111/jzo.12387>
- Trites, A. W. & Joy, R. (2005). Dietary Analysis from Fecal Samples: How Many Scats are Enough? *Journal of Mammalogy*, **86**(4), 704–712. [https://doi.org/10.1644/1545-1542\(2005\)086\[0704:DAFFSH\]2.0.CO;2](https://doi.org/10.1644/1545-1542(2005)086[0704:DAFFSH]2.0.CO;2)
- Tscharntke, T., Klein, A. M., Kruess, A., Steffan-Dewenter, I., & Thies, C. (2005). Landscape perspectives on agricultural intensification and biodiversity - ecosystem service management. *Ecology Letters*, **8**(8), 857–874. <https://doi.org/10.1111/j.1461-0248.2005.00782.x>
- Tsuji, Y., Miura, S., Kotoge, T., Shiraishi, T., & Murai, H. (2015). Effects of Food Intake on Digesta Passage Time in Captive Japanese Martens (*Martes melampus*) and Implications for Endozoochorous Seed Dispersal. *Mammal Study*, **40**(1), 13–18.
- Tunney, T. D., McCann, K. S., Lester, N. P., & Shuter, B. J. (2014). Effects of differential habitat warming on complex communities. *Proceedings of the National Academy of Sciences of the United States of America*, **111**(22), 8077–8082. <https://doi.org/10.1073/pnas.1319618111>
- U**NEP-WCMC and IUCN (2022), Protected Planet: The World Database on Protected Areas (WDPA) and World Database on Other Effective Area-based Conservation Measures (WD-OECM) [Online], October 2022, Cambridge, UK: UNEP-WCMC and IUCN. Available at: www.protectedplanet.net
- V**amos, E. E., Elbrecht, V., & Leese, F. (2017). Short COI markers for freshwater macroinvertebrate metabarcoding. *Metabarcoding and Metagenomics*, **1**, e14625. <https://doi.org/10.3897/mbmg.1.14625>
- van der Heyde, M., Bateman, P. W., Bunce, M., Wardell-Johnson, G., White, N. E., & Nevill, P. (2021). Scat DNA provides important data for effective monitoring of mammal and bird biodiversity. *Biodiversity and Conservation*, **30**(12), 3585–3602. <https://doi.org/10.1007/s10531-021-02264-x>
- Van Loco, J., Elskens, M., Croux, C., & Beernaert, H. (2002). Linearity of calibration curves: use and misuse of the correlation coefficient. *Accreditation and Quality Assurance*, **7**(7), 281–285. <https://doi.org/10.1007/s00769-002-0487-6>

Vander Zanden, M. J., Clayton, M. K., Moody, E. K., Solomon, C. T., & Weidel, B. C. (2015). Stable isotope Turnover and Half-Life in Animal Tissues: a literature synthesis. *PLOS ONE*, *10*(1), e0116182. <https://doi.org/10.1371/journal.pone.0116182>

Verhaegen, B., De Reu, K., De Zutter, L., Verstraete, K., Heyndrickx, M., & Van Coillie, E. (2016). Comparison of Droplet Digital PCR and qPCR for the Quantification of Shiga Toxin-Producing *Escherichia coli* in Bovine Feces. *Toxins*, *8*(5), 157. <https://doi.org/10.3390/toxins8050157>

Vestheim, H., & Jarman, S. (2008). Blocking primers to enhance PCR amplification of rare sequences in mixed samples – a case study on prey DNA in Antarctic krill stomachs. *Frontiers in Zoology*, *5*(1), 12. <https://doi.org/10.1186/1742-9994-5-12>

Vijver, M.G., Hunting, E.R., Nederstigt, T.A., Tamis, W.L., van den Brink, P.J. and van Bodegom, P.M. (2017), Postregistration monitoring of pesticides is urgently required to protect ecosystems. *Environ Toxicol Chem*, *36*, 860-865. <https://doi.org/10.1002/etc.3721>

Vogel, J. T., Somers, M. J., & Venter, J. A. (2018). The foraging ecology of reintroduced African wild dog in small protected areas. *Wildlife Biology*, *2018*(1). <https://doi.org/10.2981/wlb.00424>

Wachter, B., Blanc, A. S., Melzheimer, J., Höner, O. P., Jago, M., & Hofer, H. (2012). An Advanced Method to Assess the Diet of Free-Ranging Large Carnivores Based on Scats. *PLoS ONE*, *7*(6), e38066. <https://doi.org/10.1371/journal.pone.0038066>

Wagemaker, C. a. M., Mommer, L., Visser, E. J. W., Weigelt, A., Van Gurp, T. P., Postuma, M., Smit-Tiekstra, A. E., & De Kroon, H. (2020). msGBS: A new high-throughput approach to quantify the relative species abundance in root samples of multispecies plant communities. *Molecular Ecology Resources*, *21*(4), 1021–1036. <https://doi.org/10.1111/1755-0998.13278>

Wang, D., Trimpos, K. B., Gomes, S. I. F., Jacquemyn, H., & Merckx, V. (2023). Metabarcoding read abundances of orchid mycorrhizal fungi are correlated to copy numbers estimated using ddPCR. *New Phytologist*. <https://doi.org/10.1111/nph.19385>

Wang, Y., Zhao, Y., Bollas, A., Wang, Y., & Au, K. F. (2021). Nanopore sequencing technology, bioinformatics and applications. *Nature Biotechnology*, *39*(11), 1348–1365. <https://doi.org/10.1038/s41587-021-01108-x>

Wanniarachchi, S., Swan, M., Nevill, P., & York, A. (2022). Using eDNA metabarcoding to understand the effect of fire on the diet of small mammals in a woodland ecosystem. *Ecology and Evolution*, *12*(11). <https://doi.org/10.1002/ece3.9457>

Ward, E. J., Levin, P. S., Lance, M. M., Jeffries, S. J., & Acevedo-Gutiérrez, A. (2011). Integrating diet and movement data to identify hot spots of predation risk and areas of conservation concern for endangered species. *Conservation Letters*, *5*(1), 37–47. <https://doi.org/10.1111/j.1755-263x.2011.00210.x>

Weitemier, K., Penaluna, B. E., Hauck, L., Longway, L. J., Garcia, T. S., & Cronn, R. (2021). Estimating the genetic diversity of Pacific salmon and trout using multigene eDNA metabarcoding. *Molecular Ecology*, *30*(20), 4970–4990. <https://doi.org/10.1111/mec.15811>

Westoby, M., Rost, G. R., & Weis, J. A. (1976). Problems with Estimating Herbivore Diets by Microscopically Identifying Plant Fragments from Stomachs. *Journal of Mammalogy*, *57*(1), 167–172. <https://doi.org/10.2307/1379521>

Wickham, H. (2009). ggplot2: Elegant Graphics for Data Analysis. <http://ndl.ethernet.edu.et/bitstream/123456789/60263/1/107.pdf>

Wikenros, C., Jarnemo, A., Frisén, M., Kuijper, D. P. J., & Schmidt, K. (2017). Mesopredator behavioral response to olfactory signals of an apex predator. *Journal of Ethology*, *35*(2), 161–168. <https://doi.org/10.1007/s10164-016-0504-6>

Wilcoxon, F. (1945). Individual comparisons by ranking methods. *Biometrics Bulletin*, *1*(6), 80–83.

Willerslev, E., Davison, J., Moora, M., Zobel, M., Coissac, É., Edwards, M. E., Lorenzen, E. D., Vestergård, M., Gussarova, G., Haile, J., Craine, J. M., Gielly, L., Boessenkool, S., Epp, L. S., Pearman, P. B., Cheddadi, R., Murray, D. F., Bråthen, K. A., Yoccoz, N. G., . . . Taberlet, P. (2014). Fifty thousand years of Arctic vegetation and megafaunal diet. *Nature*, *506*(7486), 47–51. <https://doi.org/10.1038/nature12921>

Williams, M., O’Grady, J., Ball, B., Carlsson, J., De Eyto, E., McGinnity, P., Jennings, E., Regan, F., & Parle-McDermott, A. (2019). The application of CRISPR-Cas for single species identification from environmental DNA. *Molecular Ecology Resources*, *19*(5), 1106–1114. <https://doi.org/10.1111/1755-0998.13045>

Wilson, D. E., & Reeder D. M. (editors). (2005). Mammal Species of the World. A Taxonomic and Geographic Reference (3rd ed). Baltimore, Maryland: Johns Hopkins University Press.

Woodroffe, R., Hedges, S., & Durant, S. M. (2014). To Fence or Not to Fence. *Science*, *344*(6179), 46–48. <https://doi.org/10.1126/science.1246251>

Xiong, M., Wang, D., Bu, H., Shao, X., Zhang, D., Li, S., Wang, R., & Yao, M. (2017). Molecular dietary analysis of two sympatric felids in the Mountains of Southwest China biodiversity hotspot and conservation implications. *Scientific Reports*, *7*, 1–12. <https://doi.org/10.1038/srep41909>

Ye, J., Coulouris, G., Zaretskaya, I., Cutcutache, I., Rozen, S., & Madden, T. (2012). Primer-BLAST: A tool to design target-specific primers for polymerase chain reaction. *BMC Bioinformatics*, *13*(1), 134.

Yirga, G., De longh, H. H., Leirs, H., Gebrihiwot, K., Deckers, J., & Bauer, H. (2012). Adaptability of large carnivores to changing anthropogenic food sources: diet change of spotted hyena (*Crocuta crocuta*) during Christian fasting period in northern Ethiopia. *Journal of Animal Ecology*, *81*(5), 1052–1055. <https://doi.org/10.1111/j.1365-2656.2012.01977.x>

Zarzoso-Lacoste, D., Bonnaud, E., Corse, E., Gilles, A., Meglecz, E., Costedoat, C., ... Vidal, E. (2016). Improving morphological diet studies with molecular ecology: An application for invasive mammal predation on island birds. *Biological Conservation*, *193*, 134-142.

Zeale, M. R., Butlin, R. K., Barker, G. L., Lees, D. C., & Jones, G. (2011). Taxon-specific PCR for DNA barcoding arthropod prey in bat faeces. *Molecular ecology resources*, *11*(2), 236–244. <https://doi.org/10.1111/j.1755-0998.2010.02920.x>

Zhou, X., Li, Y., Liu, S., Yang, Q., Su, X., Zhou, L., Tang, M., Fu, R., Li, J., & Huang, Q. (2013). Ultra-deep sequencing enables high-fidelity recovery of biodiversity for bulk arthropod samples without PCR amplification. *GigaScience*, *2*(1). <https://doi.org/10.1186/2047-217x-2-4>