



Universiteit
Leiden
The Netherlands

Automata learning: from probabilistic to quantum

Chu, W.

Citation

Chu, W. (2024, December 4). *Automata learning: from probabilistic to quantum*. Retrieved from <https://hdl.handle.net/1887/4170915>

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/4170915>

Note: To cite this publication please use the final published version (if applicable).

Automata Learning: from Probabilistic to Quantum

Wenjing Chu

Automata Learning: from Probabilistic to Quantum

Proefschrift

ter verkrijging van
de graad van doctor aan de Universiteit Leiden,
op gezag van rector magnificus prof.dr.ir. H. Bijl,
volgens besluit van het college voor promoties
te verdedigen op 4 december 2024
klokke 11.30 uur

door

Wenjing Chu

geboren te Anhui, China
in 1991

Promotores: Prof. dr. M.M. Bonsangue
Prof. dr. F.S. de Boer

Promotiecommissie: Prof. dr. B. Aichernig (Graz University of Technology, Austria)
Dr. S. Verwer (Delft University of Technology)
Prof. dr. T. Bäck
Prof. dr. V. Dunjiko
Dr. T. Kappe'
Prof. dr. J. Kleijn

Copyright © 2024 Wenjing Chu

The research in this thesis was performed at the Leiden Institute of Advanced Computer Science (LIACS, Leiden University).

This work was financially supported by the Chinese Scholarship Council and the Leiden Institute of Advanced Computer Science.

Contents

List of figures	iv
List of tables	vi
1 Introduction	1
1.1 Automata learning	1
1.1.1 Learning probabilistic automata	3
1.1.2 Learning quantum automata	4
1.2 Research questions	6
1.3 Underlying Publications	9
2 Probabilistic automata	11
2.1 Finite automata	12
2.1.1 Nondeterministic and deterministic finite automata	12
2.2 Probabilistic finite automata	14
2.2.1 The forward and backward algorithms	17
2.2.2 Deterministic probabilistic finite automata	19
2.3 Hidden Markov Models	20
2.4 Distances between two distributions	24
2.4.1 Computing the Euclidean distance between regular distributions . .	25
2.4.2 Metrics based on a probabilistic confusion matrix	27
2.5 Summary	29
3 Passive Learning Probabilistic Automata	31
3.1 From k-testable machines to deterministic automata	32
3.2 From frequency automata to probabilistic ones	35
3.3 Learning DPFAAs using k-testable machines	38
3.4 An analysis of the algorithm	40
3.4.1 Comparison with ALERGIA algorithm	41

3.5 Summary	45
4 Passive Learning PFAs with Counterexamples	46
4.1 Learning from positive and negative samples	47
4.1.1 Characteristic Sample	47
4.1.2 Identification in the limit from polynomial time and data	48
4.2 Residual languages and residual finite state automata	50
4.3 Learning Probabilistic Automata using Residuals	50
4.3.1 Learning structure of probabilistic languages using residuals	51
4.3.2 Learning the probabilities with the flip-coin algorithm	53
4.3.3 Experimental results	55
4.3.4 Learning the probabilities with non-linear optimization methods	57
4.3.5 Experimental results	61
4.3.6 Learning randomly generated probabilistic automata	61
4.3.7 Learning a model of an agent's traces in a maze	64
4.4 Summary	66
5 Active learning	68
5.1 Active learning	68
5.1.1 Interacting with the oracle	69
5.1.2 The L* algorithm	70
5.2 Active learning weighted finite automata	73
5.3 Active learning WFA s from queries	77
5.4 Active learning probabilistic finite automata	80
5.5 Summary	82
6 Active Learning Quantum Automata	83
6.1 Basics of quantum computing	84
6.1.1 Measure-once one-way quantum finite automata	85
6.1.2 Measure-many one-way quantum finite automata	87
6.2 Learning quantum automata	89
6.2.1 Learning the structure	90
6.2.1.1 The Hankel matrix of a measure-once QFA	90
6.2.1.2 Learning the states	92
6.2.2 Learning the operators	95
6.2.3 Learning MO-1QFA with more accepting states	98
6.3 Distance between quantum automata	99

6.4 Experimental results	101
6.5 Summary	102
7 Implementing Quantum Finite Automata	103
7.1 Implementing a regular language	104
7.1.1 The implementation	104
7.1.2 Running a few experiments	106
7.2 Implementing a non-regular language	107
7.2.1 The implementation	107
7.2.2 Running a few experiments	108
7.3 Summary	109
8 Conclusions	111
References	114
Summary	
Samenvatting	
Curriculum Vitae	
Publication List	
Acknowledgements	

List of figures

2.1	Automata accepting strings over $\Sigma = \{a, b\}$ for which the 2nd symbol before the end is an a	14
2.2	A PFA	15
2.3	A PFA that cannot be represented by a DPFA.	20
2.4	An HMMT with its equivalent HMM and PFA.	24
3.1	A 1-testable language.	33
3.2	A deterministic automaton for the language $\{ba, bb\}\{b\}^*$	34
3.3	A consistent DFFA	36
3.4	The DPFA resulting from the DFFA in Figure 3.3	37
3.5	The DFA generated from the $S = \{a, c, abba, abbbba\}$	39
3.6	A DPFA which can recognize a 3-testable language.	42
3.7	The DPFA returned by our algorithm with $k = 3$	43
3.8	The DPFA returned by the ALERGIA algorithm.	43
3.9	Another target DPFA.	43
3.10	The DPFA constructed by our algorithm for $k = 3$	44
3.11	The DPFA returned by our algorithm for $k = 4$	44
3.12	The DPFA returned by the ALERGIA algorithm with $\alpha = 0.5$	44
4.1	A deterministic finite automaton	49
4.2	Three automata learned from the sample (S, Fr) , with $Fr(\varepsilon) = 3, Fr(aa) = Fr(ba) = 2, Fr(bb) = Fr(abb) = Fr(bab) = 1$, and $Fr(a) = Fr(b) = Fr(ab) = Fr(abb) = 0$	53
4.3	The four target automata for our experiments	57
4.4	Results of learning A_1	58
4.5	Results of learning A_2	58
4.6	Results of learning A_3	59
4.7	Results of learning A_4	59

4.8	The RFSA and PFA automata from Example 1.	62
4.9	A 3×3 maze, where 0 means available, 1 is an obstacle. (0,0) is the start point, (2,2) is the end point.	65
5.1	Figures depicting two hypotheses	73
5.2	An example of a WFA.	76
5.3	An observation table.	78
5.4	Example of learning a WFA (Part I).	80
5.5	Example of learning a WFA (Part II).	80
5.6	Example of active learning a PFA.	81
5.7	The learned automaton with all probabilities as variables.	82
6.1	An example of learning an MO-1QFA.	98
7.1	First Experimental Setup of an Optical MO-1QFA.	105
7.2	Second Experimental Setup of an Optical MO-1QFA.	107

List of tables

3.1	Comparing the probabilities for a few strings	45
4.1	Averages, variances and improvements of L_2 distance between target 3-state, 5-state, 10-state automata and learned automata respectively.	64
4.2	Average, variance and improvement of F_1 and OP	67
5.1	Example run of $L = \{w \in a^* \mid w \neq 1\}$	73
6.1	Average and variance of distances on samples between target and learned automata.	101
6.2	Average and variance of distances between bases of target and learned automata.	102
7.1	Observed probabilities in time for a few strings.	106
7.2	Observed probabilities in time for strings in $\{a, b\}^*$	109