



Universiteit
Leiden
The Netherlands

Searching for a resolution of BSM puzzles at accelerators and in space

Mikulenko, O.

Citation

Mikulenko, O. (2024, December 12). *Searching for a resolution of BSM puzzles at accelerators and in space*. Retrieved from <https://hdl.handle.net/1887/4172421>

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/4172421>

Note: To cite this publication please use the final published version (if applicable).

Searching for a resolution of BSM puzzles at accelerators and in space.

Proefschrift

ter verkrijging van
de graad van doctor aan de Universiteit Leiden,
op gezag van rector magnificus prof.dr.ir. H. Bijl,
volgens besluit van het college voor promoties
te verdedigen op donderdag 12 december 2024
klokke 10.00 uur

door

Oleksii Mikulenko
geboren te Kherson, Oekraïne
in 1997

Promotor: Prof.dr. A. Boyarsky

Co-promotor: Dr. S.P. Patil

Promotiecommissie: Prof. dr. N. Serra (ETH Zurich, Switzerland)
Prof. dr. A. Golutvin (Imperial College London, United Kingdom)
Dr. J. Pradler (University of Vienna, Austria)
Dr. L. Shchutska (EPFL Lausanne, Switzerland)
Prof. dr. ir. S.J. van der Molen
Prof. dr. K.E. Schalm

ISBN 978-94-6473-644-1

An electronic version of this thesis can be found at <https://openaccess.leidenuniv.nl>

The cover depicts the future SHiP experiment as a literal ship, that sails on a voyage to explore the dark realms of unknown physics.

This work has received funding from the European Research Council (ERC) under the European Union’s Horizon 2020 research and innovation programme (GA 694896), from the NWO Physics Vrij Programme “The Hidden Universe of Weakly Interacting Particles”, No. 680.92.18.03, which is partly financed by the Dutch Research Council NWO.

Contents

1	Introduction	7
1.1	Problems Beyond the Standard Model	10
1.2	Heavy neutral leptons and ν MSM	22
1.3	The thesis	24
2	The intensity frontier and the SHiP experiment	27
2.1	Feebly interacting particles and Intensity Frontier	27
2.1.1	Theory	27
2.1.2	Experiments	29
2.2	Motivation for a dedicated experiment	31
2.3	The SHiP facility	33
2.4	Semi-analytic approach to calculate sensitivities	34
2.4.1	On-axis location	37
2.4.2	Off-axis location	40
2.4.3	Upper bound of the sensitivity for on-axis and off-axis	42
2.5	Comparison between the experiment proposals under study at the CERN SPS	44
2.6	Conclusions	46
3	Existing constraints on HNLs	51
3.1	Introduction	51
3.2	Summarized constraints	53
3.2.1	Constraints from neutrino oscillations	53
3.2.2	Constraints from accelerator experiments	56
3.2.3	Constraints from Big Bang Nucleosynthesis	58
3.2.4	Constraints from Leptogenesis	60
3.3	Results	62
3.3.1	Numerical procedure	62
3.3.2	The space of viable 2 HNL models	63
3.3.3	Future searches	65
3.4	Discussion and outlook	67
3.5	Missing CHARM sensitivity to U_τ^2	68

3.5.1	CHARM experiment	71
3.5.2	Phenomenology of HNLs at CHARM	72
3.5.2.1	Production	72
3.5.2.2	Decays and their detection	74
3.5.3	Results	77
Appendix		79
3.A	BBN constraints on long-lived HNLs	79
4	Unveiling new physics with SHiP	81
4.1	Determining the nature of the signal	82
4.2	Example: probing the seesaw mechanism	84
4.2.1	Neutrino physics and HNL parameters.	84
4.2.2	Outline of the general method	87
4.3	Results	88
4.4	Conclusions	92
Appendix		94
4.A	Software details	94
4.B	Neutrino priors	94
4.C	Technical details	95
4.C.1	Parametrization	95
4.C.2	Hypothesis testing	95
4.C.3	Sensitivity estimate	96
4.D	Finding N^{bf}	97
5	Heavy neutral leptons at a muon collider	101
5.1	Introduction	101
5.2	Analytic estimate of the sensitivity reach	103
5.2.1	μ -mixing	104
5.2.2	Feasibility of vector boson fusion for e , τ -mixings	106
5.3	Probing lepton number violation and leptogenesis	110
5.3.1	Sensitivity to lepton number violation	110
5.3.2	Implications for leptogenesis	111
5.4	Conclusions	115
Appendix		117
5.A	HNL decay width	117
6	Quasi-Dirac HNLs in Left-Right Symmetric Model	119
6.1	Introduction	119
6.2	Phenomenology of HNLs below electroweak scale	120

6.3	Flavor structure from the seesaw relation.	124
6.3.1	LRSM Lagrangian	124
6.3.2	Approximate symmetry limit in type-I seesaw, $b = 0$	125
6.3.3	Mixed type-I and II seesaw	128
6.3.4	Type-I with $b \neq 0$	131
6.4	Experimental probes	135
6.4.1	Sensitivity of FCC-ee in the Z -pole mode	135
6.4.2	(De)coherence of the quasi-Dirac pair	137
6.4.3	Dark matter at SHiP	143
6.5	Conclusions.	147
Appendix		149
6.A	Decay $N_I \rightarrow N_J l_\alpha l_\beta$	149
6.B	Square root of 2×2 matrix.	149
7	Probing cosmic neutrino	151
7.1	Introduction	151
7.2	Relic neutrino capture	156
7.3	Quantum mechanics of β -interaction and crude estimate of neutrino capture	158
7.3.1	Crude estimate of neutrino capture	159
7.4	Experimental determination of the neutrino capture rate from the end of the β decay spectrum	162
7.5	Conclusion and discussion	164
Samenvatting		197
Summary		199
List of publications		201
Curriculum vitæ		202

