



Universiteit
Leiden
The Netherlands

Biophysical studies of intracellular and cellular motility

Mytiliniou, M.

Citation

Mytiliniou, M. (2025, January 16). *Biophysical studies of intracellular and cellular motility*. Retrieved from <https://hdl.handle.net/1887/4176388>

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/4176388>

Note: To cite this publication please use the final published version (if applicable).

Biophysical studies of intracellular and cellular motility

PROEFSCHRIFT

ter verkrijging van
de graad van doctor aan de Universiteit Leiden,
op gezag van rector magnificus prof.dr.ir. H. Bijl,
volgens besluit van het college voor promoties
te verdedigen op donderdag 16 januari 2025
klokke 11.30 uur

door

Maria Mytiliniou

geboren te Heraklion, Crete (Greece)
in 1988

Promotores: Prof. dr. D.M. Heinrich
Prof. dr. T. Schmidt

Promotiecommissie: Dr. M. Bauer (Delft University of Technology)
Prof. dr. C.C. Hoogenraad (Utrecht University)
Prof. dr. D.J. Kraft
Prof. dr. ir. S.J. van der Molen
Prof. dr. ir. S.J.T. van Noort
Dr. S. Semrau

An electronic version of this thesis can be found at <https://openaccess.leidenuniv.nl>

This work was supported by the Fraunhofer Gesellschaft through the Fraunhofer Attract grant '3D NanoCell'.

Cover: The cover shows a volume-view image of a differentiated PC12 cell on the flat substrate. Green color corresponds to alpha-tubulin and blue to the cell nucleus

For my father

CONTENTS

1	Introduction	1
1.1	Motile Behavior in Biology	2
1.1.1	Intracellular Motion	2
1.1.2	Cellular Motion	4
1.2	Biophysical Studies of Cellular and Intracellular Motion	6
1.2.1	Quantitative Trajectory Analysis	6
1.2.2	Defined micro-environments	8
1.3	Outline of this thesis	11
	Bibliography I	12
2	Establishment of Cell Model System and Neurite Alignment	23
2.1	Introduction	24
2.2	Results	26
2.2.1	PC12 differentiation on Laminin is as efficient as on Col- lagen, when using Opti-MEM -based differentiation media	26
2.2.2	PC12 cells differentiate and align on the patterned substrate	31
2.3	Discussion	34
2.4	Materials and Methods	36
2.4.1	Laminin μ PIP	36
2.4.2	Cell Culture	36
2.4.3	Electron and Optical Microscopy Imaging	37
2.4.4	Data Analysis	38
	Bibliography II	38
3	Impact of Neurite Geometry on Organelle Motion	45
3.1	Introduction	46
3.2	Results	48
3.2.1	microscale Plasma - Initiated Patterning (μ PIP) of Laminin guides the neurites of differentiated PC12 cells along 2 μ m-wide lines.	48
3.2.2	Sucrose induces lysosomal enlargement in differentiated PC12 cells.	50

3.2.3	Lysosomes inside aligned neurites exhibit higher displacements.	51
3.2.4	Local MSD analysis of lysosomes trajectories distinguishes among sub-diffusive, diffusive and super-diffusive motion modes.	51
3.2.5	Neurite alignment associates with more efficient (sub-/super-) diffusive transport of lysosomes.	53
3.2.6	Sucrose accumulation enhances crowding in aligned neurites.	55
3.2.7	Sucrose-induced lysosomal swelling results in proportionate decrease of the diffusion coefficient.	55
3.2.8	JDD analysis yields same characteristic values as MSD analysis for diffusive motion modes.	57
3.3	Discussion	58
3.4	Materials and Methods	62
3.4.1	Laminin μ PIP	62
3.4.2	Cell Culture	62
3.4.3	Optical Microscopy	63
3.4.4	Data Analysis	64
3.5	Appendix	67
	Bibliography III	71
4	Effect of G_4C_2 Repeat Expansions on the Motion of Lysosomes Inside Neurites	77
4.1	Introduction	78
4.2	Results	80
4.2.1	Neuron-like model system carrying (G_4C_2) repeats and dynamic analysis of lysosomal trajectories inside neurites of varying geometry	80
4.2.2	Mean squared displacement and instantaneous velocity of lysosomes in cells with G_4C_2 repeats decrease notably inside aligned neurites.	83
4.2.3	Lysosomal maximum displacement and instantaneous velocity are decreased for all transport modes in the presence of the G_4C_2 repeats	84
4.2.4	Fitting parameters of transport modes MSD curves confirm the effect of the G_4C_2 repeat expansion.	87
4.2.5	The ratio of anterograde/retrograde/neutral super-diffusive lysosomal trajectories varies for the two neurite geometries but exhibits similar instantaneous velocity differences.	89
4.3	Discussion	91
4.4	Materials and Methods	94
4.4.1	Laminin μ PIP	94
4.4.2	Cell Culture	94

4.4.3	Optical Microscopy	95
4.4.4	Data Analysis	96
4.5	Appendix	99
	Bibliography IV	99
5	Cell-sized obstacle crowding in square topographies enhances amoeboid migration, but impedes mesenchymal cell motility	113
5.1	Introduction	114
5.2	Results and Discussion	116
5.2.1	Mesenchymal and amoeboid cell motion under different crowding regimes in square obstacle topographies	116
5.2.2	Cell motion is enhanced or impeded by crowding depend- ing on cell type	118
5.2.3	Persistence speed and time are affected differently for the two cell types, but consistently anti-correlated for all crowding regimes	122
5.2.4	2D-simulations of persistent-random motion predict im- pediment of motility by pillar crowding	125
5.2.5	The characteristic length scale of square-pore topogra- phies is reflected in cell trajectory data	127
5.3	Conclusion	131
5.4	Materials and Methods	134
5.4.1	Cell culture and sample preparation	134
5.4.2	Substrate preparation: two-photon direct laser writing and soft lithography	135
5.4.3	Optical Microscopy	135
5.4.4	Trajectory Analysis	136
5.5	Appendix	141
	Bibliography V	141
	Summary	157
	Samenvatting	161
	Publications	165
	Curriculum Vitae	167

