



Universiteit  
Leiden  
The Netherlands

## The versatility of asymmetric aminoethyl-tetrazines in bioorthogonal chemistry

Sarris, A.

### Citation

Sarris, A. (2025, February 20). *The versatility of asymmetric aminoethyl-tetrazines in bioorthogonal chemistry*. Retrieved from <https://hdl.handle.net/1887/4195419>

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/4195419>

**Note:** To cite this publication please use the final published version (if applicable).

# **The versatility of asymmetric aminoethyl-tetrazines in bioorthogonal chemistry**

proefschrift

ter verkrijging van  
de graad van doctor aan de Universiteit Leiden,  
op gezag van rector magnificus prof.dr.ir. H. Bijl,  
volgens besluit van het college voor promoties  
te verdedigen op donderdag 20 februari 2025  
klokke 13:00 uur

door

**Alexi Johannes Christaki Sarris**

geboren te Eindhoven  
in 1986

**Promotores:** Prof. dr. H.S. Overkleeft  
Prof. dr. S.I. van Kasteren

**Promotiecommissie:** Prof. dr. M. Ubbink  
Prof. dr. J.D.C. Codée  
Dr. D.V. Filippov  
Prof. dr. H. Mikula *Technische Universiteit Wenen*  
Dr. K.M. Bongers *Radboud Universiteit*

# Table of contents

|                                                                                                                        |            |
|------------------------------------------------------------------------------------------------------------------------|------------|
| <b>Chapter 1</b>                                                                                                       | <b>5</b>   |
| A brief history of tetrazine chemistry and their application in bioorthogonal reactions                                |            |
| <b>Chapter 2</b>                                                                                                       | <b>23</b>  |
| Incorporation of tetrazine alanine as amino acid analogue in peptidase inhibitors for activity-based protein profiling |            |
| <b>Chapter 3</b>                                                                                                       | <b>43</b>  |
| Synthesis of amino-functionalized tetrazines and their use in cellular fluorescence microscopy imaging                 |            |
| <b>Chapter 4</b>                                                                                                       | <b>101</b> |
| Simultaneous dual-labeling of live cells using hydrophilic and hydrophobic tetrazine fluorophores                      |            |
| <b>Chapter 5</b>                                                                                                       | <b>113</b> |
| Fast and pH-independent elimination of trans-cyclooctene using aminoethyl functionalized tetrazines                    |            |
| <b>Chapter 6</b>                                                                                                       | <b>143</b> |
| Fluorogenic bifunctional <i>trans</i> -cyclooctenes as efficient tools for investigating click to release kinetics     |            |
| <b>Chapter 7</b>                                                                                                       | <b>163</b> |
| Summary and future prospects                                                                                           |            |
| <b>Nederlandse samenvatting</b>                                                                                        | <b>196</b> |
| <b>List of publications</b>                                                                                            | <b>198</b> |
| <b>Curriculum Vitae</b>                                                                                                | <b>200</b> |
| <b>Acknowledgements</b>                                                                                                | <b>201</b> |