



From stress to success: how actinobacteria exploit life without a cell wall

Ongenae, V.M.A.

Citation

Ongenae, V. M. A. (2025, March 11). *From stress to success: how actinobacteria exploit life without a cell wall*. Retrieved from <https://hdl.handle.net/1887/4197402>

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/4197402>

Note: To cite this publication please use the final published version (if applicable).

References

- [1] N. Arefa, A. K. Sarker, and M. A. Rahman, "Resistance-guided isolation and characterization of antibiotic-producing bacteria from river sediments," *BMC microbiology*, vol. 21, pp. 1-12, 2021.
- [2] E. A. Barka *et al.*, "Taxonomy, physiology, and natural products of Actinobacteria," *Microbiology and molecular biology reviews*, vol. 80, no. 1, pp. 1-43, 2016.
- [3] A. Van der Meij, S. F. Worsley, M. I. Hutchings, and G. P. van Wezel, "Chemical ecology of antibiotic production by actinomycetes," *FEMS microbiology reviews*, vol. 41, no. 3, pp. 392-416, 2017.
- [4] K. Flärdh and M. J. Buttner, "Streptomyces morphogenetics: dissecting differentiation in a filamentous bacterium," *Nature Reviews Microbiology*, vol. 7, no. 1, pp. 36-49, 2009.
- [5] P. Yagüe *et al.*, "Subcompartmentalization by cross-membranes during early growth of Streptomyces hyphae," *Nature Communications*, vol. 7, no. 1, p. 12467, 2016.
- [6] M. Kontro, U. Lignell, M. R. Hirvonen, and A. Nevalainen, "pH effects on 10 Streptomyces spp. growth and sporulation depend on nutrients," *Letters in Applied Microbiology*, vol. 41, no. 1, pp. 32-38, 2005.
- [7] D. Lapwood, "The Relative Importance of Weather, Soil-and Seed-borne Inoculum in determining the Incidence of Common Scab (Streptomyces scabies) in Potato Crops," *Plant Pathology*, vol. 21, no. 3, pp. 105-108, 1972.
- [8] E. M. Shepherdson, C. R. Baglio, and M. A. Elliot, "Streptomyces behavior and competition in the natural environment," *Current Opinion in Microbiology*, vol. 71, p. 102257, 2023.
- [9] P. Marsh and E. Wellington, "Interactions between actinophage and their streptomycete hosts in soil and the fate of phage borne genes," in *Gene Transfers and Environment: Proceedings of the Third European Meeting on Bacterial Genetics and Ecology (BAGECO-3)*,

20–22 November 1991, Villefranche-sur-Mer, France, 1992: Springer, pp. 135-142.

- [10] D. Claessen and J. Errington, "Cell wall-deficiency as a coping strategy for stress," in *Trends in Microbiology* vol. 27, ed: Elsevier Ltd, 2019, pp. 1025-1033.
- [11] K. Ramijan *et al.*, "Stress-induced formation of cell wall-deficient cells in filamentous actinomycetes," *Nature Communications*, vol. 9, 2018, doi: 10.1038/s41467-018-07560-9.
- [12] E. Ultee, K. Ramijan, R. T. Dame, A. Briegel, and D. Claessen, "Stress-induced adaptive morphogenesis in bacteria," *Advances in Microbial Physiology*, vol. 74, pp. 97-141, 2019, doi: 10.1016/bs.ampbs.2019.02.001.
- [13] K. Kohm and R. Hertel, "The lifecycle of SP β and related phages," *Archives of Virology*, vol. 166, no. 8, pp. 2119-2130, 2021.
- [14] A. Washizaki, T. Yonesaki, and Y. Otsuka, "Characterization of the interactions between *Escherichia coli* receptors, LPS and OmpC, and bacteriophage T4 long tail fibers," *Microbiologyopen*, vol. 5, no. 6, pp. 1003-1015, 2016.
- [15] M. H. V. Alstyne, R. H. Otto, and E. McCoy, "Characteristics of *Streptomyces griseus* strains resistant to phage," *Journal of bacteriology*, vol. 70, no. 1, pp. 113-119, 1955.
- [16] L. A. Jones and S. Bradley, "The life-cycle of an actinophage for *Streptomyces venezuelae*," *Microbiology*, vol. 40, no. 2, pp. 191-198, 1965.
- [17] T. Luthe *et al.*, "Streptomyces development is involved in the efficient containment of viral infections," *Microlife*, vol. 4, p. uqad002, 2023.
- [18] L.-C. Fortier and O. Sekulovic, "Importance of prophages to evolution and virulence of bacterial pathogens," vol. 5, pp. 354-365, 2013, doi: 10.4161/viru.24498.
- [19] G. P. C. Salmond and P. C. Fineran, "A century of the phage: past, present and future," in *Nature Reviews Microbiology* vol. 13, ed: Nature Publishing Group, 2015, pp. 777-786.

[20] M. Simmons, K. Drescher, C. D. Nadell, and V. Bucci, "Phage mobility is a core determinant of phage-bacteria coexistence in biofilms," *ISME Journal*, vol. 12, pp. 532-543, 2018, doi: 10.1038/ismej.2017.190.

[21] B. L. Beaman, "Induction of L-phase variants of *Nocardia caviae* within intact murine lungs," *Infection and Immunity*, vol. 29, pp. 244-251, 1980, doi: 10.1128/iai.29.1.244-251.1980.

[22] F. Germano, D. Testi, L. Campagnolo, M. Scimeca, and C. Arcuri, "Cell-wall-deficient bacteria in oral biofilm: association with periodontitis," in *medRxiv*, ed: medRxiv, 2020, p. 2020.07.13.20120428.

[23] H. W. Ackermann, "Phage classification and characterization.," *Methods in molecular biology (Clifton, N.J.)*, vol. 501, pp. 127-140, 2009, doi: 10.1007/978-1-60327-164-6_13.

[24] E. J. Lefkowitz, D. M. Dempsey, R. C. Hendrickson, R. J. Orton, S. G. Siddell, and D. B. Smith, "Virus taxonomy: the database of the International Committee on Taxonomy of Viruses (ICTV)," *Nucleic Acids Research*, vol. 46, pp. D708-D717, 2018, doi: 10.1093/NAR/GKX932.

[25] M. Seoane-Blanco, M. J. van Raaij, and M. Granell, "Bacteriophage tail fibres, tailspikes, and bacterial receptor interaction," *Encyclopedia of Virology*, pp. 194-205, 2021, doi: 10.1016/B978-0-12-814515-9.00152-1.

[26] Y. Sun *et al.*, "Structural changes of tailless bacteriophage Φ x174 during penetration of bacterial cell walls," *Proceedings of the National Academy of Sciences of the United States of America*, vol. 114, pp. 13708-13713, 2017, doi: 10.1073/pnas.1716614114.

[27] Q. Zhong *et al.*, "Transcriptomic analysis reveals the dependency of *Pseudomonas aeruginosa* genes for double-stranded RNA bacteriophage phiYY infection cycle," *iScience*, vol. 23, p. 101437, 2020, doi: 10.1016/j.isci.2020.101437.

[28] E. Stone, K. Campbell, I. Grant, and O. McAuliffe, "Understanding and exploiting phage–host interactions," in *Viruses* vol. 11, ed: MDPI AG, 2019, p. 567.

[29] Z. Chen *et al.*, "Cryo-EM structure of the bacteriophage T4 isometric head at 3.3-Å resolution and its relevance to the assembly of icosahedral viruses," *Proceedings of the National Academy of Sciences of the United States of America*, vol. 114, pp. E8184-E8193, 2017, doi: 10.1073/pnas.1708483114.

[30] A. Washizaki, T. Yonesaki, and Y. Otsuka, "Characterization of the interactions between *Escherichia coli* receptors, LPS and OmpC, and bacteriophage T4 long tail fibers," *MicrobiologyOpen*, vol. 5, pp. 1003-1015, 2016, doi: 10.1002/mbo3.384.

[31] M. L. Yap and M. G. Rossmann, "Structure and function of bacteriophage T4," in *Future Microbiology* vol. 9, ed: Future Medicine Ltd., 2014, pp. 1319-1337.

[32] A. A. Lindberg, "Bacteriophage receptors," in *Annual review of microbiology* vol. 27, ed, 1973, pp. 205-241.

[33] J.-V. Höltje, "Growth of the stress-bearing and shape-maintaining murein sacculus of *Escherichia coli*," *Microbiology and Molecular Biology Reviews*, vol. 62, pp. 181-203, 1998, doi: 10.1128/mmbr.62.1.181-203.1998.

[34] F. C. Neuhaus and J. Baddiley, "A continuum of anionic charge: structures and functions of d-alanyl-teichoic acids in gram-positive bacteria," *Microbiology and Molecular Biology Reviews*, vol. 67, pp. 686-723, 2003, doi: 10.1128/mmbr.67.4.686-723.2003.

[35] J. Bertozzi Silva, Z. Storms, and D. Sauvageau, "Host receptors for bacteriophage adsorption," *FEMS Microbiology Letters*, vol. 363, p. fnw002, 2016, doi: 10.1093/femsle/fnw002.

[36] D. V. Rakhuba, E. I. Kolomiets, E. Szwajcer Dey, and G. I. Novik, "Bacteriophage receptors, mechanisms of phage adsorption and penetration into host cell," in *Polish Journal of Microbiology* vol. 59, ed: Polish Society of Microbiologists, 2010, pp. 145-155.

[37] D. B. Datta, B. Arden, and U. Henning, "Major proteins of the *Escherichia coli* outer cell envelope membrane as bacteriophage receptors," *Journal of Bacteriology*, vol. 131, pp. 821-829, 1977, doi: 10.1128/jb.131.3.821-829.1977.

[38] K. Hantke, "Major outer membrane proteins of *E. coli* K12 serve as receptors for the phages T2 (protein Ia) and 434 (protein Ib)," *MGG Molecular & General Genetics*, vol. 164, pp. 131-135, 1978, doi: 10.1007/BF00267377.

[39] R. Marti, K. Zurfluh, S. Hagens, J. Pianezzi, J. Klumpp, and M. J. Loessner, "Long tail fibres of the novel broad-host-range T-even bacteriophage S16 specifically recognize *Salmonella* OmpC," *Molecular Microbiology*, vol. 87, pp. 818-834, 2013, doi: 10.1111/mmi.12134.

[40] M. Roa, "Interaction of bacteriophage K10 with its receptor, the lamB protein of *Escherichia coli*," *Journal of Bacteriology*, vol. 140, pp. 680-686, 1979, doi: 10.1128/jb.140.2.680-686.1979.

[41] H. Shin, J. H. Lee, H. Kim, Y. Choi, S. Heu, and S. Ryu, "Receptor diversity and host interaction of bacteriophages infecting *Salmonella enterica* Serovar Typhimurium," *PLoS ONE*, vol. 7, p. e43392, 2012, doi: 10.1371/journal.pone.0043392.

[42] R. C. Guerrero-Ferreira *et al.*, "Alternative mechanism for bacteriophage adsorption to the motile bacterium *Caulobacter crescentus*," *Proceedings of the National Academy of Sciences of the United States of America*, vol. 108, pp. 9963-9968, 2011, doi: 10.1073/pnas.1012388108.

[43] Z. Yu, C. Schwarz, L. Zhu, L. Chen, Y. Shen, and P. Yu, "Hitchhiking behavior in bacteriophages facilitates phage infection and enhances carrier bacteria colonization," *Environmental Science & Technology*, 2020, doi: 10.1021/acs.est.0c06969.

[44] A. K. Nichith Ratheesh, C. A. Calderon, A. M. Zdimal, and A. Srivastava, "Swarm-mediated phage transport disrupts a biofilm inherently protected from phage penetration," doi: 10.1101/2021.06.25.449910.

[45] M. R. Tock and D. T. F. Dryden, "The biology of restriction and anti-restriction," in *Current Opinion in Microbiology* vol. 8, ed: Elsevier Current Trends, 2005, pp. 466-472.

[46] A. Lopatina, N. Tal, and R. Sorek, "Abortive infection: bacterial suicide as an antiviral immune strategy," in *Annual Review of Virology* vol. 7, ed: Annual Reviews Inc., 2020, pp. 371-384.

[47] A. Harms, D. E. Brodersen, N. Mitarai, and K. Gerdes, "Toxins, targets, and triggers: an overview of toxin-antitoxin biology," in *Molecular Cell* vol. 70, ed: Cell Press, 2018, pp. 768-784.

[48] H. G. Hampton, B. N. J. Watson, and P. C. Fineran, "The arms race between bacteria and their phage foes," in *Nature* vol. 577, ed: Nature Research, 2020, pp. 327-336.

[49] A. B. Isaev, O. S. Musharova, and K. V. Severinov, "Microbial arsenal of antiviral defenses – part I," in *Biochemistry (Moscow)* vol. 86, ed: Pleiades journals, 2021, pp. 319-337.

[50] K. Bhushan, "BacteRiophage EXclusion (BREX): a novel anti-phage mechanism in the arsenal of bacterial defense system," *Journal of Cellular Physiology*, vol. 233, pp. 771-773, 2018, doi: 10.1002/JCP.25973.

[51] S. Kronheim *et al.*, "A chemical defence against phage infection," *Nature*, vol. 564, pp. 283-286, 2018, doi: 10.1038/s41586-018-0767-x.

[52] A. H. Azam and Y. Tanji, "Bacteriophage-host arm race: an update on the mechanism of phage resistance in bacteria and revenge of the phage with the perspective for phage therapy," in *Applied Microbiology and Biotechnology* vol. 103, ed: Springer Verlag, 2019, pp. 2121-2131.

[53] X. Wu, J. Zhu, P. Tao, and V. B. Rao, "Bacteriophage T4 escapes CRISPR attack by minihomology recombination and repair," *mBio*, 2021, doi: 10.1128/mbio.01361-21.

[54] A. Bernheim and R. Sorek, "The pan-immune system of bacteria: antiviral defence as a community resource," in *Nature Reviews Microbiology* vol. 18, ed: Nature Research, 2020, pp. 113-119.

[55] H. G. Hampton, L. M. Smith, S. Ferguson, S. Meaden, S. A. Jackson, and P. C. Fineran, "Functional genomics reveals the toxin–antitoxin

repertoire and AbiE activity in *serratia*," *Microbial Genomics*, vol. 6, pp. 1-15, 2020, doi: 10.1099/mgen.0.000458.

[56] S. van Houte, A. Buckling, and E. R. Westra, "Evolutionary ecology of prokaryotic immune mechanisms," *Microbiology and Molecular Biology Reviews*, vol. 80, pp. 745-763, 2016, doi: 10.1128/mmbr.00011-16.

[57] L. Vidakovic, P. K. Singh, R. Hartmann, C. D. Nadell, and K. Drescher, "Dynamic biofilm architecture confers individual and collective mechanisms of viral protection," *Nature Microbiology*, vol. 3, pp. 26-31, 2017, doi: 10.1038/s41564-017-0050-1.

[58] T. Reyes-Robles *et al.*, "Vibrio cholerae outer membrane vesicles inhibit bacteriophage infection," *Journal of Bacteriology*, vol. 200, 2018, doi: 10.1128/JB.00792-17.

[59] H. Harvey, J. Bondy-Denomy, H. Marquis, K. M. Sztanko, A. R. Davidson, and L. L. Burrows, "Pseudomonas aeruginosa defends against phages through type IV pilus glycosylation," *Nature Microbiology*, vol. 3, pp. 47-52, 2018, doi: 10.1038/s41564-017-0061-y.

[60] J. T. Rostøl and L. Marraffini, "(Ph)ighting phages: how bacteria resist their parasites," in *Cell Host and Microbe* vol. 25, ed: Cell Press, 2019, pp. 184-194.

[61] D. Scholl, S. Adhya, and C. Merril, "Escherichia coli K1's capsule is a barrier to bacteriophage T7," *Applied and Environmental Microbiology*, vol. 71, pp. 4872-4874, 2005, doi: 10.1128/AEM.71.8.4872-4874.2005.

[62] S. Lemire, K. M. Yehl, and T. K. Lu, "Phage-based applications in synthetic biology," *Annual Review of Virology*, vol. 5, pp. 453-476, 2018, doi: 10.1146/annurev-virology-092917-043544.

[63] E. Ultee, A. Briegel, and D. Claessen, "Formation of wall-less cells in *Kitasatospora viridifaciens* requires cytoskeletal protein FilP in oxygen-limiting conditions," pp. 1-10, 2020, doi: 10.1101/2020.05.26.116947.

[64] R. Mercier, Y. Kawai, and J. Errington, "General principles for the formation and proliferation of a wall-free (L-form) state in bacteria," *eLife*, vol. 3, 2014, doi: 10.7554/eLife.04629.

[65] R. Mercier, Y. Kawai, and J. Errington, "Excess membrane synthesis drives a primitive mode of cell proliferation," *Cell*, vol. 152, pp. 997-1007, 2013, doi: 10.1016/j.cell.2013.01.043.

[66] K. M. Mickiewicz *et al.*, "Possible role of L-form switching in recurrent urinary tract infection," *Nature Communications*, vol. 10, 2019, doi: 10.1038/s41467-019-12359-3.

[67] J. T. Park and J. L. Strominger, "Mode of action of penicillin. Biochemical basis for the mechanism of action of penicillin and for its selective toxicity," in *New Series*, 1957, vol. 125, pp. 99-101.

[68] G. Slavchev, L. Michailova, and N. Markova, "Stress-induced L-forms of *Mycobacterium bovis*: a challenge to survivability," in *NEW MICROBIOLOGICA*, 2013, vol. 36, pp. 157-166.

[69] N. Markova, G. Slavchev, L. Michailova, and M. Jourdanova, "Survival of *Escherichia coli* under lethal heat stress by L-form conversion," *International Journal of Biological Sciences*, vol. 6, pp. 303-315, 2010, doi: 10.7150/ijbs.6.303.

[70] T. Onoda, A. Oshima, S. Nakano, and A. Matsuno, "Morphology, growth and reversion in a stable L-form of *Escherichia coli* K12," *Journal of General Microbiology*, vol. 133, pp. 527-534, 1987, doi: 10.1099/00221287-133-3-527.

[71] M. Osawa and H. P. Erickson, "L form bacteria growth in low- osmolality medium," *Microbiology (United Kingdom)*, vol. 165, pp. 842-851, 2019, doi: 10.1099/mic.0.000799.

[72] T. Chikada, T. Kanai, M. Hayashi, T. Kasai, T. Oshima, and D. Shiomi, "Direct observation of conversion from walled cells to wall-deficient L-form and vice versa in *Escherichia coli* indicates the essentiality of the outer membrane for proliferation of L-form cells," *Frontiers in Microbiology*, vol. 12, p. 537, 2021, doi: 10.3389/fmicb.2021.645965.

[73] E. R. Rojas *et al.*, "The outer membrane is an essential load-bearing element in Gram-negative bacteria," *Nature*, vol. 559, pp. 617-621, 2018, doi: 10.1038/s41586-018-0344-3.

[74] A. Du Toit, "Living without the cell wall," *Nature Reviews Microbiology*, vol. 17, p. 65, 2019, doi: 10.1038/s41579-018-0142-9.

[75] F. A. Hussain *et al.*, "Rapid evolutionary turnover of mobile genetic elements drives microbial resistance to viruses," doi: 10.1101/2021.03.26.437281.

[76] D. A. Russell and G. F. Hatfull, "PhagesDB: the actinobacteriophage database," *Bioinformatics*, vol. 33, pp. 784-786, 2017, doi: 10.1093/bioinformatics/btw711.

[77] I. Groth, C. Rodríguez, B. Schütze, P. Schmitz, E. Leistner, and M. Goodfellow, "Five novel *Kitasatospora* species from soil: *Kitasatospora arboriphila* sp. nov., *K. gansuensis* sp. nov., *K. nippensis* sp. nov., *K. paranensis* sp. nov. and *K. terrestris* sp. nov," *International Journal of Systematic and Evolutionary Microbiology*, vol. 54, pp. 2121-2129, 2004, doi: 10.1099/ijss.0.63070-0.

[78] E. M. H. Wellington, E. Stackebrandt, D. Sanders, J. Wolstrup, and N. O. G. Jorgensen, "Taxonomic status of *Kitasatosporia*, and proposed unification with *Streptomyces* on the basis of phenotypic and 16S rRNA analysis and emendation of *Streptomyces Waksman* and *Henrici* 1943, 339(AL)," *International Journal of Systematic Bacteriology*, vol. 42, pp. 156-160, 1992, doi: 10.1099/00207713-42-1-156.

[79] A. Petrovic Fabijan *et al.*, "L-form switching confers antibiotic, phage and stress tolerance in pathogenic *Escherichia coli*," *bioRxiv*, p. 2021.06.21.449206, 2021, doi: 10.1101/2021.06.21.449206.

[80] J. Gumpert, I. Zimmermann, and U. Taubeneck, "Phage adsorption and productive lysis in stable protoplast type L-forms of *Bacillus subtilis* and *Streptomyces hygroscopicus*," *Journal of Basic Microbiology*, vol. 26, pp. 15-25, 1986, doi: 10.1002/jobm.3620260106.

[81] E. D. Jacobson¹, O. E. Landman², and H. Rogers, "Interaction of protoplasts, L forms, and bacilli of *Bacillus subtilis* with 12 strains of

bacteriophage," *JOURNAL OF BACTERIOLOGY*, vol. 124, pp. 445-458, 1975.

[82] J. Maniloff and K. Dybvig, "Mycoplasma viruses," *CRC Critical Reviews in Microbiology*, vol. 15, pp. 339-389, 1988, doi: 10.3109/10408418809104462.

[83] T. Azimi, M. Mosadegh, M. J. Nasiri, S. Sabour, S. Karimaei, and A. Nasser, "Phage therapy as a renewed therapeutic approach to mycobacterial infections: a comprehensive review," in *Infection and Drug Resistance* vol. 12, ed: Dove Medical Press Ltd., 2019, pp. 2943-2959.

[84] S. Kilcher, P. Studer, C. Muessner, J. Klumpp, M. J. Loessner, and S. Adhya, "Cross-genus rebooting of custom-made, synthetic bacteriophage genomes in L-form bacteria," *Proceedings of the National Academy of Sciences of the United States of America*, vol. 115, pp. 567-572, 2018, doi: 10.1073/pnas.1714658115.

[85] R. Monteiro, D. P. Pires, A. R. Costa, and J. Azeredo, "Phage therapy: going temperate?," in *Trends in Microbiology* vol. 27, ed: Elsevier Ltd, 2019, pp. 368-378.

[86] L. T. Fernández-Martínez *et al.*, "New insights into chloramphenicol biosynthesis in *Streptomyces venezuelae* ATCC 10712," *Antimicrobial Agents and Chemotherapy*, vol. 58, no. 12, pp. 7441-7450, 2014.

[87] R. E. d. L. Procópio, I. R. d. Silva, M. K. Martins, J. L. d. Azevedo, and J. M. d. Araújo, "Antibiotics produced by *Streptomyces*," *Brazilian Journal of Infectious Diseases*, vol. 16, no. 5, pp. 466-471, 2012.

[88] J. Zheng, Y. Li, H. Guan, J. Zhang, and H. Tan, "Enhancement of neomycin production by engineering the entire biosynthetic gene cluster and feeding key precursors in *Streptomyces fradiae* CGMCC 4.576," *Applied microbiology and biotechnology*, vol. 103, no. 5, pp. 2263-2275, 2019.

[89] K.-S. Hwang, H. U. Kim, P. Charusanti, B. Ø. Palsson, and S. Y. Lee, "Systems biology and biotechnology of *Streptomyces* species for the production of secondary metabolites," *Biotechnology advances*, vol. 32, no. 2, pp. 255-268, 2014.

[90] G. P. van Wezel and K. J. McDowall, "The regulation of the secondary metabolism of *Streptomyces*: new links and experimental advances," *Natural product reports*, vol. 28, no. 7, pp. 1311-1333, 2011.

[91] P. A. Hoskisson, P. Sumby, and M. C. Smith, "The phage growth limitation system in *Streptomyces coelicolor* A (3) 2 is a toxin/antitoxin system, comprising enzymes with DNA methyltransferase, protein kinase and ATPase activity," *Virology*, vol. 477, pp. 100-109, 2015.

[92] P. Sumby and M. C. Smith, "Genetics of the phage growth limitation (Pgl) system of *Streptomyces coelicolor* A3 (2)," *Molecular microbiology*, vol. 44, no. 2, pp. 489-500, 2002.

[93] V. Ongenae, A. S. Mabrouk, M. Crooijmans, D. Rozen, A. Briegel, and D. Claessen, "Reversible bacteriophage resistance by shedding the bacterial cell wall," *Open Biology*, vol. 12, no. 6, 2022, doi: 10.1098/rsob.210379.

[94] H. Zhu *et al.*, "Eliciting antibiotics active against the ESKAPE pathogens in a collection of actinomycetes isolated from mountain soils," *Microbiology (United Kingdom)*, vol. 160, pp. 1714-1726, 2014, doi: 10.1099/mic.0.078295-0.

[95] J. Dowding, "Characterization of a bacteriophage virulent for *Streptomyces coelicolor* A3 (2)," *Microbiology*, vol. 76, no. 1, pp. 163-176, 1973.

[96] J. R. Garneau, F. Depardieu, L.-C. Fortier, D. Bikard, and M. Monot, "PhageTerm: a tool for fast and accurate determination of phage termini and packaging mechanism using next-generation sequencing data," *Scientific reports*, vol. 7, no. 1, pp. 1-10, 2017.

[97] R. C. Edgar, "MUSCLE: multiple sequence alignment with high accuracy and high throughput," *Nucleic acids research*, vol. 32, no. 5, pp. 1792-1797, 2004.

[98] A. Hardy, V. Sharma, L. Kever, and J. Frunzke, "Genome sequence and characterization of five bacteriophages infecting *Streptomyces coelicolor* and *Streptomyces venezuelae*: Alderaan, Coruscant, Dagobah, Endor1 and Endor2," *Viruses*, vol. 12, no. 10, p. 1065, 2020.

[99] D. Turner, E. M. Adriaenssens, I. Tolstoy, and A. M. Kropinski, "Phage annotation guide: guidelines for assembly and high-quality annotation," *PHAGE*, vol. 2, no. 4, pp. 170-182, 2021.

[100] C. Moraru, A. Varsani, and A. M. Kropinski, "VIRIDIC—A novel tool to calculate the intergenomic similarities of prokaryote-infecting viruses," *Viruses*, vol. 12, no. 11, p. 1268, 2020.

[101] A. C. Groth and M. P. Calos, "Phage integrases: biology and applications," *Journal of molecular biology*, vol. 335, no. 3, pp. 667-678, 2004.

[102] J. J. Dennehy and S. T. Abedon, "Phage Infection and Lysis," *Bacteriophages: Biology, Technology, Therapy*, pp. 341-383, 2021.

[103] R. Seshadri *et al.*, "Expanding the genomic encyclopedia of Actinobacteria with 824 isolate reference genomes," *Cell genomics*, vol. 2, no. 12, 2022.

[104] M. J. Bibb, "Understanding and manipulating antibiotic production in actinomycetes," *Biochemical Society Transactions*, vol. 41, no. 6, pp. 1355-1364, 2013.

[105] N. Lu *et al.*, "Characterization and genome analysis of the temperate bacteriophage ϕ SAJS1 from *Streptomyces avermitilis*," *Virus research*, vol. 265, pp. 34-42, 2019.

[106] D. Turner *et al.*, "Abolishment of morphology-based taxa and change to binomial species names: 2022 taxonomy update of the ICTV bacterial viruses subcommittee," *Archives of Virology*, vol. 168, no. 2, p. 74, 2023.

[107] H.-W. Ackermann, "Frequency of morphological phage descriptions," *Archives of virology*, vol. 124, pp. 201-209, 1992.

[108] D. A. Russell and G. F. Hatfull, "PhagesDB: the actinobacteriophage database," *Bioinformatics*, vol. 33, no. 5, pp. 784-786, 2017.

[109] D. A. Benson *et al.*, "GenBank," *Nucleic Acids Research*, vol. 41, no. D1, pp. D36-D42, 2012, doi: 10.1093/nar/gks1195.

[110] N. S. Olsen, W. Kot, L. M. Junco, and L. H. Hansen, "Exploring the remarkable diversity of *Escherichia coli* phages in the Danish

Wastewater Environment, including 91 Novel Phage Species," *bioRxiv*, p. 2020.01. 19.911818, 2020.

- [111] V. Ongenae, J. Azeredo, A. M. Kropinski, D. Rozen, A. Briegel, and D. Claessen, "Genome sequence and characterization of *Streptomyces* phage Pablito, representing a new species within the genus *Janusvirus*," *Scientific Reports*, vol. 12, no. 1, p. 17785, 2022.
- [112] A. Rosner and R. Gutstein, "Adsorption of actinophage Pal 6 to developing mycelium of *Streptomyces albus*," *Canadian Journal of Microbiology*, vol. 27, no. 2, pp. 254-257, 1981.
- [113] A. Prjibelski, D. Antipov, D. Meleshko, A. Lapidus, and A. Korobeynikov, "Using SPAdes de novo assembler," *Current protocols in bioinformatics*, vol. 70, no. 1, p. e102, 2020.
- [114] Y. Nishimura, T. Yoshida, M. Kuronishi, H. Uehara, H. Ogata, and S. Goto, "ViPTree: the viral proteomic tree server," *Bioinformatics*, vol. 33, no. 15, pp. 2379-2380, 2017.
- [115] M. van den Belt, C. Gilchrist, T. J. Booth, Y.-H. Chooi, M. H. Medema, and M. Alanjary, "CAGECAT: The CompArative GEne Cluster Analysis Toolbox for rapid search and visualisation of homologous gene clusters," *BMC Bioinformatics*, vol. 24, no. 1, p. 181, 2023/05/03 2023, doi: 10.1186/s12859-023-05311-2.
- [116] Y. Takahashi, "Genus *Kitasatospora*, taxonomic features and diversity of secondary metabolites," in *Journal of Antibiotics* vol. 70, ed: Nature Publishing Group, 2017, pp. 506-513.
- [117] C. Gilmour, E. Noller, and B. Watkins, "Studies on *Streptomyces* Phage: I. Growth Characteristics of the *Streptomyces griseus* Host-Phage System," *Journal of Bacteriology*, vol. 78, no. 2, pp. 186-192, 1959.
- [118] E. Jończyk, M. Kłak, R. Międzybrodzki, and A. Górska, "The influence of external factors on bacteriophages," *Folia microbiologica*, vol. 56, pp. 191-200, 2011.
- [119] V. Zsuzsanna, C. Gabriella, H. Levente, and K. Miklós, "Temperature-dependent nanomechanics and topography of bacteriophage T7," 2018.

[120] M. R. Olson, R. P. Axler, and R. E. Hicks, "Effects of freezing and storage temperature on MS2 viability," *Journal of virological methods*, vol. 122, no. 2, pp. 147-152, 2004.

[121] M. Sharma, D. Kumar, and K. M. Poluri, "Elucidating the pH-dependent structural transition of T7 bacteriophage endolysin," *Biochemistry*, vol. 55, no. 33, pp. 4614-4625, 2016.

[122] A. Das, S. Mandal, V. Hemmadi, V. Ratre, and M. Biswas, "Studies on the gene regulation involved in the lytic–lysogenic switch in *Staphylococcus aureus* temperate bacteriophage Phi11," *The Journal of Biochemistry*, vol. 168, pp. 659-668, 2020, doi: 10.1093/jb/mvaa080.

[123] R. Edgar *et al.*, "Bacteriophage infection is targeted to cellular poles," *Molecular Microbiology*, vol. 68, pp. 1107-1116, 2008, doi: 10.1111/j.1365-2958.2008.06205.x.

[124] R. L. Dy, R. Przybilski, K. Semeijn, G. P. C. Salmond, and P. C. Fineran, "A widespread bacteriophage abortive infection system functions through a type IV toxin-antitoxin mechanism," *Nucleic Acids Research*, vol. 42, pp. 4590-4605, 2014, doi: 10.1093/nar/gkt1419.

[125] F. Hille, H. Richter, S. P. Wong, M. Bratović, S. Ressel, and E. Charpentier, "The biology of CRISPR-Cas: backward and forward," in *Cell* vol. 172, ed: Cell Press, 2018, pp. 1239-1259.

[126] C. M. Johnson, M. M. Harden, and A. D. Grossman, "An integrative and conjugative element encodes an abortive infection system to protect host cells from predation by a bacteriophage," in *bioRxiv*, ed: bioRxiv, 2020, p. 2020.12.13.422588.

[127] K. S. Makarova *et al.*, "Evolutionary classification of CRISPR–Cas systems: a burst of class 2 and derived variants," in *Nature Reviews Microbiology* vol. 18, ed: Nature Research, 2020, pp. 67-83.

[128] L. M. Malone, N. Birkholz, and P. C. Fineran, "Conquering CRISPR: how phages overcome bacterial adaptive immunity," in *Current Opinion in Biotechnology* vol. 68, ed: Elsevier Ltd, 2021, pp. 30-36.

[129] Y. Qiu, S. Wang, Z. Chen, Y. Guo, and Y. Song, "An active type I-E CRISPR-cas system identified in *Streptomyces avermitilis*," *PLoS ONE*, vol. 11, 2016, doi: 10.1371/journal.pone.0149533.

[130] T. Kieser, M. J. Bibb, M. J. Buttner, K. F. Chater, and D. A. Hopwood, "Practical streptomyces genetics," vol. 291, 2000.

[131] C. Stuttard, "Temperate phages of *Streptomyces venezuelae*: lysogeny and host specificity shown by phages SV1 and SV2," *Journal of General Microbiology*, vol. 128, pp. 115-121, 1982, doi: 10.1099/00221287-128-1-115.

[132] C. Allan *et al.*, "OMERO: flexible, model-driven data management for experimental biology," *Nat Methods*, vol. 9, no. 3, pp. 245-53, Feb 28 2012, doi: 10.1038/nmeth.1896.

[133] J. R. Kremer, D. N. Mastronarde, and J. R. McIntosh, "Computer visualization of three-dimensional image data using IMOD," *Journal of Structural Biology*, vol. 116, pp. 71-76, 1996, doi: 10.1006/jsb.1996.0013.

[134] F. U. Battistuzzi, A. Feijao, and S. B. Hedges, "A genomic timescale of prokaryote evolution: insights into the origin of methanogenesis, phototrophy, and the colonization of land," *BMC evolutionary biology*, vol. 4, no. 1, pp. 1-14, 2004.

[135] A. Bravo and M. Salas, "Polymerization of bacteriophage ϕ 29 replication protein p1 into protofilament sheets," *The EMBO journal*, vol. 17, no. 20, pp. 6096-6105, 1998.

[136] A. B. Isaev, O. S. Musharova, and K. V. Severinov, "Microbial arsenal of antiviral defenses. part II," *Biochemistry (Moscow)* 2021 86:4, vol. 86, pp. 449-470, 2021, doi: 10.1134/S0006297921040064.

[137] E. J, "L-form bacteria, cell walls and the origins of life," *Open biology*, vol. 3, 2013, doi: 10.1098/RSOB.120143.

[138] M. Toyofuku *et al.*, "Prophage-triggered membrane vesicle formation through peptidoglycan damage in *Bacillus subtilis*," *Nature Communications*, vol. 8, pp. 1-10, 2017, doi: 10.1038/s41467-017-00492-w.

[139] V. Grosboillot, "Revertant *Listeria monocytogenes* and conditions for their persistence as intracellular L-forms," 2021, doi: 10.3929/ETHZ-B-000490596.

[140] A. M. Paton and C. M. J. Innes, "Methods for the establishment of intracellular associations of L-forms with higher plants," *Journal of Applied Bacteriology*, vol. 71, pp. 59-64, 1991, doi: 10.1111/J.1365-2672.1991.TB04663.X.

[141] J. M. Wood, "Bacterial responses to osmotic challenges," *The Journal of General Physiology*, vol. 145, p. 381, 2015, doi: 10.1085/JGP.201411296.

[142] F. E. Youngt, "Requirement of glucosylated teichoic acid for adsorption of phage in *Bacillus subtilis*."

[143] M. M. Farley, J. Tu, D. B. Kearns, I. J. Molineux, and J. Liu, "Ultrastructural analysis of bacteriophage Φ 29 during infection of *Bacillus subtilis*," *Journal of structural biology*, vol. 197, p. 163, 2017, doi: 10.1016/J.JSB.2016.07.019.

[144] E. D. Jacobson and O. E. Landman, "Adsorption of bacteriophages phi 29 and 22a to protoplasts of *Bacillus subtilis* 168," *Journal of Virology*, vol. 21, pp. 1223-1227, 1977, doi: 10.1128/JVI.21.3.1223-1227.1977.

[145] N. Pett *et al.*, "T4 Bacteriophage and *E. coli* Interaction in the Murine Intestine: A Prototypical Model for Studying Host-Bacteriophage Dynamics In Vivo," *Journal of Visualized Experiments: Jove*, no. 203, 2024.

[146] N. Li *et al.*, "Characterization of phage resistance and their impacts on bacterial fitness in *Pseudomonas aeruginosa*," *Microbiology Spectrum*, vol. 10, no. 5, pp. e02072-22, 2022.

[147] A. R. Costa *et al.*, "Accumulation of defense systems in phage-resistant strains of *Pseudomonas aeruginosa*," *Science Advances*, vol. 10, no. 8, p. eadj0341, 2024.

[148] R. E. d. L. Procópio, I. R. d. Silva, M. K. Martins, J. L. d. Azevedo, and J. M. d. Araújo, "Antibiotics produced by *Streptomyces*," *Brazilian Journal of Infectious Diseases*, vol. 16, pp. 466-471, 2012.

[149] M. G. Watve, R. Tickoo, M. M. Jog, and B. D. Bhole, "How many antibiotics are produced by the genus *Streptomyces*?", *Archives of microbiology*, vol. 176, pp. 386-390, 2001.

[150] J. Hamed, N. Poorinmohammad, and R. Papiran, "Growth and lifecycle of *Actinobacteria*," *Biology and Biotechnology of Actinobacteria*, pp. 29-50, 2017.

[151] L. Kever, Q. Zhang, A. Hardy, P. Westhoff, Y. Yu, and J. Frunzke, "Decoupling the molecular versatility of aminoglycosides via drug or target modification enables community-wide antiphage defense," *bioRxiv*, p. 2024.02.27.582341, 2024, doi: 10.1101/2024.02.27.582341.

[152] H. Georjon, F. Tesson, H. Shomar, and A. Bernheim, "Genomic characterization of the antiviral arsenal of *Actinobacteria*," *Microbiology*, vol. 169, no. 8, p. 001374, 2023.

[153] J. C. Wohlfarth *et al.*, "L-form conversion in Gram-positive bacteria enables escape from phage infection," *Nature Microbiology*, vol. 8, no. 3, pp. 387-399, 2023.

[154] B. Roucourt and R. Lavigne, "The role of interactions between phage and bacterial proteins within the infected cell: a diverse and puzzling interactome," *Environmental microbiology*, vol. 11, no. 11, pp. 2789-2805, 2009.

[155] J. C. Samuelson *et al.*, "YidC mediates membrane protein insertion in bacteria," *Nature*, vol. 406, no. 6796, pp. 637-641, 2000.

[156] H. Tjalsma, S. Bron, and J. M. van Dijl, "Complementary impact of paralogous Oxa1-like proteins of *Bacillus subtilis* on post-translocational stages in protein secretion," *Journal of Biological Chemistry*, vol. 278, no. 18, pp. 15622-15632, 2003.

[157] B. Gust, G. L. Challis, K. Fowler, T. Kieser, and K. F. Chater, "PCR-targeted *Streptomyces* gene replacement identifies a protein domain needed for biosynthesis of the sesquiterpene soil odor geosmin," *Proceedings of the National Academy of Sciences*, vol. 100, no. 4, pp. 1541-1546, 2003.

[158] D. Russel and J. Sambrook, "Molecular cloning: a laboratory manual," *New*, 2001.

[159] Y. Lee, S. Hwang, W. Kim, J. H. Kim, B. O. Palsson, and B.-K. Cho, "CRISPR-aided genome engineering for secondary metabolite biosynthesis in *Streptomyces*," *Journal of Industrial Microbiology and Biotechnology*, p. kuae009, 2024.

[160] L. Zhang, J. Willemse, P. A. Hoskisson, and G. P. van Wezel, "Sporulation-specific cell division defects in *ylmE* mutants of *Streptomyces coelicolor* are rescued by additional deletion of *ylmD*," *Scientific Reports*, vol. 8, no. 1, p. 7328, 2018.

[161] M. B. Hamed, J. Anné, S. Karamanou, and A. Economou, "Streptomyces protein secretion and its application in biotechnology," *FEMS microbiology letters*, vol. 365, no. 22, p. fny250, 2018.

[162] C. Bai and G. P. van Wezel, "CUBIC: A Versatile Cumate-Based Inducible CRISPRi System in *Streptomyces*," *ACS Synthetic Biology*, vol. 12, no. 10, pp. 3143-3147, 2023.

[163] A. Froger and J. E. Hall, "Transformation of plasmid DNA into *E. coli* using the heat shock method," *JoVE (Journal of visualized experiments)*, no. 6, p. e253, 2007.

[164] X. Zhong, L. Zhang, G. P. van Wezel, E. Vijgenboom, and D. Claessen, "Role for a lytic polysaccharide monooxygenase in cell wall remodeling in *Streptomyces coelicolor*," *Mbio*, vol. 13, no. 2, pp. e00456-22, 2022.

[165] J. N. Bach and M. Bramkamp, "Flotillins functionally organize the bacterial membrane," (in eng), *Mol Microbiol*, vol. 88, no. 6, pp. 1205-17, Jun 2013, doi: 10.1111/mmi.12252.

[166] R. Kapteijn *et al.*, "Endocytosis-like DNA uptake by cell wall-deficient bacteria," *Nature Communications*, vol. 13, no. 1, p. 5524, 2022/09/22 2022, doi: 10.1038/s41467-022-33054-w.

[167] C. Allan *et al.*, "OMERO: flexible, model-driven data management for experimental biology," *Nature methods*, vol. 9, no. 3, pp. 245-253, 2012.

- [168] J. Abramson *et al.*, "Accurate structure prediction of biomolecular interactions with AlphaFold 3," *Nature*, pp. 1-3, 2024.
- [169] J. Hallgren *et al.*, "DeepTMHMM predicts alpha and beta transmembrane proteins using deep neural networks," *bioRxiv*, p. 2022.04.08.487609, 2022, doi: 10.1101/2022.04.08.487609.
- [170] S. H. Rangwala *et al.*, "Accessing NCBI data using the NCBI sequence viewer and genome data viewer (GDV)," *Genome research*, vol. 31, no. 1, pp. 159-169, 2021.
- [171] P. Wang, A. Kuhn, and R. E. Dalbey, "Global change of gene expression and cell physiology in YidC-depleted *Escherichia coli*," *Journal of bacteriology*, vol. 192, no. 8, pp. 2193-2209, 2010.
- [172] D. Claessen *et al.*, "The stomatin-like protein StIP organizes membrane microdomains to govern polar growth in filamentous actinobacteria under hyperosmotic stress," 2024.
- [173] V. Ongenae *et al.*, "Genome sequence and characterization of *Streptomyces* phages Vanseggelen and Verabelle, representing two new species within the genus Camvirus," *Scientific Reports*, vol. 13, no. 1, p. 20153, 2023.
- [174] R. R. Yocum, J. R. Rasmussen, and J. L. Strominger, "The mechanism of action of penicillin. Penicillin acylates the active site of *Bacillus stearothermophilus* D-alanine carboxypeptidase," *Journal of Biological Chemistry*, vol. 255, no. 9, pp. 3977-3986, 1980.
- [175] H. G. Floss and T.-W. Yu, "Rifamycin mode of action, resistance, and biosynthesis," *Chemical reviews*, vol. 105, no. 2, pp. 621-632, 2005.
- [176] Z. Wu *et al.*, "The holin-endolysin lysis system of the OP2-Like phage X2 infecting *Xanthomonas oryzae* pv. *oryzae*," *Viruses*, vol. 13, no. 10, p. 1949, 2021.
- [177] M. Youle, *Thinking like a phage*. Wholen, 2017.
- [178] V. A. Fischetti, "Bacteriophage endolysins: a novel anti-infective to control Gram-positive pathogens," *International Journal of Medical Microbiology*, vol. 300, no. 6, pp. 357-362, 2010.

[179] M. Schneider, J. R. Johnson, N. J. Krogan, and S. K. Chanda, "The virus–host interactome: Knowing the players to understand the game," in *Viral Pathogenesis*: Elsevier, 2016, pp. 157-167.

[180] A. A. Pohane and V. Jain, "Insights into the regulation of bacteriophage endolysin: Multiple means to the same end," *Microbiology*, vol. 161, no. Pt_12, pp. 2269-2276, 2015.

[181] R. Young, "Bacteriophage holins: deadly diversity," *Journal of molecular microbiology and biotechnology*, vol. 4, no. 1, pp. 21-36, 2002.

[182] I.-N. Wang, D. L. Smith, and R. Young, "Holins: the protein clocks of bacteriophage infections," *Annual Reviews in Microbiology*, vol. 54, no. 1, pp. 799-825, 2000.

[183] T. Brüser and D. Mehner-Breitfeld, "Occurrence and potential mechanism of holin-mediated non-lytic protein translocation in bacteria," *microbial Cell*, vol. 9, no. 10, p. 159, 2022.

[184] D. J. MacNeil, K. M. Gewain, C. L. Ruby, G. Dezeny, P. H. Gibbons, and T. MacNeil, "Analysis of *Streptomyces avermitilis* genes required for avermectin biosynthesis utilizing a novel integration vector," *Gene*, vol. 111, no. 1, pp. 61-68, 1992.

[185] M. S. Paget, L. Chamberlin, A. Atri, S. J. Foster, and M. J. Buttner, "Evidence that the extracytoplasmic function sigma factor σ E is required for normal cell wall structure in *Streptomyces coelicolor* A3 (2)," *Journal of bacteriology*, vol. 181, no. 1, pp. 204-211, 1999.

[186] G. Karimova, J. Pidoux, A. Ullmann, and D. Ladant, "A bacterial two-hybrid system based on a reconstituted signal transduction pathway," *Proceedings of the National Academy of Sciences*, vol. 95, no. 10, pp. 5752-5756, 1998.

[187] L. Kever *et al.*, "Aminoglycoside antibiotics inhibit phage infection by blocking an early step of the infection cycle," *MBio*, vol. 13, no. 3, pp. e00783-22, 2022.

[188] R. Ouyang, V. Ongenae, A. Muok, D. Claessen, and A. Briegel, "Phage fibers and spikes: a nanoscale Swiss army knife for host infection," *Current Opinion in Microbiology*, vol. 77, p. 102429, 2024.

[189] H. Georjon and A. Bernheim, "The highly diverse antiphage defence systems of bacteria," *Nature Reviews Microbiology*, vol. 21, no. 10, pp. 686-700, 2023.

[190] V. Ongenae, A. Briegel, and D. Claessen, "Cell wall-deficiency as an escape mechanism from phage infection," *Open Biology*, vol. 11, p. 210199, 2021, doi: 10.1098/RSOB.210199.

[191] M. Blazanin and P. E. Turner, "Community context matters for bacteria-phage ecology and evolution," *The ISME Journal*, pp. 1-10, 2021, doi: 10.1038/s41396-021-01012-x.

[192] B. Rackow, C. Rolland, I. Mohnen, J. Wittmann, J. Overmann, and J. Frunzke, "Isolation and characterization of the new Streptomyces phages Kamino, Geonosis, Abafar and Scarif infecting a broad range of host species," *bioRxiv*, p. 2024.02. 26.582091, 2024.

[193] A. Sidi Mabrouk, V. Ongenae, D. Claessen, S. Brenzinger, and A. Briegel, "A flexible and efficient microfluidics platform for the characterization and isolation of novel bacteriophages," *Applied and Environmental Microbiology*, vol. 89, no. 1, pp. e01596-22, 2023.

[194] E. Maffei *et al.*, "Systematic exploration of *Escherichia coli* phage–host interactions with the BASEL phage collection," *PLoS Biology*, vol. 19, no. 11, p. e3001424, 2021.

[195] T. Mets *et al.*, "Mechanism of phage sensing and restriction by toxin-antitoxin-chaperone systems," *Cell Host & Microbe*, 2024.

[196] A. A. Hossain *et al.*, "DNA glycosylases provide antiviral defence in prokaryotes," *Nature*, pp. 1-7, 2024.

[197] S. Erdrich, U. Schurr, J. Frunzke, and B. Arsova, "Seed coating with phages for sustainable plant biocontrol of plant pathogens and influence of the seed coat mucilage," *bioRxiv*, p. 2024.01. 12.575253, 2024.

[198] H. Shomar *et al.*, "A family of lanthipeptides with anti-phage function," *bioRxiv*, p. 2024.06.26.600839, 2024, doi: 10.1101/2024.06.26.600839.

- [199] R. E. Cobb, Y. Wang, and H. Zhao, "High-efficiency multiplex genome editing of *Streptomyces* species using an engineered CRISPR/Cas system," *ACS synthetic biology*, vol. 4, no. 6, pp. 723-728, 2015.
- [200] L. Pan *et al.*, "Induction and genomic analysis of a lysogenic phage of *Hafnia paralvei*," *Current Microbiology*, vol. 79, no. 2, p. 50, 2022.
- [201] N. Markova, "Blood Microbiota and Cancer: Cell Wall-Deficient L-Forms of Bacteria and Fungi as Cancer-Promoting Environment," *Journal of Biosciences and Medicines*, vol. 10, no. 9, pp. 148-159, 2022.
- [202] F. Davison, J. Chapman, and K. Mickiewicz, "Isolation of L-form bacteria from urine using filtration method," *JoVE (Journal of Visualized Experiments)*, no. 160, p. e61380, 2020.
- [203] R. M. Dedrick *et al.*, "Phage therapy of *Mycobacterium* infections: compassionate use of phages in 20 patients with drug-resistant mycobacterial disease," *Clinical infectious diseases*, vol. 76, no. 1, pp. 103-112, 2023.
- [204] F. Yang *et al.*, "Bacteriophage therapy for the treatment of *Mycobacterium tuberculosis* infections in humanized mice," *Communications Biology*, vol. 7, no. 1, p. 294, 2024.
- [205] N. Dannenberg *et al.*, "Mycobacteria form viable cell wall-deficient cells that are undetectable by conventional diagnostics," *bioRxiv*, p. 2022.11.16.516772, 2022, doi: 10.1101/2022.11.16.516772.
- [206] J.-P. Pirnay *et al.*, "Personalized bacteriophage therapy outcomes for 100 consecutive cases: a multicentre, multinational, retrospective observational study," *Nature Microbiology*, pp. 1-20, 2024.

Curriculum vitae

Véronique Margiet Antoinette Ongenae was born in Enschede, The Netherlands on the 26th of June, 1996. She attended secondary school at the Bonhoeffer College Van der Waalslaan, following the ‘Science and Health’ profile, from which she graduated in 2014.

After graduation, she moved from Enschede to Leiden to follow the Bachelor Biology at Leiden University. During this time, she discovered her passion for microbes and ecology and therefore continued her studies by following the Master “From Cells to Organisms” again at Leiden University. During her first Master internship, supervised by dr. Sjoerd Seekles in the fungal biotechnology group of prof. dr. Arthur Ram, she studied the impact of environmental conditions on the stress-resistance of *Aspergillus niger* conidia. This internship really sparked her interest for doing research. She then did her second Master internship at the Westerdijk fungal biodiversity institute in the group of dr. Jos Houbreken under the supervision of dr. Jan Dijksterhuis and dr. Tom Van den Brule, where she identified and annotated genes involved in the heat-resistance of *Paecilomyces variotii* conidia. After graduating her Masters during the pandemic in 2020, she continued to work at the Westerdijk institute as a technician in the Fungal physiology department.

Véronique started her PhD programme at the Institute of Biology at Leiden University in 2021. Under the joint supervision of prof. dr. Dennis Claessen and prof. dr. Ariane Briegel. The work done as a PhD student is described in this thesis.

Publications

Ongenae, V., Briegel, A., & Claessen, D. (2021). Cell wall-deficiency as an escape mechanism from phage infection. *Open biology*, 11(9), 210199.

Ongenae, V., Mabrouk, A. S., Crooijmans, M., Rozen, D., Briegel, A., & Claessen, D. (2022). Reversible bacteriophage resistance by shedding the bacterial cell wall. *Open Biology*, 12(6), 210379.

Ongenae, V., Azeredo, J., Kropinski, A. M., Rozen, D., Briegel, A., & Claessen, D. (2022). Genome sequence and characterization of *Streptomyces* phage Pablito, representing a new species within the genus *Janusvirus*. *Scientific Reports*, 12(1), 17785.

Ongenae, V.*, Kempff, A.* van Neer, V.* *et al.* (2023) Genome sequence and characterization of *Streptomyces* phages Vanseggelen and Verabelle, representing two new species within the genus *Camvirus*. *Scientific Reports* 13, 20153.

Sidi Mabrouk, A., **Ongenae, V.**, Claessen, D., Brenzinger, S., & Briegel, A. (2023). A flexible and efficient microfluidics platform for the characterization and isolation of novel bacteriophages. *Applied and Environmental Microbiology*, 89(1), e01596-22.

Britton A.P., Visser K.A., **Ongenae V.M.A.**, Zhang P., Wassink H., Doerksen T.A., Welke C.A., Lynch K.H., Belkum M.J. van, Dennis J.J., Yang X., Claessen D., Briegel A. & Martin-Visscher L.A. (2023), Characterization of bacteriophage cd2, a siphophage infecting *Carnobacterium divergens* and a representative species of a new genus of phage, *Microbiology Spectrum*.

Ongenae, V.*, Ouyang, R.* Muok, A., Claessen, D., Briegel, A. (2024) Phage fibers and spikes: a nanoscale Swiss army knife for host infection. *Curr Opin Microbiol.* 2024 Feb;77:102429. doi: 10.1016/j.mib.2024.102429. Epub 2024 Jan 26. PMID: 38277900.

Zhong, X., Baur, S., **Ongenae, V.** *et al.* (2024) The stomatin-like protein StLP organizes membrane microdomains to govern polar growth in filamentous actinobacteria under hyperosmotic stress. *Research square* <https://doi.org/10.21203/rs.3.rs-3811693/v1>

Shomar, H., Tesson, F., Guillaume, M., **Ongenae, V.**, et al. (2024) A family of lanthipeptides with anti-phage function. Biorxiv. DOI: 10.1101/2024.06.26.600839.