



Universiteit
Leiden

The Netherlands

An egg is always an adventure: anthropogenic impacts on *Culex pipiens* population dynamics

Boerlijst, S.P.

Citation

Boerlijst, S. P. (2025, March 18). *An egg is always an adventure: anthropogenic impacts on *Culex pipiens* population dynamics*. Retrieved from <https://hdl.handle.net/1887/4198436>

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/4198436>

Note: To cite this publication please use the final published version (if applicable).

References

References

References

- Abagli, A. Z., & Alavo, T. B. C. (2019). Biocontrol of *Culex quinquefasciatus* using the insect parasitic nematode, *Romanomermis iyengari*. *Tropical Biomedicine*, 36(4), 1003–1013.
- Abella-Medrano, C. A., Ibáñez-Bernal, S., MacGregor-Fors, I., & Santiago-Alarcon, D. (2015). Spatiotemporal variation of mosquito diversity (Diptera: *Culicidae*) at places with different land-use types within a neotropical montane cloud forest matrix. *Parasites & Vectors*, 8(1), 487. <https://doi.org/10.1186/s13071-015-1086-9>
- Abou-Attia, F. A., El-Khodary, A. S., Metwally, S. M. I., & Hassan, H. M. (2000). Monthly fluctuations of larval and pupal densities of *Culex pipiens* (L.) with special reference to the effect of aquatic physiochemical properties on their habitats at kafr el-sheikh region. *Journal of Plant Protection and Pathology*, 25(4), 2377–2386.
- Abrahams, M. V., & Kattenfeld, M. G. (1997). The role of turbidity as a constraint on predator-prey interactions in aquatic environments. *Behavioral Ecology and Sociobiology*, 40(3), 169–174. <https://doi.org/10.1007/s002650050330>
- Adams, H. E., Crump, B. C., & Kling, G. W. (2010). Temperature controls on aquatic bacterial production and community dynamics in arctic lakes and streams. *Environmental Microbiology*, 12(5), 1319–1333. <https://doi.org/10.1111/j.1462-2920.2010.02176.x>
- Adegoke, J. O., Pielke, R., & Carleton, A. M. (2007). Observational and modeling studies of the impacts of agriculture-related land use change on planetary boundary layer processes in the central U.S. *Agricultural and Forest Meteorology*, 142(2–4), 203–215. <https://doi.org/10.1016/j.agrformet.2006.07.013>
- Agnew, P., Haussy, C., & Michalakakis, Y. (2000). Effects of Density and Larval Competition on Selected Life History Traits of *Culex pipiens quinquefasciatus* (Diptera: *Culicidae*). *Journal of Medical Entomology*, 37(5), 732–735. <https://doi.org/10.1603/0022-2585-37.5.732>
- Akanda, A. S., Johnson, K., Ginsberg, H. S., & Couret, J. (2020). Prioritizing Water Security in the Management of Vector-Borne Diseases: Lessons From Oaxaca, Mexico. *GeoHealth*, 4(3), e2019GH000201. <https://doi.org/10.1029/2019GH000201>
- Akhter, H., Misyura, L., Bui, P., & Donini, A. (2017). Salinity responsive aquaporins in the anal papillae of the larval mosquito, *Aedes aegypti*. *Comparative Biochemistry and Physiology Part A: Molecular & Integrative Physiology*, 203, 144–151. <https://doi.org/10.1016/j.cbpa.2016.09.008>

- Akiner, M., & Eksi, E. (2015). Influence of five different larval control agents on oviposition of *Culex pipiens* L. (Diptera: Culicidae). *Journal of the European Mosquito Control Association*, 33, 5–9.
- Alcalay, Y., Puzhevsky, D., Tsurim, I., Scharf, I., & Ovadia, O. (2018). Interactive and sex-specific life-history responses of *Culex pipiens* mosquito larvae to multiple environmental factors. *Journal of Zoology*, 306(4), 268–278. <https://doi.org/10.1111/jzo.12611>
- Alcalay, Y., Tsurim, I., & Ovadia, O. (2019). Multi-scale oviposition site selection in two mosquito species: Multi-scale habitat selection in mosquitoes. *Ecological Entomology*, 44(3), 347–356. <https://doi.org/10.1111/een.12708>
- Al-Doghairi, M., El-Nadi, A., Elhag, E., & Al-Ayedh, H. (2004). Effect of *Solenostemma argel* on oviposition, egg hatchability and viability of *Culex pipiens* L. larvae. *Phytotherapy Research*, 18(4), 335–338. <https://doi.org/10.1002/ptr.1432>
- Allgeier, S., Friedrich, A., & Brühl, C. A. (2019). Mosquito control based on *Bacillus thuringiensis israelensis* (Bti) interrupts artificial wetland food chains. *Science of The Total Environment*, 686, 1173–1184. <https://doi.org/10.1016/j.scitotenv.2019.05.358>
- Alto, B. W., Griswold, M. W., & Lounibos, L. P. (2005). Habitat complexity and sex-dependent predation of mosquito larvae in containers. *Oecologia*, 146(2), 300–310. <https://doi.org/10.1007/s00442-005-0198-x>
- Alto, B. W., Malicoate, J., Elliott, S. M., & Taylor, J. (2012). Demographic Consequences of Predators on Prey: Trait and Density Mediated Effects on Mosquito Larvae in Containers. *PLOS ONE*, 7(11), e45785. <https://doi.org/10.1371/journal.pone.0045785>
- Alto, B. W., Muturi, E. J., & Lampman, R. L. (2012). Effects of nutrition and density in *Culex pipiens*. *Medical and Veterinary Entomology*, 26(4), 396–406. <https://doi.org/10.1111/j.1365-2915.2012.01010.x>
- Aly, C., & Dadd, R. H. (1989). Drinking rate regulation in some fresh-water mosquito larvae. *Physiological Entomology*, 14(3), 241–256.
- Anamaria, D., Diana, C., Oana, H., & Andrea, E. (2011). Food composition of a *Lissotriton vulgaris* Linnaeus 1758 (Amphibia) population from Vadu Crișului, Bihor County, Romania. *Bogdan Stugren, Volum comemorativ*, 100–106.

References

- Anand, M., Gonzalez, A., Guichard, F., Kolasa, J., & Parrott, L. (2010). Ecological Systems as Complex Systems: Challenges for an Emerging Science. *Diversity*, 2(3), 395–410. <https://doi.org/10.3390/d2030395>
- Ansa-Asare, O. D., Marr, I. L., & Cresser, M. S. (2000). Evaluation of modelled and measured patterns of dissolved oxygen in a freshwater lake as an indicator of the presence of biodegradable organic pollution. *Water Research*, 34(4), 1079–1088. [https://doi.org/10.1016/S0043-1354\(99\)00239-0](https://doi.org/10.1016/S0043-1354(99)00239-0)
- Antwi, F. B., & Reddy, G. V. P. (2015). Toxicological effects of pyrethroids on non-target aquatic insects. *Environmental Toxicology and Pharmacology*, 40(3), 915–923. <https://doi.org/10.1016/j.etap.2015.09.023>
- Aryaprema, V. S., Steck, M. R., Peper, S. T., Xue, R., & Qualls, W. A. (2023). A systematic review of published literature on mosquito control action thresholds across the world. *PLOS Neglected Tropical Diseases*, 17(3), e0011173. <https://doi.org/10.1371/journal.pntd.0011173>
- Asakura, K. (1980). The anal portion as a salt-excreting organ in a seawater mosquito larva, *Aedes togoi* Theobald. *Journal of Comparative Physiology ? B*, 138(1), 59–65. <https://doi.org/10.1007/BF00688736>
- Asare, E. O., Tompkins, A. M., Amekudzi, L. K., Ermert, V., & Redl, R. (2016). Mosquito breeding site water temperature observations and simulations towards improved vector-borne disease models for Africa. *Geospatial Health*, 11(s1), Article s1. <https://doi.org/10.4081/gh.2016.391>
- Awasthi, A. K., Wu, C.-H., & Hwang, J.-S. (2012). Diving as an Anti-Predator Behavior in Mosquito Pupae. *Zoological Studies*, 51(8), 10. <http://zoolstud.sinica.edu.tw/Journals/51.8/1225.pdf>
- Balasubramanian, R., Sahina, S., Nadh, V. A., Sreelekha, K. P., & Nikhil, T. L. (2019). Effects of different salinity levels on larval growth and development of disease vectors of *Culex* species. *Journal of Environmental Biology*, 40(5), 1115–1122. <https://doi.org/10.22438/jeb/40/5/MRN-950>
- Banahene, N., Salem, S. K., Faske, T. M., Byrne, H. M., Glackin, M., Agosta, S. J., Eckert, A. J., Grayson, K. L., & Thompson, L. M. (2018). Thermal Sensitivity of Gypsy Moth (Lepidoptera: Erebidiae) During Larval and Pupal Development. *Environmental Entomology*, 47(6), 1623–1631. <https://doi.org/10.1093/ee/nvy149>

- Barausse, A., Michieli, A., Riginella, E., Palmeri, L., & Mazzoldi, C. (2011). Long-term changes in community composition and life-history traits in a highly exploited basin (northern Adriatic Sea): The role of environment and anthropogenic pressures. *Journal of Fish Biology*, 79(6), 1453–1486. <https://doi.org/10.1111/j.1095-8649.2011.03139.x>
- Barmantlo, S. H., Schrama, M., Hunting, E. R., Heutink, R., van Bodegom, P. M., de Snoo, G. R., & Vijver, M. G. (2018). Assessing combined impacts of agrochemicals: Aquatic macroinvertebrate population responses in outdoor mesocosms. *Science of The Total Environment*, 631–632, 341–347. <https://doi.org/10.1016/j.scitotenv.2018.03.021>
- Bauer, J., Börsig, N., Pham, V. C., Hoan, T. V., Nguyen, H. T., & Norra, S. (2022). Geochemistry and evolution of groundwater resources in the context of salinization and freshening in the southernmost Mekong Delta, Vietnam. *Journal of Hydrology: Regional Studies*, 40, 101010. <https://doi.org/10.1016/j.ejrh.2022.101010>
- Bayoh, M. N., & Lindsay, S. W. (2004). Temperature-related duration of aquatic stages of the Afrotropical malaria vector mosquito *Anopheles gambiae* in the laboratory. *Medical and Veterinary Entomology*, 18(2), 174–179. <https://doi.org/10.1111/j.0269-283X.2004.00495.x>
- Becker, D. J., Washburne, A. D., Faust, C. L., Pulliam, J. R. C., Mordecai, E. A., Lloyd-Smith, J. O., & Plowright, R. K. (2019). Dynamic and integrative approaches to understanding pathogen spillover. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 374(1782), 20190014. <https://doi.org/10.1098/rstb.2019.0014>
- Becker, N., Dahl, C., Bryant, B., Blair, C. D., Olson, K. E., Clem, R. J., Minard, G., Mavingui, P., Moro, C. V., Foster, W. a, Buchon, N., Broderick, N. a, Chakrabarti, S., Lee, W., Lemaitre, B., Engel, P., Moran, N. A., Li, Y., Hernandez-Martinez, S., ... Kaslow, D. C. (2013). Mosquitoes and their control. In *Insect Biochemistry and Molecular Biology* (Vol. 33). Springer Berlin Heidelberg. <https://doi.org/10.1101/gad.1827009>
- Becker, N., Petric, D., Zgomba, M., Boase, C., Madon, M., Dahl, C., & Kaiser, A. (2010). *Mosquitoes and Their Control* (2nd ed., Vol. 1). Springer Berlin Heidelberg. <https://doi.org/10.1007/978-3-540-92874-4>
- Beck-Johnson, L. M., Nelson, W. A., Paaijmans, K. P., Read, A. F., Thomas, M. B., & Bjørnstad, O. N. (2013). The Effect of Temperature on *Anopheles* Mosquito Population Dynamics and the Potential for Malaria Transmission. *PLoS ONE*, 8(11), e79276. <https://doi.org/10.1371/journal.pone.0079276>

References

- Beck-Johnson, L. M., Nelson, W. A., Paaijmans, K. P., Read, A. F., Thomas, M. B., & Bjørnstad, O. N. (2017). The importance of temperature fluctuations in understanding mosquito population dynamics and malaria risk. *Royal Society Open Science*, 4(3), 160969. <https://doi.org/10.1098/rsos.160969>
- Beck-Johnson, L. M., Nelson, W. A., Paaijmans, P., Read, A. F., & Bjørnstad, O. N. (2017). Population dynamics and malaria risk. *Royal Society*, 4, 11. <https://doi.org/10.6084/m9.figshare.c.3703528>.
- Behrens, W., Hoffmann, K.-H., Kempa, S., Gäßler, S., & Merkel-Wallner, G. (1983). Effects of diurnal thermoperiods and quickly oscillating temperatures on the development and reproduction of crickets, *Gryllus bimaculatus*. *Oecologia*, 59(2–3), 279–287. <https://doi.org/10.1007/BF00378849>
- Beketov, M. A., & Liess, M. (2007). Predation risk perception and food scarcity induce alterations of life-cycle traits of the mosquito *Culex pipiens*. *Ecological Entomology*, 32(4), 405–410. <https://doi.org/10.1111/j.1365-2311.2007.00889.x>
- Belén Arias, M., Josefina Poupin, M., & Lardies, M. A. (2011). Plasticity of life-cycle, physiological thermal traits and Hsp70 gene expression in an insect along the ontogeny: Effect of temperature variability. *Journal of Thermal Biology*, 36(6), 355–362. <https://doi.org/10.1016/j.jtherbio.2011.06.011>
- Benelli, G. (2015). Research in mosquito control: Current challenges for a brighter future. *Parasitology Research*, 114(8), 2801–2805. <https://doi.org/10.1007/s00436-015-4586-9>
- Benelli, G., Jeffries, C. L., & Walker, T. (2016). Biological Control of Mosquito Vectors: Past, Present, and Future. *Insects*, 7(4), Article 4. <https://doi.org/10.3390/insects7040052>
- Bentley, M. D. (1989). Chemical Ecology and Behavioral Aspects of Mosquito Oviposition. *Annual Reviews Entomology*, 34, 401–421.
- Bissattini, A. M., Haubrock, P. J., Buono, V., Balzani, P., Borgianni, N., Stellati, L., Inghilesi, A. F., Tancioni, L., Martinoli, M., Tricarico, E., & Vignoli, L. (2021). Trophic structure of a pond community dominated by an invasive alien species: Insights from stomach content and stable isotope analyses. *Aquatic Conservation: Marine and Freshwater Ecosystems*, 31(4), 948–963. <https://doi.org/10.1002/aqc.3530>

- Bleich, S., Powilleit, M., Seifert, T., & Graf, G. (2011). β -diversity as a measure of species turnover along the salinity gradient in the Baltic Sea, and its consistency with the Venice System. *Marine Ecology Progress Series*, 436, 101–118. <https://doi.org/10.3354/meps09219>
- Blommers-Schlösser, R. M. A. (1992). De groene ' kikkers in Nederland; samenstelling van populaties, oecologk, i. *De Levende Natuur*, 93(1), 2–9. <https://natuurtijdschriften.nl/pub/494787/DLN0930020091.pdf>
- Boerlijst, S. P., Johnston, E. S., Ummels, A., Krol, L., Boelee, E., van Bodegom, P. M., & Schrama, M. J. J. (2023). Biting the hand that feeds: Anthropogenic drivers interactively make mosquitoes thrive. *Science of The Total Environment*, 858, 159716. <https://doi.org/10.1016/j.scitotenv.2022.159716>
- Bolanakis, D. E. (2019). A Survey of Research in Microcontroller Education. *IEEE Revista Iberoamericana de Tecnologías Del Aprendizaje*, 14(2), 50–57. <https://doi.org/10.1109/RITA.2019.2922856>
- Bond, J. G., Arredondo-Jimenez, J. I., Rodriguez, M. H., Quiroz-Martinez, H., & Williams, T. (2005). Oviposition habitat selection for a predator refuge and food source in a mosquito. *Ecological Entomology*, 30(3), 255–263. <https://doi.org/10.1111/j.0307-6946.2005.00704.x>
- Bonte, M., & Zwolsman, J. J. G. (2010). Climate change induced salinisation of artificial lakes in the Netherlands and consequences for drinking water production. *Water Research*, 44(15), 4411–4424. <https://doi.org/10.1016/j.watres.2010.06.004>
- Borchers, H. W. (2022). *pracma: Practical Numerical Math Functions*. <https://CRAN.R-project.org/package=pracma>
- Boualam, M. A., Pradines, B., Drancourt, M., & Barbieri, R. (2021). Malaria in Europe: A Historical Perspective. *Frontiers in Medicine*, 8. <https://doi.org/10.3389/fmed.2021.691095>
- Bowler, K. (2018). Heat death in poikilotherms: Is there a common cause? *Journal of Thermal Biology*, 76, 77–79. <https://doi.org/10.1016/j.jtherbio.2018.06.007>
- Bradley, T. J. (1987). Physiology of Osmoregulation in Mosquitoes. *Annual Review of Entomology*, 32(1), 439–462. <https://doi.org/10.1146/annurev.en.32.010187.002255>

References

- Bradley, T. J., & Phillips, J. E. (1976). *The Effect Of External Salinity On Drinking Rate And Rectal Secretion In The Larvae Of The Saline-Water Mosquito*. 14. <https://doi.org/10.1242/jeb.66.1.97>
- Braganza, K., Karoly, D. J., & Arblaster, J. M. (2004). Diurnal temperature range as an index of global climate change during the twentieth century: DTR AS CLIMATE CHANGE INDEX. *Geophysical Research Letters*, 31(13), n/a-n/a. <https://doi.org/10.1029/2004GL019998>
- Braks, M. A. H., Honório, N. A., Lounibos, L. P., Lourenço-De-Oliveira, R., & Juliano, S. A. (2004). Interspecific Competition Between Two Invasive Species of Container Mosquitoes, *Aedes aegypti* and *Aedes albopictus* (Diptera: Culicidae), in Brazil. *Annals of the Entomological Society of America*, 97(1), 130–139. [https://doi.org/10.1603/0013-8746\(2004\)097\[0130:ICBTIS\]2.0.CO;2](https://doi.org/10.1603/0013-8746(2004)097[0130:ICBTIS]2.0.CO;2)
- Bravo-Barriga, D., Parreira, R., Almeida, A. P. G., Calado, M., Blanco-Ciudad, J., Serrano-Aguilera, F. J., Pérez-Martín, J. E., Sánchez-Peinado, J., Pinto, J., Reina, D., & Frontera, E. (2016). *Culex pipiens* as a potential vector for transmission of *Dirofilaria immitis* and other unclassified Filarioidea in Southwest Spain. *Veterinary Parasitology*, 223, 173–180. <https://doi.org/10.1016/j.vetpar.2016.04.030>
- Breitschwerdt, E. B. (2014). Bartonellosis: One Health Perspectives for an Emerging Infectious Disease. *ILAR Journal*, 55(1), 46–58. <https://doi.org/10.1093/ilar/ilu015>
- Brodman, R., & Dorton, R. (2006). The Effectiveness of Pond-Breeding Salamanders as Agents of Larval Mosquito Control. *Journal of Freshwater Ecology*, 21(3), Article 3. <https://doi.org/10.1080/02705060.2006.9665024>
- Brown, B. J., & Platzer, E. G. (1978). Salts and the infectivity of *Romanomermis culicivorax*. *Journal of Nematology*, 10(1), 53.
- Brühl, C. A., Després, L., Frör, O., Patil, C. D., Poulin, B., Tetreau, G., & Allgeier, S. (2020). Environmental and socioeconomic effects of mosquito control in Europe using the biocide *Bacillus thuringiensis* subsp. *Israelensis* (Bti). *Science of The Total Environment*, 724, 137800. <https://doi.org/10.1016/j.scitotenv.2020.137800>
- Bruno, D. W., & Laurence, B. R. (1979). The Influence of the Apical Droplet of *Culex* Egg Rafts on Oviposition of *Culex pipiens* Faticans (Diptera: Culicidae). *Journal of Medical Entomology*, 16(4), 300–305. <https://doi.org/10.1093/jmedent/16.4.300>
- Brust, R. A., & Kalpage, K. S. (1967). A rearing method for *Aedes aberratus* (F. and Y.). *Mosquito News*, 27(1). <https://www.cabdirect.org/cabdirect/abstract/19672902355>

- Butler, C. D. (2012). Infectious disease emergence and global change: Thinking systemically in a shrinking world. *Infectious Diseases of Poverty*, 1(1), 5. <https://doi.org/10.1186/2049-9957-1-5>
- Buxton, M., Cuthbert, R. N., Dalu, T., Nyamukondiwa, C., & Wasserman, R. J. (2020). Cattle-induced eutrophication favours disease-vector mosquitoes. *Science of The Total Environment*, 715, 136952. <https://doi.org/10.1016/j.scitotenv.2020.136952>
- Buxton, M., Cuthbert, R. N., Dalu, T., Nyamukondiwa, C., & Wasserman, R. J. (2020a). Complementary impacts of heterospecific predators facilitate improved biological control of mosquito larvae. *Biological Control*, 144, 104216. <https://doi.org/10.1016/j.biocontrol.2020.104216>
- Buxton, M., Cuthbert, R. N., Dalu, T., Nyamukondiwa, C., & Wasserman, R. J. (2020b). Predator density modifies mosquito regulation in increasingly complex environments. *Pest Management Science*, 76(6), 2079–2086. <https://doi.org/10.1002/ps.5746>
- Cadmus, P., Pomeranz, J. P. F., & Kraus, J. M. (2016). Low-cost floating emergence net and bottle trap: Comparison of two designs. *Journal of Freshwater Ecology*, 31(4), 653–658. <https://doi.org/10.1080/02705060.2016.1217944>
- Cano-Rocabayera, O., Vargas-Amengual, S., Aranda, C., de Sostoa, A., & Maceda-Veiga, A. (2020). Mosquito larvae consumption in turbid waters: The role of the type of turbidity and the larval stage in native and invasive fish. *Hydrobiologia*, 847(5), 1371–1381. <https://doi.org/10.1007/s10750-020-04195-0>
- Caplan, J. S., Giménez, D., Hirmas, D. R., Brunsell, N. A., Blair, J. M., & Knapp, A. K. (2019). Decadal-scale shifts in soil hydraulic properties as induced by altered precipitation. *Science Advances*, 5(9), eaau6635. <https://doi.org/10.1126/sciadv.aau6635>
- Carlson, J., Keating, J., Mbogo, C. M., Kahindi, S., & Beier, J. C. (2004). Ecological limitations on aquatic mosquito predator colonization in the urban environment. *Journal of Vector Ecology: Journal of the Society for Vector Ecology*, 29(2), 331–339. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3705640/>
- Carlson, S. M., Cunningham, C. J., & Westley, P. A. H. (2014). Evolutionary rescue in a changing world. *Trends in Ecology & Evolution*, 29(9), 521–530. <https://doi.org/10.1016/j.tree.2014.06.005>

References

- Ceccatelli, M., Del Soldato, M., Solari, L., Fanti, R., Mannori, G., & Castelli, F. (2021). Numerical modelling of land subsidence related to groundwater withdrawal in the Firenze-Prato-Pistoia basin (central Italy). *Hydrogeology Journal*, 29(2), 629–649. <https://doi.org/10.1007/s10040-020-02255-2>
- Chapman, G. E., Sherlock, K., Hesson, J. C., Blagrove, M. S. C., Lycett, G. J., Archer, D., Solomon, T., & Baylis, M. (2020). Laboratory transmission potential of British mosquitoes for equine arboviruses. *Parasites & Vectors*, 13(1), 413. <https://doi.org/10.1186/s13071-020-04285-x>
- Charalampous, P., Haagsma, J. A., Jakobsen, L. S., Gorasso, V., Noguer, I., Padron-Monedero, A., Sarmiento, R., Santos, J. V., McDonald, S. A., Plass, D., Wyper, G. M. A., Assunção, R., Lippe, E. von der, Ádám, B., AlKerwi, A., Arabloo, J., Baltazar, A. L., Bikbov, B., Borrell-Pages, M., ... Pires, S. M. (2023). Burden of infectious disease studies in Europe and the United Kingdom: A review of methodological design choices. *Epidemiology & Infection*, 151, e19. <https://doi.org/10.1017/S0950268823000031>
- Chen, C.-M., Hsieh, H.-J., Hu, B.-Y., & Fu, C.-H. (2005). Mosquito-killing water molds isolated from soil samples collected in Taiwan. *Pedobiologia*, 49(6), 585–589. <https://doi.org/10.1016/j.pedobi.2005.06.010>
- Cheng, S., Zhang, L., Song, H., & Yu, H. (2011). A soil temperature control system for sapling study in alpine region. *Journal of Mountain Science*, 8(5), 739–749. <https://doi.org/10.1007/s11629-011-1037-7>
- Chidester, F. E. (1916). The Influence of Salinity on the Development of certain Species of Mosquito Larvae and its Bearing on the Problem of the Distribution of Species. *Bulletin. New Jersey Agricultural Experiment Station*, 299.
- Childs, M. L., Nova, N., Colvin, J., & Mordecai, E. A. (2019). Mosquito and primate ecology predict human risk of yellow fever virus spillover in Brazil. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 374(1782), 20180335. <https://doi.org/10.1098/rstb.2018.0335>
- Chown, S. L., & Nicolson, S. (2004). *Insect physiological ecology: Mechanisms and patterns*. Oxford University Press.
- Cianci, D., Hartemink, N., & Ibáñez-Justicia, A. (2015). Modelling the potential spatial distribution of mosquito species using three different techniques. *International Journal of Health Geographics*, 14(1), 10. <https://doi.org/10.1186/s12942-015-0001-0>

- Ciota, A. T., Matacchiero, A. C., Kilpatrick, A. M., & Kramer, L. D. (2014). The Effect of Temperature on Life History Traits of *Culex* Mosquitoes. *Journal of Medical Entomology*, 51(1), 55–62. <https://doi.org/10.1603/ME13003>
- Clark, M. S., & Worland, M. R. (2008). How insects survive the cold: Molecular mechanisms—a review. *Journal of Comparative Physiology B*, 178(8), 917–933. <https://doi.org/10.1007/s00360-008-0286-4>
- Clark, T. M., Flis, B. J., & Remold, S. K. (2004). Differences in the effects of salinity on larval growth and developmental programs of a freshwater and a euryhaline mosquito species (Insecta: Diptera, *Culicidae*). *Journal of Experimental Biology*, 207(13), 2289–2295. <https://doi.org/10.1242/jeb.01018>
- Coffin, M., Knysh, K., Roloson, S., Pater, C., Theriaul, E., Cormier, J., Courtenay, S., & van den Heuvel, M. (2021). Influence of nutrient enrichment on temporal and spatial dynamics of dissolved oxygen within northern temperate estuaries. *Environmental Monitoring and Assessment*, 193(12), 804. <https://doi.org/10.1007/s10661-021-09589-8>
- Coffin, M. R. S., Courtenay, S. C., Pater, C. C., & van den Heuvel, M. R. (2018). An empirical model using dissolved oxygen as an indicator for eutrophication at a regional scale. *Marine Pollution Bulletin*, 133, 261–270. <https://doi.org/10.1016/j.marpolbul.2018.05.041>
- Colinet, H., Sinclair, B. J., Vernon, P., & Renault, D. (2015). Insects in Fluctuating Thermal Environments. *Annual Review of Entomology*, 60(1), 123–140. <https://doi.org/10.1146/annurev-ento-010814-021017>
- Colón-González, F. J., Sewe, M. O., Tompkins, A. M., Sjödin, H., Casallas, A., Rocklöv, J., Caminade, C., & Lowe, R. (2021). Projecting the risk of mosquito-borne diseases in a warmer and more populated world: A multi-model, multi-scenario intercomparison modelling study. *The Lancet Planetary Health*, 5(7), e404–e414. [https://doi.org/10.1016/S2542-5196\(21\)00132-7](https://doi.org/10.1016/S2542-5196(21)00132-7)
- Coolidge, J. C. (2017). *Larval Culex Mosquitoes Increase Primary Production and Decrease Bacterial Diversity in Aquatic Mesocosms* [MSc, University of California, Riverside]. <https://escholarship.org/uc/item/8qg9d2ms>
- Costanzo, K. S., Kesavaraju, B., & Juliano, S. A. (2005). Condition-specific competition in container mosquitoes: The role of noncompeting life-history stages. *Ecology*, 86(12), 3289–3295. <https://doi.org/10.1890/05-0583>

References

- Couret, J., & Benedict, M. Q. (2014). A meta-analysis of the factors influencing development rate variation in *Aedes aegypti* (Diptera: Culicidae). *BMC Ecology*, 14(1), 3. <https://doi.org/10.1186/1472-6785-14-3>
- Covaciu-Marcov, S. D. (2010). Feeding of three syntopic newt species (*Triturus cristatus*, *Mesotriton alpestris* and *Lissotriton vulgaris*) from Western Romania.
- Culler, L. E., & Lamp, W. O. (2009). Selective predation by larval *Agabus* (Coleoptera: Dytiscidae) on mosquitoes: support for conservation-based mosquito suppression in constructed wetlands. *Freshwater Biology*, 54(9), 2003–2014. <https://doi.org/10.1111/j.1365-2427.2009.02230.x>
- Dadd, R. H. (1975). Ingestion of colloid solutions by filter-feeding mosquito larvae: Relationship to viscosity. *Journal of Experimental Zoology*, 191(3), 395–406. <https://doi.org/10.1002/jez.1401910310>
- Dahl, E. (1956). Ecological Salinity Boundaries in Poikilohaline Waters. *Oikos*, 7(1), 1. <https://doi.org/10.2307/3564981>
- Dale, P. E. R., & Knight, J. M. (2012). Managing mosquitoes without destroying wetlands: An eastern Australian approach. *Wetlands Ecology and Management*, 20(3), 233–242. <https://doi.org/10.1007/s11273-012-9262-6>
- Dasrat, C. M., & Maharaj, G. (2021). Biological control of mosquitoes with odonates: A case study in Guyana. *NU S A NTA RA B IOSC IE NC E*, 7. <https://doi.org/10.13057/nusbiosci/n130205>
- David, J.-P., Rey, D., Meyran, J.-C., & Marigo, G. (2001). Involvement of Ligninlike Compounds in Toxicity of Dietary Alder Leaf Litter Against Mosquito Larvae. 27(1), 14. <https://doi.org/10.1023/A:1005632403561>
- David, J.-P., Rey, D., Pautou, M.-P., & Meyran, J.-C. (2000). Differential Toxicity of Leaf Litter to Dipteran Larvae of Mosquito Developmental Sites. *Journal of Invertebrate Pathology*, 75(1), 9–18. <https://doi.org/10.1006/jipa.1999.4886>
- Day, J. (2016). Mosquito Oviposition Behavior and Vector Control. *Insects*, 7(4), 65. <https://doi.org/10.3390/insects7040065>
- De Brito Arduino, M., Mucci, L. F., Serpa, L. L. N., & De Moura Rodrigues, M. (2015). Effect of salinity on the behavior of *Aedes aegypti* populations from the coast and plateau of southeastern Brazil. *Journal of Vector Borne Diseases*, 52(1), 79–87.

- de Garine-Wichatitsky, M., Lwande, O. W., Fountain-Jones, N. M., VanderWaal, K., & Obanda, V. (2022). Editorial: Disease Ecology: Novel Concepts and Methods to Track and Forecast Disease Emergence, Transmission, Spread, and Endemization. *Frontiers in Ecology and Evolution*, 10. <https://doi.org/10.3389/fevo.2022.890510>
- de Louw, P. G. B., Vandenbohede, A., Werner, A. D., & Oude Essink, G. H. P. (2013). Natural saltwater upconing by preferential groundwater discharge through boils. *Journal of Hydrology*, 490, 74–87. <https://doi.org/10.1016/j.jhydrol.2013.03.025>
- De Majo, M. S., Zanotti, G., Campos, R. E., & Fischer, S. (2019). Effects of Constant and Fluctuating Low Temperatures on the Development of *Aedes aegypti* (Diptera: Culicidae) from a Temperate Region. *Journal of Medical Entomology*, 56(6), 1661–1668. <https://doi.org/10.1093/jme/tjz087>
- Dellar, M., Boerlijst, S. P., & Holmes, D. (2022). Improving estimations of life history parameters of small animals in mesocosm experiments: A case study on mosquitoes. *Methods in Ecology and Evolution*, 2041-210X.13814. <https://doi.org/10.1111/2041-210X.13814>
- Delsman, J., Oude Essink, G., Huizer, S., Bootsma, H., Mulder, T., Zitman, P., & Romero Verastegui, B. (2020). Actualisatie zout in het NHI (11205261-003-BGS-0001). Deltares.
- Destoumieux-Garzón, D., Mavingui, P., Boetsch, G., Boissier, J., Darriet, F., Duboz, P., Fritsch, C., Giraudoux, P., Le Roux, F., Morand, S., Paillard, C., Pontier, D., Sueur, C., & Voituron, Y. (2018). The One Health Concept: 10 Years Old and a Long Road Ahead. *Frontiers in Veterinary Science*, 5. <https://doi.org/10.3389/fvets.2018.00014>
- Dhileepan, K. (1997). Physical Factors and Chemical Cues in the Oviposition Behavior of Arboviral Vectors *Culex annulirostris* and *Culex molestus* (Diptera: Culicidae). *Environmental Entomology*, 26(2), 318–326. <https://doi.org/10.1093/ee/26.2.318>
- Di Cecco, G. J., & Hurlbert, A. H. (2022). Anthropogenic drivers of avian community turnover from local to regional scales. *Global Change Biology*, 28(3), 770–781. <https://doi.org/10.1111/gcb.15967>
- Dinithi, D., & Hemantha, W. (2020). Co-occurrence of *Lutzia fuscana* and *Aedes albopictus* (Diptera: Culicidae) in Native Habitats: As an Implication for Biological Control. *Rajarata University Journal*, 5(11). <http://repository.rjt.ac.lk/bitstream/handle/123456789/4566/Co-occurrence%20of%20Lutzia%20fuscana%20and%20Aedes%20albopictus.pdf?sequence=1>

References

- Don, N. C., Hang, N. T. M., Araki, H., Yamanishi, H., & Koga, K. (2006). Salinization processes in an alluvial coastal lowland plain and effect of sea water level rise. *Environmental Geology*, 49(5), 743–751. <https://doi.org/10.1007/s00254-005-0119-7>
- Donini, A., Gaidhu, M. P., Strasberg, D. R., & O'Donnell, M. J. (2007). Changing salinity induces alterations in hemolymph ion concentrations and Na⁺ and Cl[−] transport kinetics of the anal papillae in the larval mosquito, *Aedes aegypti*. *Journal of Experimental Biology*, 210(6), 983–992. <https://doi.org/10.1242/jeb.02732>
- Dunlop, J. E., Horrigan, N., McGregor, G., Kefford, B. J., Choy, S., & Prasad, R. (2008). Effect of spatial variation on salinity tolerance of macroinvertebrates in Eastern Australia and implications for ecosystem protection trigger values. *Environmental Pollution*, 151(3), 621–630. <https://doi.org/10.1016/j.envpol.2007.03.020>
- DuRant, S. E., & Hopkins, W. A. (2008). Amphibian predation on larval mosquitoes. *Canadian Journal of Zoology*, 86(10), 1159–1164. <https://doi.org/10.1139/Z08-097>
- Easterling, D. R., Horton, B., Jones, P. D., Peterson, T. C., Karl, T. R., Parker, D. E., Salinger, M. J., Razuvayev, V., Plummer, N., Jamason, P., & Folland, C. K. (1997). Maximum and Minimum Temperature Trends for the Globe. *Science*, 277(5324), 364–367. <https://doi.org/10.1126/science.277.5324.364>
- Edwards, K., Mcculloch, J., Peterkershaw, G., & Jefferies, R. (2006). Soil microbial and nutrient dynamics in a wet Arctic sedge meadow in late winter and early spring. *Soil Biology and Biochemistry*, 38(9), 2843–2851. <https://doi.org/10.1016/j.soilbio.2006.04.042>
- Eisenhauer, N., Ochoa-Hueso, R., Huang, Y., Barry, K. E., Gebler, A., Guerra, C. A., Hines, J., Jochum, M., Andrzejek, K., Bucher, S. F., Buscot, F., Ciobanu, M., Chen, H., Junker, R., Lange, M., Lehmann, A., Rillig, M., Römermann, C., Ulrich, J., ... Türke, M. (2023). Ecosystem consequences of invertebrate decline. *Current Biology*, S0960982223012289. <https://doi.org/10.1016/j.cub.2023.09.012>
- Eitam, A., & Blaustein, L. (2004). Oviposition habitat selection by mosquitoes in response to predator (*Notonecta maculata*) density. *Physiological Entomology*, 29(2), 188–191. <https://doi.org/10.1111/j.0307-6962.2004.0372.x>
- El Husseiny, I., Elbrense, H., Roeder, T., & El Kholy, S. (2018). Hormonal modulation of cannibalistic behaviors in mosquito (*Culex pipiens*) larvae. *Journal of Insect Physiology*, 109, 144–148. <https://doi.org/10.1016/j.jinsphys.2018.08.001>

- Elias, E., Savoy, H. M., Swanson, D. A., Cohnstaedt, L. W., Peters, D. P. C., Derner, J. D., Pelzel-McCluskey, A., Drolet, B., & Rodriguez, L. (2022). Landscape dynamics of a vector-borne disease in the western US: How vector–habitat relationships inform disease hotspots. *Ecosphere*, 13(11), e4267. <https://doi.org/10.1002/ecs2.4267>
- Ellwanger, J. H., Byrne, L. B., & Chies, J. A. B. (2022). Examining the paradox of urban disease ecology by linking the perspectives of Urban One Health and Ecology with Cities. *Urban Ecosystems*, 25(6), 1735–1744. <https://doi.org/10.1007/s11252-022-01260-5>
- El-Sheikh, E.-S. M. Y., Fouda, M. A., Hassan, M. I., Abd-Elghaphar, A.-E. A., & Hasaballah, A. I. (2010). Toxicological Effects of Some Heavy Metal Ions on *Culex pipiens* L. (Diptera: Culicidae). *Egyptian Academic Journal of Biological Sciences, F. Toxicology & Pest Control*, 2(1), 63–76. <https://doi.org/10.21608/eajbsf.2010.17465>
- Emidi, B., Kisinza, W. N., Mmbando, B. P., Malima, R., & Mosha, F. W. (2017). Effect of physicochemical parameters on *Anopheles* and *Culex* mosquito larvae abundance in different breeding sites in a rural setting of Muheza, Tanzania. *Parasites & Vectors*, 10(1), 304. <https://doi.org/10.1186/s13071-017-2238-x>
- Eremeeva, N. I., & Sushchev, D. V. (2005). Structural Changes in the Fauna of Pollinating Insects in Urban Landscapes. *Russian Journal of Ecology*, 36(4), 259–265. <https://doi.org/10.1007/s11184-005-0070-6>
- Erraguntla, M., Dave, D., Zapletal, J., Myles, K., Adelman, Z. N., Pohlenz, T. D., & Lawley, M. (2021). Predictive model for microclimatic temperature and its use in mosquito population modeling. *Scientific Reports*, 11(1), 18909. <https://doi.org/10.1038/s41598-021-98316-x>
- Ersoy, Z., Abril, M., Cañedo-Argüelles, M., Espinosa, C., Vendrell-Puigmitja, L., & Proia, L. (2022). Experimental assessment of salinization effects on freshwater zooplankton communities and their trophic interactions under eutrophic conditions. *Environmental Pollution*, 313, 120127. <https://doi.org/10.1016/j.envpol.2022.120127>
- Esser, H. J., Mögling, R., Cleton, N. B., van der Jeugd, H., Sprong, H., Stroo, A., Koopmans, M. P. G., de Boer, W. F., & Reusken, C. B. E. M. (2019). Risk factors associated with sustained circulation of six zoonotic arboviruses: A systematic review for selection of surveillance sites in non-endemic areas. *Parasites & Vectors*, 12(1), 265. <https://doi.org/10.1186/s13071-019-3515-7>

References

- Ezeakacha, N. F., & Yee, D. A. (2019). The role of temperature in affecting carry-over effects and larval competition in the globally invasive mosquito *Aedes albopictus*. *Parasites & Vectors*, 12(1), 123. <https://doi.org/10.1186/s13071-019-3391-1>
- Faridah, L., Fauziah, N., Agustian, D., Mindra Jaya, I. G. N., Eka Putra, R., Ekawardhani, S., Hidayath, N., Damar Djati, I., Carvajal, T. M., Mayasari, W., Ruluwedrata Rinawan, F., & Watanabe, K. (2022). Temporal Correlation Between Urban Microclimate, Vector Mosquito Abundance, and Dengue Cases. *Journal of Medical Entomology*, 59(3), 1008–1018. <https://doi.org/10.1093/jme/tjac005>
- Ferraguti, M., Magallanes, S., Suarez-Rubio, M., Bates, P. J. J., Marzal, A., & Renner, S. C. (2023). Does land-use and land cover affect vector-borne diseases? A systematic review and meta-analysis. *Landscape Ecology*, 38(10), 2433–2451. <https://doi.org/10.1007/s10980-023-01746-3>
- Ferraguti, M., Martínez-de la Puente, J., Roiz, D., Ruiz, S., Soriguer, R., & Figuerola, J. (2016). Effects of landscape anthropization on mosquito community composition and abundance. *Scientific Reports*, 6(1), 29002. <https://doi.org/10.1038/srep29002>
- Figuerola, D. P., Scott, S., Gonzalez, C. R., Veloso, C., & Canals, M. (2016). Assessing the larval niche of *Culex pipiens* in Chile. *International Journal of Mosquito Research*, 3(4), 11–16.
- Fischer, S., Pereyra, D., & Fernández, L. (2012). Predation ability and non-consumptive effects of *Notonecta sellata* (Heteroptera: Notonectidae) on immature stages of *Culex pipiens* (Diptera: Culicidae). *Journal of Vector Ecology*, 37(1), 245–251. <https://doi.org/10.1111/j.1948-7134.2012.00223.x>
- Floore, T. G. (2006). Mosquito larval control practices: Past and present. *Journal of the American Mosquito Control Association*, 22(3), 527–533. [https://doi.org/10.2987/8756-971X\(2006\)22\[527:MLCPPA\]2.0.CO;2](https://doi.org/10.2987/8756-971X(2006)22[527:MLCPPA]2.0.CO;2)
- Foley, J. A., DeFries, R., Asner, G. P., Barford, C., Bonan, G., Carpenter, S. R., Chapin, F. S., Coe, M. T., Daily, G. C., Gibbs, H. K., Helkowski, J. H., Holloway, T., Howard, E. A., Kucharik, C. J., Monfreda, C., Patz, J. A., Prentice, I. C., Ramankutty, N., & Snyder, P. K. (2005). Global Consequences of Land Use. *Science*, 309(5734), 570–574. <https://doi.org/10.1126/science.1111772>
- Folly, A. J., Waller, E. S. L., McCracken, F., McElhinney, L. M., Roberts, H., & Johnson, N. (2020). Equine seroprevalence of West Nile virus antibodies in the UK in 2019. *Parasites & Vectors*, 13(1), 596. <https://doi.org/10.1186/s13071-020-04481-9>

- Franklinos, L. H. V., Jones, K. E., Redding, D. W., & Abubakar, I. (2019). The effect of global change on mosquito-borne disease. *The Lancet Infectious Diseases*, 19(9), e302–e312. [https://doi.org/10.1016/S1473-3099\(19\)30161-6](https://doi.org/10.1016/S1473-3099(19)30161-6)
- Geest, G. J., Arts, G. H. P., & van Dijk, G. (2022). *Systeemkennis brakke wateren (2022–39; Brakke wateren)*. Wageningen University. <https://edepot.wur.nl/574933>
- Geetha, I., & Manonmani, A. M. (2008). Mosquito pupicidal toxin production by *Bacillus subtilis* subsp. *Subtilis*. *Biological Control*, 44(2), 242–247. <https://doi.org/10.1016/j.biocontrol.2007.10.007>
- Global Burden of Disease Pediatrics Collaboration. (2016). *Top 25 Global Causes of Disability-Adjusted Life-Years (DALYs) in Children Younger Than 5 Years, Both Sexes, 1990 and 2013*. <https://doi.org/10.1001/jamapediatrics.2015.4276>
- Golovatyuk, L. V., & Shitikov, V. K. (2016). Salinity tolerance of macrozoobenthic taxa in small rivers of the Lake Elton basin. *Russian Journal of Ecology*, 47(6), 540–545. <https://doi.org/10.1134/S1067413616060059>
- Gosner, K. L. (1960). A Simplified Table for Staging Anuran Embryos and Larvae with Notes on Identification. *Herpetologica*, 16(3), 183–190. <http://www.jstor.org/stable/3890061>
- Gottwalt, A. (2013). Impacts of Deforestation on Vector-borne Disease Incidence. *The Columbia University Journal of Global Health*, 3(2), Article 2. <https://doi.org/10.7916/thejgh.v3i2.4864>
- Gracey, A. Y., Fraser, E. J., Li, W., Fang, Y., Taylor, R. R., Rogers, J., Brass, A., & Cossins, A. R. (2004). Coping with cold: An integrative, multitissue analysis of the transcriptome of a poikilothermic vertebrate. *Proceedings of the National Academy of Sciences*, 101(48), 16970–16975. <https://doi.org/10.1073/pnas.0403627101>
- Gratz, N. G. (1999). Emerging and resurging vector-borne diseases. *Annual Review of Entomology*, 44(Volume 44, 1999), 51–75. <https://doi.org/10.1146/annurev.ento.44.1.51>
- Green, M. H. (2018). Climate and Disease in Medieval Eurasia. In *Oxford Research Encyclopedia of Asian History*. <https://doi.org/10.1093/acrefore/9780190277727.013.6>
- Greenhalgh, M., & Ovenden, D. (2007). *Freshwater Life*.

References

- Greenspan, S. E., Morris, W., Warburton, R., Edwards, L., Duffy, R., Pike, D. A., Schwarzkopf, L., & Alford, R. A. (2016). Low-cost fluctuating-temperature chamber for experimental ecology. *Methods in Ecology and Evolution*, 7(12), 1567–1574. <https://doi.org/10.1111/2041-210X.12619>
- Guo, X., Li, C., Deng, Y., Xing, D., Liu, Q., Wu, Q., Sun, A., Dong, Y., Cao, W., Qin, C., & Zhao, T. (2016). *Culex pipiens quinquefasciatus*: A potential vector to transmit Zika virus. *Emerging Microbes & Infections*, 5(1), 1–5. <https://doi.org/10.1038/emi.2016.102>
- Gutiérrez-López, R., Martínez-de la Puente, J., Gangoso, L., Yan, J., Soriguer, R. C., & Figuerola, J. (2016). Do mosquitoes transmit the avian malaria-like parasite *Haemoproteus*? An experimental test of vector competence using mosquito saliva. *Parasites & Vectors*, 9(1), 609. <https://doi.org/10.1186/s13071-016-1903-9>
- Hagstrum, D. W., & Hagstrum, W. R. (1970). A Simple Device for Producing Fluctuating Temperatures, with an Evaluation of the Ecological Significance of Fluctuating Temperatures¹. *Annals of the Entomological Society of America*, 63(5), 1385–1389. <https://doi.org/10.1093/aesa/63.5.1385>
- Hagstrum, D. W., & Milliken, G. A. (1991). Modeling Differences in Insect Developmental times between Constant and Fluctuating Temperatures. *Annals of the Entomological Society of America*, 84(4), 369–379. <https://doi.org/10.1093/aesa/84.4.369>
- Hall, J. M., & Warner, D. A. (2020). Ecologically relevant thermal fluctuations enhance offspring fitness: Biological and methodological implications for studies of thermal developmental plasticity. *Journal of Experimental Biology*, 223(19), jeb231902. <https://doi.org/10.1242/jeb.231902>
- Hallmann, C. A., Sorg, M., Jongejans, E., Siepel, H., Hofland, N., Schwan, H., Stenmans, W., Müller, A., Sumser, H., Hörren, T., Goulson, D., & de Kroon, H. (2017). More than 75 percent decline over 27 years in total flying insect biomass in protected areas. *PLOS ONE*, 12(10), e0185809. <https://doi.org/10.1371/journal.pone.0185809>
- Hamaidia, K., & Soltani, N. (2016). Ovicidal activity of an insect growth disruptor (methoxyfenozide) against *Culex pipiens* L. and delayed effect on development. *Journal of Entomology and Zoology Studies*, 4(4), 6. <http://www.univ-soukahras.dz/eprints/2016-837-6f442.pdf>

- Hamdan, H., Sofian-Azirun, M., Ahmad, N. W., & Lim, L. H. (2005). Insecticide resistance development in *Culex quinquefasciatus* (Say), *Aedes aegypti* (L.) and *Aedes albopictus* (Skuse) larvae against malathion, permethrin and temephos. 22(1), 45–52. [https://www.academia.edu/download/30404446/Insecticide_resistance_development_in_Culex_quinquefasciatus_\(Say\)__Aedes_aegypti_\(L.\)_and_Aedes_albopictus_\(Skuse\)_larvae_against_malat.pdf](https://www.academia.edu/download/30404446/Insecticide_resistance_development_in_Culex_quinquefasciatus_(Say)__Aedes_aegypti_(L.)_and_Aedes_albopictus_(Skuse)_larvae_against_malat.pdf)
- Harbach, R. E. (2012). *Culex pipiens*: Species Versus Species Complex – Taxonomic History and Perspective. *Journal of the American Mosquito Control Association*, 28(4), 10–23. <https://doi.org/10.2987/8756-971X-28.4.10>
- Harvey, J. A., Malcicka, M., & Ellers, J. (2015). Integrating more biological and ecological realism into studies of multitrophic interactions. *Ecological Entomology*, 40(4), 349–352. <https://doi.org/10.1111/een.12204>
- Hasselschwert, D., & Rockett, C. L. (1988). *Bacteria as Ovipositional Attractants for Aedes Aegypti (Diptera: Culicidae)*. 21(4), 7.
- Headlee, T. J. (1941). Further Studies of the Relative Effects on Insect Metabolism of Temperatures Derived from Constant and Variable Sources. *Journal of Economic Entomology*, 34(2), 171–174. <https://doi.org/10.1093/jee/34.2.171>
- Hermann, M., Jansen, R., van de Glind, J., Peeters, E. T. H. M., & Van den Brink, P. J. (2022). A transportable temperature and heatwave control device (TENTACLE) for laboratory and field simulations of different climate change scenarios in aquatic micro- and mesocosms. *HardwareX*, 11, e00307. <https://doi.org/10.1016/j.ohx.2022.e00307>
- Hilderink, H. B. M., Plasmans, M. H. D., Poos, M. J. J. C. (René), Eysink, P. E. D., & Gijsen, R. (2020). Dutch DALYs, current and future burden of disease in the Netherlands. *Archives of Public Health*, 78(1), 85. <https://doi.org/10.1186/s13690-020-00461-8>
- Hubálek, Z. (2008). Mosquito-borne viruses in Europe. *Parasitology Research*, 103(S1), Article S1. <https://doi.org/10.1007/s00436-008-1064-7>
- Hudson, B. N. A. (1956). The Behaviour of the Female Mosquito in Selecting Water for Oviposition. *Journal of Experimental Biology*, 33(3), 478–492. <https://doi.org/10.1242/jeb.33.3.478>

References

- Huffaker, C. B. (1944). The Temperature Relations Of The Immature Stages Of The Malarial Mosquito, *Anopheles Quadrimaculatus* Say, With A Comparison Of The Developmental Power Of Constant And Variable Temperatures In Insect Metabolism^{1,2}. *Annals of the Entomological Society of America*, 37(1), 1–27. <https://doi.org/10.1093/aesa/37.1.1>
- Huxley, P. J., Murray, K. A., Pawar, S., & Cator, L. J. (2021). *The effect of resource limitation on the temperature dependence of mosquito population fitness*. <https://doi.org/10.1098/rspb.2020.3217>
- Ibanez-Justicia, A., Stroo, A., Dik, M., Beeuwkes, J., & Scholte, E. J. (2015). National Mosquito (Diptera: *Culicidae*) Survey in The Netherlands 2010–2013. *Journal of Medical Entomology*, 52(2), 185–198. <https://doi.org/10.1093/jme/tju058>
- Ikeshoji, T. (1966). Attractant and Stimulant Factors for Oviposition of *Culex pipiens fatigans* in Natural Breeding-Sites. *Bulletin of the World Health Organization*, 35(6), 905–912. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2476291/>
- Ikeshoji, T., & Mulla, M. S. (1970). Oviposition Attractants for Four Species of Mosquitoes in Natural Breeding Waters. *Annals of the Entomological Society of America*, 63(5), 1322–1327. <https://doi.org/10.1093/aesa/63.5.1322>
- Impoinvil, D. E., Cardenas, G. A., Gihure, J. I., Mbogo, C. M., & Beier, J. C. (2007). Constant temperature and time period effects on *Anopheles gambiae* egg hatching. *Journal of the American Mosquito Control Association*, 23(2), 124–130. [https://doi.org/10.2987/8756-971X\(2007\)23\[124:CTATPE\]2.0.CO;2](https://doi.org/10.2987/8756-971X(2007)23[124:CTATPE]2.0.CO;2)
- Jennings, S., Warr, K. J., & Mackinson, S. (2002). Use of size-based production and stable isotope analyses to predict trophic transfer efficiencies and predator-prey body mass ratios in food webs. *Marine Ecology Progress Series*, 240, 11–20. <https://doi.org/10.3354/meps240011>
- Johansson, F., Lederer, B., & Lind, M. I. (2010). Trait Performance Correlations across Life Stages under Environmental Stress Conditions in the Common Frog, *Rana temporaria*. *PLOS ONE*, 5(7), e11680. <https://doi.org/10.1371/journal.pone.0011680>
- Jourdan, J., Baier, J., Riesch, R., Klimpel, S., Streit, B., Müller, R., & Plath, M. (2016). Adaptive growth reduction in response to fish kairomones allows mosquito larvae (*Culex pipiens*) to reduce predation risk. *Aquatic Sciences*, 78(2), 303–314. <https://doi.org/10.1007/s00027-015-0432-5>

- Jude, P. J., Tharmasegaram, T., Sivasubramaniyam, G., Senthilnathanan, M., Kannathasan, S., Raveendran, S., Ramasamy, R., & Surendran, S. N. (2012). Salinity-tolerant larvae of mosquito vectors in the tropical coast of Jaffna, Sri Lanka and the effect of salinity on the toxicity of *Bacillus thuringiensis* to *Aedes aegypti* larvae. *Parasites & Vectors*, 5(1), 269. <https://doi.org/10.1186/1756-3305-5-269>
- Juliano, S. A. (2007). Population Dynamics. *Journal of the American Mosquito Control Association*, 23(2 Suppl), 265–275.
- Kamdem, C., Tene Fossog, B., Simard, F., Etouna, J., Ndo, C., Kengne, P., Boussès, P., Etoa, F.-X., Awono-Ambene, P., Fontenille, D., Antonio-Nkondjio, C., Besansky, N. J., & Costantini, C. (2012). Anthropogenic Habitat Disturbance and Ecological Divergence between Incipient Species of the Malaria Mosquito *Anopheles gambiae*. *PLoS ONE*, 7(6), e39453. <https://doi.org/10.1371/journal.pone.0039453>
- Kauffman, E., Payne, A., Franke, M., Schmid, M., Harris, E., & Kramer, L. (2017). Rearing of *Culex spp.* And *Aedes spp.* Mosquitoes. *BIO-PROTOCOL*, 7(17). <https://doi.org/10.21769/BioProtoc.2542>
- Kazlauskienė, R., Bernotienė, R., Palinauskas, V., Iezhova, T. A., & Valkiūnas, G. (2013). *Plasmodium relictum* (lineages pSGS1 and pGRW11): Complete synchronous sporogony in mosquitoes *Culex pipiens pipiens*. *Experimental Parasitology*, 133(4), 454–461. <https://doi.org/10.1016/j.exppara.2013.01.008>
- Kehoe, R., Frago, E., & Sanders, D. (2021). Cascading extinctions as a hidden driver of insect decline. *Ecological Entomology*, 46(4), 743–756. <https://doi.org/10.1111/een.12985>
- Kenawy, M. A., Ammar, S. E., & Abdel-Rahman, H. A. (2013). Physico-chemical characteristics of the mosquito breeding water in two urban areas of Cairo Governorate, Egypt. *Journal of Entomological and Acarological Research*, 45(3), 17. <https://doi.org/10.4081/jea.2013.e17>
- Kengne, P., Charmantier, G., Blondeau-Bidet, E., Costantini, C., & Ayala, D. (2019). Tolerance of disease-vector mosquitoes to brackish water and their osmoregulatory ability. *Ecosphere*, 10(10). <https://doi.org/10.1002/ecs2.2783>
- Kennedy, J. S. (1942). On Water-finding and Oviposition by captive Mosquitoes. *Bulletin of Entomological Research*, 32(4), 279–301. <https://doi.org/10.1017/S0007485300017235>

References

- Kern, P., Cramp, R. L., & Franklin, C. E. (2015). Physiological responses of ectotherms to daily temperature variation. *Journal of Experimental Biology*, 218(19), 3068–3076. <https://doi.org/10.1242/jeb.123166>
- Khan, A. E., Ireson, A., Kovats, S., Mojumder, S. K., Khusru, A., Rahman, A., & Vineis, P. (2011). Drinking Water Salinity and Maternal Health in Coastal Bangladesh: Implications of Climate Change. *Environmental Health Perspectives*, 119(9), 1328–1332. <https://doi.org/10.1289/ehp.1002804>
- Kiarie-Makara, M. W., Ngumbi, P. M., & Lee, D.-K. (2015). Effects of Temperature on the Growth and Development of *Culex pipiens* Complex Mosquitoes (Diptera: Culicidae). *Journal of Pharmacy and Biological Sciences*, 10(6), 1–10.
- Kingsolver, J. G., Higgins, J. K., & Augustine, K. E. (2015). Fluctuating temperatures and ectotherm growth: Distinguishing non-linear and time-dependent effects. *Journal of Experimental Biology*, 218(14), 2218–2225. <https://doi.org/10.1242/jeb.120733>
- Knight, T. M., Chase, J. M., Goss, C. W., & Knight, J. J. (2004). Effects of interspecific competition, predation, and their interaction on survival and development time of immature *Anopheles quadrimaculatus*. *Journal of Vector Ecology*, 29(2), 277–284.
- Ko, K. Y., & Eliel, E. L. (1986). Asymmetric synthesis of (5R,6S)-6-acetoxy-5-hexadecanolide, the major component of the oviposition attractant pheromone of the mosquito *Culex pipiens fatigans*, and two of its stereoisomers. *The Journal of Organic Chemistry*, 51(26), 5353–5362. <https://doi.org/10.1021/jo00376a056>
- Koenraadt, C. J. M., & Harrington, L. C. (2008). Flushing Effect of Rain on Container-Inhabiting Mosquitoes *Aedes aegypti* and *Culex pipiens* (Diptera: Culicidae). *JOURNAL OF MEDICAL ENTOMOLOGY*, 45(1).
- Koenraadt, C. J. M., & Takken, W. (2003). Cannibalism and predation among larvae of the *Anopheles gambiae* complex. *Medical and Veterinary Entomology*, 17(1), 61–66. <https://doi.org/10.1046/j.1365-2915.2003.00409.x>
- Kolimenakis, A., Heinz, S., Wilson, M. L., Winkler, V., Yakob, L., Michaelakis, A., Papachristos, D., Richardson, C., & Horstick, O. (2021). The role of urbanisation in the spread of *Aedes* mosquitoes and the diseases they transmit—A systematic review. *PLOS Neglected Tropical Diseases*, 15(9), e0009631. <https://doi.org/10.1371/journal.pntd.0009631>
- Kovács, T., Anthony, B. P., Kondorosy, E., & Török, J. (2014). Predation on heteropterans within an assemblage of anurans at Kis-Balaton, Hungary. *North-Western Journal of Zoology*, 10(2), 236–244.

- Kraemer, M. U. G., Sinka, M. E., Duda, K. A., Mylne, A. Q. N., Shearer, F. M., Barker, C. M., Moore, C. G., Carvalho, R. G., Coelho, G. E., Van Bortel, W., Hendrickx, G., Schaffner, F., Elyazar, I. R. F., Teng, H.-J., Brady, O. J., Messina, J. P., Pigott, D. M., Scott, T. W., Smith, D. L., ... Hay, S. I. (2015). The global distribution of the arbovirus vectors *Aedes aegypti* and *Ae. Albopictus*. *eLife*, 4, e08347. <https://doi.org/10.7554/eLife.08347>
- Kroeger, I., Liess, M., Dziöck, F., & Duquesne, S. (2013). Sustainable control of mosquito larvae in the field by the combined actions of the biological insecticide Bti and natural competitors. *Journal of Vector Ecology*, 38(1), 82–89. <https://doi.org/10.1111/j.1948-7134.2013.12012.x>
- Krol, L., Blom, R., Dellar, M., Van Der Beek, J. G., Stroo, A. C. J., Van Bodegom, P. M., Geerling, G. W., Koenraad, C. J. M., & Schrama, M. (2023). Interactive effects of climate, land use and soil type on *Culex pipiens/torrentium* abundance. *One Health*, 17, 100589. <https://doi.org/10.1016/j.onehlt.2023.100589>
- Krol, L., Gorsich, E. E., Hunting, E. R., Govender, D., van Bodegom, P. M., & Schrama, M. (2019). Eutrophication governs predator-prey interactions and temperature effects in *Aedes aegypti* populations. *Parasites & Vectors*, 12(1), 179. <https://doi.org/10.1186/s13071-019-3431-x>
- Kumar, R., & Hwang, J.-S. (2006). Larvicidal Efficiency of Aquatic Predators: A Perspective for Mosquito Biocontrol. *Zoological Studies*.
- Kuznetsov, V. A., Zdanovich, V. V., Lobachov, E. A., & Lukiyanov, S. V. (2016). Revisiting the problem of astatic ecological optima. *Biology Bulletin Reviews*, 6(2), 164–176. <https://doi.org/10.1134/S2079086416020043>
- Lacey, L. A., & Orr, B. K. (1994). The Role of Biological Control of Mosquitoes in Integrated Vector Control. *The American Journal of Tropical Medicine and Hygiene*, 50(6_Suppl), 97–115. <https://doi.org/10.4269/ajtmh.1994.50.97>
- Lambin, E. F., & Meyfroidt, P. (2011). Global land use change, economic globalization, and the looming land scarcity. *Proceedings of the National Academy of Sciences*, 108(9), 3465–3472. <https://doi.org/10.1073/pnas.1100480108>
- Lambin, E. F., Tran, A., Vanwambeke, S. O., Linard, C., & Soti, V. (2010). Pathogenic landscapes: Interactions between land, people, disease vectors, and their animal hosts. *International Journal of Health Geographics*, 9(1), 54. <https://doi.org/10.1186/1476-072X-9-54>

References

- Lambin, E. F., Turner, B. L., Geist, H. J., Agbola, S. B., Angelsen, A., Folke, C., Bruce, J. W., Coomes, O. T., Dirzo, R., George, P. S., Homewood, K., Imbernon, J., Leemans, R., Li, X., Moran, E. F., Mortimore, M., Ramakrishnan, P. S., Richards, J. F., Steffen, W., ... Veldkamp, T. A. (2001). *The causes of land-use and land-cover change: Moving beyond the myths*. 11, 261–269.
- Laporta, G. Z., & Sallum, M. A. M. (2014). Coexistence mechanisms at multiple scales in mosquito assemblages. *BMC Ecology*, 14(1), 30. <https://doi.org/10.1186/s12898-014-0030-8>
- Lassiter, A. (2021). Rising seas, changing salt lines, and drinking water salinization. *Current Opinion in Environmental Sustainability*, 50, 208–214. <https://doi.org/10.1016/j.cosust.2021.04.009>
- Lawler, S. P. (2017). Environmental safety review of methoprene and bacterially-derived pesticides commonly used for sustained mosquito control. *Ecotoxicology and Environmental Safety*, 139, 335–343. <https://doi.org/10.1016/j.ecoenv.2016.12.038>
- Laydon, D. J., Cauchemez, S., Hinsley, W. R., Bhatt, S., & Ferguson, N. M. (2023). Impact of proactive and reactive vaccination strategies for health-care workers against MERS-CoV: A mathematical modelling study. *The Lancet Global Health*, 11(5), e759–e769. [https://doi.org/10.1016/S2214-109X\(23\)00117-1](https://doi.org/10.1016/S2214-109X(23)00117-1)
- Leisnham, P. T., Slaney, D. P., Lester, P. J., Weinstein, P., & Heath, A. C. G. (2007). Mosquito density, macroinvertebrate diversity, and water chemistry in water-filled containers: Relationships to land use. *New Zealand Journal of Zoology*, 34(3), 203–218. <https://doi.org/10.1080/03014220709510079>
- Li, J., Deng, T., Li, H., Chen, L., & Mo, J. (2009). Effects of Water Color and Chemical Compounds on the Oviposition Behavior of Gravid *Culex pipiens pallens* Females under Laboratory Conditions. *Journal of Agricultural and Urban Entomology*, 26(1), 23–30. <https://doi.org/10.3954/1523-5475-26.1.23>
- Li, X., Ma, L., Sun, L., & Zhu, C. (2002). Biotic characteristics in the deltamethrin-susceptible and resistant strains of *Culex pipiens pallens* (Diptera: Culicidae) in China. *Applied Entomology and Zoology*, 37(2), 305–308. <https://doi.org/10.1303/aez.2002.305>
- Lines, J., Harpham, T., Leake, C., & Schofield, C. (1994). Trends, priorities and policy directions in the control of vector-borne diseases in urban environments. *Health Policy and Planning*, 9(2), 113–129. <https://doi.org/10.1093/heapol/9.2.113>

- Little, S. E. (2013). Future challenges for parasitology: Vector control and one health in the Americas. *Veterinary Parasitology*, 195(3), 249–255. <https://doi.org/10.1016/j.vetpar.2013.04.006>
- Loeb, R., & Verdonshot, P. F. M. (2008). *Complexiteit van nutriëntenlimitaties in oppervlaktewateren* (128; , WOt-werkdocume, p. 68). Wageningen, Wettelijke Onderzoekstaken Natuur & Milie. <https://edepot.wur.nl/5464>
- Loetti, V., Schweigmann, N., & Burrioni, N. (2011). Development rates, larval survivorship and wing length of *Culex pipiens* (Diptera: Culicidae) at constant temperatures. *Journal of Natural History*, 45(35), 2203–2213. <https://doi.org/10.1080/00222933.2011.590946>
- Lohrer, A. M., & Wetz, J. J. (2003). Dredging-induced nutrient release from sediments to the water column in a southeastern saltmarsh tidal creek. *Marine Pollution Bulletin*, 46(9), 1156–1163. [https://doi.org/10.1016/S0025-326X\(03\)00167-X](https://doi.org/10.1016/S0025-326X(03)00167-X)
- Ludwig, D., & Cable, R. M. (1933). The Effect of Alternating Temperatures on the Pupal Development of *Drosophila melanogaster* Meigen. *Physiological Zoology*, 6(4), 493–508. <https://doi.org/10.1086/physzool.6.4.30151203>
- Lühken, R., Brattig, N., & Becker, N. (2023). Introduction of invasive mosquito species into Europe and prospects for arbovirus transmission and vector control in an era of globalization. *Infectious Diseases of Poverty*, 12(1), 109. <https://doi.org/10.1186/s40249-023-01167-z>
- Lundkvist, E., Landin, J., Jackson, M., & Svensson, C. (2003). Diving beetles (Dytiscidae) as predators of mosquito larvae (Culicidae) in field experiments and in laboratory tests of prey preference. *Bulletin of Entomological Research*, 93(3), 219–226. <https://doi.org/10.1079/BER2003237>
- Martin, A. P., & Palumbi, S. R. (1993). Body size, metabolic rate, generation time, and the molecular clock. *Proceedings of the National Academy of Sciences*, 90(9), 4087–4091. <https://doi.org/10.1073/pnas.90.9.4087>
- Maurer, B. A. (1999). The solution to ecological complexity? Untangling Ecological Complexity: The Macroscopic Perspective. *Trends in Ecology & Evolution*, 14(8), 331–332. [https://doi.org/10.1016/S0169-5347\(99\)01671-7](https://doi.org/10.1016/S0169-5347(99)01671-7)
- McDonald, G., & Buchanan, G. A. (1981). The mosquito and predatory insect fauna inhabiting fresh-water ponds, with particular reference to *Culex annulirostris* Skuse (Diptera: Culicidae). *Australian Journal of Ecology*, 6(1), 21–27. <https://doi.org/10.1111/j.1442-9993.1981.tb01270.x>

References

- Meadows, A. J., Owen, J. P., & Snyder, W. E. (2017). Keystone nonconsumptive effects within a diverse predator community. *Ecology and Evolution*, 7(23), 10315–10325. <https://doi.org/10.1002/ece3.3392>
- Meckawy, R., Stuckler, D., Mehta, A., Al-Ahdal, T., & Doebling, B. N. (2022). Effectiveness of early warning systems in the detection of infectious diseases outbreaks: A systematic review. *BMC Public Health*, 22(1), 2216. <https://doi.org/10.1186/s12889-022-14625-4>
- Medeiros-Sousa, A. R., Fernandes, A., Ceretti-Junior, W., Wilke, A. B. B., & Marrelli, M. T. (2017). Mosquitoes in urban green spaces: Using an island biogeographic approach to identify drivers of species richness and composition. *Scientific Reports*, 7(1), 17826. <https://doi.org/10.1038/s41598-017-18208-x>
- Medlock, J. M., Hansford, K. M., Schaffner, F., Versteirt, V., Hendrickx, G., Zeller, H., & Bortel, W. V. (2012). A Review of the Invasive Mosquitoes in Europe: Ecology, Public Health Risks, and Control Options. *Vector-Borne and Zoonotic Diseases*, 12(6), 435–447. <https://doi.org/10.1089/vbz.2011.0814>
- Mellanby, K., & Gardiner, J. S. (1997). Low temperature and insect activity. *Proceedings of the Royal Society of London. Series B - Biological Sciences*, 127(849), 473–487. <https://doi.org/10.1098/rspb.1939.0035>
- Merritt, R. W., Dadd, R. H., & Walker, E. D. (1992). Feeding Behavior, Natural Food, and Nutritional Relationships of Larval Mosquitoes. *Annual Review of Entomology*, 37(1), 349–374. <https://doi.org/10.1146/annurev.en.37.010192.002025>
- Messina, J. P., Brady, O. J., Golding, N., Kraemer, M. U. G., Wint, G. R. W., Ray, S. E., Pigott, D. M., Shearer, F. M., Johnson, K., Earl, L., Marczak, L. B., Shirude, S., Davis Weaver, N., Gilbert, M., Velayudhan, R., Jones, P., Jaenisch, T., Scott, T. W., Reiner, R. C., & Hay, S. I. (2019). The current and future global distribution and population at risk of dengue. *Nature Microbiology*, 4(9), 1508–1515. <https://doi.org/10.1038/s41564-019-0476-8>
- Meyabeme Elono, A. L., Foit, K., Duquesne, S., & Liess, M. (2018). Controlling *Culex pipiens*: Antagonists are more efficient than a neonicotinoid insecticide. *Journal of Vector Ecology*, 43(1), 26–35. <https://doi.org/10.1111/jvec.12279>
- Michaelakis, A., Mihou, A. P., Couladouros, E. A., Zounos, A. K., & Koliopoulos, G. (2005). Oviposition Responses of *Culex pipiens* to a Synthetic Racemic *Culex quinquefasciatus* Oviposition Aggregation Pheromone. *Journal of Agricultural and Food Chemistry*, 53(13), 5225–5229. <https://doi.org/10.1021/jf0504871>

- Modoni, G., Darini, G., Spacagna, R. L., Saroli, M., Russo, G., & Croce, P. (2013). Spatial analysis of land subsidence induced by groundwater withdrawal. *Engineering Geology*, 167, 59–71. <https://doi.org/10.1016/j.enggeo.2013.10.014>
- Montgomery, B. L., Shivas, M. A., Hall-Mendelin, S., Edwards, J., Hamilton, N. A., Jansen, C. C., McMahon, J. L., Warrilow, D., & van den Hurk, A. F. (2017). Rapid Surveillance for Vector Presence (RSVP): Development of a novel system for detecting *Aedes aegypti* and *Aedes albopictus*. *PLOS Neglected Tropical Diseases*, 11(3), 1–15. <https://doi.org/10.1371/journal.pntd.0005505>
- Mottram, P., Kay, B. H., & Fanning, I. D. (1994). Development and Survival of *Culex sitiens* Wiedemann (Diptera: Culicidae) in Relation to Temperature and Salinity. *Australian Journal of Entomology*, 33(1), 81–85. <https://doi.org/10.1111/j.1440-6055.1994.tb00926.x>
- Moura, J. A. S., & Souza-Santos, L. P. (2020). Environmental risk assessment (ERA) of pyriproxyfen in non-target aquatic organisms. *Aquatic Toxicology*, 222, 105448. <https://doi.org/10.1016/j.aquatox.2020.105448>
- Multini, L. C., Oliveira-Christe, R., Medeiros-Sousa, A. R., Evangelista, E., Barrio-Nuevo, K. M., Mucci, L. F., Ceretti-Junior, W., Camargo, A. A., Wilke, A. B. B., & Marrelli, M. T. (2021). The Influence of the pH and Salinity of Water in Breeding Sites on the Occurrence and Community Composition of Immature Mosquitoes in the Green Belt of the City of São Paulo, Brazil. *Insects*, 12(9), Article 9. <https://doi.org/10.3390/insects12090797>
- Murrell, E. G., & Juliano, S. A. (2008). Detritus Type Alters the Outcome of Interspecific Competition Between *Aedes aegypti* and *Aedes albopictus* (Diptera: Culicidae). *Journal of Medical Entomology*, 45(3), 375–383. <https://doi.org/10.1093/jmedent/45.3.375>
- Muturi, E. J., Costanzo, K., Kesavaraju, B., Lampman, R., & Alto, B. W. (2010). Interaction of a pesticide and larval competition on life history traits of *Culex pipiens*. *Acta Tropica*, 116(2), 141–146. <https://doi.org/10.1016/j.actatropica.2010.07.003>
- Muturi, E. J., Lampman, R., Costanzo, K., & Alto, B. W. (2011). Effect of Temperature and Insecticide Stress on Life-History Traits of *Culex restuans* and *Aedes albopictus* (Diptera: Culicidae). *Journal of Medical Entomology*, 48(2), 243–250. <https://doi.org/10.1603/ME10017>

References

- Muturi, E. J., Mwangangi, J., Shililu, J., Jacob, B. G., Mbogo, C., Githure, J., & Novak, R. J. (2008). Environmental factors associated with the distribution of *Anopheles arabiensis* and *Culex quinquefasciatus* in a rice agro-ecosystem in Mwea, Kenya. *Journal of Vector Ecology*, 33(1), 56–63. [https://doi.org/10.3376/1081-1710\(2008\)33\[56:EFAWTD\]2.0.CO;2](https://doi.org/10.3376/1081-1710(2008)33[56:EFAWTD]2.0.CO;2)
- Mwingira, V. S., Spitzen, J., Mboera, L. E. G., Torres-Estrada, J. L., & Takken, W. (2020). The Influence of Larval Stage and Density on Oviposition Site-Selection Behavior of the Afrotropical Malaria Mosquito *Anopheles coluzzii* (Diptera: Culicidae). *Journal of Medical Entomology*, 57(3), 657–666. <https://doi.org/10.1093/jme/tjz172>
- Myers, S. S. (2017). Planetary health: Protecting human health on a rapidly changing planet. *The Lancet*, 390(10114), 2860–2868. [https://doi.org/10.1016/S0140-6736\(17\)32846-5](https://doi.org/10.1016/S0140-6736(17)32846-5)
- Navarro, D. M. A. F., de Oliveira, P. E. S., Potting, R. P. J., Brito, A. C., Fital, S. J. F., & Sant'Ana, A. E. G. (2003a). The potential attractant or repellent effects of different water types on oviposition in *Aedes aegypti* L. (Dipt., Culicidae). *Journal of Applied Entomology*, 127(1), 46–50. <https://doi.org/10.1046/j.1439-0418.2003.00690.x>
- Navarro, D. M. A. F., de Oliveira, P. E. S., Potting, R. P. J., Brito, A. C., Fital, S. J. F., & Sant'Ana, A. E. G. (2003b). The potential attractant or repellent effects of different water types on oviposition in *Aedes aegypti* L. (Dipt., Culicidae). *Journal of Applied Entomology*, 127(1), 46–50. <https://doi.org/10.1046/j.1439-0418.2003.00690.x>
- Nazni, W., Lee, H., & Azahari, A. (2005). Adult and larval insecticide susceptibility status of *Culex quinquefasciatus* (Say) mosquitoes in Kuala Lumpur Malaysia. *Tropical Biomedicine*, 22(1), 63–68.
- Neale, J. T., & Juliano, S. A. (2019). Finding the sweet spot: What levels of larval mortality lead to compensation or overcompensation in adult production? *Ecosphere*, 10(9). <https://doi.org/10.1002/ecs2.2855>
- Nederstigt, T. A. P., Peijnenburg, W. J. G. M., Blom, R., & Vijver, M. G. (2022). Correlation analysis of single- and multigenerational endpoints in *Daphnia magna* toxicity tests: A case-study using TiO₂ nanoparticles. *Ecotoxicology and Environmental Safety*, 241, 113792. <https://doi.org/10.1016/j.ecoenv.2022.113792>
- Neiderud, C.-J. (2015). How urbanization affects the epidemiology of emerging infectious diseases. *Infection Ecology & Epidemiology*, 5(1), 27060. <https://doi.org/10.3402/iee.v5.27060>

- Nelson, G. C., Bennett, E., Berhe, A. A., Cassman, K., DeFries, R., Dietz, T., Dobermann, A., Dobson, A., Janetos, A., Levy, M., Marco, D., Nakicenovic, N., O'Neill, B., Norgaard, R., Petschel-Held, G., Ojima, D., Pingali, P., Watson, R., & Zurek, M. (2006). Anthropogenic Drivers of Ecosystem Change: An Overview. *Ecology and Society*, 11(2), art29. <https://doi.org/10.5751/ES-01826-110229>
- Newell, R. C. (1966). Effect of Temperature on the Metabolism of Poikilotherms. *Nature*, 212(5060), 426–428. <https://doi.org/10.1038/212426a0>
- Niederegger, S., Pastuschek, J., & Mall, G. (2010). Preliminary studies of the influence of fluctuating temperatures on the development of various forensically relevant flies. *Forensic Science International*, 199(1–3), 72–78. <https://doi.org/10.1016/j.forsciint.2010.03.015>
- Nikookar, S. H., Moosa-Kazemi, S. H., Yaghoobi-Ershadi, M. R., Vatandoost, H., Oshaghi, M. A., Ataei, A., & Anjamrooz, M. (2015). Fauna and Larval Habitat Characteristics of Mosquitoes in Neka County, Northern Iran. *Journal of Arthropod-Borne Diseases*, 9(2), 253–266.
- Nilsson, L. K. J., Sharma, A., Bhatnagar, R. K., Bertilsson, S., & Terenius, O. (2018). Presence of *Aedes* and *Anopheles* mosquito larvae is correlated to bacteria found in domestic water-storage containers. *FEMS Microbiology Ecology*, 94(6). <https://doi.org/10.1093/femsec/fiy058>
- Ohba, S., & Ushio, M. (2015). Effect of water depth on predation frequency by diving beetles on mosquito larvae prey: Water depth and predation in mosquitoes. *Entomological Science*, 18(4), Article 4. <https://doi.org/10.1111/ens.12143>
- Ohba, S.-Y., & Takagi, M. (2010). Predatory Ability of Adult Diving Beetles on the Japanese Encephalitis Vector *Culex tritaeniorhynchus*. *Journal of the American Mosquito Control Association*, 26(1), 32–36. <https://doi.org/10.2987/09-5946.1>
- Ortiz, D. I., Piche-Ovares, M., Romero-Vega, L. M., Wagman, J., & Troyo, A. (2022). The Impact of Deforestation, Urbanization, and Changing Land Use Patterns on the Ecology of Mosquito and Tick-Borne Diseases in Central America. *Insects*, 13(1), Article 1. <https://doi.org/10.3390/insects13010020>
- Ortiz Perea, N., & Callaghan, A. (2017). Pond dyes are *Culex* mosquito oviposition attractants. *PeerJ*, 5, e3361. <https://doi.org/10.7717/peerj.3361>

References

- Oude Essink, G. H. P., van Baaren, E. S., & de Louw, P. G. B. (2010). Effects of climate change on coastal groundwater systems: A modeling study in the Netherlands. *Water Resources Research*, 46(10), 2009WR008719. <https://doi.org/10.1029/2009WR008719>
- Paaijmans, K. P., Heinig, R. L., Seliga, R. A., Blanford, J. I., Blanford, S., Murdock, C. C., & Thomas, M. B. (2013). Temperature variation makes ectotherms more sensitive to climate change. *Global Change Biology*, 19(8), 2373–2380. <https://doi.org/10.1111/gcb.12240>
- Paaijmans, K. P., Jacobs, A. F. G., Takken, W., Heusinkveld, B. G., Githeko, A. K., Dicke, M., & Holtslag, A. a. M. (2008). Observations and model estimates of diurnal water temperature dynamics in mosquito breeding sites in western Kenya. *Hydrological Processes*, 22(24), 4789–4801. <https://doi.org/10.1002/hyp.7099>
- Paris, M., Tetreau, G., Laurent, F., Lelu, M., Despres, L., & David, J.-P. (2011). Persistence of *Bacillus thuringiensis israelensis* (Bti) in the environment induces resistance to multiple Bti toxins in mosquitoes. *Pest Management Science*, 67(1), 122–128. <https://doi.org/10.1002/ps.2046>
- Patrick, M. L., & Bradley, T. J. (2000). Regulation of compatible solute accumulation in larvae of the mosquito *Culex tarsalis*: Osmolarity versus salinity. *The Journal of Experimental Biology*, 203, 831–839. <https://doi.org/10.1242/jeb.203.4.831>
- Pauw, P., de Louw, P. G. B., & Essink, G. H. P. O. (2012). Groundwater salinisation in the Wadden Sea area of the Netherlands: Quantifying the effects of climate change, sea-level rise and anthropogenic interferences. *Netherlands Journal of Geosciences - Geologie En Mijnbouw*, 91(3), 373–383. <https://doi.org/10.1017/S0016774600000500>
- Peck, G. W., & Walton, W. E. (2006). Effect of Bacterial Quality and Density on Growth and Whole Body Stoichiometry of *Culex quinquefasciatus* and *Culex tarsalis* (Diptera: Culicidae). *Journal of Medical Entomology*, 43(1), 25–33. <https://doi.org/10.1093/jmedent/43.1.25>
- Petrić, D., Bellini, R., Scholte, E.-J., Rakotoarivony, L., & Schaffner, F. (2014). Monitoring population and environmental parameters of invasive mosquito species in Europe. *Parasites and Vectors*, 7(1), 1–14. <https://doi.org/10.1186/1756-3305-7-187>
- Pilger, D., De Maesschalck, M., Horstick, O., & San Martin, J. L. (2010). Dengue outbreak response: Documented effective interventions and evidence gaps. *TropiKA.Net*, 1(1), 0–0. http://journal.tropika.net/scielo.php?script=sci_abstract&pid=S2078-86062010000100002&lng=es&nrm=iso&tlng=en

- Poopathi, S., & Abidha, S. (n.d.). Mosquitocidal bacterial toxins (*Bacillus sphaericus* and *Bacillus thuringiensis* serovar israelensis): Mode of action, cytopathological effects and mechanism of resistance. <https://doi.org/10.5897/JPAP.9000019>
- Potter, M. S. (2023). *Hard Clam (Mercenaria mercenaria L.) Response to a Warming Environment: A Mesocosm Experiment*. <https://www.proquest.com/openview/adf266ea2d1c716ead3892e270a2e7c0/1?pq-origsite=gscholar&cbl=18750&diss=y>
- Priyadarshana, T. S., & Slade, E. M. (2023). A meta-analysis reveals that dragonflies and damselflies can provide effective biological control of mosquitoes. *Journal of Animal Ecology*, 92(8), 1589–1600. <https://doi.org/10.1111/1365-2656.13965>
- R Core Team. (2018). *R: A Language and Environment for Statistical Computing*. R Foundation for Statistical Computing. <https://www.R-project.org/>
- Radrova, J., Seblova, V., & Votypka, J. (2013). Feeding Behavior and Spatial Distribution of *Culex* Mosquitoes (Diptera: *Culicidae*) in Wetland Areas of the Czech Republic. *Journal of Medical Entomology*, 50(5), 1097–1104. <https://doi.org/10.1603/ME13029>
- Raghavendra, K., Sharma, P., & Dash, A. P. (2007). Biological control of mosquito populations through frogs: Opportunities & constrains. *Indian J Med Res*, 128(1), 4. <https://pubmed.ncbi.nlm.nih.gov/18820354/>
- Ramasamy, R., & Surendran, S. N. (2012). Global Climate Change and Its Potential Impact on Disease Transmission by Salinity-Tolerant Mosquito Vectors in Coastal Zones. *Frontiers in Physiology*, 3. <https://doi.org/10.3389/fphys.2012.00198>
- Ramasamy, R., & Surendran, S. N. (2016). Mosquito vectors developing in atypical anthropogenic habitats: Global overview of recent observations, mechanisms and impact on disease transmission. *J Vector Borne Dis*, 9.
- Ranta, E., McManus, J., & Leikola, N. (1990). Non-Visual Detection of Prey Patches by the Smooth Newt (*Triturus vulgaris*). *Journal of Herpetology*, 24(2), 202–204. <https://doi.org/10.2307/1564231>
- Rao, K. P., & Bullock, T. H. (1954). Q10 as a Function of Size and Habitat Temperature in Poikilotherms. *The American Naturalist*. <https://doi.org/10.1086/281806>
- Rasmussen, L. (1998). Effects of afforestation and deforestation on the deposition, cycling and leaching of elements. *Agriculture, Ecosystems & Environment*, 67(2), 153–159. [https://doi.org/10.1016/S0167-8809\(97\)00113-8](https://doi.org/10.1016/S0167-8809(97)00113-8)

References

- Ratte, H. T. (1984). Temperature and Insect Development. In K. H. Hoffmann (Ed.), *Environmental Physiology and Biochemistry of Insects* (pp. 33–66). Springer Berlin Heidelberg. https://doi.org/10.1007/978-3-642-70020-0_2
- Reisen, W. K., Milby, M. M., & Bock, M. E. (1984). The effects of immature stress on selected events in the life history of *Culex tarsalis*. *Mosq. News.*, 44(3), 385–395.
- Rejmánková, E., Grieco, J., Achee, N., & Roberts, D. R. (2013a). Ecology of Larval Habitats. In S. Manguin (Ed.), *Anopheles mosquitoes—New insights into malaria vectors*. InTech. <https://doi.org/10.5772/55229>
- Ritz, C., Baty, F., Streibig, J. C., & Gerhard, D. (2015). Dose-Response Analysis Using R. *PLOS ONE*, 10(e0146021). <http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0146021>
- Rivero, A., Magaud, A., Nicot, A., & Vézilier, J. (2011). Energetic Cost of Insecticide Resistance in *Culex pipiens* Mosquitoes. *Journal of Medical Entomology*, 48(3), 694–700. <https://doi.org/10.1603/ME10121>
- Roberts, D. (1996). Mosquitoes (Diptera: Culicidae) Breeding in Brackish Water: Female Ovipositional Preferences or Larval Survival? *Journal of Medical Entomology*, 33(4), 525–530. <https://doi.org/10.1093/jmedent/33.4.525>
- Roberts, D. M., & Irving-Bell, R. J. (1997). Salinity and microhabitat preferences in mosquito larvae from southern Oman. *Journal of Arid Environments*, 37(3), 497–504. <https://doi.org/10.1006/jare.1997.0291>
- Robich, R. M., & Denlinger, D. L. (2005). Diapause in the mosquito *Culex pipiens* evokes a metabolic switch from blood feeding to sugar gluttony. *Proceedings of the National Academy of Sciences*, 102(44), 15912–15917. <https://doi.org/10.1073/pnas.0507958102>
- Roche, B., Léger, L., L'Ambert, G., Lacour, G., Foussadier, R., Besnard, G., Barré-Cardi, H., Simard, F., & Fontenille, D. (2015). The Spread of *Aedes albopictus* in Metropolitan France: Contribution of Environmental Drivers and Human Activities and Predictions for a Near Future. *PLOS ONE*, 10(5), e0125600. <https://doi.org/10.1371/journal.pone.0125600>
- Rochlin, I., Faraji, A., Ninivaggi, D. V., Barker, C. M., & Kilpatrick, A. M. (2016). Anthropogenic impacts on mosquito populations in North America over the past century. *Nature Communications*, 7(1), 13604. <https://doi.org/10.1038/ncomms13604>

- Rockett, C. L. (1987). Bacteria as Ovipositional Attractants for *Culex pipiens* (Diptera: Culicidae). *The Great Lakes Entomologist*, 20(3), 6.
- Romeo-Aznar, V., Paul, R., Telle, O., & Pascual, M. (2018). Mosquito-borne transmission in urban landscapes: The missing link between vector abundance and human density. *Proceedings of the Royal Society B: Biological Sciences*, 285(1884), 20180826. <https://doi.org/10.1098/rspb.2018.0826>
- Roșca, I., Gherghel, I., Strugariu, A., & Zamfirescu, Ș. R. (2013). Feeding ecology of two newt species (*Triturus cristatus* and *Lissotriton vulgaris*) during the reproduction season. *Knowledge and Management of Aquatic Ecosystems*, 408, Article 408. <https://doi.org/10.1051/kmae/2013040>
- Roser, M., Ritchie, H., & Spooner, F. (2021). Burden of Disease. *Our World in Data*.
- Rubbo, M. J., Lanterman, J. L., Falco, R. C., & Daniels, T. J. (2011). The Influence of Amphibians on Mosquitoes in Seasonal Pools: Can Wetlands Protection Help to Minimize Disease Risk? *Wetlands*, 31(4), 799–804. <https://doi.org/10.1007/s13157-011-0198-z>
- Sacco, P. L., Valle, F., & Domenico, M. D. (2023). Proactive vs. Reactive country responses to the COVID-19 pandemic shock. *PLOS Global Public Health*, 3(1), e0001345. <https://doi.org/10.1371/journal.pgph.0001345>
- Saha, N., Aditya, G., Saha, G. K., & Hampton, S. E. (2010). Opportunistic foraging by heteropterian mosquito predators. *Aquatic Ecology*, 44(1), 167–176. <https://doi.org/10.1007/s10452-009-9250-y>
- Saleeza, S. N. R., Norma-Rashid, Y., & Sofian-Azirun, M. (2014). Guppies as predators of common mosquito larvae in Malaysia. *The Southeast Asian Journal of Tropical Medicine and Public Health*, 45(2), 299–308.
- Sames, W. J., Schleichi, S. S., & Johnson, O. D. (2005). Egg raft size and bionomical notes on *culiseta incidens theobald* in western washington. *Journal of the American Mosquito Control Association*, 21(4), 469–471. [https://doi.org/10.2987/8756-971X\(2006\)21\[469:ERSABN\]2.0.CO;2](https://doi.org/10.2987/8756-971X(2006)21[469:ERSABN]2.0.CO;2)
- Sas, I., Kovács, É.-H., Covaciu-Marcov, S.-D., Strugariu, A., Covaci, R., & Ferenczi, S. (2007). Food habits of a Pool frog *Pelophylax lessonae* – Edible frog *Pelophylax kl. Esculentus* population from North- Western Romania.

References

- Sas, I., Marcov, S. D. C., Strugariu, A., David, A., & Ilea, C. (2009). Food Habit of *Rana* (*Pelophylax*) *kl. Esculenta* Females in a New Recorded E-System Population from a Forested Habitat in North-Western Romania. *Turkish Journal of Zoology*. <https://doi.org/10.3906/zoo-0702-8>
- Schmork, S., & Mercado, A. (1969). Upconing of Fresh Water-Sea Water Interface Below Pumping Wells, Field Study. *Water Resources Research*, 5(6), 1290–1311. <https://doi.org/10.1029/WR005i006p01290>
- Schmutzer, A. C., Gray, M. J., Burton, E. C., & Miller, D. L. (2008). Impacts of cattle on amphibian larvae and the aquatic environment. *Freshwater Biology*, 53(12), 2613–2625. <https://doi.org/10.1111/j.1365-2427.2008.02072.x>
- Schrama, M., Gorsich, E. E., Hunting, E. R., Barmantlo, S. H., Beechler, B., & van Bodegom, P. M. (2018). Eutrophication and predator presence overrule the effects of temperature on mosquito survival and development. *PLOS Neglected Tropical Diseases*, 12(3), e0006354. <https://doi.org/10.1371/journal.pntd.0006354>
- Schrama, M., Hunting, E. R., Beechler, B. R., Guarido, M. M., Govender, D., Nijland, W., van 't Zelfde, M., Venter, M., van Bodegom, P. M., & Gorsich, E. E. (2020). Human practices promote presence and abundance of disease-transmitting mosquito species. *Scientific Reports*, 10(1), 13543. <https://doi.org/10.1038/s41598-020-69858-3>
- Schuler, M. S., & Relyea, R. A. (2018). Road salt and organic additives affect mosquito growth and survival: An emerging problem in wetlands. *Oikos*, 127(6), 866–874. <https://doi.org/10.1111/oik.04837>
- Ser, O., & Cetin, H. (2019). Investigation of Susceptibility Levels of *Culex pipiens* L. (Diptera: Culicidae) Populations to Synthetic Pyrethroids in Antalya Province of Turkey. *Journal of Arthropod-Borne Diseases*, 13(3), 243–258.
- Setha, T., Chantha, N., & Socheat, D. (2007). Efficacy of *Bacillus thuringiensis israelensis*, vectobac® wg and dt, formulations against dengue mosquito vectors in cement potable water jars in cambodia. *SOUTHEAST ASIAN J TROP MED PUBLIC HEALTH*, 38(2).
- Shaalán, E. A.-S., & Canyon, D. V. (2009). Aquatic insect predators and mosquito control. *Tropical Biomedicine*, 26, 223–261. <http://www.msptm.org/journal14.html>

- Shapiro, L. L. M., Whitehead, S. A., & Thomas, M. B. (2017). Quantifying the effects of temperature on mosquito and parasite traits that determine the transmission potential of human malaria. *PLOS Biology*, 15(10), e2003489. <https://doi.org/10.1371/journal.pbio.2003489>
- Shelton, R. M. (1973). The effect of temperatures on development of eight mosquito species. *Mosquito News*, 33(1), 1–12. <https://www.cabdirect.org/cabdirect/abstract/19732902146>
- Sih, A. (1986). Antipredator Responses and the Perception of Danger by Mosquito Larvae. *Ecology*, 67(2), Article 2. <https://doi.org/10.2307/1938587>
- Silberbush, A., Blaustein, L., & Margalith, Y. (2005). Influence of Salinity Concentration on Aquatic Insect Community Structure: A Mesocosm Experiment in the Dead Sea Basin Region. *Hydrobiologia*, 548(1), 1–10. <https://doi.org/10.1007/s10750-004-8336-8>
- Silberbush, A., Tsurim, I., Margalith, Y., & Blaustein, L. (2014). Interactive effects of salinity and a predator on mosquito oviposition and larval performance. *Oecologia*, 175(2), 565–575. <https://doi.org/10.1007/s00442-014-2930-x>
- Silverberg, N., Gagnon, J. M., & Lee, K. (1995). A benthic mesocosm facility for maintaining soft-bottom sediments. *Netherlands Journal of Sea Research*, 34(4), 289–302. [https://doi.org/10.1016/0077-7579\(95\)90039-X](https://doi.org/10.1016/0077-7579(95)90039-X)
- Smith, D. R. & Huang, C. (2010). Assessing Nutrient Transport Following Dredging of Agricultural Drainage Ditches. *Transactions of the ASABE*, 53(2), 429–436. <https://doi.org/10.13031/2013.29583>
- Sougué, E., Dabiré, R. K., & Roux, O. (2021). Larval habitat selection by females of two malaria vectors in response to predation risk. *Acta Tropica*, 221, 106016. <https://doi.org/10.1016/j.actatropica.2021.106016>
- Spanoudis, C. G., Andreadis, S. S., Tsaknis, N. K., Petrou, A. P., Gkeka, C. D., & Savopoulou–Soultani, M. (2019). Effect of Temperature on Biological Parameters of the West Nile Virus Vector *Culex pipiens* form ‘*molestus*’ (Diptera: *Culicidae*) in Greece: Constant vs Fluctuating Temperatures. *Journal of Medical Entomology*, 56(3), 641–650. <https://doi.org/10.1093/jme/tjy224>

References

- Steffen, W., Richardson, K., Rockström, J., Cornell, S. E., Fetzer, I., Bennett, E. M., Biggs, R., Carpenter, S. R., de Vries, W., de Wit, C. A., Folke, C., Gerten, D., Heinke, J., Mace, G. M., Persson, L. M., Ramanathan, V., Reyers, B., & Sörlin, S. (2015). Planetary boundaries: Guiding human development on a changing planet. *Science*, 347(6223), 1259855. <https://doi.org/10.1126/science.1259855>
- Steiger, D. M., Johnson, P., Hilbert, D. W., Ritchie, S., Jones, D., & Laurance, S. G. W. (2011). Effects of landscape disturbance on mosquito community composition in tropical Australia. 37(1).
- Steiger, D. M., Johnson, P., Hilbert, D. W., Ritchie, S., Jones, D., & Laurance, S. G. W. (2012). Effects of landscape disturbance on mosquito community composition in tropical Australia. *Journal of Vector Ecology*, 37(1), 69–76. <https://doi.org/10.1111/j.1948-7134.2012.00201.x>
- Sternberg, E. D., & Thomas, M. B. (2014). Local adaptation to temperature and the implications for vector-borne diseases. *Trends in Parasitology*, 30(3), 115–122. <https://doi.org/10.1016/j.pt.2013.12.010>
- Stott, P. (2016). How climate change affects extreme weather events. *Science*, 352(6293), 1517–1518. <https://doi.org/10.1126/science.aaf7271>
- Su, M., Jiang, Z., & Hui, C. (2022). How Multiple Interaction Types Affect Disease Spread and Dilution in Ecological Networks. *Frontiers in Ecology and Evolution*, 10. <https://doi.org/10.3389/fevo.2022.862986>
- Sukiato, F., Wasserman, R. J., Foo, S. C., Wilson, R. F., & Cuthbert, R. N. (2019). The effects of temperature and shading on mortality and development rates of *Aedes aegypti* (Diptera: Culicidae). *Journal of Vector Ecology*, 44(2), 264–270. <https://doi.org/10.1111/jvec.12358>
- Talaga, S., Dejean, A., Azémar, F., Dumont, Y., & Leroy, C. (2020). Impacts of biotic and abiotic parameters on immature populations of *Aedes aegypti*. *Journal of Pest Science*, 93(3), 941–952. <https://doi.org/10.1007/s10340-020-01214-w>
- Tatem, A. J., Huang, Z., Das, A., Qi, Q., Roth, J., & Qiu, Y. (2012). Air travel and vector-borne disease movement. *Parasitology*, 139(14), 1816–1830. <https://doi.org/10.1017/S0031182012000352>
- Telesh, I., Schubert, H., & Skarlato, S. (2013). Life in the salinity gradient: Discovering mechanisms behind a new biodiversity pattern. *Estuarine, Coastal and Shelf Science*, 135, 317–327. <https://doi.org/10.1016/j.ecss.2013.10.013>

- Thamer, N. K., & Abdulsamad, S. M. S. (2005). The Effect of Different NaCl and pH Levels on the Survival of *Culex* sp. (Diptera; *Culicidae*) Larvae in Basrah. *Journal of Basrah Researches (Sciences)*, 31(2a), 31–36. <https://www.iasj.net/iasj/download/48dd73e8b59b4889>
- Thomas, J. A., Welch, J. J., Lanfear, R., & Bromham, L. (2010). A Generation Time Effect on the Rate of Molecular Evolution in Invertebrates. *Molecular Biology and Evolution*, 27(5), 1173–1180. <https://doi.org/10.1093/molbev/msq009>
- Thompson, D. A., Lehmler, H.-J., Kolpin, D. W., Hladik, M. L., Vargo, J. D., Schilling, K. E., LeFevre, G. H., Peeples, T. L., Poch, M. C., LaDuca, L. E., Cwiertny, D. M., & Field, R. W. (2020). A critical review on the potential impacts of neonicotinoid insecticide use: Current knowledge of environmental fate, toxicity, and implications for human health. *Environmental Science: Processes & Impacts*, 22(6), 1315–1346. <https://doi.org/10.1039/C9EM00586B>
- Thongsripong, P., Hyman, J. M., Kapan, D. D., & Bennett, S. N. (2021). Human–Mosquito Contact: A Missing Link in Our Understanding of Mosquito-Borne Disease Transmission Dynamics. *Annals of the Entomological Society of America*, 114(4), 397–414. <https://doi.org/10.1093/aesa/saab011>
- Tran, T. T., Janssens, L., Dinh, K. V., & Stoks, R. (2018). Transgenerational interactions between pesticide exposure and warming in a vector mosquito. *Evolutionary Applications*, 11(6), 906–917. <https://doi.org/10.1111/eva.12605>
- Tuno, N., Miki, K., Minakawa, N., Githeko, A., Yan, G., & Takagi, M. (2004). Diving Ability of *Anopheles gambiae* (Diptera: *Culicidae*) Larvae. *Journal of Medical Entomology*, 41(4), 810–812. <https://doi.org/10.1603/0022-2585-41.4.810>
- Tyler, M. J. (1958). On the diet and feeding habits of the edible frog (*Rana esculenta* linnaeus). *Proceedings of the Zoological Society of London*, 131(4), 583–595. <https://doi.org/10.1111/j.1096-3642.1958.tb00703.x>
- Ukubuiwe, C. A., Olayemi, I. K., Omalu, I. C., Arimoro, F. O., Odeyemi, M. O., Salihu, I. M., Jibrin, A. I., Ukubuiwe, C. C., & Yunusa, R. Y. (2017). Influence of photoperiod on larval growth indices and energy budget for metamorphosis in *Culex quinquefasciatus* mosquito (Diptera: *Culicidae*); its implication in integrated vector management. <http://repository.futminna.edu.ng:8080/jspui/handle/123456789/3659>

References

- Vajedsamiei, J., Melzner, F., Raatz, M., Morón Lugo, S. C., & Pansch, C. (2021). Cyclic thermal fluctuations can be burden or relief for an ectotherm depending on fluctuations' average and amplitude. *Functional Ecology*, 35(11), 2483–2496. <https://doi.org/10.1111/1365-2435.13889>
- van Baaren, E., & Oude Essink, G. H. P. (2009). *Verzilting van het Nederlandse grondwatersysteem* (0903–0026). Deltares.
- Van Der Have, T. M., & De Jong, G. (1996). Adult Size in Ectotherms: Temperature Effects on Growth and Differentiation. *Journal of Theoretical Biology*, 183(3), 329–340. <https://doi.org/10.1006/jtbi.1996.0224>
- van der Sluijs, J. P. (2020). Insect decline, an emerging global environmental risk. *Current Opinion in Environmental Sustainability*, 46, 39–42. <https://doi.org/10.1016/j.cosust.2020.08.012>
- van Dijk, G., Lamers, L. P. M., Loeb, R., Westendorp, P.-J., Kuiperij, R., van Kleef, H. H., Klinge, M., & Smolders, A. J. P. (2019). Salinization lowers nutrient availability in formerly brackish freshwater wetlands; unexpected results from a long-term field experiment. *Biogeochemistry*, 143(1), 67–83. <https://doi.org/10.1007/s10533-019-00549-6>
- Van Schie, C., Spafford, H., Carver, S., & Weinstein, P. (2009). Salinity tolerance of *Aedes camptorhynchus* (Diptera: *Culicidae*) from two regions in southwestern Australia. *Australian Journal of Entomology*, 48(4), 293–299. <https://doi.org/10.1111/j.1440-6055.2009.00719.x>
- Verberk, W. C. E. P., Siepel, H., & Esselink, H. (2008). Life-history strategies in freshwater macroinvertebrates. *Freshwater Biology*, 53(9), 1722–1738. <https://doi.org/10.1111/j.1365-2427.2008.02035.x>
- Versteirt, V., Boyer, S., Damiens, D., De Clercq, E. M., Dekoninck, W., Ducheyne, E., Grootaert, P., Garros, C., Hance, T., Hendrickx, G., Coosemans, M., & Van Bortel, W. (2013). Nationwide inventory of mosquito biodiversity (Diptera: *Culicidae*) in Belgium, Europe. *Bulletin of Entomological Research*, 103(2), 193–203. <https://doi.org/10.1017/S0007485312000521>
- Vezzani, D., & Albicocco, A. P. (2009). The effect of shade on the container index and pupal productivity of the mosquitoes *Aedes aegypti* and *Culex pipiens* breeding in artificial containers. *Medical and Veterinary Entomology*, 23(1), 78–84. <https://doi.org/10.1111/j.1365-2915.2008.00783.x>

- Viaene, K. (2016). Improving ecological realism in the risk assessment of chemicals: Development of an integrated model. Ghent University.
- Virginio, F., Oliveira Vidal, P., & Suesdek, L. (2015a). Wing sexual dimorphism of pathogen-vector culicids. *Parasites & Vectors*, 8(1), 159. <https://doi.org/10.1186/s13071-015-0769-6>
- Virginio, F., Oliveira Vidal, P., & Suesdek, L. (2015b). Wing sexual dimorphism of pathogen-vector culicids. *Parasites & Vectors*, 8(1), 159. <https://doi.org/10.1186/s13071-015-0769-6>
- Vlaskamp, D. R., Thijsen, S. F., Reimerink, J., Hilken, P., Bouvy, W. H., Bantjes, S. E., Vlamincx, B. J., Zaaijer, H., van den Kerkhof, H. H., Raven, S. F., & Reusken, C. B. (2020). First autochthonous human West Nile virus infections in the Netherlands, July to August 2020. *Eurosurveillance*, 25(46). <https://doi.org/10.2807/1560-7917.ES.2020.25.46.2001904>
- Wallis, R. C. (1954). A study of oviposition activity of mosquitoes. *American Journal of Hygiene*, 60(2), Article 2.
- Waqas, M. S., Lin, L., Shoaib, A. A. Z., Cheng, X., Zhang, Q., Elabasy, A. S. S., & Shi, Z. (2020). Effect of Constant and Fluctuating Temperature on the Development, Reproduction, Survival, and Sex Ratio of *Phenacoccus solenopsis* (Hemiptera: Pseudococcidae). *Environmental Entomology*, 49(3), 553–560. <https://doi.org/10.1093/ee/nvaa023>
- Waters, S., Webster-Brown, J. G., & Hawes, I. (2021). The release of legacy phosphorus from deforestation-derived sediments in shallow, coastal lake Forsyth/Te Roto o Wairewa. *New Zealand Journal of Marine and Freshwater Research*, 55(3), 446–465. <https://doi.org/10.1080/00288330.2020.1804408>
- Weterings, R. (2015). Tadpoles of three common anuran species from Thailand do not prey on mosquito larvae. *Journal of Vector Ecology*, 40(2), Article 2. <https://doi.org/10.1111/jvec.12158>
- Wheat, D. (2011). Arduino Software. In D. Wheat (Ed.), *Arduino Internals* (pp. 89–97). Apress. https://doi.org/10.1007/978-1-4302-3883-6_5

References

- Whitmee, S., Haines, A., Beyrer, C., Boltz, F., Capon, A. G., Dias, B. F. de S., Ezeh, A., Frumkin, H., Gong, P., Head, P., Horton, R., Mace, G. M., Marten, R., Myers, S. S., Nishtar, S., Osofsky, S. A., Pattanayak, S. K., Pongsiri, M. J., Romanelli, C., ... Yach, D. (2015). Safeguarding human health in the Anthropocene epoch: Report of The Rockefeller Foundation–Lancet Commission on planetary health. *The Lancet*, 386(10007), 1973–2028. [https://doi.org/10.1016/S0140-6736\(15\)60901-1](https://doi.org/10.1016/S0140-6736(15)60901-1)
- WHO. (2014). Factsheet Vector-borne diseases (Factsheet 387; WHO Factsheet). WHO. https://extranet.who.int/kobe_centre/sites/default/files/pdf/vbdfactsheet.pdf
- Why, A. M., Lara, J. R., & Walton, W. E. (2016). Oviposition of *Culex tarsalis* (Diptera: Culicidae) Differs on Water Conditioned by Potential Fish and Insect Predators. *Journal of Medical Entomology*, 53(5), 1093–1099. <https://doi.org/10.1093/jme/tjw064>
- Wong, J., Morrison, A. C., Stoddard, S. T., Astete, H., Chu, Y. Y., Baseer, I., & Scott, T. W. (2012). Linking Oviposition Site Choice to Offspring Fitness in *Aedes aegypti*: Consequences for Targeted Larval Control of Dengue Vectors. *PLOS Neglected Tropical Diseases*, 6(5), e1632. <https://doi.org/10.1371/journal.pntd.0001632>
- Wu, L., Huang, K., Ridoutt, B. G., Yu, Y., & Chen, Y. (2021). A planetary boundary-based environmental footprint family: From impacts to boundaries. *Science of The Total Environment*, 785, 147383. <https://doi.org/10.1016/j.scitotenv.2021.147383>
- Wu, T.-H., Shiao, S.-F., & Okuyama, T. (2015). Development of insects under fluctuating temperature: A review and case study. *Journal of Applied Entomology*, 139(8), 592–599. <https://doi.org/10.1111/jen.12196>
- Wynn, G., & Paradise, C. J. (2001). Effects of microcosm scaling and food resources on growth and survival of larval *Culex pipiens*. *BMC Ecology*, 1(1), 3. <https://doi.org/10.1186/1472-6785-1-3>
- Yee, D. A., Glasgow, W. C., & Ezeakacha, N. F. (2020). Quantifying species traits related to oviposition behavior and offspring survival in two important disease vectors. *PLOS ONE*, 15(9), e0239636. <https://doi.org/10.1371/journal.pone.0239636>
- Zhou, G., & Miesfeld, R. L. (2009). Energy metabolism during diapause in *Culex pipiens* mosquitoes. *Journal of Insect Physiology*, 55(1), 40–46. <https://doi.org/10.1016/j.jinsphys.2008.10.002>

- Zhu, L., Gong, H., Li, X., Wang, R., Chen, B., Dai, Z., & Teatini, P. (2015). Land subsidence due to groundwater withdrawal in the northern Beijing plain, China. *Engineering Geology*, 193, 243–255. <https://doi.org/10.1016/j.enggeo.2015.04.020>

