



Universiteit
Leiden
The Netherlands

Diversity and functional potential of the Sorghum Root Microbiome to control: *Striga hermonthica*

Dinke, S.A.

Citation

Dinke, S. A. (2025, March 19). *Diversity and functional potential of the Sorghum Root Microbiome to control: Striga hermonthica*. NIOO-thesis. Retrieved from <https://hdl.handle.net/1887/4198721>

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/4198721>

Note: To cite this publication please use the final published version (if applicable).

R

References

References

- AATF (African Agricultural Technology Foundation). (2011). Feasibility Study on Striga Control in Sorghum. In *The African Agricultural Technology Foundation*.
- Abbaszadeh-Dahaji, P., Masalehi, F., & Akhgar, A. (2020). Improved Growth and Nutrition of Sorghum (*Sorghum bicolor*) Plants in a Low-Fertility Calcareous Soil Treated with Plant Growth-Promoting Rhizobacteria and Fe-EDTA. *Journal of Soil Science and Plant Nutrition*, 20(1), 31–42. <https://doi.org/10.1007/s42729-019-00098-9>.
- Abduselam, F., Tegene, S., Legese, Z., Tadesse, F., Biri, A., & Tessema, T. (2018). Evaluation of Early Maturing Sorghum (*Sorghum bicolor* (L.) Moench) Varieties, for Yield and Yield Components in the Lowlands of Eastern Hararghe. *Pelagia Research Library Asian Journal of Plant Science and Research*, 8(1), 40–43. www.pelagiaresearchlibrary.com
- Abedini, D., Jaupitre, S., Bouwmeester, H., & Dong, L. (2021). Metabolic interactions in beneficial microbe recruitment by plants. *Current Opinion in Biotechnology*, 70, 241–247. <https://doi.org/10.1016/J.COPBIO.2021.06.015>
- Abera, S., Shimels, M., Tessema, T., Raaijmakers, J. M., & Dini-Andreote, F. (2022). Back to the roots: defining the core microbiome of *Sorghum bicolor* in agricultural field soils from the centre of origin. *FEMS Microbiology Ecology*, 98(12). <https://doi.org/10.1093/FEMSEC/FIAC136>
- Abera, S., Mahdere, S., Victor, J. C., Guillermo, G. E., Taye, T., Luisa Arias Giraldo, Francisco, D.-A., & Jos M. Raaijmakers. (n.d.). Functional diversity of the core rhizosphere microbiome of sorghum. *Unpublished*.
- Acosta-Martínez, V., Dowd, S. E., Bell, C. W., Lascano, R., Booker, J. D., Zobeck, T. M., & Upchurch, D. R. (2010). Microbial community composition as affected by dryland cropping systems and tillage in a semiarid sandy soil. *Diversity*, 2(6), 910–931. <https://doi.org/10.3390/d2060910>
- Ahonsi, M. O., Berner, D. K., Emechebe, A. M., & Lagoke, S. T. (2002). Selection of rhizobacterial strains for suppression of germination of *Striga hermonthica* (Del.) Benth. seeds. *Biological Control*, 24(2), 143–152. [https://doi.org/10.1016/S1049-9644\(02\)00019-1](https://doi.org/10.1016/S1049-9644(02)00019-1)
- Ahonsi, M. O., Berner, D. K., Emechebe, A. M., & Lagoke, S. T. (2004). Effects of ALS-inhibitor herbicides, crop sequence, and fertilization on natural soil suppressiveness to *Striga hermonthica*. *Agriculture, Ecosystems and Environment*, 104(3), 453–463. <https://doi.org/10.1016/j.agee.2004.01.042>
- Ahonsi, M. O., Berner, D. K., Emechebe, A. M., Lagoke, S. T., & Sanginga, N. (2003). Potential of ethylene-producing pseudomonads in combination with effective N₂-fixing bradyrhizobial strains as supplements to legume rotation for *Striga hermonthica* control. *Biological Control*, 28(1), 1–10. [https://doi.org/10.1016/S1049-9644\(03\)00051-3](https://doi.org/10.1016/S1049-9644(03)00051-3)
- Akiyama, K., Matsuzaki, K. I., & Hayashi, H. (2005). Plant sesquiterpenes induce hyphal branching in arbuscular mycorrhizal fungi. *Nature*, 435(7043), 824–827. <https://doi.org/10.1038/NATURE03608>
- Al-Babili, S., & Bouwmeester, H. J. (2015). Strigolactones, a novel carotenoid-derived plant hormone. *Annual Review of Plant Biology*, 66, 161–186. <https://doi.org/10.1146/ANNUREV-ARPLANT-043014-114759>
- Alboukadel, K., & Mundt, F. (2020). Package “factoextra” Type Package Title Extract and Visualize the Results of Multivariate Data Analyses. <https://github.com/kassambara/factoextra/issues>
- Alder, A., Jamil, M., Marzorati, M., Bruno, M., Vermathen, M., Bigler, P., Ghisla, S., Bouwmeester, H., Beyer, P., & Al-Babili, S. (2012). The path from β -carotene to carlactone, a strigolactone-like plant hormone. *Science*, 335(6074), 1348–1351. <https://doi.org/10.1126/SCIENCE.1218094>

- Alegria Terrazas, R., Robertson-Albertyn, S., Corral, A. M., Escudero-Martinez, C., Kapadia, R., Balbirnie-Cumming, K., Morris, J., Hedley, P. E., Barret, M., Torres-Cortes, G., Paterson, E., Baggs, E. M., Abbott, J., & Bulgarelli, D. (2022). Defining Composition and Function of the Rhizosphere Microbiota of Barley Genotypes Exposed to Growth-Limiting Nitrogen Supplies. *MSystems*, 7(6).
- Ali, H. A., Elamin, H. B., & Dirar, H. A. (2013). Biological Control of *Striga hermonthica* Del . Benth : Screening for Bacteria Scavenging Strigol. *American Journal of Biochemistry*, 3(4), 106–119. <https://doi.org/10.5923/j.ajb.20130304.01>
- Amelework, B. A., Shimelis, H. A., Tongoona, P., Mengistu, F., Laing, M. D., & Ayele, D. G. (2016). Sorghum production systems and constraints, and coping strategies under drought-prone agro-ecologies of Ethiopia. *South African Journal of Plant and Soil*, 33(3), 207–217. <https://doi.org/10.1080/02571862.2016.1143043>
- Amora-Lazcano, E., Quiroz-González, H. J., Osornio-Ortega, C. I., Cruz-Maya, J. A., & Jan-Roblero, J. (2022). Plant growth-promoting bacteria belonging to the genera *Pseudomonas* and *Bacillus* improve the growth of sorghum seedlings in a low-nutrient soil. *Botanical Sciences*, 100(1), 56–66. <https://doi.org/10.17129/BOTSCI.2841>
- Andersen, K. S., Kirkegaard, R. H., Karst, S. M., & Albertsen, M. (2018). ampvis2: an R package to analyse and visualise 16S rRNA amplicon data. *BioRxiv*, 299537. <https://doi.org/10.1101/299537>
- Ashapkin, V. V., Kutueva, L. I., Aleksandrushkina, N. I., Vanyushin, B. F., Teofanova, D. R., & Zagorchev, L. I. (2023). Genomic and Epigenomic Mechanisms of the Interaction between Parasitic and Host Plants. *International Journal of Molecular Sciences*, 24(3). <https://doi.org/10.3390/ijms24032647>
- Astudillo-García, C., Bell, J. J., Webster, N. S., Glasl, B., Jompa, J., Montoya, J. M., & Taylor, M. W. (2017). Evaluating the core microbiota in complex communities: A systematic investigation. *Environmental Microbiology*, 19(4), 1450–1462. <https://doi.org/10.1111/1462-2920.13647>
- Atera, E. A., Ishii, T., Onyango, J. C., Itoh, K., & Azuma, T. (2013). *Striga* Infestation in Kenya: Status, Distribution and Management Options. *Sustainable Agriculture Research*, 2(2), 99. <https://doi.org/10.5539/sar.v2n2p99>
- Atera, E., & Itoh, K. (2011). Evaluation of ecologies and severity of *Striga* weed on rice in sub-Saharan Africa. *Agriculture and Biology Journal of North America*, 2(5), 752–760. <https://doi.org/10.5251/abjna.2011.2.5.752.760>
- Avedi, E. K., Ochieno, D. M. W., Ajanga, S., Wanyama, C., Wainwright, H., Elzein, A., & Beed, F. (2014). *Fusarium oxysporum* f. sp. *strigae* strain Foxy 2 did not achieve biological control of *Striga hermonthica* parasitizing maize in Western Kenya. *Biological Control*, 77, 7–14. <https://doi.org/10.1016/j.biocontrol.2014.05.012>
- Babalola, O. O., Berner, D. K., & Amusa, N. A. (2007). Evaluation of some bacterial isolates as germination stimulants of *Striga hermonthica*. *African Journal of Agricultural Research*, 2(1), 027–030.
- Babalola, O. O., Osir, E. O., Sanni, A. I., Olubukola, O. B., Elie, O. O., & Abiodun, I. S. (2002). Characterization of potential ethylene-producing rhizosphere bacteria of *Striga*-infested maize and sorghum. *African Journal of Biotechnology*, 1(2). <https://doi.org/10.5897/ajb2002.000-013>
- Babiker, A. G. T., Ejeta, G., Butler, L. G., & Woodson, W. R. (1993). Ethylene biosynthesis and strigol-induced germination of *Striga asiatica*. *Physiologia Plantarum*, 88(2), 359–365. <https://doi.org/10.1111/j.1399-3054.1993.tb05510.x>
- Backer, R. (2018). Plant growth-promoting rhizobacteria: context, mechanisms of action, and roadmap to commercialization of biostimulants for sustainable agriculture. *Front. Plant Sci.*, 9, 1473.

- Baedke, J., Fábregas-Tejeda, A., & Nieves Delgado, A. (2020). The holobiont concept before Margulis. *Journal of Experimental Zoology Part B: Molecular and Developmental Evolution*, 334(3), 149–155. <https://doi.org/10.1002/jez.b.22931>
- Bai, B., Liu, W., Qiu, X., Zhang, J., Zhang, J., & Bai, Y. (2022). The root microbiome: Community assembly and its contributions to plant fitness. *Journal of Integrative Plant Biology*, 64(2), 230–243. <https://doi.org/10.1111/JIPB.13226>
- Bais, H. P., Weir, T. L., Perry, L. G., Gilroy, S., & Vivanco, J. M. (2006). The role of root exudates in rhizosphere interactions with plants and other organisms. *Annual Review of Plant Biology*, 57, 233–266. <https://doi.org/10.1146/ANNUREV.ARPLANT.57.032905.105159>
- Bakker, M. G., Manter, D. K., Shefflin, A. M., Weir, T. L., & Vivanco, J. M. (2012). Harnessing the rhizosphere microbiome through plant breeding and agricultural management. *Plant and Soil*, 360(1–2), 1–13. <https://doi.org/10.1007/S11104-012-1361-X>
- Bakker, P. A. H. M., Doornbos, R. F., Zamioudis, C., Berendsen, R. L., & Pieterse, C. M. J. (2013). Induced systemic resistance and the rhizosphere microbiome. *Plant Pathol J*, 29(2), 136–143. <https://doi.org/10.5423/ppj.si.07.2012.0111>
- Bartnik, M., & Facey, P. C. (2017). Glycosides. *Pharmacognosy: Fundamentals, Applications and Strategy*, 101–161. <https://doi.org/10.1016/B978-0-12-802104-0.00008-1>
- Becerra, A., Cabello, M., & Chiarini, F. (2007). Arbuscular mycorrhizal colonization of vascular plants from the Yungas forests, Argentina. *Annals of Forest Science*, 64(7), 765–772. <https://doi.org/10.1051/forest:2007056>
- Bellis, E. S., Kelly, E. A., Lorts, C. M., Gao, H., DeLeo, V. L., Rouhan, G., Budden, A., Bhaskara, G. B., Hu, Z., Muscarella, R., Timko, M. P., Nebie, B., Runo, S. M., Chilcoat, N. D., Juenger, T. E., Morris, G. P., dePamphilis, C. W., & Lasky, J. R. (2020). Genomics of sorghum local adaptation to a parasitic plant. *Proceedings of the National Academy of Sciences of the United States of America*, 117(8), 4243–4251. <https://doi.org/10.1073/PNAS.1908707117>
- Bellmer, D., Huhnke, R., Whiteley, R., & Godsey, C. (2010). The untapped potential of sweet sorghum as a bioenergy feedstock. In *Biofuels* (Vol. 1, Issue 4, pp. 563–573). <https://doi.org/10.4155/bfs.10.34>
- Bender, S. F., Wagg, C., & van der Heijden, M. G. A. (2016). An Underground Revolution: Biodiversity and Soil Ecological Engineering for Agricultural Sustainability. In *Trends in Ecology and Evolution* (Vol. 31, Issue 6). <https://doi.org/10.1016/j.tree.2016.02.016>
- Berendsen, R. L., Vismans, G., Yu, K., Song, Y., De Jonge, R., Burgman, W. P., Burmølle, M., Herschend, J., Bakker, P. A. H. M., & Pieterse, C. M. J. (2018). Disease-induced assemblage of a plant-beneficial bacterial consortium. *ISME Journal*, 12(6), 1496–1507. <https://doi.org/10.1038/S41396-018-0093-1>
- Berg, G. (2009). Plant-microbe interactions promoting plant growth and health: Perspectives for controlled use of microorganisms in agriculture. *Applied Microbiology and Biotechnology*, 84(1), 11–18. <https://doi.org/10.1007/S00253-009-2092-7>
- Berg, G., Köberl, M., Rybakova, D., Müller, H., Grosch, R., & Smalla, K. (2017). Plant microbial diversity is suggested as the key to future biocontrol and health trends. In *FEMS Microbiology Ecology* (Vol. 93, Issue 5). <https://doi.org/10.1093/femsec/fix050>
- Bernal, P., Allsopp, L. P., Filloux, A., & Llamas, M. A. (2017). The *Pseudomonas putida* T6SS is a plant warden against phytopathogens. *ISME J.*, 11(4), 972–987. <https://doi.org/10.1038/ismej.2016.169>
- Berner, D. K., Schaad, N. W., & Völksch, B. (1999). Use of ethylene-producing bacteria for stimulation of *Striga* spp. seed germination. *Biological Control*, 15(3), 274–282. <https://doi.org/10.1006/bcon.1999.0718>

- Blin, K., Shaw, S., Augustijn, H. E., Reitz, Z. L., Biermann, F., Alanjary, M., Fetter, A., Terlouw, B. R., Metcalf, W. W., Helfrich, E. J. N., Van Wezel, G. P., Medema, M. H., & Weber, T. (2023). antiSMASH 7.0: new and improved predictions for detection, regulation, chemical structures, and visualisation. *Nucleic Acids Research*, *51*(W1), W46. <https://doi.org/10.1093/NAR/GKAD344>
- Bolger, A. M., Lohse, M., & Usadel, B. (2014). Trimmomatic: a flexible trimmer for Illumina sequence data. *Bioinformatics*, *30*(15), 2114–2120. <https://doi.org/10.1093/bioinformatics/btu170>
- Bouffaud, M.-L. L., Poirier, M.-A. A., Muller, D., & Moënne-Loccoz, Y. (2014). Root microbiome relates to plant host evolution in maize and other Poaceae. *Environmental Microbiology*, *16*(9), 2804–2814. <https://doi.org/10.1111/1462-2920.12442>
- Bouwmeester, H. J., Matusova, R., Zhongkui, S., & Beale, M. H. (2003). Secondary metabolite signaling in host-parasitic plant interactions. *Current Opinion in Plant Biology*, *6*(4), 358–364. [https://doi.org/10.1016/S1369-5266\(03\)00065-7](https://doi.org/10.1016/S1369-5266(03)00065-7)
- Bouwmeester, H. J., Roux, C., Lopez-Raez, J. A., & Bécard, G. (2007). Rhizosphere communication of plants, parasitic plants, and AM fungi. *Trends in Plant Science*, *12*(5), 224–230. <https://doi.org/10.1016/J.TPLANTS.2007.03.009>
- Bouwmeester, H., Li, C., Thiombiano, B., Rahimi, M., & Dong, L. (2021). Adaptation of the parasitic plant lifecycle: Germination is controlled by essential host signaling molecules. *Plant Physiology*, *185*(4), 1292–1308. <https://doi.org/10.1093/PLPHYS/KIAA066>
- Bruni, G. O., & Klasson, K. T. (2022). Aconitic Acid Recovery from Renewable Feedstock and Review of Chemical and Biological Applications. *Foods (Basel, Switzerland)*, *11*(4), 573. <https://doi.org/10.3390/FOODS11040573>
- Buchfink, B., Xie, C., & Huson, D. H. (2015). Fast and sensitive protein alignment using DIAMOND. *Nat Methods*, *12*(1), 59–60. <https://doi.org/10.1038/nmeth.3176>
- Bulgarelli, D., Garrido-oter, R., Mchardy, A. C., & Schulze-lefert, P. (2015). Structure and Function of the Bacterial Root Microbiota in Wild and Domesticated Barley Resource Structure and Function of the Bacterial Root Microbiota in Wild and Domesticated Barley. *Cell Host & Microbe*, *17*, 392–403. <https://doi.org/10.1016/j.chom.2015.01.011>
- Bulgarelli, D., Schlaeppi, K., Spaepen, S., Van Themaat, E. V. L., & Schulze-Lefert, P. (2013). Structure and functions of the bacterial microbiota of plants. *Annual Review of Plant Biology*, *64*, 807–838. <https://doi.org/10.1146/ANNUREV-ARPLANT-050312-120106>
- Busby, P. E., Soman, C., Wagner, M. R., Friesen, M. L., Kremer, J., Bennett, A., Morsy, M., Eisen, J. A., Leach, J. E., & Dangl, J. L. (2017). Research priorities for harnessing plant microbiomes in sustainable agriculture. *PLoS Biology*, *15*(3). <https://doi.org/10.1371/JOURNAL.PBIO.2001793>
- Cai, T., Cai, W., Zhang, J., Zheng, H., Tsou, A. M., Xiao, L., Zhong, Z., & Zhu, J. (2009). Host legume-exuded antimetabolites optimize the symbiotic rhizosphere. *Molecular Microbiology*, *73*(3), 507–517. <https://doi.org/10.1111/J.1365-2958.2009.06790.X>
- Callahan, B. J., McMurdie, P. J., Rosen, M. J., Han, A. W., Johnson, A. J. A., & Holmes, S. P. (2016). DADA2: High-resolution sample inference from Illumina amplicon data. *Nature Methods*, *13*(7), 581–583. <https://doi.org/10.1038/NMETH.3869>
- Cardoso, C., Ruyter-Spira, C., & Bouwmeester, H. J. (2011a). Strigolactones and root infestation by plant-parasitic Striga, Orobanche and Phelipanche spp. *Plant Science : An International Journal of Experimental Plant Biology*, *180*(3), 414–420. <https://doi.org/10.1016/j.plantsci.2010.11.007>
- Cardoso, C., Ruyter-Spira, C., & Bouwmeester, H. J. (2011b). Strigolactones and root infestation by plant-parasitic Striga, Orobanche and Phelipanche spp. *Plant Science*, *180*(3), 414–420. <https://doi.org/10.1016/j.plantsci.2010.11.007>

- Carrión, O., Curson, A. R. J., Kumaresan, D., Fu, Y., Lang, A. S., Mercadé, E., & Todd, J. D. (2015). A novel pathway producing dimethylsulphide in bacteria is widespread in soil environments. *Nature Communications* 2015 6:1, 6(1), 1–8. <https://doi.org/10.1038/ncomms7579>
- Carrión, O., Pratscher, J., Curson, A. R. J., Williams, B. T., Rostant, W. G., Colin Murrell, J., & Todd, J. D. (2017). Methanethiol-dependent dimethylsulfide production in soil environments. *The ISME Journal* 2017 11:10, 11(10), 2379–2390. <https://doi.org/10.1038/ismej.2017.105>
- Carrion, V. (2018). Involvement of Burkholderiaceae and sulfurous volatiles in disease-suppressive soils. *ISME J.*, 12, 2307–2321.
- Carvalho, L. C., Dennis, P. G., Badri, D. V., Kidd, B. N., Vivanco, J. M., & Schenk, P. M. (2015). *Linking Jasmonic Acid Signaling, Root Exudates, and Rhizosphere Microbiomes*. 28(9). <https://doi.org/10.1094/MPMI-01-15-0016-R>
- Castellano-Hinojosa, A., & Strauss, S. L. (2021). Insights into the taxonomic and functional characterization of agricultural crop core rhizobiosomes and their potential microbial drivers. *Scientific Reports*, 11(1). <https://doi.org/10.1038/S41598-021-89569-7>
- Castillejo, M. Á., Maldonado, A. M., Dumas-Gaudot, E., Fernández-Aparicio, M., Susín, R., Diego, R., & Jorrín, J. V. (2009). Differential expression proteomics to investigate responses and resistance to *Orobanche crenata* in *Medicago truncatula*. *BMC Genomics*, 10. <https://doi.org/10.1186/1471-2164-10-294>
- Chambers, M. C., MacLean, B., Burke, R., Amodei, D., Ruderman, D. L., Neumann, S., Gatto, L., Fischer, B., Pratt, B., Egertson, J., Hoff, K., Kessner, D., Tasman, N., Shulman, N., Frewen, B., Baker, T. A., Brusniak, M. Y., Paulse, C., Creasy, D., ... Mallick, P. (2012). A cross-platform toolkit for mass spectrometry and proteomics. *Nature Biotechnology* 2012 30:10, 30(10), 918–920. <https://doi.org/10.1038/nbt.2377>
- Chaparro, J. M., Badri, D. V., & Vivanco, J. M. (2014). Rhizosphere microbiome assemblage is affected by plant development. *ISME Journal*, 8(4), 790–803. <https://doi.org/10.1038/ISMEJ.2013.196>
- Chen, L., Xin, X., Zhang, J., Redmile-Gordon, M., Nie, G., & Wang, Q. (2019). Soil Characteristics Overwhelm Cultivar Effects on the Structure and Assembly of Root-Associated Microbiomes of Modern Maize. In *Pedosphere* (Vol. 29, Issue 3, pp. 360–373). Soil Science Society of China. [https://doi.org/10.1016/S1002-0160\(17\)60370-9](https://doi.org/10.1016/S1002-0160(17)60370-9)
- Cheng, Z., Lei, S., Li, Y., Huang, W., Ma, R., Xiong, J., Zhang, T., Jin, L., Ul Haq, H., Xu, X., & Tian, B. (2020). Revealing the Variation and Stability of Bacterial Communities in Tomato Rhizosphere Microbiota. *Microorganisms* 2020, Vol. 8, Page 170, 8(2), 170. <https://doi.org/10.3390/MICROORGANISMS8020170>
- Chiniquy, D., Barnes, E. M., Zhou, J., Hartman, K., Li, X., Sheflin, A., Pella, A., Marsh, E., Prenni, J., Deutschbauer, A. M., Schachtman, D. P., & Tringe, S. G. (2021). Microbial Community Field Surveys Reveal Abundant *Pseudomonas* Population in Sorghum Rhizosphere Composed of Many Closely Related Phylotypes. *Frontiers in Microbiology*, 12, 349. <https://doi.org/10.3389/FMICB.2021.598180/BIBTEX>
- Citation Jamil, M., Kountche, B. A., & Babili, S. (2021). Current Progress in *Striga* Management. *Plant Physiology*. <https://doi.org/10.1093/plphys/kiab040>
- Clarke, C. R., Timko, M. P., Yoder, J. I., Axtell, M. J., & Westwood, J. H. (2019). Molecular Dialog Between Parasitic Plants and Their Hosts. *Annual Review of Phytopathology*, 57, 279–299. <https://doi.org/10.1146/ANNUREV-PHYTO-082718-100043>
- Cloutier, M., Chatterjee, D., Elango, D., Cui, J., Bruns, M. A., & Chopra, S. (2020). Sorghum Root Flavonoid Chemistry, Cultivar, and Frost Stress Effects on Rhizosphere Bacteria and Fungi. *Phytobiomes Journal*, PBIOMES-01-20-0. <https://doi.org/10.1094/pbiomes-01-20-0013-f>

- Cloutier, M., Chatterjee, D., Elango, D., Cui, J., Bruns, M. A., & Chopra, S. (2021). Sorghum root flavonoid chemistry, cultivar, and frost stress effects on rhizosphere bacteria and fungi. *Phytobiomes Journal*, 5(1), 39–50. <https://doi.org/10.1094/PBIOMES-01-20-0013-FI>
- Comas, L. H., & Eissenstat, D. M. (2009). Patterns in root trait variation among 25 co-existing North American forest species. *New Phytologist*, 182(4), 919–928. <https://doi.org/10.1111/j.1469-8137.2009.02799.x>
- Compant, S., Clément, C., & Sessitsch, A. (2010). Plant growth-promoting bacteria in the rhizo- and endosphere of plants: Their role, colonization, mechanisms involved and prospects for utilization. *Soil Biology and Biochemistry*, 42(5), 669–678. <https://doi.org/10.1016/J.SOILBIO.2009.11.024>
- Compant, S., Samad, A., Faist, H., & Sessitsch, A. (2019). A review on the plant microbiome: Ecology, functions, and emerging trends in microbial application. *Journal of Advanced Research*, 19, 29–37. <https://doi.org/10.1016/J.JARE.2019.03.004>
- Conway, J. R., Lex, A., & Gehlenborg, N. (2017). UpSetR: an R package for the visualization of intersecting sets and their properties. *Bioinformatics*, 33(18), 2938–2940. <https://doi.org/10.1093/BIOINFORMATICS/BTX364>
- Cordovez, V. (2015). Diversity and functions of volatile organic compounds produced by *Streptomyces* from a disease-suppressive soil. *Front. Microbiol.* <https://doi.org/10.5589/fmicb.2015.01081>
- Cotton, T. E. A., Pétriacoq, P., Cameron, D. D., Meselmani, M. Al, Schwarzenbacher, R., Rolfe, S. A., & Ton, J. (2019). Metabolic regulation of the maize rhizobiome by benzoxazinoids. *The ISME Journal* 2019 13:7, 13(7), 1647–1658. <https://doi.org/10.1038/s41396-019-0375-2>
- Cui, S., Wada, S., Tobimatsu, Y., Takeda, Y., Saucet, S. B., Takano, T., Umezawa, T., Shirasu, K., & Yoshida, S. (2018). Host lignin composition affects haustorium induction in the parasitic plants *Phtheirospermum japonicum* and *Striga hermonthica*. *New Phytologist*, 218(2), 710–723. <https://doi.org/10.1111/NPH.15033>
- Czarnota, M. A., Rimando, A. M., & Weston, L. A. (2003). Evaluation of root exudates of seven sorghum accessions. *Journal of Chemical Ecology*, 29(9), 2073–2083. <https://doi.org/10.1023/A:1025634402071>
- da Silva, J. F., da Silva, T. R., Escobar, I. E. C., Fraiz, A. C. R., dos Santos, J. W. M., do Nascimento, T. R., dos Santos, J. M. R., Peters, S. J. W., de Melo, R. F., Signor, D., & Fernandes-Júnior, P. I. (2018). Screening of plant growth promotion ability among bacteria isolated from field-grown sorghum under different managements in Brazilian drylands. *World Journal of Microbiology and Biotechnology*, 34(12). <https://doi.org/10.1007/S11274-018-2568-7>
- Dastogeer, K. M. G., Tumpa, F. H., Sultana, A., Akter, M. A., & Chakraborty, A. (2020). Plant microbiome—an account of the factors that shape community composition and diversity. In *Current Plant Biology* (Vol. 23, p. 100161). Elsevier B.V. <https://doi.org/10.1016/j.cpb.2020.100161>
- De Cáceres, M. (2020). *How to use the indicispecies package (ver. 1.7.8)*.
- De Cuyper, C., & Goormachtig, S. (2017). Strigolactones in the rhizosphere: Friend or foe? *Molecular Plant-Microbe Interactions*, 30(9), 683–690. <https://doi.org/10.1094/MPMI-02-17-0051-CR>
- de Jonge, N. F., Louwen, J. J. R., Chekmeneva, E., Camuzeaux, S., Vermeir, F. J., Jansen, R. S., Huber, F., & van der Hooft, J. J. J. (2023). MS2Query: reliable and scalable MS2 mass spectra-based analogue search. *Nature Communications* 2023 14:1, 14(1), 1–12. <https://doi.org/10.1038/s41467-023-37446-4>
- de la Fuente Cantó, C., Simonin, M., King, E., Moulin, L., Bennett, M. J., Castrillo, G., & Laplaze, L. (2020). An extended root phenotype: the rhizosphere, its formation, and impacts on plant fitness. *The Plant Journal*, 103(3), 951–964. <https://doi.org/10.1111/tpj.14781>

- De-la-Pena, C., & Loyola-Vargas, V. M. (2014). Biotic Interactions in the Rhizosphere: A Diverse Cooperative Enterprise for Plant Productivity. *Plant Physiology*, *166*(2), 701–719. <https://doi.org/10.1104/pp.114.241810>
- Delventhal, R., Falter, C., Strugala, R., Zellerhoff, N., & Schaffrath, U. (2014). Ectoparasitic growth of Magnaporthe on barley triggers expression of the putative barley wax biosynthesis gene CYP96B22 which is involved in penetration resistance. *BMC Plant Biology*, *14*(1), 26. <https://doi.org/10.1186/1471-2229-14-26>
- Deng, S., Caddell, D. F., Xu, G., Dahlen, L., Washington, L., Yang, J., & Coleman-Derr, D. (2021). Genome wide association study reveals plant loci controlling heritability of the rhizosphere microbiome. *ISME Journal*, *15*(11), 3181–3194. <https://doi.org/10.1038/s41396-021-00993-z>
- Deng, S., Caddell, D., Yang, J., Dahlen, L., Washington, L., & Coleman-Derr, D. (2020). Genome wide association study reveals plant loci controlling heritability of the rhizosphere microbiome. *BioRxiv*, 2020.02.21.960377. <https://doi.org/10.1101/2020.02.21.960377>
- Deshpande, S. P., Mohamed, A., & Thomas Hash, C. (2013). Molecular Breeding for Striga Resistance in Sorghum. In *Translational Genomics for Crop Breeding* (pp. 77–93). <https://doi.org/10.1002/9781118728475.ch6>
- Dillon, S. L., Shapter, F. M., Henry, R. J., Cordeiro, G., Izquierdo, L., & Lee, L. S. (2007). Domestication to crop improvement: Genetic resources for Sorghum and Saccharum (Andropogoneae). In *Annals of Botany* (Vol. 100, Issue 5, pp. 975–989). Oxford University Press. <https://doi.org/10.1093/aob/mcm192>
- Diouf, M. (2016). Production and Use Sorghum: A Literature Review. *Journal of Nutritional Health & Food Science*, *4*(1), 01–04. <https://doi.org/10.15226/jnhfs.2016.00157>
- Dolan, J. R., Forster, D., Dunthorn, M., Bass, D., Bittner, L., Boutte, C., Christen, R., Claverie, J., Decelle, J., Edvardsen, B., Egge, E., Eikrem, W., Kooistra, W. H. C. F., Logares, R., Massana, R., Montresor, M., Not, F., Ogata, H., Pawlowski, J., ... Mar, P. (2016). *The role of plant–microbiome interactions in weed establishment and control*. June, 1–11. <https://doi.org/10.1093/femsec>
- Donn, S., Kirkegaard, J. A., Perera, G., Richardson, A. E., & Watt, M. (2015). Evolution of bacterial communities in the wheat crop rhizosphere. *Environmental Microbiology*, *17*(3), 610–621. <https://doi.org/10.1111/1462-2920.12452>
- Doornbos, R. F., Van Loon, L. C., & Bakker, P. A. H. M. (2011). Impact of root exudates and plant defense signaling on bacterial communities in the rhizosphere. A review. *Agronomy for Sustainable Development* *2011 32:1*, *32*(1), 227–243. <https://doi.org/10.1007/S13593-011-0028-Y>
- Dührkop, K., Fleischauer, M., Ludwig, M., Aksenov, A. A., Melnik, A. V., Meusel, M., Dorrestein, P. C., Rousu, J., & Böcker, S. (2019). SIRIUS 4: a rapid tool for turning tandem mass spectra into metabolite structure information. *Nature Methods* *2019 16:4*, *16*(4), 299–302. <https://doi.org/10.1038/s41592-019-0344-8>
- Dun, E. A., Brewer, P. B., & Beveridge, C. A. (2009). Strigolactones: discovery of the elusive shoot branching hormone. *Trends in Plant Science*, *14*(7), 364–372. <https://doi.org/10.1016/j.tplants.2009.04.003>
- Edgar, R. C. (2004). MUSCLE: multiple sequence alignment with high accuracy and high throughput. *Nucleic Acids Research*, *32*(5), 1792. <https://doi.org/10.1093/NAR/GKH340>
- Edwards, J., Johnson, C., Santos-Medellín, C., Lurie, E., Podishetty, N. K., Bhatnagar, S., Eisen, J. A., Sundaresan, V., & Jeffery, L. D. (2015). Structure, variation, and assembly of the root-associated microbiomes of rice. *Proceedings of the National Academy of Sciences*, *112*(8), E911–E920. <https://doi.org/10.1073/pnas.1414592112>
- Ejeta, G. (2007a). Breeding for Striga resistance in sorghum: Exploitation of an intricate host-parasite biology. *Crop Science*, *47*(SUPPL. DEC.). <https://doi.org/10.2135/CROPSCI2007.04.0011IPBS>

- Ejeta, G. (2007b). Integrating New Technologies for Striga Control: Towards Ending the Witch-hunt (Google eBook). In G. Ejeta & J. Gressel (Eds.), *American journal of ophthalmology* (Vol. 34, Issue February, pp. 3–16). World Scientific Publishing Co. Pte. Ltd. <https://doi.org/10.1142/9789812771506>
- Ejeta, G., & Butler, L. G. (1993). Host-parasite interactions throughout the *Striga* life cycle, and their contributions to Striga resistance. In *African Crop Science Journal* (Vol. 1, pp. 75–80).
- Ejeta, G., & Gressel, J. (2007). Integrating new technologies for striga control: Towards ending the Witch-Hunt. In *Integrating New Technologies for Striga Control: Towards Ending the Witch-Hunt*. World Scientific Publishing Co. <https://doi.org/10.1142/6470>
- Ejeta, G., & Knoll, J. E. (2007). Marker-assisted selection in sorghum. In *Genomics-Assisted Crop Improvement* (Vol. 2, pp. 187–205). Springer Netherlands. https://doi.org/10.1007/978-1-4020-6297-1_9
- Escudero-Martinez, C., & Bulgarelli, D. (2019). Tracing the evolutionary routes of plant–microbiota interactions. In *Current Opinion in Microbiology* (Vol. 49, pp. 34–40). Elsevier Ltd. <https://doi.org/10.1016/j.mib.2019.09.013>
- Ewels, P., Magnusson, M., Lundin, S., & Källér, M. (2016). MultiQC: summarize analysis results for multiple tools and samples in a single report. *Bioinformatics*, 32(19), 3047–3048. <https://doi.org/10.1093/BIOINFORMATICS/BTW354>
- Fadiji, A. E., Kanu, J. O., & Babalola, O. O. (2021). Metagenomic profiling of rhizosphere microbial community structure and diversity associated with maize plant as affected by cropping systems. *International Microbiology*, 24(3), 325–335. <https://doi.org/10.1007/S10123-021-00169-X>
- FAOSTAT. (2016). *FAOSTAT*. Food and Agriculture Organization. <http://www.fao.org/faostat/en/#data/QC>
- Figueiredo, G., Gomes, M., Covas, C., Mendo, S., & Caetano, T. (2022). The Unexplored Wealth of Microbial Secondary Metabolites: the Sphingobacteriaceae Case Study. *Microbial Ecology*, 83(2), 470–481. <https://doi.org/10.1007/S00248-021-01762-3/METRICS>
- Fitzpatrick, C. R., Copeland, J., Wang, P. W., Guttman, D. S., Kotanen, P. M., & Johnson, M. T. J. (2018). Assembly and ecological function of the root microbiome across angiosperm plant species. *Proceedings of the National Academy of Sciences of the United States of America*, 115(6), E1157–E1165. <https://doi.org/10.1073/PNAS.1717617115>
- Frankenberger, Jr., & Arshad, W. T. (1995). Phytohormones in Soil: Microbial Production and Function. In *Phytohormones in soils: microbial production and function*. Marcel Dekker Inc. <https://www.cabdirect.org/cabdirect/abstract/19951910024>
- Frost, D. L., Gurney, A. L., Press, M. C., & Scholes, J. D. (1997). *Striga hermonthica* reduces photosynthesis in sorghum: the importance of stomatal limitations and a potential role for ABA? *Plant, Cell & Environment*, 20(4), 483–492. <https://doi.org/10.1046/J.1365-3040.1997.D01-87.X>
- Fujioka, H., Samejima, H., Mizutani, M., Okamoto, M., & Sugimoto, Y. (2019). How does *Striga hermonthica* Bewitch its hosts? *Plant Signaling & Behavior*. <https://doi.org/10.1080/15592324.2019.1605810>
- Galili, T. (2015). dendextend: An R package for visualizing, adjusting, and comparing trees of hierarchical clustering. *Bioinformatics*, 31(22), 3718–3720. <https://doi.org/10.1093/bioinformatics/btv428>
- Garrido-Sanz, D., Čaušević, S., Vacheron, J., Heiman, C. M., Sentchilo, V., van der Meer, J. R., & Keel, C. (2023). Changes in structure and assembly of a species-rich soil natural community with contrasting nutrient availability upon establishment of a plant-beneficial *Pseudomonas* in the wheat rhizosphere. *Microbiome*, 11(1), 1–17. <https://doi.org/10.1186/S40168-023-01660-5/FIGURES/5>

- Gdanetz, K., & Trail, F. (2017). The Wheat Microbiome Under Four Management Strategies, and Potential for Endophytes in Disease Protection. *Phytobiomes Journal*, *1*(3), 158–168. <https://doi.org/10.1094/PBIOMES-05-17-0023-R>
- Gebremedhin, W., Goudriaan, J., & Naber, H. (2000). Morphological, phenological and water-use dynamics of sorghum varieties (*Sorghum bicolor*) under *Striga hermonthica* infestation. *Crop Protection*, *19*(1), 61–68. [https://doi.org/10.1016/S0261-2194\(99\)00077-0](https://doi.org/10.1016/S0261-2194(99)00077-0)
- Gilmore, R., Hutchins, S., Zhang, X., & Vallender, E. (2019). MicrobiomeR: An R Package for Simplified and Standardized Microbiome Analysis Workflows. *Journal of Open Source Software*, *4*(35), 1299. <https://doi.org/10.21105/joss.01299>
- Gobena, D., Shimels, M., Rich, P. J., Ruyter-Spira, C., Bouwmeester, H., Kanuganti, S., Mengiste, T., & Ejeta, G. (2017). Mutation in sorghum LOW GERMINATION STIMULANT 1 alters strigolactones and causes *Striga* resistance. *Proceedings of the National Academy of Sciences of the United States of America*, *114*(17), 4471–4476. <https://doi.org/10.1073/PNAS.1618965114>
- Gomez-Roldan, V., Fermas, S., Brewer, P. B., Puech-Pagès, V., Dun, E. A., Pillot, J. P., Letisse, F., Maturova, R., Danoun, S., Portais, J. C., Bouwmeester, H., Bécard, G., Beveridge, C. A., Rameau, C., & Rochange, S. F. (2008). Strigolactone inhibition of shoot branching. *Nature*, *455*(7210), 189–194. <https://doi.org/10.1038/NATURE07271>
- Grenié, M., Denelle, P., Tucker, C. M., Munoz, F., & Violle, C. (2017). funrar: An R package to characterize functional rarity. *Diversity and Distributions*, *23*(12), 1365–1371. <https://doi.org/10.1111/DDI.12629>
- Grossi, C. E. M., Fantino, E., Serral, F., Zawoznik, M. S., Fernandez Do Porto, D. A., & Ulloa, R. M. (2020). *Methylobacterium* sp. 2A Is a Plant Growth-Promoting Rhizobacteria That Has the Potential to Improve Potato Crop Yield Under Adverse Conditions. *Frontiers in Plant Science*, *11*. <https://doi.org/10.3389/FPLS.2020.00071/FULL>
- Gu, Z. (2022). Complex heatmap visualization. *IMeta*, *1*(3), e43. <https://doi.org/10.1002/IMT2.43>
- Guerrero-Egido, G., Pintado, A., Bretscher, K. M., Arias-Giraldo, L. M., Paulson, J. N., Spaink, H. P., Claessen, D., Ramos, C., Cazorla, F. M., Medema, M. H., Raaijmakers, J. M., & Carrión, V. J. (2024). bacLIFE: a user-friendly computational workflow for genome analysis and prediction of lifestyle-associated genes in bacteria. *Nature Communications* *2024 15:1*, *15*(1), 1–18. <https://doi.org/10.1038/s41467-024-46302-y>
- Hadebe, S. T., Modi, A. T., & Mabhaudhi, T. (2017). Drought Tolerance and Water Use of Cereal Crops: A Focus on Sorghum as a Food Security Crop in Sub-Saharan Africa. *Journal of Agronomy and Crop Science*, *203*(3), 177–191. <https://doi.org/10.1111/JAC.12191>
- Hamonts, K., Trivedi, P., Garg, A., Janitz, C., Grinyer, J., Holford, P., Botha, F. C., Anderson, I. C., & Singh, B. K. (2018). Field study reveals core plant microbiota and relative importance of their drivers. *Environ. Microbiol.*, *20*(1), 124–140. <https://doi.org/10.1111/1462-2920.14031>
- Haron, M. H., Tyler, H. L., Chandra, S., Moraes, R. M., Jackson, C. R., Pugh, N. D., & Pasco, D. S. (2019). Plant microbiome-dependent immune enhancing action of *Echinacea purpurea* is enhanced by soil organic matter content. *Scientific Reports*, *9*(1). <https://doi.org/10.1038/s41598-018-36907-x>
- Hassan, E., Gamar, Y., Elzein, I., Ali, A., & Ahmed, T. (2015). Performance of Sorghum Recombinant Inbred Lines (RIL) developed for rain-fed areas of Sudan. *Journal of Agricultural Sciences, Belgrade*, *60*(4), 395–406. <https://doi.org/10.2298/jas1504395h>
- Hassan, M. M., Abdel Gani, M. E. S., & Babiker, a G. E. T. (2009). Selection of soil borne bacteria for suppression of *striga* *Hermonthica* (Del.) Benth. *Advances in Natural and Applied Sciences*, *3*(1), 27–34. <http://www.scopus.com/inward/record.url?eid=2-s2.0-73249123110&partnerID=40&md5=11c742f1115a3b149f976d53ee3699d1>

- Hassan, M. M., Gani, M. E. S. A., & Babiker, A. G. E. T. (2009). Management of *Striga hermonthica* in sorghum using soil rhizosphere bacteria and host plant resistance. *International Journal of Agriculture and Biology*, 11(4), 367–373.
- Hassan, S., & Mathesius, U. (2012). The role of flavonoids in root-rhizosphere signaling: opportunities and challenges for improving plant–microbe interactions. *J. Exp. Bot.*, 63(9), 3429–3444. <https://doi.org/10.1093/jxb/err430>
- Hearne, S. J. (2009). Control - the striga conundrum. *Pest Management Science*, 65(5), 603–614. <https://doi.org/10.1002/ps.1735>
- Hegenauer, V., Körner, M., & Albert, M. (2017). Plants under stress by parasitic plants. In *Current Opinion in Plant Biology* (Vol. 38, pp. 34–41). Elsevier Ltd. <https://doi.org/10.1016/j.pbi.2017.04.006>
- Hess, D. E., Kroschel, J., Traor, D., Elzein, A. E. M., Marley, P. S., Abbasher, A. A., & Diarra, C. (2008). Striga: Biological Control Strategies for a New Millennium. In *Sorghum and Millets Diseases* (pp. 165–170). Iowa State Press. <https://doi.org/10.1002/9780470384923.ch31>
- Hirsch, P. R., & Mauchline, T. H. (2012). Who's who in the plant root microbiome? *Nature Biotechnology*, 30(10), 961–962. <https://doi.org/10.1038/nbt.2387>
- Hu, H., Fei, X., He, B., Chen, X., Ma, L., Han, P., Luo, Y., Liu, Y., & Wei, A. (2022). UPLC-MS/MS Profile Combined With RNA-Seq Reveals the Amino Acid Metabolism in *Zanthoxylum bungeanum* Leaves Under Drought Stress. *Frontiers in Nutrition*, 9. <https://doi.org/10.3389/FNUT.2022.921742/FULL>
- Huang, H., Ullah, F., Zhou, D. X., Yi, M., & Zhao, Y. (2019). Mechanisms of ROS regulation of plant development and stress responses. *Frontiers in Plant Science*, 10. <https://doi.org/10.3389/FPLS.2019.00800>
- Huang, X. F., Chaparro, J. M., Reardon, K. F., Zhang, R., Shen, Q., & Vivanco, J. M. (2014). Rhizosphere interactions: root exudates, microbes, and microbial communities1. <https://doi.org/10.1139/Cjb-2013-0225>, 92(4), 267–275. <https://doi.org/10.1139/CJB-2013-0225>
- Hyatt, D., Chen, G. L., LoCascio, P. F., Land, M. L., Larimer, F. W., & Hauser, L. J. (2010). Prodigal: prokaryotic gene recognition and translation initiation site identification. *BMC Bioinforma*, 11, 119. <https://doi.org/10.1186/1471-2105-11-119>
- Iasar Kruh, L., Lahav, T., Abu-Nassar, J., Achdari, G., Salami, R., Freilich, S., & Aly, R. (2017). Host-parasite-bacteria triangle: The microbiome of the parasitic weed *Phelipanche aegyptiaca* and tomato-solanum lycopersicum (Mill.) as a host. *Frontiers in Plant Science*, 8. <https://doi.org/10.3389/FPLS.2017.00269>
- Jamil, M., Charnikhova, T., Houshyani, B., van Ast, A., & Bouwmeester, H. J. (2012). Genetic variation in strigolactone production and tillering in rice and its effect on *Striga hermonthica* infection. *Planta*, 235(3), 473–484. <https://doi.org/10.1007/S00425-011-1520-Y>
- Jamil, M., Kanampiu, F. K., Karaya, H., Charnikhova, T., & Bouwmeester, H. J. (2012). *Striga hermonthica* parasitism in maize in response to N and P fertilisers. *Field Crops Research*, 134, 1–10. <https://doi.org/10.1016/J.FCR.2012.03.015>
- Jamil, M., Kountche, B. A., & Al-Babili, S. (2021). Current progress in *Striga* management. *Plant Physiology*, 185(4), 1339–1352. <https://doi.org/10.1093/PLPHYS/KIAB040>
- Jamil, M., Kountche, B. A., Haider, I., Guo, X., Ntui, V. O., Jia, K. P., Ali, S., Hameed, U. S., Nakamura, H., Lyu, Y., Jiang, K., Hirabayashi, K., Tanokura, M., Arold, S. T., Asami, T., & Al-Babili, S. (2018). Methyl phenlactonoates are efficient strigolactone analogs with simple structure. *Journal of Experimental Botany*, 69(9), 2319–2331. <https://doi.org/10.1093/JXB/ERX438>
- Jamil, M., Kountche, B. A., Wang, J. Y., Haider, I., Jia, K. P., Takahashi, I., Ota, T., Asami, T., & Al-Babili, S. (2020). A New Series of Carlactonoic Acid Based Strigolactone Analogs for Fundamental and Applied Research. *Frontiers in Plant Science*, 11. <https://doi.org/10.3389/FPLS.2020.00434>

- Jamil, M., Wang, J. Y., Yonli, D., Patil, R. H., Riyazaddin, M., Gangashetty, P., Berqdar, L., Chen, G. T. E., Traore, H., Margueritte, O., Zwanenburg, B., Bhoge, S. E., & Al-Babili, S. (2022). A New Formulation for Strigolactone Suicidal Germination Agents, towards Successful Striga Management. *Plants*, *11*(6). <https://doi.org/10.3390/PLANTS11060808/S1>
- Jeon, J. S., Etalo, D. W., Carreno-Quintero, N., de Vos, R. C. H., & Raaijmakers, J. M. (2021). Effects of sulfur assimilation in *Pseudomonas fluorescens* ss101 on growth, defense, and metabolome of different brassicaceae. *Biomolecules*, *11*(11). <https://doi.org/10.3390/BIOM11111704>
- Joel, D. M. (2000). The long-term approach to parasitic weeds control: manipulation of specific developmental mechanisms of the parasite. *Crop Protection*, *19*(8–10), 753–758. [https://doi.org/10.1016/S0261-2194\(00\)00100-9](https://doi.org/10.1016/S0261-2194(00)00100-9)
- Joel, D. M., Gressel, J., & Musselman, L. J. (2013). Parasitic Orobanchaceae: Parasitic mechanisms and control strategies. *Parasitic Orobanchaceae: Parasitic Mechanisms and Control Strategies*, 9783642381461, 1–513. <https://doi.org/10.1007/978-3-642-38146-1>
- K Serghini, A. de L. M. C. L. G. J. J. (2001). Sunflower (*Helianthus annuus* L.) response to broomrape (*Orobanche cernua* Loeff.) parasitism: induced synthesis and excretion of 7-hydroxylated simple coumarins. *J Exp Bot*, *52*, 2227–2234.
- Kabambe, V. H., Kanampiu, F., & Ngwira, A. (2008). Imazapyr (herbicide) seed dressing increases yield, suppresses *Striga asiatica* and has seed depletion role in maize (*Zea mays* L.) in Malawi. *African Journal of Biotechnology*, *7*(18), 3293–3298 ST-Imazapyr (herbicide) seed dressing.
- Kanehisa, M., & Goto, S. (2000). KEGG: Kyoto Encyclopedia of Genes and Genomes. *Nucleic Acids Research*, *28*(1), 27. <https://doi.org/10.1093/NAR/28.1.27>
- Kang, D. D., Li, F., Kirton, E., Thomas, A., Egan, R., An, H., & Wang, Z. (2019). MetaBAT 2: An adaptive binning algorithm for robust and efficient genome reconstruction from metagenome assemblies. *PeerJ*, *2019*(7). <https://doi.org/10.7717/PEERJ.7359>
- Kassambara, A. (2023). “*ggplot2*” Based Publication Ready Plots [R package ggpubr version 0.6.0]. <https://CRAN.R-project.org/package=ggpubr>
- Kawa, D., Taylor, T., Thiombiano, B., Musa, Z., Vahldick, H. E., Walmsley, A., Bucksch, A., Bouwmeester, H., & Brady, S. M. (2021). Characterization of growth and development of sorghum genotypes with differential susceptibility to *Striga hermonthica*. *Journal of Experimental Botany*, *72*(22), 7970–7983. <https://doi.org/10.1093/jxb/erab380>
- Kawa, D., Thiombiano, B., Shimels, M. Z., Raaijmakers, J. M., Bouwmeester, H., & Brady, S. M. (2024). The soil microbiome modulates the sorghum root metabolome and cellular traits with a concomitant reduction of *Striga* infection. *Cell Reports*, *43*(113971), 1–20. <https://doi.org/10.1016/j.celrep.2024.113971>
- Keyes, W. J., O’Malley, R. C., Kim, D., & Lynn, D. G. (2000). Signaling organogenesis in parasitic angiosperms: Xenognosin generation, perception, and response. *Journal of Plant Growth Regulation*, *19*(2), 217–231. <https://doi.org/10.1007/S003440000024>
- Khan, N., Bano, A., Rahman, M. A., Rathinasabapathi, B., & Babar, M. A. (2019). UPLC-HRMS-based untargeted metabolic profiling reveals changes in chickpea (*Cicer arietinum*) metabolome following long-term drought stress. *Plant, Cell & Environment*, *42*(1), 115–132. <https://doi.org/10.1111/PCE.13195>
- Khan, Z., Midega, C., Pittchar, J., Pickett, J., & Bruce, T. (2011). Push-pull technology: A conservation agriculture approach for integrated management of insect pests, weeds, and soil health in Africa. *International Journal of Agricultural Sustainability*, *9*(1), 162–170. <https://doi.org/10.3763/ijas.2010.0558>
- Khan, Z. R., Hassanali, A., Overholt, W., Khamis, T. M., Hooper, A. M., Pickett, J. A., Wadhams, L. J., & Woodcock, C. M. (2002). Control of witchweed *Striga hermonthica* by intercropping with

- Desmodium spp., and the mechanism defined as allelopathic. *Journal of Chemical Ecology*, 28(9), 1871–1885. <https://doi.org/10.1023/A:1020525521180>
- Kieser, S., Brown, J., Zdobnov, E. M., Trajkovski, M., & McCue, L. A. (2020). ATLAS: A Snakemake workflow for assembly, annotation, and genomic binning of metagenome sequence data. *BMC Bioinformatics*, 21(1), 1–8. <https://doi.org/10.1186/S12859-020-03585-4/FIGURES/2>
- Kim, B., Westerhuis, J. A., Smilde, A. K., Floková, K., Suleiman, A. K. A., Kuramae, E. E., Bouwmeester, H. J., & Zancarini, A. (2022). Effect of strigolactones on recruitment of the rice root-associated microbiome. *FEMS Microbiology Ecology*, 98(2). <https://doi.org/10.1093/FEMSEC/FIAC010>
- Kimber, C. T., Dahlberg, J. A., & Kresovich, S. (2013). Genomics of the Saccharinae. In A. H. Paterson (Ed.), *Genomics of the Saccharinae* (pp. 1–567). Springer Science+Business Media. <https://doi.org/10.1007/978-1-4419-5947-8>
- Korenblum, E., Massalha, H., & Aharoni, A. (2022). Plant-microbe interactions in the rhizosphere via a circular metabolic economy. *The Plant Cell*, 34(9), 3168–3182. <https://doi.org/10.1093/plcell/koac163>
- Kountche, B. A., Jamil, M., Yonli, D., Nikiema, M. P., Blanco-Ania, D., Asami, T., Zwanenburg, B., & Al-Babili, S. (2019). Suicidal germination as a control strategy for *Striga hermonthica* (Benth.) in smallholder farms of sub-Saharan Africa. *Plants People Planet*, 1(2), 107–118. <https://doi.org/10.1002/PPP3.32>
- Kumar, S., Stecher, G., & Tamura, K. (2016). MEGA7: Molecular Evolutionary Genetics Analysis Version 7.0 for Bigger Datasets. *Molecular Biology and Evolution*, 33(7), 1870–1874. <https://doi.org/10.1093/MOLBEV/MSW054>
- Kuramae, E. E., Derksen, S., Schlemper, T. R., Dimitrov, M. R., Costa, O. Y. A., & da Silveira, A. P. D. (2020). Sorghum Growth Promotion by *Paraburkholderia tropica* and *Herbaspirillum frisingense*: Putative Mechanisms Revealed by Genomics and Metagenomics. *Microorganisms*, 8(5). <https://doi.org/10.3390/MICROORGANISMS8050725>
- Lambers, H., Mougél, C., Jaillard, B., & Hinsinger, P. (2009). Plant–microbe–soil interactions in the rhizosphere: an evolutionary perspective. *Plant Soil*, 321(1–2), 83–115. <https://doi.org/10.1007/s11104-009-0042-x>
- Langmead, B., & Salzberg, S. L. (2012). Fast gapped-read alignment with Bowtie 2. *Nature Methods* 2012 9:4, 9(4), 357–359. <https://doi.org/10.1038/nmeth.1923>
- Lavecchia, A., Curci, M., Jangid, K., Whitman, W. B., Ricciuti, P., Pascazio, S., & Crecchio, C. (2015). Microbial 16S gene-based composition of a sorghum cropped rhizosphere soil under different fertilization managements. *Biology and Fertility of Soils*, 51(6), 661–672. <https://doi.org/10.1007/s00374-015-1017-0>
- Lê, S., Josse, J., & Husson, F. (2008). FactoMineR: An R package for multivariate analysis. *Journal of Statistical Software*, 25(1), 1–18. <https://doi.org/10.18637/jss.v025.i01>
- Lemanceau, P., Blouin, M., Muller, D., & Moënné-Loccoz, Y. (2017). Let the core microbiota be functional. *Trends Plant Sci.*, 22(7), 583–595. <https://doi.org/10.1016/j.tplants.2017.04.008>
- Létoffé, S., Wu, Y., Darch, S. E., Beloin, C., Whiteley, M., Touqui, L., & Ghigo, J. M. (2022). *Pseudomonas aeruginosa* Production of Hydrogen Cyanide Leads to Airborne Control of *Staphylococcus aureus* Growth in Biofilm and In Vivo Lung Environments. *MBio*, 13(5), e0215422. <https://doi.org/10.1128/mbio.02154-22>
- Letunic, I., & Bork, P. (2021). Interactive Tree Of Life (iTOL) v5: an online tool for phylogenetic tree display and annotation. *Nucleic Acids Research*, 49(W1), W293–W296. <https://doi.org/10.1093/NAR/GKAB301>
- Li, C., Dong, L., Durairaj, J., Guan, J. C., Yoshimura, M., Quinodoz, P., Horber, R., Gaus, K., Li, J., Setotaw, Y. B., Qi, J., De Groot, H., Wang, Y., Thiombiano, B., Floková, K., Walmsley, A.,

- Charnikhova, T. V., Chojnacka, A., de Lemos, S. C., ... Bouwmeester, H. J. (2023). Maize resistance to witchweed through changes in strigolactone biosynthesis. *Science*, 379(6627), 94–99. https://doi.org/10.1126/SCIENCE.ABQ4775/SUPPL_FILE/SCIENCE.ABQ4775_TABLES_S2_S4_TO_S7.ZIP
- Li, D., Liu, C. M., Luo, R., Sadakane, K., & Lam, T. W. (2015). MEGAHIT: an ultra-fast single-node solution for large and complex metagenomics assembly via succinct de Bruijn graph. *Bioinformatics*, 31(10), 1674–1676. <https://doi.org/10.1093/bioinformatics/btv033>
- Li, X., Jousset, A., de Boer, W., Carrión, V. J., Zhang, T., Wang, X., & Kuramae, E. E. (2019). Legacy of land use history determines reprogramming of plant physiology by soil microbiome. *ISME Journal*, 13(3), 738–751. <https://doi.org/10.1038/s41396-018-0300-0>
- Liu, C., Yu, J., Ying, J., Zhang, K., Hu, Z., Liu, Z., & Chen, S. (2023). Integrated metagenomics and metabolomics analysis reveals changes in the microbiome and metabolites in the rhizosphere soil of *Fritillaria unibracteata*. *Frontiers in Plant Science*, 14, 1223720. <https://doi.org/10.3389/FPLS.2023.1223720/BIBTEX>
- Liu, H., Brettell, L. E., Qiu, Z., & Singh, B. K. (2020). Microbiome-Mediated Stress Resistance in Plants. *Trends in Plant Science*, 25(8), 733–743. <https://doi.org/10.1016/J.TPLANTS.2020.03.014>
- Liu, H., Li, J., Carvalhais, L. C., Percy, C. D., Prakash Verma, J., Schenk, P. M., & Singh, B. K. (2021). Evidence for the plant recruitment of beneficial microbes to suppress soil-borne pathogens. *New Phytologist*, 229(5), 2873–2885. <https://doi.org/10.1111/NPH.17057>
- Liu, T. H., Yaghmour, M. A., Lee, M. H., Gradziel, T. M., Leveau, J. H. J., & Bostock, R. M. (2020). An roGFP2-Based Bacterial Bioreporter for Redox Sensing of Plant Surfaces. *Phytopathology*, 110(2), 297–308. <https://doi.org/10.1094/PHYTO-07-19-0237-R>
- Logan, D. C., & Stewart, G. R. (1991). Role of Ethylene in the Germination of the Hemiparasite *Striga hermonthica*. *Plant Physiol*, 97, 1435–1438. <https://doi.org/10.1104/pp.97.4.1435>
- Lopes, L. D., Pereira e Silva, M. de C., & Andreote, F. D. (2016). Bacterial abilities and adaptation toward the rhizosphere colonization. *Frontiers in Microbiology*, 7(AUG), 1341. <https://doi.org/10.3389/fmicb.2016.01341>
- López-Ráez, J. A., Shirasu, K., & Foo, E. (2017). Strigolactones in Plant Interactions with Beneficial and Detrimental Organisms: The Yin and Yang. *Trends in Plant Science*, 22(6), 527–537. <https://doi.org/10.1016/j.tplants.2017.03.011>
- Love, M. I., Huber, W., & Anders, S. (2014). Moderated estimation of fold change and dispersion for RNA-seq data with DESeq2. *Genome Biology*, 15(12), 550. <https://doi.org/10.1186/s13059-014-0550-8>
- Luan, H. H., & Medzhitov, R. (2016). Food Fight: Role of Itaconate and Other Metabolites in Anti-Microbial Defense. *Cell Metabolism*, 24(3), 379. <https://doi.org/10.1016/J.CMET.2016.08.013>
- Lurthy, T., Perot, S., Gerin-Eveillard, F., Rey, M., Vacheron, J., & Prigent-Combaret, C. (n.d.). *Inhibition of broomrape germination by 2,4-diacetylphloroglucinol produced by environmental Pseudomonas*. 23. <https://doi.org/10.1101/2023.03.01.529533>
- Lurthy, T., Pivato, B., Lemanceau, P., & Mazurier, S. (2021). Importance of the Rhizosphere Microbiota in Iron Biofortification of Plants. *Frontiers in Plant Science*, 12. <https://doi.org/10.3389/FPLS.2021.744445>
- Lüth, P., Nzioki, H. S., Baker, C. S., & Sands, D. C. (2023). A microbial bioherbicide for *Striga hermonthica* control: production, development, and effectiveness of a seed coating agent. *Pest Management Science*. <https://doi.org/10.1002/PS.7522>
- M Kanehisa, M. A. S. G. M. H. M. H. M. I. (2008). KEGG for linking genomes to life and the environment. *Nucleic Acids Res*, 36, D480–D484.

- M Kanehisa, S. G. S. K. Y. O. M. H. (2004). The KEGG resource for deciphering the genome. *Nucleic Acids Res*, 32, D277–D280.
- Macabuhay, A., Arsova, B., Walker, R., Johnson, A., Watt, M., & Roessner, U. (2022). Modulators or facilitators? Roles of lipids in plant root–microbe interactions. *Trends in Plant Science*, 27(2), 180–190. <https://doi.org/10.1016/j.tplants.2021.08.004>
- Mahoney, A. K., Yin, C., & Hulbert, S. H. (2017). Community structure, species variation, and potential functions of rhizosphere-associated bacteria of different winter wheat (*Triticum aestivum*) cultivars. *Frontiers in Plant Science*, 8, 132. <https://doi.org/10.3389/fpls.2017.00132>
- Mallu, T. S., Mutinda, S., Githiri, S. M., Achieng Odeny, D., & Runo, S. (2021). New pre-attachment *Striga* resistant sorghum adapted to African agro-ecologies. *Pest Management Science*, 77(6), 2894–2902. <https://doi.org/10.1002/PS.6325>
- Mandumbu, R., Mutengwa, C., Mabasa, S., & Mwenje, E. (2019a). Challenges to the exploitation of host plant resistance for *Striga* management in cereals and legumes by farmers in sub-Saharan Africa: a review. *Acta Agriculturae Scandinavica, Section B — Soil & Plant Science*, 69(1), 82–88. <https://doi.org/10.1080/09064710.2018.1494302>
- Mandumbu, R., Mutengwa, C., Mabasa, S., & Mwenje, E. (2019b). Challenges to the exploitation of host plant resistance for *Striga* management in cereals and legumes by farmers in sub-Saharan Africa: a review. *Acta Agriculturae Scandinavica Section B: Soil and Plant Science*, 69(1), 82–88. <https://doi.org/10.1080/09064710.2018.1494302>
- Markos, S., Simion, T., & Samuel, T. (2020). Evaluation of improved lowland sorghum (*Sorghum Bicolor* (L.) Moench) varieties in Southern Ethiopia. *Cogent Food & Agriculture*, 6(1). <https://doi.org/10.1080/23311932.2020.1727624>
- Marley, P. S., Aba, D. A., Shebayan, J., Musa, R., & Sanni, A. (2004). Integrated management of *Striga hermonthica* in sorghum using a mycoherbicide and host plant resistance in the Nigerian Sudano-Sahelian savanna. *Weed Research*, 44(3), 157–162. <https://doi.org/10.1111/J.1365-3180.2004.00387.X>
- Marschner, P., Crowley, D., & Yang, C. H. (2004). Development of specific rhizosphere bacterial communities in relation to plant species, nutrition, and soil type. *Plant and Soil*, 261(1–2), 199–208. <https://doi.org/10.1023/B:PLSO.0000035569.80747.C5/METRICS>
- Martínez, Y., Li, X., Liu, G., Bin, P., Yan, W., Más, D., Valdiviá, M., Hu, C.-A. A., Ren, W., & Yin, Y. (2017). The role of methionine on metabolism, oxidative stress, and diseases. *Amino Acids*, 49(12), 2091–2098. <https://doi.org/10.1007/s00726-017-2494-2>
- Masteling, R. (2023). *Breaking the witches' spell: Towards steering the soil microbiome for volatile-mediated control of the root parasitic weed Striga* [Leiden University]. <https://hdl.handle.net/1887/3594060>
- Masteling, R., Lombard, L., de Boer, W., Raaijmakers, J. M., & Dini-Andreote, F. (2019). Harnessing the microbiome to control plant parasitic weeds. *Current Opinion in Microbiology*, 49, 26–33. <https://doi.org/10.1016/J.MIB.2019.09.006>
- Matarauka, D., & Samaz, M. (2014). *Assessment of the use of herbicide (Imazapyr) and fertilizer relevance in integrated management of Striga asiatica in maize in Malawi*. 2(3), 68–71.
- Matilla, M. A., Ramos, J. L., Bakker, P. A. H. M., Doornbos, R., Badri, D. V., Vivanco, J. M., & Ramos-González, M. I. (2010). *Pseudomonas putida* KT2440 causes induced systemic resistance and changes in Arabidopsis root exudation. *Environmental Microbiology Reports*, 2(3), 381–388. <https://doi.org/10.1111/J.1758-2229.2009.00091.X>
- Mbuvi, D. A., Masiga, C. W., Kuria, E., Masanga, J., Wamalwa, M., Mohamed, A., Odeny, D. A., Hamza, N., Timko, M. P., & Runo, S. (2017). Novel sources of witchweed (*Striga*) resistance from wild sorghum accessions. *Frontiers in Plant Science*, 8(FEBRUARY). <https://doi.org/10.3389/fpls.2017.00116>

- Mccully, M. (2005). *The rhizosphere: the key functional unit in plant / soil / microbial interactions in the field . implications for the understanding of allelopathic effects The rhizosphere as a functional domain What does the rhizosphere look like? August*, 43–49. http://www.regional.org.au/au/allelopathy/2005/1/1/2726_mccullyme.htm
- McMurdie, P. J., & Holmes, S. (2013). Phyloseq: An R Package for Reproducible Interactive Analysis and Graphics of Microbiome Census Data. *PLoS ONE*, 8(4). <https://doi.org/10.1371/JOURNAL.PONE.0061217>
- Meldau, D. G., Long, H. H., & Baldwin, L. T. (2012). A native plant growth promoting bacterium, *Bacillus* sp. B55, rescues growth performance of an ethylene-insensitive plant genotype in nature. *Frontiers in Plant Science*, 3(JUN). <https://doi.org/10.3389/FPLS.2012.00112>
- Mendes, L. W., Kuramae, E. E., Navarrete, A. A., van Veen, J. A., & Tsai, S. M. (2014). Taxonomical and functional microbial community selection in soybean rhizosphere. *The ISME Journal*, 8(8), 1577–1587. <https://doi.org/10.1038/ismej.2014.17>
- Mendes, L. W., Mendes, R., Raaijmakers, J. M., & Tsai, S. M. (2018). Breeding for soil-borne pathogen resistance impacts active rhizosphere microbiome of common bean. *ISME Journal*, 12(12), 3038–3042. <https://doi.org/10.1038/s41396-018-0234-6>
- Mendes, R., Kruijt, M., de Bruijn, I., Dekkers, E., van der Voort, M., Schneider, J. H. M., Piceno, Y. M., DeSantis, T.Z., Andersen, G. L., Bakker, P., Raaijmakers, JM. (2012). Deciphering the Rhizosphere Microbiome. *Science*, 1097(2011), 1097–1100. <https://doi.org/10.1126/science.1203980>
- Mendiburu, F., Simon, R., & De Mendiburu, F. (2015). *Agricolae - Ten years of an open-source statistical tool for experiments in breeding, agriculture, and biology*. <https://doi.org/10.7287/PEERJ.PREPRINTS.1404V1>
- Miché, L., Bouillant, M. L., Rohr, R., Sallé, G., & Bally, R. (2000). Physiological and cytological studies on the inhibition of *Striga* seed germination by the plant growth-promoting bacterium *Azospirillum brasilense*. *European Journal of Plant Pathology*, 106(4), 347–351. <https://doi.org/10.1023/A:1008734609069>
- Minerdi, D., Savoi, S., & Sabbatini, P. (2023). Role of Cytochrome P450 Enzyme in Plant Microorganisms' Communication: A Focus on Grapevine. *International Journal of Molecular Sciences*, 24(5). <https://doi.org/10.3390/IJMS24054695>
- Molefe, R. R., Amoo, A. E., & Babalola, O. O. (2021). Metagenomic insights into the bacterial community structure and functional potentials in the rhizosphere soil of maize plants. *Journal of Plant Interactions*, 16(1), 258–269. https://doi.org/10.1080/17429145.2021.1936228/SUPPL_FILE/TJPI_A_1936228_SM2264.DOCX
- Morella, N. M., Weng, F. C. H., Joubert, P. M., Jessica, C., Lindow, S., & Koskella, B. (2020). Successive passaging of a plant-associated microbiome reveals robust habitat and host genotype-dependent selection. *Proceedings of the National Academy of Sciences of the United States of America*, 117(2), 1148–1159. <https://doi.org/10.1073/pnas.1908600116>
- Mounde, L. G., Anteyi, W. O., & Rasche, F. (2020). Tripartite interaction between *Striga* spp., cereals, and plant root-associated microorganisms: a review. *CAB Reviews: Perspectives in Agriculture, Veterinary Science, Nutrition and Natural Resources*, 15(005). <https://doi.org/10.1079/pavsnnr202015005>
- Mounde, L. G., Boh, M. Y., Cotter, M., & Rasche, F. (2015). Potential of rhizobacteria for promoting sorghum growth and suppressing *Striga hermonthica* development. *Journal of Plant Diseases and Protection*, 122(2), 100–106. <https://doi.org/10.1007/BF03356537>
- Mrema, E., Shimelis, H., Laing, M., & Mwadzingeni, L. (2018). Genetic analysis of the maximum germination distance of *Striga* under *Fusarium oxysporum* f. sp. *strigae* biocontrol in sorghum. *Journal of Integrative Agriculture*, 17(7), 1585–1593. [https://doi.org/10.1016/S2095-3119\(17\)61790-8](https://doi.org/10.1016/S2095-3119(17)61790-8)

- Mullet, J., Morishige, D., McCormick, R., Truong, S., Hilley, J., McKinley, B., Anderson, R., Olson, S. N., & Rooney, W. (2014). Energy sorghum—a genetic model for the design of C4 grass bioenergy crops. *Journal of Experimental Botany*, *65*(13), 3479–3489. <https://doi.org/10.1093/jxb/eru229>
- Mundia, C. W., Secchi, S., Akamani, K., & Wang, G. (2019). A Regional Comparison of Factors Affecting Global Sorghum Production: The Case of North America, Asia, and Africa's Sahel. *Sustainability*, *11*(7), 2135. <https://doi.org/10.3390/su11072135>
- Musselman, L. J. (1994). Parasitic Weeds of the World: Biology and Controls. *Economic Botany*, *48*(3), 332–332. <https://doi.org/10.1007/bf02862335>
- Musselman, L. J., & Rodenburg, J. (2023). Parasitic Weed Management. *Parasitic Plants in African Agriculture*, 137–174. <https://doi.org/10.1079/9781789247657.0013>
- Nasiou, E., & Giannakou, I. O. (2018). Effect of geraniol, a plant-based alcohol monoterpene oil, against *Meloidogyne javanica*. *European Journal of Plant Pathology*, *152*(3), 701–710. <https://doi.org/10.1007/S10658-018-1512-X>
- Navarro-Muñoz, J. C., Selem-Mojica, N., Mullaney, M. W., Kautsar, S. A., Tryon, J. H., Parkinson, E. I., De Los Santos, E. L. C., Yeong, M., Cruz-Morales, P., Abubucker, S., Roeters, A., Lokhorst, W., Fernandez-Guerra, A., Cappelini, L. T. D., Goering, A. W., Thomson, R. J., Metcalf, W. W., Kelleher, N. L., Barona-Gomez, F., & Medema, M. H. (2020). A computational framework to explore large-scale biosynthetic diversity. *Nature Chemical Biology*, *16*(1), 60. <https://doi.org/10.1038/S41589-019-0400-9>
- Naylor, D., Degraaf, S., Purdom, E., & Coleman-Derr, D. (2017). Drought and host selection influence bacterial community dynamics in the grass root microbiome. *ISME Journal*, *11*(12), 2691–2704. <https://doi.org/10.1038/ismej.2017.118>
- Neal, A. L., Ahmad, S., Gordon-Weeks, R., & Ton, J. (2012). Benzoxazinoids in root exudates of maize attract *Pseudomonas putida* to the rhizosphere. *PLoS One*, *7*(4), e35498. <https://doi.org/10.1371/journal.pone.0035498>
- Neondo, J. O., Alakonya, A. E., & Kasili, R. W. (2017). Screening for potential *Striga hermonthica* fungal and bacterial biocontrol agents from suppressive soils in Western Kenya. *BioControl*, *62*(5), 705–717. <https://doi.org/10.1007/s10526-017-9833-9>
- Neu, A. T., Allen, E. E., & Roy, K. (2021). Defining and quantifying the core microbiome: Challenges and prospects. *Proceedings of the National Academy of Sciences of the United States of America*, *118*(51), 1–10. <https://doi.org/10.1073/pnas.2104429118>
- Neves, D., Figueiredo, A., Maia, M., Laczko, E., Pais, M. S., & Cravador, A. (2023). A Metabolome Analysis and the Immunity of *Phlomis purpurea* against *Phytophthora cinnamomi*. *Plants*, *12*(10). <https://doi.org/10.3390/PLANTS12101929/S1>
- Nikiforova, V., Kempa, S., Zeh, M., Maimann, S., Kreft, O., Casazza, A. P., Riedel, K., Tauberger, E., Hoefgen, R., & Hesse, H. (2002). Engineering of cysteine and methionine biosynthesis in potato. *Amino Acids*, *22*(3), 259–278. <https://doi.org/10.1007/s007260200013>
- Ninkuu, V., Zhang, L., Yan, J., Fu, Z., Yang, T., & Zeng, H. (2021). Biochemistry of Terpenes and Recent Advances in Plant Protection. *International Journal of Molecular Sciences*, *22*(11). <https://doi.org/10.3390/IJMS22115710>
- Niu, B., Paulson, J. N., Zheng, X., & Kolter, R. (2017). Simplified and representative bacterial community of maize roots. *Proceedings of the National Academy of Sciences of the United States of America*, *114*(12), E2450–E2459. https://doi.org/10.1073/PNAS.1616148114/SUPPL_FILE/PNAS.1616148114.SM01.WMV
- Nzioki, H. S., Oyosi, F., Morris, C. E., Kaya, E., Pilgeram, A. L., Baker, C. S., & Sands, D. C. (2016). *Striga* biocontrol on a toothpick: A readily deployable and inexpensive method for smallholder farmers. *Frontiers in Plant Science*, *7*(AUG2016). <https://doi.org/10.3389/FPLS.2016.01121>

- Oberholster, T., Vikram, S., Cowan, D., & Valverde, A. (2018). Key microbial taxa in the rhizosphere of sorghum and sunflower grown in crop rotation. *Science of the Total Environment*, *624*, 530–539. <https://doi.org/10.1016/j.scitotenv.2017.12.170>
- O'Brien, P. A., Webster, N. S., Miller, D. J., & Bourne, D. G. (2019). Host-Microbe Coevolution: Applying Evidence from Model Systems to Complex Marine Invertebrate Holobionts. In *mBio* (Vol. 10, Issue 1). NLM (Medline). <https://doi.org/10.1128/mBio.02241-18>
- Ofek-Lalzar, M., Sela, N., Goldman-Voronov, M., Green, S. J., Hadar, Y., & Minz, D. (2014). Niche and host-associated functional signatures of the root surface microbiome. *Nature Communications* *2014 5:1*, *5*(1), 1–9. <https://doi.org/10.1038/ncomms5950>
- Oksanen, J., Blanchet, F. G., Friendly, M., Kindt, R., Legendre, P., Mcglinn, D., Minchin, P. R., O'hara, R. B., Simpson, G. L., Solymos, P., Henry, M., Stevens, H., Szoecs, E., & Maintainer, H. W. (2020). *Package "vegan" Title Community Ecology Package Version 2.5-7*.
- Oksanen, J., Blanchet, F. G., Kindt, R., Legendre, P., Minchin, P., O'Hara, R. B., Simpson, G., Solymos, P., Stevens, M. H. H., & Wagner, H. (2012). *Vegan: Community Ecology Package. R package version 2.0-2*.
- Olowe, O. M., Akanmu, A. O., Ayangbenro, A. S., Fadiji, A. E., Bitire, T. D., Odhiambo, J. J. O., Kutu, F. R., & Babalola, O. O. (2023). Trenchant microbiological-based approach for the control of Striga: Current practices and future prospects. *Frontiers in Sustainable Food Systems*, *7*, 1073339. <https://doi.org/10.3389/FSUFS.2023.1073339/BIBTEX>
- Oluranti, B. O. (2011). Capacity of *Pseudomonas syringae* pv. *glycinea* strains and their method of application on *Striga hermonthica*-infested Maize and Sorghum. *Life Science Journal*, *8*(SUPPL. 1), 1–10.
- Orakov, A., Fullam, A., Coelho, L. P., Khedkar, S., Szklarczyk, D., Mende, D. R., Schmidt, T. S. B., & Bork, P. (2021). GUNC: detection of chimerism and contamination in prokaryotic genomes. *Genome Biology*, *22*(1), 1–19. <https://doi.org/10.1186/S13059-021-02393-0/FIGURES/3>
- Ortiz-Castro, R., Contreras-Cornejo, H. A., Macías-Rodríguez, L., & López-Bucio, J. (2009). The role of microbial signals in plant growth and development. *Plant Signaling and Behavior*, *4*(8), 701–712. <https://doi.org/10.4161/PSB.4.8.9047>
- Ossowicki, A., Jafra, S., & Garbeva, P. (2017). The antimicrobial volatile power of the rhizospheric isolate *Pseudomonas donghuensis* P482. *PLOS ONE*, *12*(3), e0174362. <https://doi.org/10.1371/JOURNAL.PONE.0174362>
- Oswald, A. (2005). Striga control - Technologies and their dissemination. *Crop Protection*, *24*(4), 333–342. <https://doi.org/10.1016/J.CROPRO.2004.09.003>
- Ousman, A., Yagoub, O., Eltayeb, H., Abusin, M., & Babiker, A. G. T. (2016). *Effects of Herbicide (2, 4-D) and Compost on Striga hermonthica (Del .) Benth.) Germination Radical Extension and Haustorium Initiation*. *6456*(6), 13–23.
- Pan, X., Sun, C., Tang, M., You, J., Osire, T., Zhao, Y., Xu, M., Zhang, X., Shao, M., Yang, S., Yang, T., & Rao, Z. (2020). LysR-type transcriptional regulator metr controls prodigiosin production, methionine biosynthesis, cell motility, H₂O₂ tolerance, heat tolerance, and exopolysaccharide synthesis in *serratia marcescens*. *Applied and Environmental Microbiology*, *86*(4). https://doi.org/10.1128/AEM.02241-19/SUPPL_FILE/AEM.02241-19-SD002.XLSX
- Pang, Z., Lu, Y., a Zhou, G., Hui, F., Xu, L., Viau, C., Spigelman, A. F., atr ick MacDonald, P. E., Wishart, D. S., Li, S., & Xia, J. (2024). MetaboAnalyst 6.0: towards a unified platform for metabolomics data processing, analysis, and interpretation. *Nucleic Acids Research*, *2024*, 1–9. <https://doi.org/10.1093/NAR/GKAE253>
- Pang, Z., Zhou, G., Ewald, J., Chang, L., Hacariz, O., Basu, N., & Xia, J. (2022). Using MetaboAnalyst 5.0 for LC–HRMS spectra processing, multi-omics integration and covariate adjustment of global

- metabolomics data. *Nature Protocols* 2022 17:8, 17(8), 1735–1761. <https://doi.org/10.1038/s41596-022-00710-w>
- Pantigoso, H. A., Newberger, D., & Vivanco, J. M. (2022). The rhizosphere microbiome: Plant–microbial interactions for resource acquisition. *Journal of Applied Microbiology*, 133(5), 2864–2876. <https://doi.org/10.1111/JAM.15686>
- Parker, C. (2009). Observations on the current status of orobanche and striga problems worldwide. *Pest Management Science*, 65(5), 453–459. <https://doi.org/10.1002/ps.1713>
- Parker, C. (2012). Parasitic Weeds: A World Challenge. *Weed Science*, 60(2), 269–276. <https://doi.org/10.1614/WS-D-11-00068.1>
- Parker, C., & Riches, C. (1993). *Parasitic Weeds of the World: Biology and Control*. CAB International.
- Parks, D. H., Imelfort, M., Skennerton, C. T., Hugenholtz, P., & Tyson, G. W. (2015). CheckM: Assessing the quality of microbial genomes recovered from isolates, single cells, and metagenomes. *Genome Research*, 25(7), 1043–1055. <https://doi.org/10.1101/GR.186072.114>
- Parks, D. H., Tyson, G. W., Hugenholtz, P., & Beiko, R. G. (2014). STAMP: statistical analysis of taxonomic and functional profiles. *Bioinformatics (Oxford, England)*, 30(21), 3123–3124. <https://doi.org/10.1093/bioinformatics/btu494>
- Pascal Andreu, V., Augustijn, H. E., van den Berg, K., van der Hooft, J. J. J., Fischbach, M. A., & Medema, M. H. (2021). BiG-MAP: an Automated Pipeline to Profile Metabolic Gene Cluster Abundance and Expression in Microbiomes. *MSystems*, 6(5). https://doi.org/10.1128/MSYSTEMS.00937-21/SUPPL_FILE/MSYSTEMS.00937-21-SF003.TIF
- Peiffer, J. (2013). Diversity and heritability of the maize rhizosphere microbiome under field conditions. *Proc. Natl Acad. Sci. USA*, 110, 6548–6553.
- Peng, M., Li, C. Y., Chen, X. L., Williams, B. T., Li, K., Gao, Y. N., Wang, P., Wang, N., Gao, C., Zhang, S., Schoelmerich, M. C., Banfield, J. F., Miller, J. B., Le Brun, N. E., Todd, J. D., & Zhang, Y. Z. (2022). Insights into methionine S-methylation in diverse organisms. *Nature Communications* 2022 13:1, 13(1), 1–15. <https://doi.org/10.1038/s41467-022-30491-5>
- Penrose, D. M., & Glick, B. R. (2003). Methods for isolating and characterizing ACC deaminase-containing plant growth-promoting rhizobacteria. *Physiologia Plantarum*, 118(1), 10–15. <https://doi.org/10.1034/j.1399-3054.2003.00086.x>
- Pérez-Jaramillo, J. E., Mendes, R., & Raaijmakers, J. M. (2016). Impact of plant domestication on rhizosphere microbiome assembly and functions. *Plant Molecular Biology*, 90(6), 635–644. <https://doi.org/10.1007/s11103-015-0337-7>
- Pieterse, C. M. J., Zamioudis, C., Berendsen, R. L., Weller, D. M., Van Wees, S. C. M., & Bakker, P. A. H. M. (2014). Induced Systemic Resistance by Beneficial Microbes. *Annual Review of Phytopathology*, 52(1), 347–375. <https://doi.org/10.1146/annurev-phyto-082712-102340>
- Planchamp, C., Glauser, G., & Mauch-Mani, B. (2015). Root inoculation with *Pseudomonas putida* KT2440 induces transcriptional and metabolic changes and systemic resistance in maize plants. *Frontiers in Plant Science*, 5(JAN). <https://doi.org/10.3389/FPLS.2014.00719>
- Prashant, S., Patil, C. R., & Jagadeesh, K. S. (2014). Microbiology Evaluation of Selected Microbes for Control of Striga, A Parasitic Weed in Sorghum Department of Agricultural Microbiology , University of Agricultural Sciences , *GJRA-Microbiology*, 3(2277), 181–183.
- Praveen, K., Desai, S., Moerschbacher, B., & Gueddari, N. E.-E. (2019). Seed treatment with chitosan synergizes plant growth promoting ability of *Pseudomonas aeruginosa* -P17 in sorghum (*Sorghum bicolor* L.). *BioRxiv*, 601328. <https://doi.org/10.1101/601328>
- Price, M. N., Dehal, P. S., & Arkin, A. P. (2010). FastTree 2 – Approximately Maximum-Likelihood Trees for Large Alignments. *PLOS ONE*, 5(3), e9490. <https://doi.org/10.1371/JOURNAL.PONE.0009490>

- Puente-Sánchez, F., Garcíá-García, N., & Tamames, J. (2020). SQMtools: Automated processing and visual analysis of 'omics data with R and anvi'o. *BMC Bioinformatics*, *21*(1), 1–11. <https://doi.org/10.1186/S12859-020-03703-2/TABLES/1>
- Purcell, S., Neale, B., Todd-Brown, K., Thomas, L., Ferreira, M. A. R., Bender, D., Maller, J., Sklar, P., de Bakker, P. I. W., Daly, M. J., & Sham, P. C. (2007). PLINK: A Tool Set for Whole-Genome Association and Population-Based Linkage Analyses. *The American Journal of Human Genetics*, *81*(3), 559–575. <https://doi.org/10.1086/519795>
- Quast, C., Pruesse, E., Yilmaz, P., Gerken, J., Schweer, T., Yarza, P., Peplies, J., & Glöckner, F. O. (2013). The SILVA ribosomal RNA gene database project: Improved data processing and web-based tools. *Nucleic Acids Research*, *41*(D1). <https://doi.org/10.1093/NAR/GKS1219>
- Rakshit, S., & Wang, Y.-H. (2016). *The Sorghum Genome*.
- Ramond, J. B., Tshabuse, F., Bopda, C. W., Cowan, D. A., & Tuffin, M. I. (2013). Evidence of variability in the structure and recruitment of rhizospheric and endophytic bacterial communities associated with arable sweet sorghum (*Sorghum bicolor* (L) Moench). *Plant and Soil*, *372*(1–2), 265–278. <https://doi.org/10.1007/s11104-013-1737-6>
- Rascovan, N., Carbonetto, B., Perrig, D., Díaz, M., Canciani, W., Abalo, M., Alloati, J., González-Anta, G., & Vazquez, M. P. (2016). Integrated analysis of root microbiomes of soybean and wheat from agricultural fields. *Scientific Reports*, *6*(1150), 1–12. <https://doi.org/10.1038/srep28084>
- Rebeka, G., Shimelis, H., Laing, M. D., Tongoona, P., & Mandefro, N. (2013). Evaluation of Sorghum Genotypes Compatibility with *Fusarium oxysporum* under Striga Infestation. *Crop Science*, *53*(2), 385–393. <https://doi.org/10.2135/CROPSCI2012.02.0101>
- Rich, P. J., & Ejeta, G. (2008). Towards effective resistance to Striga in African maize. In *Plant Signaling and Behavior* (Vol. 3, Issue 9, pp. 618–621). Landes Bioscience. <https://doi.org/10.4161/psb.3.9.5750>
- Rich, P. J., Grenier, C., & Ejeta, G. (2004). Striga resistance in the wild relatives of sorghum. *Crop Science*, *44*(6), 2221–2229. <https://doi.org/10.2135/CROPSCI2004.2221>
- Rich, S. M., & Watt, M. (2013). Soil conditions and cereal root system architecture: Review and considerations for linking Darwin and Weaver. In *Journal of Experimental Botany* (Vol. 64, Issue 5, pp. 1193–1208). <https://doi.org/10.1093/jxb/ert043>
- Risely, A. (2020). Applying the core microbiome to understand host–microbe systems. *Journal of Animal Ecology*, *89*(7), 1549–1558. <https://doi.org/10.1111/1365-2656.13229>
- Rizaludin, M. S., Stopnisek, N., Raaijmakers, J. M., & Garbeva, P. (2021). The chemistry of stress: Understanding the 'cry for help' of plant roots. In *Metabolites* (Vol. 11, Issue 6). MDPI AG. <https://doi.org/10.3390/metabo11060357>
- Berendsen, R., Corne, P., & Peter, M. (2012). The rhizosphere microbiome and plant health. *Trends Plant Sci*, *17*, 478–486.
- Rodenburg, J., Bastiaans, L., Schapendonk, A. H. C. M., Van Der Putten, P. E. L., Van Ast, A., Dingemans, N. J., & Haussmann, B. I. G. (2008). CO₂-assimilation and chlorophyll fluorescence as indirect selection criteria for host tolerance against Striga. *Euphytica*, *160*(1), 75–87. <https://doi.org/10.1007/s10681-007-9555-7>
- Rodenburg, J., Demont, M., Zwart, S. J., & Bastiaans, L. (2016). Parasitic weed incidence and related economic losses in rice in Africa. *Agriculture, Ecosystems & Environment*, *235*, 306–317. <https://doi.org/10.1016/J.AGEE.2016.10.020>
- Rolfe, S. A., Griffiths, J., & Ton, J. (2019). Crying out for help with root exudates: adaptive mechanisms by which stressed plants assemble health-promoting soil microbiomes. *Current Opinion in Microbiology*, *49*, 73–82. <https://doi.org/10.1016/J.MIB.2019.10.003>

- Ronald, M., Charles, M., Stanford, M., & Eddie, M. (2017). Effect of witchweed (*Striga asiatica* L. Kuntze) infestation and Moisture stress on selected morpho-physiological traits of sorghum (*Sorghum bicolor* L. Moench) genotypes in Zimbabwe. *Journal of Agronomy*, *16*(2), 65–75. <https://doi.org/10.3923/ja.2017.65.75>
- Rouamba, A., Shimelis, H., Drabo, I., Laing, M., Gangashetty, P., Mathew, I., Mrema, E., & Shayanowako, A. I. T. (2021). Constraints to Pearl Millet (*Pennisetum glaucum*) Production and Farmers' Approaches to *Striga hermonthica* Management in Burkina Faso. *Sustainability* *2021*, Vol. 13, Page 8460, *13*(15), 8460. <https://doi.org/10.3390/SU13158460>
- Runo, S., & Kuria, E. K. (2018). Habits of a highly successful cereal killer, *Striga*. In *PLoS Pathogens* (Vol. 14, Issue 1). Public Library of Science. <https://doi.org/10.1371/journal.ppat.1006731>
- Runo, S., Macharia, S., Alakonya, A., Machuka, J., Sinha, N., & Scholes, J. (2012). *Striga* parasitizes transgenic hairy roots of *Zea mays* and provides a tool for studying plant-plant interactions. *Plant Methods*, *8*(1). <https://doi.org/10.1186/1746-4811-8-20>
- Ruyter-Spira, C., Kohlen, W., Charnikhova, T., van Zeijl, A., van Bezouwen, L., de Ruijter, N., Cardoso, C., Lopez-Raez, J. A., Matusova, R., Bours, R., Verstappen, F., & Bouwmeester, H. (2011). Physiological effects of the synthetic strigolactone analog GR24 on root system architecture in *Arabidopsis*: Another belowground role for strigolactones? *Plant Physiology*, *155*(2), 721–734. <https://doi.org/10.1104/PP.110.166645>
- Sage, R. F. (2016). A portrait of the C₄ photosynthetic family on the 50th anniversary of its discovery: Species number, evolutionary lineages, and Hall of Fame. In *Journal of Experimental Botany* (Vol. 67, Issue 14, pp. 4039–4056). Oxford University Press. <https://doi.org/10.1093/jxb/erw156>
- Sage, R. F., Sage, T. L., & Kocacinar, F. (2012). Photorespiration and the evolution of C₄ photosynthesis. In *Annual Review of Plant Biology* (Vol. 63, pp. 19–47). <https://doi.org/10.1146/annurev-arplant-042811-105511>
- Samejima, H., Babiker, A. G., Takikawa, H., Sasaki, M., & Sugimoto, Y. (2016). Practicality of the suicidal germination approach for controlling *Striga hermonthica*. *Pest Management Science*, *72*(11), 2035–2042. <https://doi.org/10.1002/PS.4215>
- Samejima, H., & Sugimoto, Y. (2018). Recent research progress in combatting root parasitic weeds. <http://Mc.Manuscriptcentral.Com/Tbeq>, *32*(2), 221–240. <https://doi.org/10.1080/13102818.2017.1420427>
- Sasse, J., Martinoia, E., & Northen, T. (2017). Feed Your Friends: Do Plant Exudates Shape the Root Microbiome? *Trends in Plant Science*, *23*(1), 25–41. <https://doi.org/10.1016/J.TPLANTS.2017.09.003>
- Sasse, J., Martinoia, E., & Northen, T. (2018). Feed Your Friends: Do Plant Exudates Shape the Root Microbiome? *Trends Plant Sci*, *23*(1), 25–41. <https://doi.org/10.1016/j.tplants.2017.09.003>
- Satish, K., Gutema, Z., Grenier, C., Rich, P. J., & Ejeta, G. (2012). Molecular tagging and validation of microsatellite markers linked to the low germination stimulant gene (*lgs*) for *Striga* resistance in sorghum [*Sorghum bicolor* (L.) Moench]. *TAG. Theoretical and Applied Genetics. Theoretische Und Angewandte Genetik*, *124*(6), 989–1003. <https://doi.org/10.1007/S00122-011-1763-9>
- Schaub, B., Marley, P., Elzein, A., & Kroschel, J. (2006). Field evaluation of an integrated *Striga hermonthica* management in Sub-Saharan Africa: Synergy between *Striga*-mycoherbicides (biocontrol) and sorghum and maize resistant varieties. *Journal of Plant Diseases and Protection, Supplement*, *699*(20), 691–699.
- Schlaeppli, K., & Bulgarelli, D. (2015). The Plant Microbiome at Work. *Molecular Plant-Microbe Interactions*, *28*(3), 212–217. <https://doi.org/10.1094/MPMI-10-14-0334-FI>
- Schlaeppli, K., Dombrowski, N., Oter, R. G., Ver Loren Van Themaat, E., & Schulze-Lefert, P. (2014). Quantitative divergence of the bacterial root microbiota in *Arabidopsis thaliana* relatives. *Proc Natl Acad Sci U S A*, *111*(2), 585–592. <https://doi.org/10.1073/pnas.1321597111>

- Schlatter, D. C., Yin, C., Hulbert, S., & Paulitz, T. C. (2020). Core rhizosphere microbiomes of dryland wheat are influenced by location and land use history. *Applied and Environmental Microbiology*, 86(5). <https://doi.org/10.1128/AEM.02135-19>
- Schlemper, T. R., Dimitrov, M. R., Gutierrez, F. A. O. S., van Veen, J. A., Silveira, A. P. D., & Kuramae, E. E. (2018). Effect of *Burkholderia tropica* and *Herbaspirillum frisingense* strains on sorghum growth is plant genotype dependent. *PeerJ*, 2018(7). <https://doi.org/10.7717/peerj.5346>
- Schlemper, T. R., Leite, M. F. A. A., Lucheta, A. R., Shimels, M., Bouwmeester, H. J., van Veen, J. A., & Kuramae, E. E. (2017). Rhizobacterial community structure differences among sorghum cultivars in different growth stages and soils. *FEMS Microbiology Ecology*, 93(8), 1–11. <https://doi.org/10.1093/femsec/fix096>
- Schmid, R., Heuckeroth, S., Korf, A., Smirnov, A., Myers, O., Dyrland, T. S., Bushuiev, R., Murray, K. J., Hoffmann, N., Lu, M., Sarvepalli, A., Zhang, Z., Fleischauer, M., Dührkop, K., Wesner, M., Hoogstra, S. J., Rudt, E., Mokshyna, O., Brungs, C., ... Pluskal, T. (2023). Integrative analysis of multimodal mass spectrometry data in MZmine 3. *Nature Biotechnology* 2023 41:4, 41(4), 447–449. <https://doi.org/10.1038/s41587-023-01690-2>
- Sergaki, C., Lagunas, B., Lidbury, I., Gifford, M. L., & Schäfer, P. (2018). Challenges and approaches in microbiome research: from fundamental to applied. *Frontiers in Plant Science*, 9, 1205. <https://doi.org/10.3389/FPLS.2018.01205/BIBTEX>
- Shade, A., & Handelsman, J. (2012). Beyond the Venn diagram: the hunt for a core microbiome. *Environ. Microbiol.*, 14(1), 4–12. <https://doi.org/10.1111/j.1462-2920.2011.02585.x>
- Shade, A., & Stopnisek, N. (2019). Abundance-occupancy distributions to prioritize plant core microbiome membership. *Current Opinion in Microbiology*, 49, 50–58. <https://doi.org/10.1016/J.MIB.2019.09.008>
- Simon, A. (2010). *FastQC: a quality control tool for high throughput sequence data*. <http://www.bioinformatics.babraham.ac.uk/projects/fastqc>
- Simonin, M., Dasilva, C., Terzi, V., Ngonkeu, E. L. M., Diouf, D., Kane, A., Bena, G., & Moulin, L. (2019). Influence of plant genotype and soil on the wheat rhizosphere microbiome: identification of a core microbiome across eight African and European soils. *BioRxiv*, 777383. <https://doi.org/10.1101/777383>
- Smith, C. W., & Frederiksen, R. A. (2001). *Origin, History, Technology and Production*. Wiley, New York.
- Spallek, T., Mutuku, M., & Shirasu, K. (2013). The genus *Striga*: a witch profil. *Molecular Plant Pathology*, 14(9), 861–869. <https://doi.org/10.1111/mpp.12058>
- Stopnisek, N., & Shade, A. (2019a). Cross-continental biogeography of the common bean rhizosphere microbiome reveals a persistent core membership. *BioRxiv*, 727461. <https://doi.org/10.1101/727461>
- Stopnisek, N., & Shade, A. (2019b). Discovery of a spatially and temporally persistent core microbiome of the common bean rhizosphere. In *bioRxiv* (p. 727461). bioRxiv. <https://doi.org/10.1101/727461>
- Stopnisek, N., & Shade, A. (2021). Persistent microbiome members in the common bean rhizosphere: an integrated analysis of space, time, and plant genotype. *ISME Journal*, 15(9), 2708–2722. <https://doi.org/10.1038/S41396-021-00955-5>
- Stringlis, I. A., Proietti, S., Hickman, R., Van Verk, M. C., Zamioudis, C., & Pieterse, C. M. J. (2018). Root transcriptional dynamics induced by beneficial rhizobacteria and microbial immune elicitors reveal signatures of adaptation to mutualists. *Plant Journal*, 93(1), 166–180. <https://doi.org/10.1111/TPJ.13741>
- Stringlis, I. A., Yu, K., Feussner, K., De Jonge, R., Van Bentum, S., Van Verk, M. C., Berendsen, R. L., Bakker, P. A. H. M., Feussner, I., & Pieterse, C. M. J. (2018). MYB72-dependent coumarin

- exudation shapes root microbiome assembly to promote plant health. *Proc. Natl Acad. Sci. USA*, 115(22), E5213–E5222. <https://doi.org/10.1073/pnas.1722335115>
- Sugiyama, A., & Yazaki, K. (2014). Flavonoids in plant rhizospheres: Secretion, fate, and their effects on biological communication. *Plant Biotechnology*, 31(5), 431–443. <https://doi.org/10.5511/plantbiotechnology.14.0917a>
- Sui, X. L., Zhang, T., Tian, Y. Q., Xue, R. J., & Li, A. R. (2019). A neglected alliance in battles against parasitic plants: arbuscular mycorrhizal and rhizobial symbioses alleviate damage to a legume host by root hemiparasitic *Pedicularis* species. *New Phytologist*, 221(1), 470–481. <https://onlinelibrary.wiley.com/doi/full/10.1111/nph.15379>
- Sun, D., Liu, W., Zhou, X., Ru, Y., Liu, J., Zhu, J., & Liu, C. (2022). Organic Hydroperoxide Induces Prodigiosin Biosynthesis in *Serratia* sp. ATCC 39006 in an OhrR-Dependent Manner. *Applied and Environmental Microbiology*, 88(5). https://doi.org/10.1128/AEM.02041-21/SUPPL_FILE/AEM.02041-21-S0001.PDF
- Surana, K., Chaudhary, B., Diwaker, M., & Sharma, S. (2018). Benzophenone: a ubiquitous scaffold in medicinal chemistry. *MedChemComm*, 9(11), 1803. <https://doi.org/10.1039/C8MD00300A>
- Suryawanshi, R. K., Patil, C. D., Borase, H. P., Narkhede, C. P., Stevenson, A., Hallsworth, J. E., & Patil, S. V. (2015). Towards an understanding of bacterial metabolites prodigiosin and violacein and their potential for use in commercial sunscreens. *International Journal of Cosmetic Science*, 37(1), 98–107. <https://doi.org/10.1111/ICS.12175>
- Takagi, K., Okazawa, A., Wada, Y., Mongkolchaiyaphruek, A., Fukusaki, E., Yoneyama, K., Takeuchi, Y., & Kobayashi, A. (2009). Unique phytochrome responses of the holoparasitic plant *Orobanche minor*. *New Phytologist*, 182(4), 965–974. <https://doi.org/10.1111/j.1469-8137.2009.02810.x>
- Tamames, J., & Puente-Sánchez, F. (2019). SqueezeMeta, a highly portable, fully automatic metagenomic analysis pipeline. *Frontiers in Microbiology*, 10(JAN), 3349. <https://doi.org/10.3389/FMICB.2018.03349/BIBTEX>
- Tari, I., Laskay, G., Takács, Z., & Poór, P. (2013). Response of Sorghum to Abiotic Stresses: A Review. *Journal of Agronomy and Crop Science*, 199(4), 264–274. <https://doi.org/10.1111/jac.12017>
- Tasker, A. V., & Westwood, J. H. (2012). The U.S. Witchweed Eradication Effort Turns 50: A Retrospective and Look-Ahead on Parasitic Weed Management. <https://doi.org/10.1614/WS-D-12-00003.1>
- Taye, T. & Ejeta, G. (2019). *Sorghum Production in Transition Through Striga Management*. EIAR.
- Tesso, T. T., & Ejeta, G. (2011). Integrating multiple control options enhances striga management and sorghum yield on heavily infested soils. *Agronomy Journal*, 103(5), 1464–1471. <https://doi.org/10.2134/AGRONJ2011.0059>
- Thankappan, S., Narayanasamy, S., Sridharan, A. P., Binodh, A. K., Nirmala Kumari, A., Parasuraman, P., & Uthandi, S. (2022). Rhizospheric volatilome in modulating induced systemic resistance against biotic stress: A new paradigm for future food security. *Physiological and Molecular Plant Pathology*, 120, 101852. <https://doi.org/10.1016/J.PMPP.2022.101852>
- Toju, H., Peay, K. G., Yamamichi, M., Narisawa, K., Hiruma, K., Naito, K., Fukuda, S., Ushio, M., Nakaoka, S., Onoda, Y., Yoshida, K., Schlaeppli, K., Bai, Y., Sugiura, R., Ichihashi, Y., Minamisawa, K., & Kiers, E. T. (2018). Core microbiomes for sustainable agroecosystems. *Nature Plants*, 4(5), 247–257. <https://doi.org/10.1038/s41477-018-0139-4>
- Toju, H., Yamamoto, S., Tanabe, A. S., Hayakawa, T., & Ishii, H. S. (2016). Network modules and hubs in plant-root fungal biomes. *Journal of the Royal Society Interface*. <https://doi.org/10.1098/rsif.2015.1097>

- Trivedi, P., Leach, J. E., Tringe, S. G., Sa, T., & Singh, B. K. (2020). Plant-microbiome interactions: from community assembly to plant health. *Nat. Rev. Microbiol.*, *18*(11), 607–621. <https://doi.org/10.1038/s41579-020-0412-1>
- Turner, T. R., James, E. K., & Poole, P. S. (2013). The plant microbiome. *Genome Biology*, *14*(6), 1–10. <https://doi.org/10.1186/gb-2013-14-6-209>
- Van Dam, N. M., & Bouwmeester, H. J. (2016). Metabolomics in the Rhizosphere: Tapping into Belowground Chemical Communication. *Trends in Plant Science*, *21*(3), 256–265. <https://doi.org/10.1016/j.tplants.2016.01.008>
- Vuolo, F., Novello, G., Bona, E., Gorrasi, S., & Gamalero, E. (2022). Impact of Plant-Beneficial Bacterial Inocula on the Resident Bacteriome: Current Knowledge and Future Perspectives. *Microorganisms*, *10*(12). <https://doi.org/10.3390/MICROORGANISMS10122462>
- Vurro, M., Boari, A., Thiombiano, B., & Bouwmeester, H. (2019). Strigolactones and Parasitic Plants. In *Strigolactones - Biology and Applications* (pp. 89–120). Springer International Publishing. https://doi.org/10.1007/978-3-030-12153-2_3
- Walters, W. A., Jin, Z., Youngblut, N., Wallace, J. G., Sutter, J., Zhang, W., González-Peña, A., Peiffer, J., Koren, O., Shi, Q., Knight, R., Del Rio, T. G., Tringe, S. G., Buckler, E. S., Dangl, J. L., & Ley, R. E. (2018). Large-scale replicated field study of maize rhizosphere identifies heritable microbes. *Proc. Natl. Acad. Sci. USA*, *115*(28), 7368–7373. <https://doi.org/10.1073/pnas.1800918115>
- Wang, M., Carver, J. J., Phelan, V. V., Sanchez, L. M., Garg, N., Peng, Y., Nguyen, D. D., Watrous, J., Kapono, C. A., Luzzatto-Knaan, T., Porto, C., Bousslimani, A., Melnik, A. V., Meehan, M. J., Liu, W. T., Crüsemann, M., Boudreau, P. D., Esquenazi, E., Sandoval-Calderón, M., ... Bandeira, N. (2016). Sharing and community curation of mass spectrometry data with Global Natural Products Social Molecular Networking. *Nature Biotechnology* *2016 34*:8, *34*(8), 828–837. <https://doi.org/10.1038/nbt.3597>
- Wang, Q., Garrity, G. M., Tiedje, J. M., & Cole, J. R. (2007). Naïve Bayesian classifier for rapid assignment of rRNA sequences into the new bacterial taxonomy. *Applied and Environmental Microbiology*, *73*(16), 5261–5267. <https://doi.org/10.1128/AEM.00062-07>
- Weisskopf, L., Schulz, S., & Garbeva, P. (2021). Microbial volatile organic compounds in intra-kingdom and inter-kingdom interactions. *Nature Reviews Microbiology* *2021 19*:6, *19*(6), 391–404. <https://doi.org/10.1038/s41579-020-00508-1>
- Weller, D. M., Mavrodi, D. V., Van Pelt, J. A., Pieterse, C. M. J., Van Loon, L. C., & Bakker, P. A. H. M. (2012). Induced systemic resistance in *Arabidopsis thaliana* against *Pseudomonas syringae* pv. tomato by 2,4-diacetylphloroglucinol-producing *Pseudomonas fluorescens*. *Phytopathology*, *102*(4), 403–412. <https://doi.org/10.1094/PHYTO-08-11-0222>
- Westwood, J. H., Yoder, J. I., Timko, M. P., & dePamphilis, C. W. (2010). The evolution of parasitism in plants. *Trends in Plant Science*, *15*(4), 227–235. <https://doi.org/10.1016/J.TPLANTS.2010.01.004>
- Wickham, Hadley. (2009). *Ggplot2: elegant graphics for data analysis*. Springer.
- Wright, Erik S., & Wright, E. S. (2016). Using DECIPHER v2.0 to Analyze Big Biological Sequence Data in R. *The R Journal*, *8*(1), 352. <https://doi.org/10.32614/RJ-2016-025>
- Xia, Y., & Sun, J. (2017). Hypothesis testing and statistical analysis of microbiome. *Genes & Diseases*, *4*(3), 138–148. <https://doi.org/10.1016/J.GENDIS.2017.06.001>
- Xie, X., Yoneyama, K., & Yoneyama, K. (2010). The strigolactone story. *Annual Review of Phytopathology*, *48*, 93–117. <https://doi.org/10.1146/ANNUREV-PHYTO-073009-114453>
- Xu, J., Zhang, Y., Zhang, P., Trivedi, P., Riera, N., Wang, Y., Liu, X., Fan, G., Tang, J., Coletta-Filho, H. D., Cubero, J., Deng, X., Ancona, V., Lu, Z., Zhong, B., Roper, M. C., Capote, N., Catara, V., Pietersen, G., ... Wang, N. (2018). The structure and function of the global citrus rhizosphere microbiome. *Nature Communications*, *9*(1). <https://doi.org/10.1038/S41467-018-07343-2>

- Xu, L., Dong, Z., Chiniquy, D., Pierroz, G., Deng, S., Gao, C., Diamond, S., Simmons, T., Wipf, H. M. L., Caddell, D., Varoquaux, N., Madera, M. A., Hutmacher, R., Deutschbauer, A., Dahlberg, J. A., Guerinot, M. Lou, Purdom, E., Banfield, J. F., Taylor, J. W., ... Coleman-Derr, D. (2021). Genome-resolved metagenomics reveals role of iron metabolism in drought-induced rhizosphere microbiome dynamics. *Nature Communications*, *12*(1), 1–17. <https://doi.org/10.1038/s41467-021-23553-7>
- Xu, L., Naylor, D., Dong, Z., Simmons, T., Pierroz, G., Hixson, K. K., Kim, Y. M., Zink, E. M., Engbrecht, K. M., Wang, Y., Gao, C., DeGraaf, S., Madera, M. A., Sievert, J. A., Hollingsworth, J., Birdseye, D., Scheller, H. V., Hutmacher, R., Dahlberg, J., ... Coleman-Derr, D. (2018). Drought delays development of the sorghum root microbiome and enriches for monoderm bacteria. *Proceedings of the National Academy of Sciences of the United States of America*, *115*(18), E4284–E4293. <https://doi.org/10.1073/PNAS.1717308115>
- Yacoubou, A. M., Zoumarou Wallis, N., Menkir, A., Zinsou, V. A., Onzo, A., Garcia-Oliveira, A. L., Meseka, S., Wende, M., Gedil, M., & Agre, P. (2021). Breeding maize (*Zea mays*) for Striga resistance: Past, current and prospects in sub-Saharan Africa. *Plant Breeding*, *140*(2), 195–210. <https://doi.org/10.1111/PBR.12896>
- Yahaya, M. A., Shimelis, H., Nebié, B., Mashilo, J., & Pop, G. (2023). *Response of African Sorghum Genotypes for Drought Tolerance under Variable Environments*. <https://doi.org/10.3390/agronomy13020557>
- Yan, Y., Kuramae, E. E., De Hollander, M., Klinkhamer, P. G. L., & Van Veen, J. A. (2017). Functional traits dominate the diversity-related selection of bacterial communities in the rhizosphere. *ISME J.*, *11*(1), 56–66. <https://doi.org/10.1038/ismej.2016.108>
- Yazaki, K., Arimura, G. I., & Ohnishi, T. (2017). ‘Hidden’ Terpenoids in Plants: Their Biosynthesis, Localization and Ecological Roles. *Plant and Cell Physiology*, *58*(10), 1615–1621. <https://doi.org/10.1093/PCP/PCX123>
- Yoneyama, K., Arakawa, R., Ishimoto, K., Kim, H. Il, Kisugi, T., Xie, X., Nomura, T., Kanampiu, F., Yokota, T., Ezawa, T., & Yoneyama, K. (2015). Difference in striga-susceptibility is reflected in strigolactone secretion profile, but not in compatibility and host preference in arbuscular mycorrhizal symbiosis in two maize cultivars. *New Phytologist*, *206*(3), 983–989. <https://doi.org/10.1111/nph.13375>
- Yoneyama, K., Awad, A. A., Xie, X., Yoneyama, K., & Takeuchi, Y. (2010). Strigolactones as germination stimulants for root parasitic plants. *Plant and Cell Physiology*, *51*(7), 1095–1103. <https://doi.org/10.1093/PCP/PCQ055>
- Yoneyama, K., Xie, X., Kim, H. Il, Kisugi, T., Nomura, T., Sekimoto, H., Yokota, T., & Yoneyama, K. (2012). How do nitrogen and phosphorus deficiencies affect strigolactone production and exudation? *Planta*, *235*(6), 1197–1207. <https://doi.org/10.1007/S00425-011-1568-8>
- Yoneyama, K., Xie, X., Kusumoto, D., Sekimoto, H., Sugimoto, Y., Takeuchi, Y., & Yoneyama, K. (2007). Nitrogen deficiency as well as phosphorus deficiency in sorghum promotes the production and exudation of 5-deoxystrigol, the host recognition signal for arbuscular mycorrhizal fungi and root parasites. *Planta*, *227*(1), 125–132. <https://doi.org/10.1007/S00425-007-0600-5>
- Yoneyama, K., Xie, X., Yoneyama, K., & Takeuchi, Y. (2009). Strigolactones: Structures and biological activities. In *Pest Management Science* (Vol. 65, Issue 5, pp. 467–470). <https://doi.org/10.1002/ps.1726>
- Yoshida, S., Kameoka, H., Tempo, M., Akiyama, K., Umehara, M., Yamaguchi, S., Hayashi, H., Kyo-zuka, J., & Shirasu, K. (2012). The D3 F-box protein is a key component in host strigolactone responses essential for arbuscular mycorrhizal symbiosis. *New Phytologist*, *196*(4), 1208–1216. <https://doi.org/10.1111/j.1469-8137.2012.04339.x>

- Yoshida, S., Kim, S., Wafula, E. K., Tanskanen, J., Kim, Y. M., Honaas, L., Yang, Z., Spallek, T., Conn, C. E., Ichihashi, Y., Cheong, K., Cui, S., Der, J. P., Gundlach, H., Jiao, Y., Hori, C., Ishida, J. K., Kasahara, H., Kiba, T., ... Shirasu, K. (2019). Genome Sequence of *Striga asiatica* Provides Insight into the Evolution of Plant Parasitism. *Current Biology*, 29(18), 3041-3052.e4. <https://doi.org/10.1016/J.CUB.2019.07.086>
- Yoshida, S., & Shirasu, K. (2012). Plants that attack plants: Molecular elucidation of plant parasitism. *Current Opinion in Plant Biology*, 15(6), 708-713. <https://doi.org/10.1016/j.pbi.2012.07.004>
- You, J., Zhang, Y., Liu, A., Li, D., Wang, X., Dossa, K., Zhou, R., Yu, J., Zhang, Y., Wang, L., & Zhang, X. (2019). Transcriptomic and metabolomic profiling of drought-tolerant and susceptible sesame genotypes in response to drought stress. *BMC Plant Biology*, 19(1), 1-16. <https://doi.org/10.1186/S12870-019-1880-1/FIGURES/9>
- Yu, B., Brunel, C., Yang, B., Li, J., & Lu, H. (2019). Parasitism by *Cuscuta australis* affects the rhizospheric soil bacterial communities of *Trifolium repens* L. *Acta Agriculturae Scandinavica, Section B — Soil & Plant Science*, 69(8), 649-656. <https://doi.org/10.1080/09064710.2019.1637016>
- Yue, H., Yue, W., Jiao, S., Kim, H., Lee, Y. H., Wei, G., Song, W., & Shu, D. (2023). Plant domestication shapes rhizosphere microbiome assembly and metabolic functions. *Microbiome*, 11(1), 1-19. <https://doi.org/10.1186/S40168-023-01513-1/FIGURES/7>
- Zai, X., Cordovez, V., Zhu, F., Zhao, M., Diao, X., Zhang, F., Raaijmakers, J. M., & Song, C. (2024). C4 cereal and biofuel crop microbiomes. *Trends in Microbiology*. <https://doi.org/10.1016/J.TIM.2024.04.008>
- Zboralski, A., & Fillion, M. (2020). Genetic factors involved in rhizosphere colonization by phyto-beneficial *Pseudomonas* spp. *Computational and Structural Biotechnology Journal*, 18, 3539-3554. <https://doi.org/10.1016/J.CSBJ.2020.11.025>
- Zhang, C., Wang, M. Y., Khan, N., Tan, L. L., & Yang, S. (2021). Potentials, Utilization, and Bioengineering of Plant Growth-Promoting Methylobacterium for Sustainable Agriculture. *Sustainability* 2021, Vol. 13, Page 3941, 13(7), 3941. <https://doi.org/10.3390/SU13073941>
- Zhang, L., Zhang, M., Huang, S., Li, L., Gao, Q., Wang, Y., Zhang, S., Huang, S., Yuan, L., Wen, Y., Liu, K., Yu, X., Li, D., Zhang, L., Xu, X., Wei, H., He, P., Zhou, W., Philippot, L., & Ai, C. (2022). A highly conserved core bacterial microbiota with nitrogen-fixation capacity inhabits the xylem sap in maize plants. *Nature Communications*, 13(1), 1-13. <https://doi.org/10.1038/s41467-022-31113-w>
- Zhou, X., Wang, J. T., Zhang, Z. F., Li, W., Chen, W., & Cai, L. (2020). Microbiota in the Rhizosphere and Seed of Rice from China, With Reference to Their Transmission and Biogeography. *Frontiers in Microbiology*, 11. <https://doi.org/10.3389/fmicb.2020.00995>
- Zwanenburg, B., Mwakaboko, A. S., & Kannan, C. (2016). Suicidal germination for parasitic weed control. *Pest Management Science*, 72(11), 2016-2025. <https://doi.org/10.1002/PS.4222>