



Universiteit
Leiden
The Netherlands

The ascending arousal system and its impact on cognition

Lloyd, B.

Citation

Lloyd, B. (2025, June 6). *The ascending arousal system and its impact on cognition*. Retrieved from <https://hdl.handle.net/1887/4248231>

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/4248231>

Note: To cite this publication please use the final published version (if applicable).

Appendix A

Supplementary Figures for Chapter 2




Figure A.1: Overview of template building and coregistration steps performed in ANTs. (a) Individual T1 images ($T1_{\text{native space}}$) were submitted to a template building algorithm where they were aligned and used to generate a group average ($T1_{\text{template}}$). (b) Individual T1 images ($T1_{\text{native space}}$) were coregistered to the T1 template in a separate coregistration step, generating individual T1 images in group space ($T1_{\text{group space}}$). Abbreviations: SyN - symmetric normalization.




Figure A.2: Anatomical verification of accurate registration. (a) The sample-specific template T1. (b) The average of all individual warped T1 images. (c) The standard deviation of all individual warped T1 images. (d) Individual examples displaying the AAS ROI masks on top of the individual warped T1.




Figure A.3: Pupil size-BOLD correlations based on systematic adjustment of the time-to-peak of the HRF for both sessions separately. Graphs show the individual t-statistics (black point indicates the mean) of the pupil size-BOLD signal correlation as a function of the systematically adjusted TTP for all ROIs, p -values refer to one-sample t -tests (difference from zero; FDR-corrected). These results show that smaller ROIs, in particular the LC, DR, and MR, are more prone to a drop in statistical power when the data is halved. Abbreviations: LC – locus coeruleus, VTA – ventral tegmental area, SN – substantia nigra, DR – dorsal raphe, MR – medial raphe, ACC – anterior cingulate cortex, OCC – calcarine sulcus.




Figure A.4: Pupil derivative-BOLD correlations based on systematic adjustment of the time-to-peak of the HRF. (a) Graphs show the individual t -statistics (black point indicates the mean) of the pupil derivative-BOLD signal correlation as a function of the systematically adjusted TTP for all ROIs, p -values refer to one-sample t -tests (difference from zero; FDR-corrected). (b) The corresponding whole-brain associations between BOLD signal and the pupil derivative as a function of the time-to-peak (TTP) of the HRF (1-s TTP: top panel to 6-s TTP: bottom panel). The warm colours reflect areas in which BOLD activity is positively correlated with pupil derivative. The cold colours reflect areas where BOLD activity is negatively correlated with the pupil derivative. Both positive and negative contrast maps were sampled at $p < .005$ (uncorrected) for visualization only. Abbreviations: LC – locus coeruleus, VTA – ventral tegmental area, SN – substantia nigra, DR – dorsal raphe, MR – medial raphe, ACC – anterior cingulate cortex, OCC – calcarine sulcus.




Figure A.5: Cross-correlations between the unconvolved pupil size time series and the BOLD time series at various time lags for each resting-state session. The BOLD time series was shifted forwards and backwards by 8 s in steps of 2 s. Positive (negative) time lags indicate that the pupil signal precedes (follows) the BOLD signal. Black lines indicate the grand mean and shaded regions indicate the standard error of the mean. Black dots indicate significant one-sample t-tests ($p < .05$, FDR-corrected). Abbreviations: LC – locus coeruleus, VTA – ventral tegmental area, SN – substantia nigra, DR – dorsal raphe, MR – medial raphe, ACC – anterior cingulate cortex, OCC – calcarine sulcus.




Figure A.6: Cross-correlations between the unconvolved pupil derivative time series and the BOLD time series at various time lags for each resting-state session. The BOLD time series was shifted forwards and backwards by 8 s in steps of 2 s. Positive (negative) time lags indicate that the pupil signal precedes (follows) the BOLD signal. Shaded regions indicate the standard error of the mean. Black dots indicate significant one-sample t-tests ($p < .05$, FDR-corrected). Abbreviations: LC – locus coeruleus, VTA – ventral tegmental area, SN – substantia nigra, DR – dorsal raphe, MR – medial raphe, ACC – anterior cingulate cortex, OCC – calcarine sulcus.

Appendix B

Supplementary Figures for Chapter 3




Figure B.1: Pupil dilation following taVNS stimulation compared to sham using subtractive baseline correction. A) Grand-average pupil dilation waveforms (% change) relative to the 10 s before stimulation onset. Shaded red and grey areas indicate $\pm$ SEM. B) Average pupil dilation during the period with a significant taVNS effect in (Sharon et al., 2021). Bars indicate the mean, grey points depict individual participants, error bars indicate $\pm$ SEM. Statistic refers to Wilcoxon signed-rank test.




Figure B.2: Individual decomposition results of the PARAFAC method. The panels on the left show the frequency spectrum for each identified component. The topographies on the right show the spatial profile of the components in ascending order from left to right. Additional information about subjects' sex, core consistency diagnostic (CCD, used for model selection), and alpha effect is given below the topographies. The alpha effect is calculated as the power difference (taVNS minus sham) in a time window between 0 and 4 s.




Figure B.3: Control analyses with different spatial and spectral profiles. Panels on the left show the grand-average power waveforms, using a weighted average of spectral and spatial profiles, as depicted in the right panels. Panels in the middle show the individual data points for the weighted average alpha power in the time window between 0 and 4 s. Grey lines indicate participants with lower alpha for taVNS compared to sham, black lines indicate the reversed pattern. Panels on the right depict the spatial and spectral profiles of the median alpha component. A) Weighted averages were derived using alternative component selection. For the five participants with ambiguous alpha components (5,10,12,18,21), we selected the alpha components that were not selected in the main analysis. B) Instead of using continuous values from the PARAFAC method, we derived dichotomized channel and frequency weights. The cutoff values for each participant were set to their respective mean. Only channels and frequencies above the mean were included in the analysis. C) Grand-average power waveforms were derived using manually chosen spectral and spatial profiles. For the spatial profile, we selected an occipital/posterior cluster comprised of channels Oz,PO7,PO3,O1,O2,PO4,PO8,P9,P7,P5,P3,P1,Pz,P2,P4,P6,P8,P10,POz. For the spectral profile, we included all frequencies in the alpha range between 8 and 12 Hz. D) Identical to D. Instead of the alpha range, the theta range between 5 and 8 Hz was selected for the spectral profile.




Figure B.4: Correlation between the stimulation effects (taVNS minus sham) on pupil size and EEG alpha power. Green points refer to average alpha power (0 to 4 s) and average pupil size (2.88 to 5.96 s) for each participant ($n = 24$). Spearman's rank correlation revealed no relationship between the two difference scores, $r(20) = -0.26$, $p = .21$.




Figure B.5: The effect of taVNS vs. sham on pupil size or EEG alpha power does not differ between males and females. A) Average pupil size per condition during the period with a significant taVNS effect in Sharon et al. [31] for females (left) and males (right). B) Average alpha power (0 s – 4 s) split by condition for females (left) and males (right). A multiple linear regression with sex (M, F) and condition (tVNS, sham) predicting either pupil size or EEG alpha power revealed no interaction between sex and condition (pupil size: $p = .76$; average alpha: $p = .26$). Red points depict the participant means for the taVNS condition; grey points depict the participant means for the sham condition.

Appendix C

Supplementary Results for Chapter 4




Figure C.1: Distribution of VAS ratings from a) Neuser et al. (2020) and b) the current study

Sex differences in the effects of taVNS on measures of motivation.

We examined whether men and women differed in the effect of taVNS on effort invigoration and effort maintenance. In Figure S1a below we show the effect of taVNS, separately for the female and male participants in Neuser et al. (2020). The plots suggest that the effects of taVNS on invigoration and effort maintenance were similar for females and males. To formally assess this, we ran the hierarchical linear models predicting invigoration and effort maintenance on Neuser's data, this time including sex (female, male) as an additional model predictor alongside order of stimulation and side of stimulation. Indeed, sex did not modulate the effects of tVNS on invigoration [$b = -0.94$, $t(78) = -0.43$, $p = .67$] and effort maintenance [$b = 0.06$, $t(78) = 0.04$, $p = .97$]. In Figure S2b, we show the same plots for our own data. These plots also do not show marked differences between female and male participants. For these data we did not compute inferential statistics, since there were too few male participants in our sample to expect reliable results.




Figure C.2: Effort invigoration (top) and effort maintenance (bottom) as a function of stimulation (taVNS vs. sham) and sex. a) Results based on the data from Neuser et al. (2020). b) Results based on the current data. Colored bars indicate the mean. Grey lines indicate the results from individual participants.

Differences in motivation between the participants in Neuser et al. (2020) and the current study.

To examine if participants in the two studies may have differed in their motivation to perform well on the task, we first considered the overall winnings, which were considerably higher in our study (averages of 562.52 kcal and €6.07 per session) than in Neuser's study (362.8 kcal and €3.78). Unfortunately, when we examined these winnings more closely, we discovered a mistake in the task presentation script that was provided to us by Neuser and colleagues. In the original study the earned reward points were converted by the task presentation script into money and food at a rate of 1 kcal or 1 cent per 5 reward points and then displayed on the screen at the end of each session. In contrast, in the task presentation script shared with us, the parameter controlling the conversion rate between reward points and kcal/cents was different, resulting in a rate of 1 kcal or 1 cent per 3.125 reward

points. This explained the much higher winnings in our study. To examine if this difference could account for the discrepancy in results between the two studies, we repeated the key analyses of effort invigoration for sessions 1 and 2 separately. As shown in Figure S3ab, the discrepancy between the two studies was already present in session 1, before the participants were first informed about their winnings in terms of calories and cents. This excludes the higher winnings in our study as an explanation for our null result.




Figure C.3: Effect of taVNS on invigoration, separately for session 1 and 2. a) Results based on the data from Neuser et al. (2020). b) Results based on the current data.

For a fairer comparison of overall task performance in the two studies, we compared the average (SD) reward points won per session:

	Neuser et al. (2020)	Our study	Independent-sample t-test
Money points	1974 (944)	1795 (1129)	$t = -1.23, p = .22$
Food points	1897 (908)	1744 (1027)	$t = -1.13, p = .26$

Table C.1: Comparison of points between Neuser et al. (2020) and our study.

The results indicate that participants in our study received less reward points, but the differences with the Neuser study were not significant. The number of reward points reflects task performance in the experimental phase relative to a criterion, the maximum frequency of button presses, that was established for each participant during the practice phase. This means that differences between individuals in total reward points can be due to individual differences in motivation during the practice phase rather than, or in addition to, differences in motivation during the experimental phase. This principle is illustrated in Figure S4ab, which

shows strong negative relationships between the maximum frequency criterion determined during the practice phase and the overall winnings determined during the experimental phase.




Figure C.4: Total money and calories won as a function of the maximum frequency of button presses recorded during the practice phase, separately for female and male participants for a) Neuser et al. (2020) and b) the current study.

The lower number of reward points of our participants could not be explained by a higher criterion (Neuser: women 7.1, men 6.5; our study: women 7.1, men 6.2 [see Figure S5]). In line with these results, we found that the average subjective wanting ratings, $t = -2.2$, $p = .03$, and exertion ratings, $t = -0.48$, $p = .63$, were somewhat lower in our study than in Neuser et al. (2020). Thus, the data suggest that, if anything, our participants were somewhat less motivated than the participants in the original study.




Figure C.5: The criterion value determined by the maximum frequency of button presses during the practice phase, separately for female and male participants for a) Neuser et al. (2020) and b) the current study.

Appendix D

Supplementary Figures for Chapter 6




Figure D.1: Group-level statistical parametric map for the reward anticipation contrast across the whole brain in MNI-space. Activation maps are thresholded using false discovery rate (FDR) correction ($q < 0.05$, z -value = 3.1).

Region	Preferred Model	BF10	Evidence for Alternative
CA1	Reward + Memory	18.42	Strong evidence
CA3	Memory	2.08	Anecdotal evidence
DG	Reward	4.03	Moderate evidence
LC	Reward	3.59	Moderate evidence
BF	Reward	2.55	Anecdotal evidence
MRN	Reward	159.98	Very strong evidence
DRN	Intercept	0.92	Anecdotal evidence against
SN	Reward	478.31	Very strong evidence
VTA	Reward	373.1	Very strong evidence
Str	Reward	5.8×10^6	Very strong evidence

Table D.1: Bayes Factors (BF10) and evidence interpretation for different models.

Note. Results of Bayesian model comparisons for each ROI. The preferred model refers to the model with the highest Bayes factor. The null model includes only the intercept, while the alternative models include a condition-only predictor, a memory-only predictor, or condition and memory as joint predictors. Bayes factors are presented as BF10, where values greater than 1 indicate evidence in favor of the alternative model (preferred model), and values lower than 1 indicate evidence in favor of the null model (intercept-only). DG, dentate gyrus; LC, locus coeruleus; BF, basal forebrain; MRN, medial raphe nucleus; DRN, dorsal raphe nucleus; SN, substantia nigra; VTA, ventral tegmental area; Str, Striatum. BF: Bayes Factor.

Region	z	p	p_{corr}	Significance
CA1	1.6	0.110	0.122	
CA3	1.04	0.299	0.299	
DG	1.93	0.054	0.067	
LC	2.73	0.006	0.012	*
BF	2.33	0.020	0.033	*
MRN	3.62	0.000	0.000	***
DRN	2.16	0.031	0.044	*
SN	3.42	0.001	0.002	**
VTA	3.48	0.001	0.002	**
Str	4.8	0.000	0.000	***

Table D.2: Statistics for the reward anticipation contrast after controlling for RT.

Note. Statistics for the reward anticipation contrast after controlling for RT ($p < .05$: *; $p < .01$: **; $p < .001$: ***). p_{corr} refers to the p-values after correcting for FDR. DG, dentate gyrus; LC, locus coeruleus; BF, basal forebrain; MRN, medial raphe nucleus; DRN, dorsal raphe nucleus; SN, substantia nigra; VTA, ventral tegmental area; Str, Striatum.

Region	Mean tSNR	Mean N Voxels	Source
CA1	40.81	292.96	freesurfer
CA3	43.34	103.62	freesurfer
DG	44.57	164.46	freesurfer
LC	41.54	59.69	custom scripts
BF	26.26	79.53	MASSP
MRN	40.39	37.5	MASSP
DRN	37.09	49.56	MASSP
SN	30.52	285.94	MASSP
VTA	36.84	164.07	MASSP
Str	49.7	3975.37	MASSP

Table D.3: Mean tSNR and Mean N Voxels across different regions.

Note. Mean tSNR refers to the transient signal-to-noise ratio, averaged across participant-level masks. Mean N voxels refers to the number of voxels in functional space (1.5 mm isotropic), averaged across all participant-level masks. Source: freesurfer (van Leemput et al., 2009); MASSP (Bazin et al., 2020); MT-TFL (magnetization transfer-weighted turbo flash; Priovoulos et al., 2018). DG, dentate gyrus; LC, locus coeruleus; BF, basal forebrain; MRN, medial raphe nucleus; DRN, dorsal raphe nucleus; SN, substantia nigra; VTA, ventral tegmental area; Str, Striatum.

Bibliography

- Adcock, R. A., Thangavel, A., Whitfield-Gabrieli, S., Knutson, B., and Gabrieli, J. D. E. (2006). Reward-motivated learning: mesolimbic activation precedes memory formation. *Neuron*, 50(3):507–517.
- Aguirre, G. K., Zarahn, E., and D’Esposito, M. (1998). The Variability of Human, BOLD Hemodynamic Responses. *NeuroImage*, 8(4):360–369.
- Alkemade, A., Mulder, M. J., Groot, J. M., Isaacs, B. R., Van, N., Lute, N., Js, S., Bazin, P.-l., and Forstmann, B. U. (2020). NeuroImage The Amsterdam Ultra-high field adult lifespan database (AHEAD): A freely available multimodal 7 Tesla submillimeter magnetic resonance imaging database. *NeuroImage*, 221(July):117200. Publisher: Elsevier Inc.
- Andersson, C. A. and Bro, R. (2000). The N-way Toolbox for MATLAB. *Chemometrics and Intelligent Laboratory Systems*, 52(1):1–4.
- Aquino, D., Bizzi, A., Grisoli, M., Garavaglia, B., Bruzzone, M. G., Nardocci, N., Savoiardo, M., and Chiapparini, L. (2009). Age-related Iron Deposition in the Basal Ganglia: Quantitative Analysis in Healthy Subjects. *Radiology*, 252(1):165–172. Publisher: Radiological Society of North America.
- Ariel, R. and Castel, A. D. (2014). Eyes wide open: enhanced pupil dilation when selectively studying important information. *Experimental Brain Research*, 232(1):337–344.
- Aston-Jones, G. and Cohen, J. D. (2005). An integrative theory of locus coeruleus-norepinephrine function: adaptive gain and optimal performance. *Annual Review of Neuroscience*, 28:403–450.
- Aston-Jones, G., Rajkowski, J., and Cohen, J. (1999). Role of locus coeruleus in attention and behavioral flexibility. *Biological Psychiatry*, 46(9):1309–1320.
- Aston-Jones, G. S. (1991). Chapter 4 - Afferent regulation of locus coeruleus neurons: anatomy, physiology and pharmacology. *Progress in Brain Research*, 88:47–75.
- Atkinson, J. W. (1957). Motivational determinants of risk-taking behavior. *Psychological Review*, 64(6, Pt.1):359–372. Place: US Publisher: American Psychological Association.
- Avery, M. C. and Krichmar, J. L. (2017). Neuromodulatory Systems and Their Interactions: A Review of Models, Theories, and Experiments. *Frontiers in Neural Circuits*, 11:108.
- Baecke, S., Lützkendorf, R., Mallow, J., Luchtman, M., Tempelmann, C., Stadler, J., and Bernarding, J. (2015). A proof-of-principle study of multi-site real-time functional imaging at 3T and 7T: Implementation and validation. *Scientific Reports*, 5(1):8413. Publisher: Nature Publishing Group.
- Bailes, S. M., Gomez, D. E., Setzer, B., and Lewis, L. D. (2023). Resting-state fMRI signals contain spectral signatures of local hemodynamic response timing. *eLife*, 12:e86453. Publisher: eLife Sciences Publications, Ltd.

- Bali, A. (2015). Psychological Factors Affecting Sports Performance. *International Journal of Physical Education, Sports and Health*.
- Barry, D. N., Tierney, T. M., Holmes, N., Boto, E., Roberts, G., Leggett, J., Bowtell, R., Brookes, M. J., Barnes, G. R., and Maguire, E. A. (2019). Imaging the human hippocampus with optically-pumped magnetoencephalography. *NeuroImage*, 203:116192.
- Barth, M., Breuer, F., Koopmans, P. J., Norris, D. G., and Poser, B. A. (2016). Simultaneous multislice (SMS) imaging techniques. *Magnetic Resonance in Medicine*.
- Bartus, R. T., Dean, R. L., Beer, B., and Lippa, A. S. (1982). The Cholinergic Hypothesis of Geriatric Memory Dysfunction. *Science*, 217(4558):408–414. Publisher: American Association for the Advancement of Science.
- Bates, D., Mächler, M., Bolker, B., and Walker, S. (2015). Fitting Linear Mixed-Effects Models Using lme4. *Journal of Statistical Software*, 67:1–48.
- Bauer, S., Baier, H., Baumgartner, C., Bohlmann, K., Fauser, S., Graf, W., Hillenbrand, B., Hirsch, M., Last, C., Lerche, H., Mayer, T., Schulze-Bonhage, A., Steinhoff, B. J., Weber, Y., Hartlep, A., Rosenow, F., and Hamer, H. M. (2016). Transcutaneous Vagus Nerve Stimulation (tVNS) for Treatment of Drug-Resistant Epilepsy: A Randomized, Double-Blind Clinical Trial (cMPsE02). *Brain Stimulation*, 9(3):356–363.
- Bayer, H. M. and Glimcher, P. W. (2005). Midbrain dopamine neurons encode a quantitative reward prediction error signal. *Neuron*, 47(1):129–141.
- Bays, P. M., Catalao, R. F. G., and Husain, M. (2009). The precision of visual working memory is set by allocation of a shared resource. *Journal of Vision*, 9(10):7.
- Bazin, P.-L., Alkemade, A., Mulder, M. J., Henry, A. G., and Forstmann, B. U. (2020). Multi-contrast anatomical subcortical structures parcellation. Publisher: eLife Sciences Publications Limited.
- Beatty, J. (1982). Task-evoked pupillary responses, processing load, and the structure of processing resources. *Psychological Bulletin*, 91(2):276–292. Place: US Publisher: American Psychological Association.
- Beatty, W. W., Butters, N., and Janowsky, D. S. (1986). Patterns of memory failure after scopolamine treatment: Implications for cholinergic hypotheses of dementia. *Behavioral and Neural Biology*, 45(2):196–211.
- Behzadi, Y., Restom, K., Liau, J., and Liu, T. T. (2007). A component based noise correction method (CompCor) for BOLD and perfusion based fMRI. *NeuroImage*, 37(1):90–101.
- Beliveau, V., Svarer, C., Frokjaer, V. G., Knudsen, G. M., Greve, D. N., and Fisher, P. M. (2015). Functional connectivity of the dorsal and median raphe nuclei at rest. *NeuroImage*.
- Benjamini, Y. and Hochberg, Y. (1995). Controlling the False Discovery Rate : A Practical and Powerful Approach to Multiple Testing Author (s): Yoav Benjamini and Yosef Hochberg Source : Journal of the Royal Statistical Society . Series B (Methodological), Vol . 57 , No . 1 (1995), Publi. *Journal of the Royal Statistical Society*, 57(1):289–300.

- Berridge, C. W. and Waterhouse, B. D. (2003). The locus coeruleus–noradrenergic system: modulation of behavioral state and state-dependent cognitive processes. *Brain Research Reviews*, 42(1):33–84.
- Berridge, K. C. (1999). Pleasure, pain, desire, and dread: Hidden core processes of emotion. In *Well-being: The foundations of hedonic psychology*, pages 525–557. Russell Sage Foundation, New York, NY, US.
- Berridge, K. C. and Robinson, T. E. (1998). What is the role of dopamine in reward: hedonic impact, reward learning, or incentive salience? *Brain Research Reviews*, 28(3):309–369.
- Berridge, K. C., Robinson, T. E., and Aldridge, J. W. (2009). Dissecting components of reward: ‘liking’, ‘wanting’, and learning. *Current opinion in pharmacology*, 9(1):65–73.
- Bialleck, K. A., Schaal, H.-P., Kranz, T. A., Fell, J., Elger, C. E., and Axmacher, N. (2011). Ventromedial Prefrontal Cortex Activation Is Associated with Memory Formation for Predictable Rewards. *PLOS ONE*, 6(2):e16695. Publisher: Public Library of Science.
- Birn, R. M., Diamond, J. B., Smith, M. A., and Bandettini, P. A. (2006). Separating respiratory-variation-related fluctuations from neuronal-activity-related fluctuations in fMRI. *NeuroImage*, 31(4):1536–1548.
- Birn, R. M., Saad, Z. S., and Bandettini, P. A. (2001). Spatial Heterogeneity of the Nonlinear Dynamics in the fMRI BOLD Response. *NeuroImage*, 14(4):817–826.
- Borges, U., Pfannenstiel, M., Tsukahara, J., Laborde, S., Klatt, S., and Raab, M. (2021). Transcutaneous vagus nerve stimulation via tragus or cymba conchae: Are its psychophysiological effects dependent on the stimulation area? *International Journal of Psychophysiology*, 161(January):64–75. Publisher: Elsevier B.V.
- Borgmann, D., Rigoux, L., Kuzmanovic, B., Edwin Thanarajah, S., Münte, T. F., Fenselau, H., and Tittgemeyer, M. (2021). Technical Note: Modulation of fMRI brainstem responses by transcutaneous vagus nerve stimulation. *NeuroImage*, 244(July). Publisher: Elsevier Inc.
- Bouret, S. and Richmond, B. J. (2009). Relation of locus coeruleus neurons in monkeys to Pavlovian and operant behaviors. *Journal of Neurophysiology*, 101(2):898–911.
- Bouret, S., Richmond, B. J., and Ravel, S. (2012). Complementary neural correlates of motivation in dopaminergic and noradrenergic neurons of monkeys. *Frontiers in Behavioral Neuroscience*, 6. Publisher: Frontiers.
- Bouret, S. and Sara, S. J. (2004). Reward expectation, orientation of attention and locus coeruleus-medial frontal cortex interplay during learning. *The European Journal of Neuroscience*, 20(3):791–802.
- Brady, T. F., Konkle, T., Alvarez, G. A., and Oliva, A. (2008). Visual long-term memory has a massive storage capacity for object details. *Proceedings of the National Academy of Sciences of the United States of America*, 105(38):14325–14329.
- Brady, T. F., Konkle, T., Gill, J., Oliva, A., and Alvarez, G. A. (2013). Visual long-term memory has the same limit on fidelity as visual working memory. *Psychological Science*, 24(6):981–990.

- Brainard, D. H. (1997). The Psychophysics Toolbox. *Spatial Vision*, 10(4):433–436. Place: Netherlands Publisher: VSP.
- Breeden, A. L., Siegle, G. J., Norr, M. E., Gordon, E. M., and Vaidya, C. J. (2017). Coupling between spontaneous pupillary fluctuations and brain activity relates to inattentiveness. *European Journal of Neuroscience*, 45(2):260–266. _eprint: <https://onlinelibrary.wiley.com/doi/pdf/10.1111/ejn.13424>.
- Breton-provencher, V. and Sur, M. (2019). Active control of arousal by a locus coeruleus GABAergic circuit. *Nature Neuroscience*, 22(February). Publisher: Springer US.
- Briand, L. A., Gritton, H., Howe, W. M., Young, D. A., and Sarter, M. (2007). Modulators in concert for cognition: Modulator interactions in the prefrontal cortex. *Progress in Neurobiology*, 83(2):69–91.
- Brisson, J., Mainville, M., Mailloux, D., Beaulieu, C., Serres, J., and Sirois, S. (2013). Pupil diameter measurement errors as a function of gaze direction in corneal reflection eyetrackers. *Behavior Research Methods*, 45(4):1322–1331.
- Bro, R. and Kiers, H. A. (2003). A new efficient method for determining the number of components in PARAFAC models. *Journal of Chemometrics*, 17(5):274–286.
- Brookes, M. J., Leggett, J., Rea, M., Hill, R. M., Holmes, N., Boto, E., and Bowtell, R. (2022). Magnetoencephalography with optically pumped magnetometers (OPM-MEG): the next generation of functional neuroimaging. *Trends in Neurosciences*, 45(8):621–634.
- Brooks, J. C., Faull, O. K., Pattinson, K. T., and Jenkinson, M. (2013). Physiological noise in brainstem fMRI. *Frontiers in Human Neuroscience*, c(OCT):1–13.
- Brougher, J., Aziz, U., Adari, N., Chaturvedi, M., Jules, A., Shah, I., Syed, S., and Thorn, C. A. (2021). Self-Administration of Right Vagus Nerve Stimulation Activates Midbrain Dopaminergic Nuclei. *Frontiers in Neuroscience*, 15. Publisher: Frontiers.
- Brown, R. and Kulik, J. (1977). Flashbulb memories. *Cognition*, 5(1):73–99.
- Bryant, R. A., Harvey, A. G., Guthrie, R. M., and Moulds, M. L. (2000). A prospective study of psychophysiological arousal, acute stress disorder, and posttraumatic stress disorder. *Journal of Abnormal Psychology*, 109(2):341–344. Place: US Publisher: American Psychological Association.
- Bunzeck, N. and Düzel, E. (2006). Absolute Coding of Stimulus Novelty in the Human Substantia Nigra/VTA. *Neuron*.
- Burger, A. M., D’Agostini, M., Verkuil, B., and Van Diest, I. (2020a). Moving beyond belief: A narrative review of potential biomarkers for transcutaneous vagus nerve stimulation. *Psychophysiology*, 57(6):e13571. _eprint: <https://onlinelibrary.wiley.com/doi/pdf/10.1111/psyp.13571>.
- Burger, A. M., D’Agostini, M., Verkuil, B., and Van Diest, I. (2020b). Moving beyond belief: A narrative review of potential biomarkers for transcutaneous vagus nerve stimulation. *Psychophysiology*, 57(6):1–24.

- Busch, V., Zeman, F., Heckel, A., Menne, F., Ellrich, J., and Eichhammer, P. (2013). The effect of transcutaneous vagus nerve stimulation on pain perception-An experimental study. *Brain Stimulation*, 6(2):202–209. Publisher: Elsevier Ltd.
- Carland, M. A., Thura, D., and Cisek, P. (2019). The Urge to Decide and Act: Implications for Brain Function and Dysfunction. *The Neuroscientist*, 25(5):491–511. Publisher: SAGE Publications Inc STM.
- Carvalho, J. and Philiastides, M. G. (2023). Distinct spatiotemporal brainstem pathways of outcome valence during reward- and punishment-based learning. *Cell Reports*, 42(12):113589.
- Cazettes, F., Reato, D., Morais, J. P., Renart, A., and Mainen, Z. F. (2021). Phasic Activation of Dorsal Raphe Serotonergic Neurons Increases Pupil Size. *Current Biology*.
- Chen, M., Yu, L., Ouyang, F., Liu, Q., Wang, Z., Wang, S., Zhou, L., Jiang, H., and Zhou, S. (2015). The right side or left side of noninvasive transcutaneous vagus nerve stimulation: Based on conventional wisdom or scientific evidence? *International Journal of Cardiology*, 187:44–45.
- Chen, W.-L., Wagner, J., Heugel, N., Sugar, J., Lee, Y.-W., Conant, L., Malloy, M., Hefernan, J., Quirk, B., Zinos, A., Beardsley, S. A., Prost, R., and Whelan, H. T. (2020). Functional Near-Infrared Spectroscopy and Its Clinical Application in the Field of Neuroscience: Advances and Future Directions. *Frontiers in Neuroscience*, 14. Publisher: Frontiers.
- Chen, Y., Lu, X., and Hu, L. (2023). Transcutaneous Auricular Vagus Nerve Stimulation Facilitates Cortical Arousal and Alertness. *International Journal of Environmental Research and Public Health*, 20(2):1402.
- Cho, J. R., Treweek, J. B., Robinson, J. E., Xiao, C., Bremner, L. R., Greenbaum, A., and Gradinaru, V. (2017). Dorsal Raphe Dopamine Neurons Modulate Arousal and Promote Wakefulness by Salient Stimuli. *Neuron*.
- Ciranna, L. (2006). Serotonin as a Modulator of Glutamate- and GABA-Mediated Neurotransmission: Implications in Physiological Functions and in Pathology. *Current Neuropharmacology*, 4(2):101–114.
- Clayton, E. C., Rajkowski, J., Cohen, J. D., and Aston-Jones, G. (2004). Phasic Activation of Monkey Locus Coeruleus Neurons by Simple Decisions in a Forced-Choice Task. *Journal of Neuroscience*, 24(44):9914–9920. Publisher: Society for Neuroscience Section: Behavioral/Systems/Cognitive.
- Clewett, D. V., Lee, T. H., Greening, S., Ponzio, A., Margalit, E., and Mather, M. (2016). Neuromelanin marks the spot: identifying a locus coeruleus biomarker of cognitive reserve in healthy aging. *Neurobiology of Aging*, 37:117–126. Publisher: Elsevier Inc.
- Cohen, J. Y., Haesler, S., Vong, L., Lowell, B. B., and Uchida, N. (2012). Neuron-type-specific signals for reward and punishment in the ventral tegmental area. *Nature*, 482(7383):85–88. Publisher: Nature Publishing Group.

- Collins, L., Boddington, L., Steffan, P. J., and McCormick, D. (2021). Vagus nerve stimulation induces widespread cortical and behavioral activation. *Current Biology*, 31(10):2088–2098.e3. Publisher: Elsevier Ltd.
- Cools, R. (2019). Chemistry of the Adaptive Mind: Lessons from Dopamine. *Neuron*, 104(1):113–131.
- Cools, R., Roberts, A. C., and Robbins, T. W. (2008). Serotonergic regulation of emotional and behavioural control processes. *Trends in Cognitive Sciences*, 12(1):31–40.
- Cooper, R. A. and Ritchey, M. (2019). Cortico-hippocampal network connections support the multidimensional quality of episodic memory. *eLife*, 8:e45591. Publisher: eLife Sciences Publications, Ltd.
- Cristancho, P., Cristancho, M. A., Baltuch, G. H., Thase, M. E., and O’Reardon, J. P. (2011). Effectiveness and safety of vagus nerve stimulation for severe treatment-resistant major depression in clinical practice after FDA approval: Outcomes at 1 year. *Journal of Clinical Psychiatry*, 72(10):1376–1382.
- da Silva Castanheira, K., Lalla, A., Ocampo, K., Otto, A. R., and Sheldon, S. (2022). Reward at encoding but not retrieval modulates memory for detailed events. *Cognition*, 219:104957.
- D’Agostini, M., Burger, A. M., Franssen, M., Perkovic, A., Claes, S., von Leupoldt, A., Murphy, P. R., and Van Diest, I. (2023). Short bursts of transcutaneous auricular vagus nerve stimulation enhance evoked pupil dilation as a function of stimulation parameters. *Cortex; a Journal Devoted to the Study of the Nervous System and Behavior*, 159:233–253.
- D’Agostini, M., Burger, A. M., Villca Ponce, G., Claes, S., von Leupoldt, A., and Van Diest, I. (2022). No evidence for a modulating effect of continuous transcutaneous auricular vagus nerve stimulation on markers of noradrenergic activity. *Psychophysiology*, 59(4):1–20.
- Dahl, M. J., Mather, M., and Werkle-bergner, M. (2022a). Noradrenergic modulation of rhythmic neural activity shapes selective attention. *Trends in Cognitive Sciences*, 26(1):38–52. Publisher: Elsevier Ltd.
- Dahl, M. J., Mather, M., and Werkle-Bergner, M. (2022b). Noradrenergic modulation of rhythmic neural activity shapes selective attention. *Trends in Cognitive Sciences*, 26(1):38–52.
- Dahl, R. E. (1996). The regulation of sleep and arousal. *Development and Psychopathology*, 8(1):3–27.
- D’Ardenne, K., McClure, S. M., Nystrom, L. E., and Cohen, J. D. (2008). BOLD responses reflecting dopaminergic signals in the human ventral tegmental area. *Science (New York, N. Y.)*, 319(5867):1264–1267.
- Darmani, G., Bergmann, T. O., Butts Pauly, K., Caskey, C. F., de Lecea, L., Fomenko, A., Fouragnan, E., Legon, W., Murphy, K. R., Nandi, T., Phipps, M. A., Pinton, G., Ramezanpour, H., Sallet, J., Yaakub, S. N., Yoo, S. S., and Chen, R. (2022). Non-invasive transcranial ultrasound stimulation for neuromodulation. *Clinical Neurophysiology*, 135:51–73.

- Daugherty, A. and Raz, N. (2013). Age-related differences in iron content of subcortical nuclei observed in vivo: A meta-analysis. *NeuroImage*, 70:113–121.
- Davis, C. D., Jones, F. L., and Derrick, B. E. (2004). Novel Environments Enhance the Induction and Maintenance of Long-Term Potentiation in the Dentate Gyrus. *Journal of Neuroscience*, 24(29):6497–6506. Publisher: Society for Neuroscience Section: Behavioral/Systems/Cognitive.
- Daw, N. D., Kakade, S., and Dayan, P. (2002). Opponent interactions between serotonin and dopamine. *Neural Networks: The Official Journal of the International Neural Network Society*, 15(4-6):603–616.
- Dayan, P. (2012). Twenty-Five Lessons from Computational Neuromodulation. *Neuron*, 76(1):240–256.
- De Couck, M., Cserjesi, R., Caers, R., Zijlstra, W. P., Widjaja, D., Wolf, N., Luminet, O., Ellrich, J., and Gidron, Y. (2017). Effects of short and prolonged transcutaneous vagus nerve stimulation on heart rate variability in healthy subjects. *Autonomic Neuroscience*, 203:88–96.
- de Gee, J. W., Colizoli, O., Kloosterman, N. A., Knapen, T., Nieuwenhuis, S., and Donner, T. H. (2017). Dynamic modulation of decision biases by brainstem arousal systems. *eLife*.
- de Gee, J. W., Mridha, Z., Hudson, M., Shi, Y., Ramsaywak, H., Smith, S., Karediya, N., Thompson, M., Jaspe, K., Jiang, H., Zhang, W., and McGinley, M. J. (2024). Strategic stabilization of arousal boosts sustained attention. *Current biology: CB*, 34(18):4114–4128.e6.
- de Hollander, G., Keuken, M. C., and Forstmann, B. U. (2015). The subcortical cocktail problem; mixed signals from the subthalamic nucleus and substantia nigra. *PloS One*, 10(3):e0120572.
- De Hollander, G., Knapen, T., and Snoek, L. (2019). Nideconv.
- De Taeye, L., Vonck, K., van Bochove, M., Boon, P., Van Roost, D., Mollet, L., Meurs, A., De Herdt, V., Carrette, E., Dauwe, I., Gadeyne, S., van Mierlo, P., Verguts, T., and Raedt, R. (2014). The P3 Event-Related Potential is a Biomarker for the Efficacy of Vagus Nerve Stimulation in Patients with Epilepsy. *Neurotherapeutics*, 11(3):612–622.
- Delorme, A. and Makeig, S. (2004). EEGLAB: an open source toolbox for analysis of single-trial EEG dynamics including independent component analysis. *Journal of Neuroscience Methods*, 134(1):9–21.
- Derryberry, D. and Rothbart, M. K. (1988). Arousal, affect, and attention as components of temperament. *Journal of Personality and Social Psychology*, 55(6):958–966. Place: US Publisher: American Psychological Association.
- Dewar, M. T., Cowan, N., and Sala, S. D. (2007). Forgetting Due to Retroactive Interference: A Fusion of Müller and Pilzecker’s (1900) Early Insights into Everyday Forgetting and Recent Research on Anterograde Amnesia. *Cortex*, 43(5):616–634.
- DiNuzzo, M., Mascali, D., Moraschi, M., Bussu, G., Maugeri, L., Mangini, F., Fratini, M., and Giove, F. (2019). Brain Networks Underlying Eye’s Pupil Dynamics. *Frontiers in Neuroscience*.

- Ditterich, J. (2006). Evidence for time-variant decision making. *The European Journal of Neuroscience*, 24(12):3628–3641.
- Dix, A. and Li, S.-C. (2020). Incentive motivation improves numerosity discrimination: Insights from pupillometry combined with drift-diffusion modelling. *Scientific Reports*, 10(1):2608. Publisher: Nature Publishing Group.
- Dorr, A. E. and Debonnel, G. (2006). Effect of vagus nerve stimulation on serotonergic and noradrenergic transmission. *The Journal of Pharmacology and Experimental Therapeutics*, 318(2):890–898.
- Doya, K., Miyazaki, K. W., and Miyazaki, K. (2021). Serotonergic modulation of cognitive computations. *Current Opinion in Behavioral Sciences*, 38:116–123.
- Drew, P. J., Mateo, C., Turner, K. L., Yu, X., and Kleinfeld, D. (2020). Perspective Ultra-slow Oscillations in fMRI and Resting-State Connectivity : Neuronal and Vascular Contributions and Technical Confounds. *Neuron*, 107(5):782–804. Publisher: Elsevier Inc.
- Düzel, E., Bunzeck, N., Guitart-Masip, M., and Düzel, S. (2010). NOvelty-related Motivation of Anticipation and exploration by Dopamine (NOMAD): Implications for healthy aging. *Neuroscience & Biobehavioral Reviews*, 34(5):660–669.
- Düzel, E., Yonelinas, A. P., Mangun, G. R., Heinze, H.-J., and Tulving, E. (1997). Event-related brain potential correlates of two states of conscious awareness in memory. *Proceedings of the National Academy of Sciences*, 94(11):5973–5978. Publisher: Proceedings of the National Academy of Sciences.
- D’Agostini, M., Burger, A. M., Franssen, M., Claes, N., Weymar, M., von Leupoldt, A., and Van Diest, I. (2021). Effects of transcutaneous auricular vagus nerve stimulation on reversal learning, tonic pupil size, salivary alpha-amylase, and cortisol. *Psychophysiology*, 58(10):1–20.
- Eickhoff, S. B., Stephan, K. E., Mohlberg, H., Grefkes, C., Fink, G. R., Amunts, K., and Zilles, K. (2005). A new SPM toolbox for combining probabilistic cytoarchitectonic maps and functional imaging data. *NeuroImage*.
- Eldar, E., Cohen, J. D., and Niv, Y. (2013). The effects of neural gain on attention and learning. *Nature Neuroscience*, 16(8):1146–1153.
- Elliott, B. L., Blais, C., McClure, S. M., and Brewer, G. A. (2020). Neural correlates underlying the effect of reward value on recognition memory. *NeuroImage*, 206:116296.
- Ellrich, J. (2011). Transcutaneous vagus nerve stimulation. *European Neurological Review*, 6(4):254–256.
- Enomoto, K., Matsumoto, N., Nakai, S., Satoh, T., Sato, T. K., Ueda, Y., Inokawa, H., Haruno, M., and Kimura, M. (2011). Dopamine neurons learn to encode the long-term value of multiple future rewards. *Proceedings of the National Academy of Sciences*, 108(37):15462–15467. Publisher: Proceedings of the National Academy of Sciences.
- Enzmann, D. R. and Pelc, N. J. (1993). Cerebrospinal fluid flow measured by phase-contrast cine MR. *American Journal of Neuroradiology*, 14(6):1301–1307. Publisher: American Journal of Neuroradiology.

- España, R. A. and Berridge, C. W. (2006). Organization of noradrenergic efferents to arousal-related basal forebrain structures. *The Journal of Comparative Neurology*, 496(5):668–683.
- Esteban, O., Ciric, R., Finc, K., Blair, R. W., Markiewicz, C. J., Moodie, C. A., Kent, J. D., Goncalves, M., DuPre, E., Gomez, D. E. P., Ye, Z., Salo, T., Valabregue, R., Amlien, I. K., Liem, F., Jacoby, N., Stojić, H., Cieslak, M., Urchs, S., Halchenko, Y. O., Ghosh, S. S., De La Vega, A., Yarkoni, T., Wright, J., Thompson, W. H., Poldrack, R. A., and Gorgolewski, K. J. (2020). Analysis of task-based functional MRI data preprocessed with fMRIPrep. *Nature Protocols*, 15(7):2186–2202. Publisher: Nature Publishing Group.
- Esteban, O., Markiewicz, C. J., Blair, R. W., Moodie, C. A., Isik, A. I., Erramuzpe, A., Kent, J. D., Goncalves, M., DuPre, E., Snyder, M., Oya, H., Ghosh, S. S., Wright, J., Durnez, J., Poldrack, R. A., and Gorgolewski, K. J. (2019). fMRIPrep: a robust preprocessing pipeline for functional MRI. *Nature Methods*, 16(1):111–116. Publisher: Nature Publishing Group.
- Ewert, S., Horn, A., Finkel, F., Li, N., Kühn, A. A., and Herrington, T. M. (2019). Optimization and comparative evaluation of nonlinear deformation algorithms for atlas-based segmentation of DBS target nuclei. *NeuroImage*.
- Eysenck, M. W. (1976). Arousal, learning, and memory. *Psychological Bulletin*, 83(3):389–404. Publisher: American Psychological Association.
- Farmer, A. D., Strzelczyk, A., Finisguerra, A., Gourine, A. V., Gharabaghi, A., Hasan, A., Burger, A. M., Jaramillo, A. M., Mertens, A., Majid, A., Verkuil, B., Badran, B. W., Ventura-Bort, C., Gaul, C., Beste, C., Warren, C. M., Quintana, D. S., Hämmerer, D., Freri, E., Frangos, E., Tobaldini, E., Kaniusas, E., Rosenow, F., Capone, F., Panetsos, F., Ackland, G. L., Kaithwas, G., O’Leary, G. H., Genheimer, H., Jacobs, H. I., Van Diest, I., Schoenen, J., Redgrave, J., Fang, J., Deuchars, J., Széles, J. C., Thayer, J. F., More, K., Vonck, K., Steenbergen, L., Vianna, L. C., McTeague, L. M., Ludwig, M., Veldhuizen, M. G., De Couck, M., Casazza, M., Keute, M., Bikson, M., Andreatta, M., D’Agostini, M., Weymar, M., Betts, M., Prigge, M., Kaess, M., Roden, M., Thai, M., Schuster, N. M., Montano, N., Hansen, N., Kroemer, N. B., Rong, P., Fischer, R., Howland, R. H., Sclocco, R., Sellaro, R., Garcia, R. G., Bauer, S., Gancheva, S., Stavrakis, S., Kampusch, S., Deuchars, S. A., Wehner, S., Laborde, S., Usichenko, T., Polak, T., Zaehle, T., Borges, U., Teckentrup, V., Jandackova, V. K., Napadow, V., and Koenig, J. (2021). International Consensus Based Review and Recommendations for Minimum Reporting Standards in Research on Transcutaneous Vagus Nerve Stimulation (Version 2020). *Frontiers in Human Neuroscience*, 14(September).
- Feinberg, D. A., Vu, A. T., and Beckett, A. (2018). Pushing the limits of ultra-high resolution human brain imaging with SMS-EPI demonstrated for columnar level fMRI. *NeuroImage*, 164:155–163.
- Feng, Y.-Y., Bromberg-Martin, E. S., and Monosov, I. E. (2024). Dorsal raphe neurons integrate the values of reward amount, delay, and uncertainty in multi-attribute decision-making. *Cell Reports*, 43(6):114341.
- Fernandes, P., Regala, J., Correia, F., and Gonçalves-Ferreira, A. J. (2012). The human locus coeruleus 3-D stereotactic anatomy. *Surgical and Radiologic Anatomy*, 34(10):879–885.

- Ferstl, M., Teckentrup, V., Lin, W. M., Kräutlein, F., Kühnel, A., Klaus, J., Walter, M., and Kroemer, N. B. (2022). Non-invasive vagus nerve stimulation boosts mood recovery after effort exertion. *Psychological Medicine*, 52(14):3029–3039.
- Fini, M. and Tyler, W. J. (2017). Transcranial focused ultrasound: a new tool for non-invasive neuromodulation. *International Review of Psychiatry*, 29(2):168–177. Publisher: Taylor & Francis _eprint: <https://doi.org/10.1080/09540261.2017.1302924>.
- Fischer, R., Ventura-Bort, C., Hamm, A., and Weymar, M. (2018). Transcutaneous vagus nerve stimulation (tVNS) enhances conflict-triggered adjustment of cognitive control. *Cognitive, Affective and Behavioral Neuroscience*, 18(4):680–693. Publisher: Cognitive, Affective, & Behavioral Neuroscience.
- Fjell, A. M., Westlye, L. T., Grydeland, H., Amlien, I., Espeseth, T., Reinvang, I., Raz, N., Holland, D., Dale, A. M., and Walhovd, K. B. (2013). Critical ages in the life course of the adult brain: nonlinear subcortical aging. *Neurobiology of Aging*, 34(10):2239–2247.
- Folloni, D., Verhagen, L., Mars, R. B., Fouragnan, E., Constans, C., Aubry, J.-F., Rushworth, M. F. S., and Sallet, J. (2019). Manipulation of Subcortical and Deep Cortical Activity in the Primate Brain Using Transcranial Focused Ultrasound Stimulation. *Neuron*, 101(6):1109–1116.e5. Publisher: Elsevier.
- Foo, T. K. F., Tan, E. T., Vermilyea, M. E., Hua, Y., Fiveland, E. W., Piel, J. E., Park, K., Ricci, J., Thompson, P. S., Graziani, D., Conte, G., Kagan, A., Bai, Y., Vasil, C., Tarasek, M., Yeo, D. T., Snell, F., Lee, D., Dean, A., DeMarco, J. K., Shih, R. Y., Hood, M. N., Chae, H., and Ho, V. B. (2020). Highly efficient head-only magnetic field insert gradient coil for achieving simultaneous high gradient amplitude and slew rate at 3.0T (MAGNUS) for brain microstructure imaging. *Magnetic Resonance in Medicine*, 83(6):2356–2369. _eprint: <https://onlinelibrary.wiley.com/doi/pdf/10.1002/mrm.28087>.
- Foote, S. L. and Morrison, J. H. (1987). Extrathalamic modulation of cortical function. *Annual Review of Neuroscience*, 10:67–95.
- Forstmann, B. U., De Hollander, G., Van Maanen, L., Alkemade, A., and Keuken, M. C. (2017a). Towards a mechanistic understanding of the human subcortex. *Nature Reviews Neuroscience*, 18(1):57–65.
- Forstmann, B. U., de Hollander, G., van Maanen, L., Alkemade, A., and Keuken, M. C. (2017b). Towards a mechanistic understanding of the human subcortex. *Nature Reviews Neuroscience*, 18(1):57–65. Publisher: Nature Publishing Group.
- Forstmeier, W., Wagenmakers, E.-J., and Parker, T. H. (2017). Detecting and avoiding likely false-positive findings - a practical guide. *Biological reviews of the Cambridge Philosophical Society*, 92(4):1941–1968.
- Frangos, E., Ellrich, J., and Komisaruk, B. R. (2015). Non-invasive access to the vagus nerve central projections via electrical stimulation of the external ear: FMRI evidence in humans. *Brain Stimulation*, 8(3):624–636. Publisher: Elsevier Inc.
- Frey, U., Matthies, H., Reymann, K. G., and Matthies, H. (1991). The effect of dopaminergic D1 receptor blockade during tetanization on the expression of long-term potentiation in the rat CA1 region in vitro. *Neuroscience Letters*, 129(1):111–114.

- Frey, U., Schroeder, H., and Matthies, H. (1990). Dopaminergic antagonists prevent long-term maintenance of posttetanic LTP in the CA1 region of rat hippocampal slices. *Brain Research*, 522(1):69–75.
- Friston, K. J., Holmes, A., Poline, J. B., Price, C. J., and Frith, C. D. (1996). Detecting activations in pet and fMRI: Levels of inference and power. *NeuroImage*.
- Friston, K. J., Mechelli, A., Turner, R., and Price, C. J. (2000). Nonlinear responses in fMRI: The balloon model, Volterra kernels, and other hemodynamics. *NeuroImage*.
- Frässle, S., Aponte, E. A., Bollmann, S., Brodersen, K. H., Do, C. T., Harrison, O. K., Harrison, S. J., Heinzle, J., Iglesias, S., Kasper, L., Lomakina, E. I., Mathys, C., Müller-Schrader, M., Pereira, I., Petzschner, F. H., Raman, S., Schöbi, D., Toussaint, B., Weber, L. A., Yao, Y., and Stephan, K. E. (2021). TAPAS: An Open-Source Software Package for Translational Neuromodeling and Computational Psychiatry. *Frontiers in Psychiatry*, 12. Publisher: Frontiers.
- Gadeyne, S., Mertens, A., Carrette, E., Van den Bossche, F., Boon, P., Raedt, R., and Vonck, K. (2022). Transcutaneous auricular vagus nerve stimulation cannot modulate the P3b event-related potential in healthy volunteers. *Clinical Neurophysiology*, 135:22–29. Publisher: International Federation of Clinical Neurophysiology.
- Gelbard-Sagiv, H., Magidov, E., Sharon, H., Hendler, T., and Nir, Y. (2018). Noradrenaline Modulates Visual Perception and Late Visually Evoked Activity. *Current biology: CB*, 28(14):2239–2249.e6.
- Gieske, A. and Sommer, T. (2023). Independent effects of emotional arousal and reward anticipation on episodic memory formation. *Cerebral Cortex*, 33(8):4527–4541.
- Gil, Z., Connors, B. W., and Amitai, Y. (1997). Differential regulation of neocortical synapses by neuromodulators and activity. *Neuron*, 19(3):679–686.
- Gilzenrat, M. S., Nieuwenhuis, S., Jepma, M., and Cohen, J. D. (2010). Pupil diameter tracks changes in control state predicted by the adaptive gain theory of locus coeruleus function. *Cognitive, affective & behavioral neuroscience*, 10(2):252–269.
- Giraudier, M., Ventura-Bort, C., Burger, A. M., Claes, N., D’Agostini, M., Fischer, R., Franssen, M., Kaess, M., Koenig, J., Liepelt, R., Nieuwenhuis, S., Sommer, A., Usichenko, T., Van Diest, I., von Leupoldt, A., Warren, C. M., and Weymar, M. (2022). Evidence for a modulating effect of transcutaneous auricular vagus nerve stimulation (taVNS) on salivary alpha-amylase as indirect noradrenergic marker: A pooled mega-analysis. *Brain Stimulation*, 15(6):1378–1388.
- Glimcher, P. W. (2011). Understanding dopamine and reinforcement learning: The dopamine reward prediction error hypothesis. *Proceedings of the National Academy of Sciences*, 108(supplement_3):15647–15654.
- Glover, G. H., Li, T. Q., and Ress, D. (2000). Image-based method for retrospective correction of physiological motion effects in fMRI: RETROICOR. *Magnetic Resonance in Medicine*.
- Gmelch, W. H. (1983). Stress for success: How to optimize your performance. *Theory Into Practice*, 22(1):7–14.

- Goldinger, S. D. and Papesh, M. H. (2012). Pupil Dilation Reflects the Creation and Retrieval of Memories. *Current directions in psychological science*, 21(2):90–95.
- Gross, M. P. and Dobbins, I. G. (2021). Pupil dilation during memory encoding reflects time pressure rather than depth of processing. *Journal of Experimental Psychology. Learning, Memory, and Cognition*, 47(2):264–281.
- Groves, D. A. and Brown, V. J. (2005). Vagal nerve stimulation: a review of its applications and potential mechanisms that mediate its clinical effects. *Neuroscience and Biobehavioral Reviews*, 29(3):493–500.
- Grujic, N., Polania, R., and Burdakov, D. (2024). Neurobehavioral meaning of pupil size. *Neuron*, 112(20):3381–3395.
- Gugel, A., Ingebretsen, E. A., Hake, H. S., and Gantz, S. C. (2024). LC-derived excitatory synaptic transmission to dorsal raphe serotonin neurons is inhibited by activation of alpha2-adrenergic receptors. *Neuropsychopharmacology: Official Publication of the American College of Neuropsychopharmacology*, 49(6):1014–1023.
- Gurtubay, I. G., Perez-Rodriguez, D. R., Fernandez, E., Librero-Lopez, J., Calvo, D., Bermejo, P., Pinin-Osorio, C., and Lopez, M. (2023). Immediate effects and duration of a short and single application of transcutaneous auricular vagus nerve stimulation on P300 event related potential. *Frontiers in Neuroscience*, 17.
- Gusso, M. d. M., Serur, G., and Nohama, P. (2021). Pupil Reactions to Tactile Stimulation: A Systematic Review. *Frontiers in Neuroscience*, 15.
- Hahn, A., Kranz, G. S., Seidel, E.-M., Sladky, R., Kraus, C., Küblböck, M., Pfabigan, D. M., Hummer, A., Grahl, A., Ganger, S., Windischberger, C., Lamm, C., and Lanzenberger, R. (2013). Comparing neural response to painful electrical stimulation with functional MRI at 3 and 7 T. *NeuroImage*, 82:336–343.
- Han, W., Tellez, L. A., Perkins, M. H., Perez, I. O., Qu, T., Ferreira, J., Ferreira, T. L., Quinn, D., Liu, Z.-W., Gao, X.-B., Kaelberer, M. M., Bohórquez, D. V., Shammah-Lagnado, S. J., de Lartigue, G., and de Araujo, I. E. (2018). A Neural Circuit for Gut-Induced Reward. *Cell*, 175(3):665–678.e23.
- Handwerker, D. A., Ollinger, J. M., and D’Esposito, M. (2004). Variation of BOLD hemodynamic responses across subjects and brain regions and their effects on statistical analyses. *NeuroImage*.
- Harlow, I. M. and Donaldson, D. I. (2013). Source accuracy data reveal the thresholded nature of human episodic memory. *Psychonomic Bulletin & Review*, 20(2):318–325.
- Harlow, I. M. and Yonelinas, A. P. (2016). Distinguishing between the success and precision of recollection. *Memory*, 24(1):114–127. Publisher: Routledge _eprint: <https://doi.org/10.1080/09658211.2014.988162>.
- Harshman, R. a. (1970). Foundations of the PARAFAC procedure: Models and conditions for an “explanatory” multimodal factor analysis. *UCLA Working Papers in Phonetics*, 16(10):1– 84.

- Harvey, A. K., Pattinson, K. T., Brooks, J. C., Mayhew, S. D., Jenkinson, M., and Wise, R. G. (2008). Brainstem functional magnetic resonance imaging: Disentangling signal from physiological noise. *Journal of Magnetic Resonance Imaging*, 28(6):1337–1344.
- Hassert, D. L., Miyashita, T., and Williams, C. L. (2004). The Effects of Peripheral Vagal Nerve Stimulation at a Memory-Modulating Intensity on Norepinephrine Output in the Basolateral Amygdala. *Behavioral Neuroscience*, 118(1):79–88.
- Hauser, T. U., Eldar, E., Purg, N., Moutoussis, M., and Dolan, R. J. (2019). Distinct roles of dopamine and noradrenaline in incidental memory. *Journal of Neuroscience*.
- Hauser, T. U., Moutoussis, M., Purg, N., Dayan, P., and Dolan, R. J. (2018). Beta-Blocker Propranolol Modulates Decision Urgency During Sequential Information Gathering. *Journal of Neuroscience*, 38(32):7170–7178. Publisher: Society for Neuroscience Section: Research Articles.
- Hayes, T. R. and Petrov, A. A. (2016). Mapping and correcting the influence of gaze position on pupil size measurements. *Behavior Research Methods*, 48(2):510–527.
- Hess, E. H. and Polt, J. M. (1964). Pupil Size in Relation to Mental Activity during Simple Problem-Solving. *Science*, 143(3611):1190–1192. Publisher: American Association for the Advancement of Science.
- Hockey, G. R. J. and Hamilton, P. (1970). Arousal and Information Selection in Short-term Memory. *Nature*, 226(5248):866–867. Publisher: Nature Publishing Group.
- Hollerman, J. R. and Schultz, W. (1998). Dopamine neurons report an error in the temporal prediction of reward during learning. *Nature Neuroscience*, 1(4):304–309. Publisher: Nature Publishing Group.
- Howland, R. H. (2014). Vagus Nerve Stimulation. *Current Behavioral Neuroscience Reports*, 1(2):64–73.
- Huang, Y. Y. and Kandel, E. R. (1995). D1/D5 receptor agonists induce a protein synthesis-dependent late potentiation in the CA1 region of the hippocampus. *Proceedings of the National Academy of Sciences of the United States of America*, 92(7):2446–2450.
- Hulsey, D. R., Riley, J. R., Loerwald, K. W., Rennaker, R. L., Kilgard, M. P., and Hays, S. A. (2017). Parametric characterization of neural activity in the locus coeruleus in response to vagus nerve stimulation. *Experimental Neurology*, 289:21–30. Publisher: Elsevier Inc.
- Inaba, K., Mizuhiki, T., Setogawa, T., Toda, K., Richmond, B. J., and Shidara, M. (2013). Neurons in Monkey Dorsal Raphe Nucleus Code Beginning and Progress of Step-by-Step Schedule, Reward Expectation, and Amount of Reward Outcome in the Reward Schedule Task. *Journal of Neuroscience*, 33(8):3477–3491. Publisher: Society for Neuroscience Section: Articles.
- Jacobs, H. I., Becker, J. A., Kwong, K., Engels-Domínguez, N., Prokopiou, P. C., Papp, K. V., Properzi, M., Hampton, O. L., Uquillas, F. d., Sanchez, J. S., Rentz, D. M., Fakhri, G. E., Normandin, M. D., Price, J. C., Bennett, D. A., Sperling, R. A., and Johnson, K. A. (2021). In vivo and neuropathology data support locus coeruleus integrity as indicator of Alzheimer’s disease pathology and cognitive decline. *Science translational medicine*, 13(612):eabj2511.

- Jacobs, H. I., Priovoulos, N., Poser, B. A., Pagen, L. H., Ivanov, D., Verhey, F. R., and Ulu-
dağ, K. (2020). Dynamic behavior of the locus coeruleus during arousal-related memory
processing in a multi-modal 7T fMRI paradigm. *eLife*, 9:1–30.
- Jacobs, H. I., Riphagen, J. M., Razat, C. M., Wiese, S., and Sack, A. T. (2015). Transcu-
taneous vagus nerve stimulation boosts associative memory in older individuals. *Neuro-
biology of Aging*, 36(5):1860–1867. Publisher: Elsevier Inc.
- Jay, T. M. (2003). Dopamine: a potential substrate for synaptic plasticity and memory
mechanisms. *Progress in Neurobiology*, 69(6):375–390.
- Jeffreys, H. (1998). *The Theory of Probability*. OUP Oxford. Google-Books-ID:
vh9Act9rtzQC.
- Jones, B. E. (2004). Activity, modulation and role of basal forebrain cholinergic neurons
innervating the cerebral cortex. *Progress in Brain Research*, 145:157–169.
- Jordan, R. (2024). The locus coeruleus as a global model failure system. *Trends in Neuro-
sciences*, 47(2):92–105.
- Joshi, S. and Gold, J. I. (2020). Pupil Size as a Window on Neural Substrates of Cognition.
Trends in Cognitive Sciences.
- Joshi, S., Li, Y., Kalwani, R. M., and Gold, J. I. (2016). Relationships between Pupil
Diameter and Neuronal Activity in the Locus Coeruleus, Colliculi, and Cingulate Cortex.
Neuron.
- Kaduk, T., Goeke, C., Finger, H., and König, P. (2024). Webcam eye tracking close to
laboratory standards: Comparing a new webcam-based system and the EyeLink 1000.
Behavior Research Methods, 56(5):5002–5022.
- Kafkas, A. (2021). Encoding-linked pupil response is modulated by expected and unex-
pected novelty: Implications for memory formation and neurotransmission. *Neurobiology
of Learning and Memory*, 180:107412.
- Kafkas, A. and Montaldi, D. (2011). Recognition memory strength is predicted by pupillary
responses at encoding while fixation patterns distinguish recollection from familiarity.
Quarterly Journal of Experimental Psychology (2006), 64(10):1971–1989.
- Kahneman, D. (1973). *Attention and Effort*. Prentice-Hall inc., Englewood Cliffs, New
Jersey.
- Kasper, L., Bollmann, S., Diaconescu, A. O., Hutton, C., Heinzle, J., Iglesias, S., Hauser,
T. U., Sebold, M., Manjaly, Z.-M., Pruessmann, K. P., and Stephan, K. E. (2017). The
PhysIO Toolbox for Modeling Physiological Noise in fMRI Data. *Journal of Neuroscience
Methods*, 276:56–72.
- Kass, R. E. and Raftery, A. E. (1995). Bayes Factors. *Journal of the Amer-
ican Statistical Association*, 90(430):773–795. Publisher: ASA Website _eprint:
<https://www.tandfonline.com/doi/pdf/10.1080/01621459.1995.10476572>.
- Kavakbasi, E., Gross, J., Wollbrink, A., Fellmeth, R., and Baune, B. T. (2021). Acute effect
of vagus nerve stimulation (VNS) on brain function. *Journal of Psychiatric Research*,
141:136–139.

- Keil, B. and Wald, L. L. (2013). Massively parallel MRI detector arrays. *Journal of Magnetic Resonance*, 229:75–89.
- Kempadoo, K. A., Mosharov, E. V., Choi, S. J., Sulzer, D., and Kandel, E. R. (2016). Dopamine release from the locus coeruleus to the dorsal hippocampus promotes spatial learning and memory. *Proceedings of the National Academy of Sciences*, 113(51):14835–14840. Publisher: Proceedings of the National Academy of Sciences.
- Keren, N. I., Lozar, C. T., Harris, K. C., Morgan, P. S., and Eckert, M. A. (2009). In vivo mapping of the human locus coeruleus. *NeuroImage*, 47(4):1261–1267. Publisher: Elsevier Inc.
- Keuken, M. C., Bazin, P. L., Crown, L., Hootsmans, J., Laufer, A., Müller-Axt, C., Sier, R., van der Putten, E. J., Schäfer, A., Turner, R., and Forstmann, B. U. (2014). Quantifying inter-individual anatomical variability in the subcortex using 7 T structural MRI. *NeuroImage*, 94:40–46.
- Keute, M., Demirezen, M., Graf, A., Mueller, N. G., and Zaehle, T. (2019). No modulation of pupil size and event-related pupil response by transcutaneous auricular vagus nerve stimulation (taVNS). *Scientific Reports*, 9(1):1–10. Publisher: Springer US.
- Klinkenberg, I., Sambeth, A., and Blokland, A. (2011). Acetylcholine and attention. *Behavioural Brain Research*, 221(2):430–442.
- Knutson, B. and Greer, S. M. (2008). Anticipatory affect: neural correlates and consequences for choice. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 363(1511):3771–3786.
- Knutson, B., Westdorp, A., Kaiser, E., and Hommer, D. (2000). fMRI Visualization of Brain Activity during a Monetary Incentive Delay Task. *NeuroImage*, 12(1):20–27.
- Koenig, J. and Thayer, J. F. (2016). Sex differences in healthy human heart rate variability: A meta-analysis. *Neuroscience & Biobehavioral Reviews*, 64:288–310.
- Konjusha, A., Colzato, L., Mückschel, M., and Beste, C. (2022). Auricular Transcutaneous Vagus Nerve Stimulation Diminishes Alpha-Band-Related Inhibitory Gating Processes During Conflict Monitoring in Frontal Cortices. *The International Journal of Neuropsychopharmacology*, 25(6):457–467.
- Korkki, S. M., Richter, F. R., and Simons, J. S. (2021). Hippocampal–Cortical Encoding Activity Predicts the Precision of Episodic Memory. *Journal of Cognitive Neuroscience*, 33(11):2328–2341.
- Krause, F., Benjamins, C., Eck, J., Lühns, M., van Hoof, R., and Goebel, R. (2019). Active head motion reduction in magnetic resonance imaging using tactile feedback. *Human Brain Mapping*, 40(14):4026–4037.
- Krause, F. and Lindemann, O. (2014). Expyriment: A Python library for cognitive and neuroscientific experiments. *Behavior Research Methods*, 46(2):416–428.
- Krebs, R. M., Heipertz, D., Schuetze, H., and Duzel, E. (2011). Novelty increases the mesolimbic functional connectivity of the substantia nigra/ventral tegmental area (SN/VTA) during reward anticipation: Evidence from high-resolution fMRI. *NeuroImage*, 58(2):647–655.

- Kret, M. E. and Sjak-Shie, E. E. (2019). Preprocessing pupil size data: Guidelines and code. *Behavior Research Methods*, 51(3):1336–1342.
- Kreuzer, P. M., Landgrebe, M., Husser, O., Resch, M., Schecklmann, M., Geisreiter, F., Poepl, T. B., Prasser, S. J., Hajak, G., and Langguth, B. (2012). Transcutaneous Vagus Nerve Stimulation: Retrospective Assessment of Cardiac Safety in a Pilot Study. *Frontiers in Psychiatry*, 3(August):1–7.
- Kuhl, B. A., Shah, A. T., DuBrow, S., and Wagner, A. D. (2010). Resistance to forgetting associated with hippocampus-mediated reactivation during new learning. *Nature Neuroscience*, 13(4):501–506. Number: 4 Publisher: Nature Publishing Group.
- Kuznetsova, A., Brockhoff, P. B., and Christensen, R. H. B. (2017). lmerTest Package: Tests in Linear Mixed Effects Models. *Journal of Statistical Software*, 82:1–26.
- Lake, J. I., Spielberg, J. M., Infantolino, Z. P., Crocker, L. D., Yee, C. M., Heller, W., and Miller, G. A. (2019). Reward anticipation and punishment anticipation are instantiated in the brain via opponent mechanisms. *Psychophysiology*, 56(8):e13381.
- Lakens, D. (2022). Sample Size Justification. *Collabra: Psychology*, 8(1):33267.
- Lau, C., Zhou, I. Y., Cheung, M. M., Chan, K. C., and Wu, E. X. (2011). BOLD temporal dynamics of rat superior colliculus and lateral geniculate nucleus following short duration visual stimulation. *PLoS ONE*.
- Lawlor, J., Zagala, A., Jamali, S., and Boubenec, Y. (2023). Pupillary dynamics reflect the impact of temporal expectation on detection strategy. *iScience*, 26(2):106000.
- Lee, A. T., Glover, G. H., and Meyer, C. H. (1995). Discrimination of Large Venous Vessels in Time-Course Spiral Blood-Oxygen-Level-Dependent Magnetic-Resonance Functional Neuroimaging. *Magnetic Resonance in Medicine*, 33(6):745–754. _eprint: <https://onlinelibrary.wiley.com/doi/pdf/10.1002/mrm.1910330602>.
- Lee, T.-H., Baek, J., Lu, Z.-L., and Mather, M. (2014). How arousal modulates the visual contrast sensitivity function. *Emotion*, 14(5):978–984. Place: US Publisher: American Psychological Association.
- Lewine, J. D., Paulson, K., Bangera, N., and Simon, B. J. (2019). Exploration of the Impact of Brief Noninvasive Vagal Nerve Stimulation on EEG and Event-Related Potentials. *Neuromodulation*, 22(5):564–572.
- Lewis, C. A., Grahlow, M., Kühnel, A., Derntl, B., and Kroemer, N. B. (2023). Women compared with men work harder for small rewards. *Scientific Reports*, 13(1):5456. Publisher: Nature Publishing Group.
- Lewis, L. D., Setsompop, K., Rosen, B. R., and Polimeni, J. R. (2016). Fast fMRI can detect oscillatory neural activity in humans. *Proceedings of the National Academy of Sciences*, 113(43):E6679–E6685.
- Lewis, L. D., Setsompop, K., Rosen, B. R., and Polimeni, J. R. (2018). Stimulus-dependent hemodynamic response timing across the human subcortical-cortical visual pathway identified through high spatiotemporal resolution 7T fMRI. *NeuroImage*.

- Li, S., Cullen, W. K., Anwyl, R., and Rowan, M. J. (2003). Dopamine-dependent facilitation of LTP induction in hippocampal CA1 by exposure to spatial novelty. *Nature Neuroscience*, 6(5):526–531. Publisher: Nature Publishing Group.
- Li, Y., Zhong, W., Wang, D., Feng, Q., Liu, Z., Zhou, J., Jia, C., Hu, F., Zeng, J., Guo, Q., Fu, L., and Luo, M. (2016). Serotonin neurons in the dorsal raphe nucleus encode reward signals. *Nature Communications*, 7(1):10503.
- Lisman, J. and Grace, A. A. (2005). The Hippocampal-VTA Loop: Controlling the Entry of Information into Long-Term Memory. *Neuron*, 46(5):703–713.
- Lisman, J., Grace, A. A., and Duzel, E. (2011). A neoHebbian framework for episodic memory; role of dopamine-dependent late LTP. *Trends in Neurosciences*, 34(10):536–547. Publisher: Elsevier.
- Liu, K. Y., Kievit, R. A., Tsvetanov, K. A., Betts, M. J., Düzel, E., Rowe, J. B., Tyler, L. K., Brayne, C., Bullmore, E. T., Calder, A. C., Cusack, R., Dalgleish, T., Duncan, J., Henson, R. N., Matthews, F. E., Marslen-Wilson, W. D., Shafto, M. A., Campbell, K., Cheung, T., Davis, S., Geerligs, L., McCarrey, A., Mustafa, A., Price, D., Samu, D., Taylor, J. R., Treder, M., Belle, J. v., Williams, N., Bates, L., Emery, T., Erzinçlioglu, S., Gadie, A., Gerbase, S., Georgieva, S., Hanley, C., Parkin, B., Troy, D., Auer, T., Correia, M., Gao, L., Green, E., Henriques, R., Allen, J., Amery, G., Amunts, L., Barcroft, A., Castle, A., Dias, C., Dowrick, J., Fair, M., Fisher, H., Goulding, A., Grewal, A., Hale, G., Hilton, A., Johnson, F., Johnston, P., Kavanagh-Williamson, T., Kwasniewska, M., McMinn, A., Norman, K., Penrose, J., Roby, F., Rowland, D., Sargeant, J., Squire, M., Stevens, B., Stoddart, A., Stone, C., Thompson, T., Yazlik, O., Barnes, D., Dixon, M., Hillman, J., Mitchell, J., Villis, L., Howard, R., and Hämmerer, D. (2020). Noradrenergic-dependent functions are associated with age-related locus coeruleus signal intensity differences. *Nature Communications*, 11(1):1–9.
- Liu, K. Y., Marijatta, F., Hämmerer, D., Acosta-Cabronero, J., Düzel, E., and Howard, R. J. (2017). Magnetic resonance imaging of the human locus coeruleus: A systematic review. *Neuroscience and Biobehavioral Reviews*, 83(June):325–355. Publisher: Elsevier.
- Lloyd, B., de Voogd, L. D., Mäki-Marttunen, V., and Nieuwenhuis, S. (2023a). Pupil size reflects activation of subcortical ascending arousal system nuclei during rest. *eLife*, 12:e84822. Publisher: eLife Sciences Publications, Ltd.
- Lloyd, B. and Nieuwenhuis, S. (2024). The effect of reward-induced arousal on the success and precision of episodic memory retrieval. *Scientific Reports*, 14(1):2105. Number: 1 Publisher: Nature Publishing Group.
- Lloyd, B., Wurm, F., Lucchi, F., Kleijn, R. d., and Nieuwenhuis, S. (2023b). The neuro-modulatory effects of transcutaneous vagus nerve stimulation: a replication. *Brain Stimulation: Basic, Translational, and Clinical Research in Neuromodulation*, 16(1):165–166. Publisher: Elsevier.
- Logothetis, N. K., Pauls, J., Augath, M., Trinath, T., and Oeltermann, A. (2001). Neurophysiological investigation of the basis of the fMRI signal. *Nature*, 412(6843):150–157. Publisher: Nature Publishing Group.

- Loh, E., Kumaran, D., Koster, R., Berron, D., Dolan, R., and Duzel, E. (2016). Context-specific activation of hippocampus and SN/VTA by reward is related to enhanced long-term memory for embedded objects. *Neurobiology of Learning and Memory*, 134:65–77.
- Lottem, E., Banerjee, D., Vertechi, P., Sarra, D., Lohuis, M. o., and Mainen, Z. F. (2018). Activation of serotonin neurons promotes active persistence in a probabilistic foraging task. *Nature Communications*, 9(1):1000. Publisher: Nature Publishing Group.
- Ludwig, M., Wienke, C., Betts, M. J., Zaehle, T., and Hämmerer, D. (2021). Current challenges in reliably targeting the noradrenergic locus coeruleus using transcutaneous auricular vagus nerve stimulation (taVNS). *Autonomic Neuroscience*, 236:102900.
- Ly, A., Verhagen, J., and Wagenmakers, E.-J. (2016). Harold Jeffreys’s default Bayes factor hypothesis tests: Explanation, extension, and application in psychology. *Journal of Mathematical Psychology*, 72:19–32.
- Lydic, R., McCarley, R. W., and Hobson, J. A. (1983). The time-course of dorsal raphe discharge, PGO waves, and muscle tone averaged across multiple sleep cycles. *Brain Research*, 274(2):365–370.
- Marques, J. C., Li, M., Schaak, D., Robson, D. N., and Li, J. M. (2020). Internal state dynamics shape brainwide activity and foraging behaviour. *Nature*, 577(7789):239–243. Publisher: Nature Publishing Group.
- Marques, J. P., Kober, T., Krueger, G., van der Zwaag, W., Van de Moortele, P.-F., and Gruetter, R. (2010). MP2RAGE, a self bias-field corrected sequence for improved segmentation and T1-mapping at high field. *NeuroImage*, 49(2):1271–1281.
- Mateo, C., Knutsen, P. M., Tsai, P. S., and Shih, A. Y. (2017). Entrainment of Arteriole Vasomotor Fluctuations by Neural Activity Is a Basis of Blood-Oxygenation- Article Entrainment of Arteriole Vasomotor Fluctuations by Neural Activity Is a Basis of Blood-Oxygenation-. *Neuron*, 96(4):936–948.e3. Publisher: Elsevier Inc.
- Mather, M., Joo Yoo, H., Clewett, D. V., Lee, T. H., Greening, S. G., Ponzio, A., Min, J., and Thayer, J. F. (2017). Higher locus coeruleus MRI contrast is associated with lower parasympathetic influence over heart rate variability. *NeuroImage*, 150(November 2016):329–335. Publisher: Elsevier.
- Mather, M. and Schoeke, A. (2011). Positive Outcomes Enhance Incidental Learning for Both Younger and Older Adults. *Frontiers in Neuroscience*, 5.
- Mather, M. and Sutherland, M. R. (2011). Arousal-Biased Competition in Perception and Memory. *Perspectives on Psychological Science*, 6(2):114–133.
- Mathôt, S., Fabius, J., Van Heusden, E., and Van der Stigchel, S. (2018). Safe and sensible preprocessing and baseline correction of pupil-size data. *Behavior Research Methods*, 50(1):94–106.
- Mathôt, S. and Vilotijević, A. (2023). Methods in cognitive pupillometry: Design, preprocessing, and statistical analysis. *Behavior Research Methods*, 55(6):3055–3077.
- Matias, S., Lottem, E., Dugué, G. P., and Mainen, Z. F. (2017). Activity patterns of serotonin neurons underlying cognitive flexibility. *eLife*, 6:e20552.

- Matt, E., Fischmeister, F. P. S., Amini, A., Robinson, S. D., Weber, A., Foki, T., Gizewski, E. R., and Beisteiner, R. (2019). Improving sensitivity, specificity, and reproducibility of individual brainstem activation. *Brain Structure and Function*, 224(8):2823–2838. Publisher: Springer Berlin Heidelberg ISBN: 0042901901.
- Mazancieux, A., Mauconduit, F., Amadon, A., Willem De Gee, J., Donner, T. H., and Meyniel, F. (2023). Brainstem fMRI signaling of surprise across different types of deviant stimuli. *Cell Reports*, 42(11):113405.
- McGaugh, J. L. (2004). The amygdala modulates the consolidation of memories of emotionally arousing experiences. *Annual Review of Neuroscience*.
- McGinty, D. J. and Harper, R. M. (1976). Dorsal raphe neurons: depression of firing during sleep in cats. *Brain Research*, 101(3):569–575.
- Megemont, M., McBurney-Lin, J., and Yang, H. (2022). Pupil diameter is not an accurate real-time readout of locus coeruleus activity. *eLife*, 11:e70510.
- Meissner, S. N., Bächinger, M., Kikkert, S., Imhof, J., Missura, S., Carro Dominguez, M., and Wenderoth, N. (2024). Self-regulating arousal via pupil-based biofeedback. *Nature Human Behaviour*, 8(1):43–62. Publisher: Nature Publishing Group.
- Mesulam, M.-M. I. (1988). Central Cholinergic Pathways Neuroanatomy and Some Behavioral Implications. In Avoli, M., Reader, T. A., Dykes, R. W., and Gloor, P., editors, *Neurotransmitters and Cortical Function: From Molecules to Mind*, pages 237–260. Springer US, Boston, MA.
- Miendlarzewska, E. A., Bavelier, D., and Schwartz, S. (2016). Influence of reward motivation on human declarative memory. *Neuroscience & Biobehavioral Reviews*, 61:156–176.
- Miezin, F. M., Maccotta, L., Ollinger, J. M., Petersen, S. E., and Buckner, R. L. (2000). Characterizing the Hemodynamic Response: Effects of Presentation Rate, Sampling Procedure, and the Possibility of Ordering Brain Activity Based on Relative Timing. *NeuroImage*, 11(6):735–759.
- Miletić, S., Bazin, P. L., Weiskopf, N., van der Zwaag, W., Forstmann, B. U., and Trampel, R. (2020). fMRI protocol optimization for simultaneously studying small subcortical and cortical areas at 7 T. *NeuroImage*, 219(December 2019).
- Miller, A. L. and Unsworth, N. (2020). Variation in attention at encoding: Insights from pupillometry and eye gaze fixations. *Journal of Experimental Psychology: Learning, Memory, and Cognition*, 46(12):2277–2294. Place: US Publisher: American Psychological Association.
- Miller, E. M., Shankar, M. U., Knutson, B., and McClure, S. M. (2014). Dissociating motivation from reward in human striatal activity. *Journal of Cognitive Neuroscience*, 26(5):1075–1084.
- Miller, N. R., Walsh, F. B., and Hoyt, W. F. (2005). *Walsh and Hoyt’s Clinical Neurophthalmology*. Lippincott Williams & Wilkins. Google-Books-ID: L1ScNoY3vp8C.

- Morris, G. L., Gloss, D., Buchhalter, J., Mack, K. J., Nickels, K., and Harden, C. (2013). Evidence-based guideline update: Vagus nerve stimulation for the treatment of epilepsy: Report of the guideline development subcommittee of the american academy of neurology. *Neurology*, 81(16):1453–1459.
- Mouton, P. R., Pakkenberg, B., Gundersen, H. J. G., and Price, D. L. (1994). Absolute number and size of pigmented locus coeruleus neurons in young and aged individuals. *Journal of Chemical Neuroanatomy*, 7(3):185–190.
- Mridha, Z., de Gee, J. W., Shi, Y., Alkashgari, R., Williams, J., Suminski, A., Ward, M. P., Zhang, W., and McGinley, M. J. (2021). Graded recruitment of pupil-linked neuromodulation by parametric stimulation of the vagus nerve. *Nature Communications*, 12(1):1–30.
- Mumford, J. A., Bissett, P. G., Jones, H. M., Shim, S., Rios, J. A. H., and Poldrack, R. A. (2024). The response time paradox in functional magnetic resonance imaging analyses. *Nature Human Behaviour*, 8(2):349–360. Publisher: Nature Publishing Group.
- Munafò, M. R., Nosek, B. A., Bishop, D. V. M., Button, K. S., Chambers, C. D., Percie du Sert, N., Simonsohn, U., Wagenmakers, E.-J., Ware, J. J., and Ioannidis, J. P. A. (2017). A manifesto for reproducible science. *Nature Human Behaviour*, 1(1):1–9. Publisher: Nature Publishing Group.
- Murayama, K. and Kitagami, S. (2014). Consolidation power of extrinsic rewards: Reward cues enhance long-term memory for irrelevant past events. *Journal of Experimental Psychology: General*, 143(1):15–20. Place: US Publisher: American Psychological Association.
- Murphy, P. R., Boonstra, E., and Nieuwenhuis, S. (2016). urgency during perceptual choice in humans. *Nature Communications*, 7(May):1–14. Publisher: Nature Publishing Group.
- Murphy, P. R., O’Connell, R. G., O’Sullivan, M., Robertson, I. H., and Balsters, J. H. (2014). Pupil diameter covaries with BOLD activity in human locus coeruleus. *Human Brain Mapping*.
- Murray, H. A. (1938). *Explorations in personality: a clinical and experimental study of fifty men of college age*. Explorations in personality: a clinical and experimental study of fifty men of college age. Oxford Univ. Press, Oxford, England. Pages: xiv, 761.
- Murty, V. P., LaBar, K. S., Hamilton, D. A., and Adcock, R. A. (2011). Is all motivation good for learning? Dissociable influences of approach and avoidance motivation in declarative memory. *Learning & Memory (Cold Spring Harbor, N.Y.)*, 18(11):712–717.
- Mäki-Marttunen, V. and Espeseth, T. (2021). Uncovering the locus coeruleus: Comparison of localization methods for functional analysis. *NeuroImage*.
- Müller, C. P. and Cunningham, K. A. (2009). *Handbook of the Behavioral Neurobiology of Serotonin*, volume 31. Academic Press. Google-Books-ID: f_zLDwAAQBAJ.
- Müller, F. K., Teckentrup, V., Kühnel, A., Ferstl, M., and Kroemer, N. B. (2022). Acute vagus nerve stimulation does not affect liking or wanting ratings of food in healthy participants. *Appetite*, 169:105813.

- Naber, M., Frässle, S., Rutishauser, U., and Einhäuser, W. (2013). Pupil size signals novelty and predicts later retrieval success for declarative memories of natural scenes. *Journal of Vision*, 13(2):11.
- Nakamura, K., Matsumoto, M., and Hikosaka, O. (2008). Reward-Dependent Modulation of Neuronal Activity in the Primate Dorsal Raphe Nucleus. *The Journal of Neuroscience*, 28(20):5331–5343.
- Nassar, M. R., Rumsey, K. M., Wilson, R. C., Parikh, K., Heasly, B., and Gold, J. I. (2012). Rational regulation of learning dynamics by pupil-linked arousal systems. *Nature Neuroscience*, 15(7):1040–1046. Publisher: Nature Publishing Group.
- Nater, U. M. and Rohleder, N. (2009). Salivary alpha-amylase as a non-invasive biomarker for the sympathetic nervous system: current state of research. *Psychoneuroendocrinology*, 34(4):486–496.
- Nelson, A. and Mooney, R. (2016). The Basal Forebrain and Motor Cortex Provide Convergent yet Distinct Movement-Related Inputs to the Auditory Cortex. *Neuron*, 90(3):635–648. Publisher: Elsevier.
- Neuhaus, A. H., Luborzewski, A., Rentzsch, J., Brakemeier, E. L., Opgen-Rhein, C., Gallinat, J., and Bajbouj, M. (2007a). P300 is enhanced in responders to vagus nerve stimulation for treatment of major depressive disorder. *Journal of Affective Disorders*, 100(1-3):123–128.
- Neuhaus, A. H., Luborzewski, A., Rentzsch, J., Brakemeier, E. L., Opgen-Rhein, C., Gallinat, J., and Bajbouj, M. (2007b). P300 is enhanced in responders to vagus nerve stimulation for treatment of major depressive disorder. *Journal of Affective Disorders*, 100(1-3):123–128.
- Neuser, M. P., Teckentrup, V., Kühnel, A., Hallschmid, M., Walter, M., and Kroemer, N. B. (2020). Vagus nerve stimulation boosts the drive to work for rewards. *Nature Communications*, 11(1):1–11. Publisher: Springer US.
- Newman, E. L., Gupta, K., Climer, J. R., Monaghan, C. K., and Hasselmo, M. E. (2012). Cholinergic modulation of cognitive processing: insights drawn from computational models. *Frontiers in Behavioral Neuroscience*, 6:24.
- Nieoullon, A. (2002). Dopamine and the regulation of cognition and attention. *Progress in Neurobiology*, 67(1):53–83.
- Nieuwenhuis, S. (2024). Arousal and performance: revisiting the famous inverted-U-shaped curve. *Trends in Cognitive Sciences*, 28(5):394–396.
- Nieuwenhuis, S., Aston-Jones, G., and Cohen, J. D. (2005). Decision making, the P3, and the locus coeruleus-norepinephrine system. *Psychological Bulletin*, 131(4):510–532.
- Nieuwenhuis, S., De Geus, E. J., and Aston-Jones, G. (2011). The anatomical and functional relationship between the P3 and autonomic components of the orienting response. *Psychophysiology*, 48(2):162–175. _eprint: <https://onlinelibrary.wiley.com/doi/pdf/10.1111/j.1469-8986.2010.01057.x>.

- Nigg, J. T. (2006). Temperament and developmental psychopathology. *Journal of Child Psychology and Psychiatry*, 47(3-4):395–422. _eprint: <https://onlinelibrary.wiley.com/doi/pdf/10.1111/j.1469-7610.2006.01612.x>.
- Niv, Y., Daw, N. D., Joel, D., and Dayan, P. (2007). Tonic dopamine: opportunity costs and the control of response vigor. *Psychopharmacology*, 191(3):507–520.
- Nunez-Parra, A., Cea-Del Rio, C. A., Huntsman, M. M., and Restrepo, D. (2020). The Basal Forebrain Modulates Neuronal Response in an Active Olfactory Discrimination Task. *Frontiers in Cellular Neuroscience*, 14. Publisher: Frontiers.
- O’Bryan, S. R., Price, M. M., Alquist, J. L., Davis, T., and Scolari, M. (2024). Changes in pupil size track self-control failure. *Experimental Brain Research*, 242(4):829–841.
- O’Callaghan, C., Walpola, I. C., and Shine, J. M. (2021). Neuromodulation of the mind-wandering brain state: the interaction between neuromodulatory tone, sharp wave-ripples and spontaneous thought. *Philosophical Transactions of the Royal Society of London. Series B, Biological Sciences*, 376(1817):20190699.
- Oehrn, C. R., Molitor, L., Krause, K., Niehaus, H., Schmidt, L., Hakel, L., Timmermann, L., Menzler, K., Knake, S., and Weber, I. (2022). Non-invasive vagus nerve stimulation in epilepsy patients enhances cooperative behavior in the prisoner’s dilemma task. *Scientific Reports*, 12(1):10255.
- Okaty, B. W., Commons, K. G., and Dymecki, S. M. (2019). Embracing diversity in the 5-HT neuronal system. *Nature Reviews Neuroscience*, 20(7):397–424. Publisher: Nature Publishing Group.
- Onyper, S. V., Zhang, Y. X., and Howard, M. W. (2010). Some-or-none recollection: Evidence from item and source memory. *Journal of Experimental Psychology: General*, 139(2):341–364. Place: US Publisher: American Psychological Association.
- Oostenveld, R., Fries, P., Maris, E., and Schoffelen, J. M. (2011). FieldTrip: Open source software for advanced analysis of MEG, EEG, and invasive electrophysiological data. *Computational Intelligence and Neuroscience*, 2011. ISBN: 1687-5273 (Electronic).
- O’Carroll, C. M., Martin, S. J., Sandin, J., Frenguelli, B., and Morris, R. G. (2006). Dopaminergic modulation of the persistence of one-trial hippocampus-dependent memory. *Learning & Memory*, 13(6):760–769.
- O’Donnell, J., Zeppenfeld, D., McConnell, E., Pena, S., and Nedergaard, M. (2012). Norepinephrine: A Neuromodulator That Boosts the Function of Multiple Cell Types to Optimize CNS Performance. *Neurochemical research*, 37(11):2496–2512.
- Pais-Roldán, P., Takahashi, K., Sobczak, F., Chen, Y., Zhao, X., Zeng, H., Jiang, Y., and Yu, X. (2020). Indexing brain state-dependent pupil dynamics with simultaneous fMRI and optical fiber calcium recording. *Proceedings of the National Academy of Sciences of the United States of America*.
- Panigrahi, B., Martin, K. A., Li, Y., Graves, A. R., Vollmer, A., Olson, L., Mensh, B. D., Karpova, A. Y., and Dudman, J. T. (2015). Dopamine Is Required for the Neural Representation and Control of Movement Vigor. *Cell*, 162(6):1418–1430.

- Papesh, M. H., Goldinger, S. D., and Hout, M. C. (2012). Memory strength and specificity revealed by pupillometry. *International Journal of Psychophysiology*, 83(1):56–64.
- Pappata, S., Dehaene, S., Poline, J. B., Gregoire, M. C., Jobert, A., Delforge, J., Frouin, V., Bottlaender, M., Dolle, F., Di Giambardino, L., and Syrota, A. (2002). In Vivo detection of striatal dopamine release during reward: A PET study with [11C]raclopride and a single dynamic scan approach. *NeuroImage*, 16(4):1015–1027. ISBN: 0039081229611.
- Parks, C. M. and Yonelinas, A. P. (2007). Moving beyond pure signal-detection models: Comment on Wixted (2007). *Psychological Review*, 114(1):188–201.
- Patil, A., Murty, V. P., Dunsmoor, J. E., Phelps, E. A., and Davachi, L. (2017). Reward retroactively enhances memory consolidation for related items. *Learning & Memory*, 24(1):65–69. Company: Cold Spring Harbor Laboratory Press Distributor: Cold Spring Harbor Laboratory Press Institution: Cold Spring Harbor Laboratory Press Label: Cold Spring Harbor Laboratory Press Publisher: Cold Spring Harbor Lab.
- Pedersen, M., Abbott, D. F., and Jackson, G. D. (2022). Wearable OPM-MEG: A changing landscape for epilepsy. *Epilepsia*, 63(11):2745–2753.
- Peirce, J. W. (2007). PsychoPy-Psychophysics software in Python. *Journal of Neuroscience Methods*.
- Peuker, E. T. and Filler, T. J. (2002). The nerve supply of the human auricle. *Clinical Anatomy*, 15(1):35–37. _eprint: <https://onlinelibrary.wiley.com/doi/pdf/10.1002/ca.1089>.
- Pfeffer, T., Keitel, C., Kluger, D. S., Keitel, A., Russmann, A., Thut, G., Donner, T. H., and Gross, J. (2022). Coupling of pupil-and neuronal population dynamics reveals diverse influences of arousal on cortical processing. *eLife*, 11:1–28.
- Picciotto, M. R., Higley, M. J., and Mineur, Y. S. (2012). Acetylcholine as a neuromodulator: cholinergic signaling shapes nervous system function and behavior. *Neuron*, 76(1):116–129.
- Pilarczyk, J., Sterna, R., Schwertner, E., Pacula, B., Bartoszek, M., and Kuniecki, M. (2022). Physiological reactions at encoding selectively predict recognition of emotional images. *Biological Psychology*, 175:108429.
- Pisauro, M. A., Benucci, A., and Carandini, M. (2016). Local and global contributions to hemodynamic activity in mouse cortex. *Journal of Neurophysiology*, 115(6):2931–2936. Publisher: American Physiological Society.
- Poh, J.-H., Massar, S. A. A., Jamaluddin, S. A., and Chee, M. W. L. (2019). Reward supports flexible orienting of attention to category information and influences subsequent memory. *Psychonomic Bulletin & Review*, 26(2):559–568.
- Poser, B. A., Versluis, M. J., Hoogduin, J. M., and Norris, D. G. (2006). BOLD contrast sensitivity enhancement and artifact reduction with multiecho EPI: Parallel-acquired inhomogeneity-desensitized fMRI. *Magnetic Resonance in Medicine*, 55(6):1227–1235.

- Posse, S., Wiese, S., Gembris, D., Mathiak, K., Kessler, C., Grosse-Ruyken, M.-L., Elghahwagi, B., Richards, T., Dager, S. R., and Kiselev, V. G. (1999). Enhancement of BOLD-contrast sensitivity by single-shot multi-echo functional MR imaging. *Magnetic Resonance in Medicine*, 42(1):87–97. __eprint: <https://onlinelibrary.wiley.com/doi/pdf/10.1002/%28SICI%291522-2594%28199907%2942%3A1%3C87%3A%3AAID-MRM13%3E3.0.CO%3B2-O>.
- Poth, C. H. (2021). Urgency forces stimulus-driven action by overcoming cognitive control. *eLife*, 10:e73682. Publisher: eLife Sciences Publications, Ltd.
- Pribram, K. H. and McGuinness, D. (1975). Arousal, activation, and effort in the control of attention. *Psychological Review*, 82(2):116–149.
- Priovoulos, N., Jacobs, H. I., Ivanov, D., Uludağ, K., Verhey, F. R., and Poser, B. A. (2018). High-resolution in vivo imaging of human locus coeruleus by magnetization transfer MRI at 3T and 7T. *NeuroImage*.
- Pruessmann, K. P., Weiger, M., Scheidegger, M. B., and Boesiger, P. (1999). SENSE: Sensitivity encoding for fast MRI. *Magnetic Resonance in Medicine*, 42(5):952–962. __eprint: <https://onlinelibrary.wiley.com/doi/pdf/10.1002/%28SICI%291522-2594%28199911%2942%3A5%3C952%3A%3AAID-MRM16%3E3.0.CO%3B2-S>.
- Puckett, A. M., Bollmann, S., Poser, B. A., Palmer, J., Barth, M., and Cunningham, R. (2018). NeuroImage Using multi-echo simultaneous multi-slice (SMS) EPI to improve functional MRI of the subcortical nuclei of the basal ganglia at ultra-high field (7T). *NeuroImage*, 172(December 2017):886–895. Publisher: Elsevier Ltd.
- Rademacher, L., Salama, A., Gründer, G., and Spreckelmeyer, K. N. (2014). Differential patterns of nucleus accumbens activation during anticipation of monetary and social reward in young and older adults. *Social Cognitive and Affective Neuroscience*, 9(6):825–831.
- Raedt, R., Clinckers, R., Mollet, L., Vonck, K., El Tahry, R., Wyckhuys, T., De Herdt, V., Carrette, E., Wadman, W., Michotte, Y., Smolders, I., Boon, P., and Meurs, A. (2011). Increased hippocampal noradrenaline is a biomarker for efficacy of vagus nerve stimulation in a limbic seizure model. *Journal of Neurochemistry*, 117(3):461–469. __eprint: <https://onlinelibrary.wiley.com/doi/pdf/10.1111/j.1471-4159.2011.07214.x>.
- Rajkowski, J., Kubiak, P., and Aston-Jones, G. (1994). Locus coeruleus activity in monkey: Phasic and tonic changes are associated with altered vigilance. *Brain Research Bulletin*, 35(5):607–616.
- Rangaprakash, D., Wu, G. R., Marinazzo, D., Hu, X., and Deshpande, G. (2018). Hemodynamic response function (HRF) variability confounds resting-state fMRI functional connectivity. *Magnetic Resonance in Medicine*.
- Raudenbush, S. W. (2004). *HLM 6: Hierarchical Linear and Nonlinear Modeling*. Scientific Software International. Google-Books-ID: VdmVtz6Wtc0C.
- Reddi, B. a. J. and Carpenter, R. H. S. (2000). The influence of urgency on decision time. *Nature Neuroscience*, 3(8):827–830. Publisher: Nature Publishing Group.

- Reimer, J., McGinley, M. J., Liu, Y., Rodenkirch, C., Wang, Q., McCormick, D. A., and Tolias, A. S. (2016). Pupil fluctuations track rapid changes in adrenergic and cholinergic activity in cortex. *Nature Communications*.
- Ricci, L., Croce, P., Lanzone, J., and Boscarino, M. (2020). brain sciences Transcutaneous Vagus Nerve Stimulation Modulates EEG Microstates and Delta Activity in. *Brain Sciences*, 10:668.
- Richer, F. and Beatty, J. (1985). Pupillary dilations in movement preparation and execution. *Psychophysiology*, 22(2):204–207.
- Richter, F. R., Cooper, R. A., Bays, P. M., and Simons, J. S. (2016). Distinct neural mechanisms underlie the success, precision, and vividness of episodic memory. *eLife*, 5:e18260. Publisher: eLife Sciences Publications, Ltd.
- Roosendaal, B. and Hermans, E. J. (2017). Norepinephrine effects on the encoding and consolidation of emotional memory: improving synergy between animal and human studies. *Current Opinion in Behavioral Sciences*, 14:115–122.
- Rouhani, N., Norman, K. A., and Niv, Y. (2018). Dissociable effects of surprising rewards on learning and memory. *Journal of Experimental Psychology. Learning, Memory, and Cognition*, 44(9):1430–1443.
- Rudebeck, P. H., Putnam, P. T., Daniels, T. E., Yang, T., Mitz, A. R., Rhodes, S. E. V., and Murray, E. A. (2014). A role for primate subgenual cingulate cortex in sustaining autonomic arousal. *Proceedings of the National Academy of Sciences of the United States of America*, 111(14):5391–5396.
- Salamone, J. D., Correa, M., Farrar, A., and Mingote, S. M. (2007). Effort-related functions of nucleus accumbens dopamine and associated forebrain circuits. *Psychopharmacology*, 191(3):461–482.
- Samanez-Larkin, G. R., Gibbs, S. E. B., Khanna, K., Nielsen, L., Carstensen, L. L., and Knutson, B. (2007). Anticipation of monetary gain but not loss in healthy older adults. *Nature Neuroscience*, 10(6):787–791. Publisher: Nature Publishing Group.
- Samson, Y., Wu, J. J., Friedman, A. H., and Davis, J. N. (1990). Catecholaminergic innervation of the hippocampus in the cynomolgus monkey. *The Journal of Comparative Neurology*, 298(2):250–263.
- Sara, S. J. (2009). The locus coeruleus and noradrenergic modulation of cognition. *Nature Reviews Neuroscience*, 10(3):211–223.
- Sara, S. J. and Bouret, S. (2012). Orienting and reorienting: the locus coeruleus mediates cognition through arousal. *Neuron*, 76(1):130–141.
- Sara, S. J., Dyon-Laurent, C., and Hervé, A. (1995). Novelty seeking behavior in the rat is dependent upon the integrity of the noradrenergic system. *Cognitive Brain Research*, 2(3):181–187.
- Sariñana, J., Kitamura, T., Künzler, P., Sultzman, L., and Tonegawa, S. (2014). Differential roles of the dopamine 1-class receptors, D1R and D5R, in hippocampal dependent memory. *Proceedings of the National Academy of Sciences*, 111(22):8245–8250.

- Schneider, M., Hathway, P., Leuchs, L., Sämann, P. G., Czisch, M., and Spoormaker, V. I. (2016). Spontaneous pupil dilations during the resting state are associated with activation of the salience network. *NeuroImage*.
- Schneider, M., Leuchs, L., Czisch, M., Sämann, P. G., and Spoormaker, V. I. (2018a). Disentangling reward anticipation with simultaneous pupillometry / fMRI. *NeuroImage*, 178(May):11–22.
- Schneider, M., Leuchs, L., Czisch, M., Sämann, P. G., and Spoormaker, V. I. (2018b). Disentangling reward anticipation with simultaneous pupillometry / fMRI. *NeuroImage*, 178:11–22.
- Schott, B. H., Minuzzi, L., Krebs, R. M., Elmenhorst, D., Lang, M., Winz, O. H., Seidenbecher, C. I., Coenen, H. H., Heinze, H.-J., Zilles, K., Düzel, E., and Bauer, A. (2008). Mesolimbic Functional Magnetic Resonance Imaging Activations during Reward Anticipation Correlate with Reward-Related Ventral Striatal Dopamine Release. *Journal of Neuroscience*, 28(52):14311–14319. Publisher: Society for Neuroscience Section: Articles.
- Schreiber, L., Wardah, W., Schmitt, V., Möller, S., and Spang, R. P. (2024). Improving a Pupillometry Signal Through Video Luminance Modulation. In *2024 16th International Conference on Quality of Multimedia Experience (QoMEX)*, pages 62–67. ISSN: 2472-7814.
- Schultz, W. (1998). Predictive Reward Signal of Dopamine Neurons. *Journal of Neurophysiology*, 80(1):1–27. Publisher: American Physiological Society.
- Schultz, W. (2007). Multiple dopamine functions at different time courses. *Annual Review of Neuroscience*, 30:259–288.
- Schultz, W. (2013). Updating dopamine reward signals. *Current Opinion in Neurobiology*, 23(2):229–238.
- Seamans, J. K. and Yang, C. R. (2004). The principal features and mechanisms of dopamine modulation in the prefrontal cortex. *Progress in Neurobiology*, 74(1):1–58.
- Sellaro, R., de Gelder, B., Finisguerra, A., and Colzato, L. S. (2018). Transcutaneous vagus nerve stimulation (tVNS) enhances recognition of emotions in faces but not bodies. *Cortex; a Journal Devoted to the Study of the Nervous System and Behavior*, 99:213–223.
- Sengupta, S., Roebroek, A., Kemper, V. G., Poser, B. A., Zimmermann, J., Goebel, R., and Adriany, G. (2016). A Specialized Multi-Transmit Head Coil for High Resolution fMRI of the Human Visual Cortex at 7T. *PLOS ONE*, 11(12):e0165418. Publisher: Public Library of Science.
- Seymour, B., Daw, N. D., Roiser, J. P., Dayan, P., and Dolan, R. (2012). Serotonin Selectively Modulates Reward Value in Human Decision-Making. *The Journal of Neuroscience*, 32(17):5833–5842.
- Sharon, O., Fahoum, F., and Nir, Y. (2021). Transcutaneous vagus nerve stimulation in humans induces pupil dilation and attenuates alpha oscillations. *Journal of Neuroscience*, 41(2):320–330.

- Shepherd, G. M. G. (2013). Corticostriatal connectivity and its role in disease. *Nature Reviews Neuroscience*, 14(4):278–291. Publisher: Nature Publishing Group.
- Sherdell, L., Waugh, C. E., and Gotlib, I. H. (2012). Anticipatory pleasure predicts motivation for reward in major depression. *Journal of Abnormal Psychology*, 121(1):51–60.
- Shine, J. M., Müller, E. J., Munn, B., Cabral, J., Moran, R. J., and Breakspear, M. (2021). Computational models link cellular mechanisms of neuromodulation to large-scale neural dynamics. *Nature Neuroscience*.
- Shine, J. M., O’Callaghan, C., Walpole, I. C., Wainstein, G., Taylor, N., Aru, J., Huebner, B., and John, Y. J. (2022). Understanding the effects of serotonin in the brain through its role in the gastrointestinal tract. *Brain*, 145(9):2967–2981.
- Shohamy, D. and Adcock, R. A. (2010). Dopamine and adaptive memory. *Trends in Cognitive Sciences*, 14(10):464–472.
- Singh, K., Cauzzo, S., García-Gomar, M. G., Stauder, M., Vanello, N., Passino, C., and Bianciardi, M. (2022). Functional connectome of arousal and motor brainstem nuclei in living humans by 7 Tesla resting-state fMRI. *NeuroImage*, 249:118865.
- Skora, L., Marzecová, A., and Jocham, G. (2024). Tonic and phasic transcutaneous auricular vagus nerve stimulation (taVNS) both evoke rapid and transient pupil dilation. *Brain Stimulation*, 17(2):233–244.
- Smith, S. M. and Brady, J. M. (1997). SUSAN—A New Approach to Low Level Image Processing. *International Journal of Computer Vision*, 23(1):45–78.
- Spaniol, J., Voss, A., Bowen, H. J., and Grady, C. L. (2011). Motivational incentives modulate age differences in visual perception. *Psychology and Aging*, 26(4):932–939. Place: US Publisher: American Psychological Association.
- Standage, D., You, H., Wang, D.-H., and Dorris, M. C. (2011). Gain modulation by an urgency signal controls the speed-accuracy trade-off in a network model of a cortical decision circuit. *Frontiers in Computational Neuroscience*, 5:7.
- Steinemann, N. A., O’Connell, R. G., and Kelly, S. P. (2018). Decisions are expedited through multiple neural adjustments spanning the sensorimotor hierarchy. *Nature Communications*, 9(1):3627. Publisher: Nature Publishing Group.
- Strauch, C., Wang, C.-A., Einhäuser, W., Van der Stigchel, S., and Naber, M. (2022). Pupillometry as an integrated readout of distinct attentional networks. *Trends in Neurosciences*, 45(8):635–647.
- Sørensen, T. A., Vangkilde, S., and Bundesen, C. (2015). Components of attention modulated by temporal expectation. *Journal of Experimental Psychology: Learning, Memory, and Cognition*, 41(1):178–192. Place: US Publisher: American Psychological Association.
- Takeuchi, T., Duzsikiewicz, A. J., Sonneborn, A., Spooner, P. A., Yamasaki, M., Watanabe, M., Smith, C. C., Fernández, G., Deisseroth, K., Greene, R. W., and Morris, R. G. M. (2016). Locus coeruleus and dopaminergic consolidation of everyday memory. *Nature*, 537(7620):357–362. Number: 7620 Publisher: Nature Publishing Group.

- Tanaka, S. C., Doya, K., Okada, G., Ueda, K., Okamoto, Y., and Yamawaki, S. (2004). Prediction of immediate and future rewards differentially recruits cortico-basal ganglia loops. *Nature Neuroscience*, 7(8):887–893. Publisher: Nature Publishing Group.
- Team, J. (2019). JASP (Version 0.19.0)[Computer software].
- Thiele, A. and Bellgrove, M. A. (2018). Neuromodulation of Attention. *Neuron*.
- Thompson, S. L., O’Leary, G. H., Austelle, C. W., Gruber, E., Kahn, A. T., Manett, A. J., Short, B., and Badran, B. W. (2021). A Review of Parameter Settings for Invasive and Non-invasive Vagus Nerve Stimulation (VNS) Applied in Neurological and Psychiatric Disorders. *Frontiers in Neuroscience*, 15.
- Tromp, J., Wurm, F., Lucchi, F., De Kleijn, R., and Nieuwenhuis, S. (2024). Phasic alertness generates urgency and amplifies competition between evidence accumulators.
- Trutti, A. C., Fontanesi, L., Mulder, M. J., Bazin, P. L., Hommel, B., and Forstmann, B. U. (2021). A probabilistic atlas of the human ventral tegmental area (VTA) based on 7 Tesla MRI data. *Brain Structure and Function*.
- Tulving, E. (1985). Memory and consciousness. *Canadian Psychology / Psychologie canadienne*, 26(1):1–12. Place: Canada Publisher: Canadian Psychological Association.
- Turker, H. B., Riley, E., Luh, W. M., Colcombe, S. J., and Swallow, K. M. (2021). Estimates of locus coeruleus function with functional magnetic resonance imaging are influenced by localization approaches and the use of multi-echo data. *NeuroImage*.
- Tustison, N. J., Avants, B. B., Cook, P. A., Zheng, Y., Egan, A., Yushkevich, P. A., and Gee, J. C. (2010). N4ITK: Improved N3 Bias Correction. *IEEE Transactions on Medical Imaging*, 29(6):1310–1320. Conference Name: IEEE Transactions on Medical Imaging.
- Tzourio-Mazoyer, N., Landeau, B., Papathanassiou, D., Crivello, F., Etard, O., Delcroix, N., Mazoyer, B., and Joliot, M. (2002). Automated anatomical labeling of activations in SPM using a macroscopic anatomical parcellation of the MNI MRI single-subject brain. *NeuroImage*, 15(1):273–289.
- Urbain, M. A., Lafe, C. W., Simpson, T. W., Wittenberg, G. F., Chandrasekaran, B., and Weber, D. J. (2021). Electrical stimulation of the external ear acutely activates noradrenergic mechanisms in humans. *Brain Stimulation*, 14(4):990–1001. Publisher: Elsevier Ltd.
- Usher, M., Cohen, J. D., Servan-Schreiber, D., Rajkowski, J., and Aston-Jones, G. (1999). The role of locus coeruleus in the regulation of cognitive performance. *Science (New York, N.Y.)*, 283(5401):549–554.
- Van Buuren, M., Gladwin, T. E., Zandbelt, B. B., Van Den Heuvel, M., Ramsey, N. F., Kahn, R. S., and Vink, M. (2009). Cardiorespiratory effects on default-mode network activity as measured with fMRI. *Human Brain Mapping*, 30(9):3031–3042.
- Van Leemput, K., Bakkour, A., Benner, T., Wiggins, G., Wald, L. L., Augustinack, J., Dickerson, B. C., Golland, P., and Fischl, B. (2009). Automated segmentation of hippocampal subfields from ultra-high resolution in vivo MRI. *Hippocampus*, 19(6):549–557.

- van Rij, J., Hendriks, P., van Rijn, H., Baayen, R. H., and Wood, S. N. (2019). Analyzing the Time Course of Pupillometric Data. *Trends in Hearing*, 23:2331216519832483.
- van Stegeren, A. H. (2008). The role of the noradrenergic system in emotional memory. *Acta Psychologica*, 127(3):532–541.
- Vankov, A., Hervé-Minvielle, A., and Sara, S. J. (1995). Response to Novelty and its Rapid Habituation in Locus Coeruleus Neurons of the Freely Exploring Rat. *European Journal of Neuroscience*, 7(6):1180–1187.
- Varazzani, C., San-Galli, A., Gilardeau, S., and Bouret, S. (2015). Noradrenaline and dopamine neurons in the reward/effort trade-off: A direct electrophysiological comparison in behaving monkeys. *Journal of Neuroscience*.
- Vazey, E. M., Moorman, D. E., and Aston-Jones, G. (2018). Phasic locus coeruleus activity regulates cortical encoding of salience information. *Proceedings of the National Academy of Sciences of the United States of America*, 115(40):E9439–E9448.
- Ventura-Bort, C., Wirkner, J., Genheimer, H., Wendt, J., Hamm, A. O., and Weymar, M. (2018). Effects of Transcutaneous Vagus Nerve Stimulation (tVNS) on the P300 and Alpha-Amylase Level: A Pilot Study. *Frontiers in Human Neuroscience*, 12(June):1–12.
- Verhagen, J. and Wagenmakers, E.-J. (2014). Bayesian tests to quantify the result of a replication attempt. *Journal of Experimental Psychology: General*, 143(4):1457–1475.
- Vinck, M., Batista-Brito, R., Knoblich, U., and Cardin, J. A. (2015). Arousal and Locomotion Make Distinct Contributions to Cortical Activity Patterns and Visual Encoding. *Neuron*, 86(3):740–754. Publisher: Elsevier.
- Virtanen, P., Gommers, R., Oliphant, T. E., Haberland, M., Reddy, T., Cournapeau, D., Burovski, E., Peterson, P., Weckesser, W., Bright, J., van der Walt, S. J., Brett, M., Wilson, J., Millman, K. J., Mayorov, N., Nelson, A. R. J., Jones, E., Kern, R., Larson, E., Carey, C. J., Polat, ., Feng, Y., Moore, E. W., VanderPlas, J., Laxalde, D., Perktold, J., Cimrman, R., Henriksen, I., Quintero, E. A., Harris, C. R., Archibald, A. M., Ribeiro, A. H., Pedregosa, F., and van Mulbregt, P. (2020). SciPy 1.0: fundamental algorithms for scientific computing in Python. *Nature Methods*, 17(3):261–272. Publisher: Nature Publishing Group.
- Võ, M. L.-H., Jacobs, A. M., Kuchinke, L., Hofmann, M., Conrad, M., Schacht, A., and Hutzler, F. (2008). The coupling of emotion and cognition in the eye: introducing the pupil old/new effect. *Psychophysiology*, 45(1):130–140.
- Wagatsuma, A., Okuyama, T., Sun, C., Smith, L. M., Abe, K., and Tonegawa, S. (2018). Locus coeruleus input to hippocampal CA3 drives single-trial learning of a novel context. *Proceedings of the National Academy of Sciences of the United States of America*, 115(2):E310–E316.
- Wagner, A. D., Koutstaal, W., and Schacter, D. L. (1999). When encoding yields remembering: insights from event-related neuroimaging. *Philosophical Transactions of the Royal Society of London. Series B: Biological Sciences*, 354(1387):1307–1324.
- Wall, M. B., Walker, R., and Smith, A. T. (2009). Functional imaging of the human superior colliculus: An optimised approach. *NeuroImage*.

- Warren, C. M., Eldar, E., van den Brink, R. L., Tona, K. D., van der Wee, N. J., Giltay, E. J., Van Noorden, M. S., Bosch, J. A., Wilson, R. C., Cohen, J. D., and Nieuwenhuis, S. (2016). Catecholamine-mediated increases in gain enhance the precision of cortical representations. *Journal of Neuroscience*.
- Warren, C. M., Tona, K. D., Ouwerkerk, L., van Paridon, J., Poletiek, F., van Steenbergen, H., Bosch, J. A., and Nieuwenhuis, S. (2019). The neuromodulatory and hormonal effects of transcutaneous vagus nerve stimulation as evidenced by salivary alpha amylase, salivary cortisol, pupil diameter, and the P3 event-related potential. *Brain Stimulation*, 12(3):635–642. Publisher: Elsevier Ltd.
- Warren, C. M., van den Brink, R. L., Nieuwenhuis, S., and Bosch, J. A. (2017). Norepinephrine transporter blocker atomoxetine increases salivary alpha amylase. *Psychoneuroendocrinology*, 78:233–236.
- Whitton, A. E., Treadway, M. T., and Pizzagalli, D. A. (2015). Reward processing dysfunction in major depression, bipolar disorder and schizophrenia. *Current opinion in psychiatry*, 28(1):7–12.
- Wittmann, B. C., Dolan, R. J., and Düzel, E. (2011). Behavioral specifications of reward-associated long-term memory enhancement in humans. *Learning & Memory (Cold Spring Harbor, N.Y.)*, 18(5):296–300.
- Wittmann, B. C., Schiltz, K., Boehler, C. N., and Düzel, E. (2008). Mesolimbic interaction of emotional valence and reward improves memory formation. *Neuropsychologia*, 46(4):1000–1008.
- Wittmann, B. C., Schott, B. H., Guderian, S., Frey, J. U., Heinze, H. J., and Düzel, E. (2005). Reward-related fMRI activation of dopaminergic midbrain is associated with enhanced hippocampus-dependent long-term memory formation. *Neuron*, 45(3):459–467.
- Wixted, J. T. (2004). The Psychology and Neuroscience of Forgetting. *Annual Review of Psychology*, 55(1):235–269.
- Wixted, J. T., Mickes, L., and Squire, L. R. (2010). Measuring recollection and familiarity in the medial temporal lobe. *Hippocampus*, 20(11):1195–1205.
- Wolosin, S. M., Zeithamova, D., and Preston, A. R. (2012). Reward Modulation of Hippocampal Subfield Activation during Successful Associative Encoding and Retrieval. *Journal of Cognitive Neuroscience*, 24(7):1532–1547.
- Wu, G. R., Colenbier, N., Van Den Bossche, S., Clauw, K., Johri, A., Tandon, M., and Marinazzo, D. (2021). rsHRF: A toolbox for resting-state HRF estimation and deconvolution. *NeuroImage*, 244(June). Publisher: Elsevier Inc.
- Wu, G. R., Liao, W., Stramaglia, S., Ding, J. R., Chen, H., and Marinazzo, D. (2013). A blind deconvolution approach to recover effective connectivity brain networks from resting state fMRI data. *Medical Image Analysis*. arXiv: 1208.3766.
- Xie, W. and Zhang, W. (2017). Negative emotion enhances mnemonic precision and subjective feelings of remembering in visual long-term memory. *Cognition*, 166:73–83.

- Yakunina, N., Kim, S. S., and Nam, E. C. (2017). Optimization of Transcutaneous Vagus Nerve Stimulation Using Functional MRI. *Neuromodulation*, 20(3):290–300.
- Yang, H., Bari, B. A., Cohen, J. Y., and O’Connor, D. H. (2021). Locus coeruleus spiking differently correlates with s1 cortex activity and pupil diameter in a tactile detection task. *eLife*.
- Yao, G., Kang, L., Li, J., Long, Y., Wei, H., Ferreira, C. A., Jeffery, J. J., Lin, Y., Cai, W., and Wang, X. (2018). Effective weight control via an implanted self-powered vagus nerve stimulation device. *Nature Communications*, 9(1):5349. Publisher: Nature Publishing Group.
- Yap, J. Y. Y., Keatch, C., Lambert, E., Woods, W., Stoddart, P. R., and Kameneva, T. (2020). Critical Review of Transcutaneous Vagus Nerve Stimulation: Challenges for Translation to Clinical Practice. *Frontiers in Neuroscience*, 14. Publisher: Frontiers.
- Yarkoni, T., Barch, D. M., Gray, J. R., Conturo, T. E., and Braver, T. S. (2009). BOLD Correlates of Trial-by-Trial Reaction Time Variability in Gray and White Matter: A Multi-Study fMRI Analysis. *PLOS ONE*, 4(1):e4257. Publisher: Public Library of Science.
- Ye, R., Rua, C., O’Callaghan, C., Jones, P. S., Hezemans, F. H., Kaalund, S. S., Tsvetanov, K. A., Rodgers, C. T., Williams, G., Passamonti, L., and Rowe, J. B. (2021). An in vivo probabilistic atlas of the human locus coeruleus at ultra-high field. *NeuroImage*.
- Yebra, M., Galarza-Vallejo, A., Soto-Leon, V., Gonzalez-Rosa, J. J., de Berker, A. O., Bestmann, S., Oliviero, A., Kroes, M. C. W., and Strange, B. A. (2019). Action boosts episodic memory encoding in humans via engagement of a noradrenergic system. *Nature Communications*, 10(1):3534. Number: 1 Publisher: Nature Publishing Group.
- Yekutieli, D. and Benjamini, Y. (1999). Resampling-based false discovery rate controlling multiple test procedures for correlated test statistics. *Journal of Statistical Planning and Inference*, 82(1):171–196.
- Yellin, D., Berkovich-ohana, A., and Malach, R. (2015). NeuroImage Coupling between pupil fluctuations and resting-state fMRI uncovers a slow build-up of antagonistic responses in the human cortex. *NeuroImage*, 106:414–427. Publisher: Elsevier Inc.
- Yen, C. C. C., Fukuda, M., and Kim, S. G. (2011). BOLD responses to different temporal frequency stimuli in the lateral geniculate nucleus and visual cortex: Insights into the neural basis of fMRI. *NeuroImage*.
- Yerkes, R. M. and Dodson, J. D. (1908). The relation of strength of stimulus to rapidity of habit-formation. *Journal of Comparative Neurology and Psychology*, 18(5):459–482. _eprint: <https://onlinelibrary.wiley.com/doi/pdf/10.1002/cne.920180503>.
- Yi, Y.-J., Lüsebrink, F., Ludwig, M., Maaß, A., Ziegler, G., Yakupov, R., Kreißl, M. C., Betts, M., Speck, O., Düzel, E., and Hämmerer, D. (2023). It is the locus coeruleus! Or... is it?: a proposition for analyses and reporting standards for structural and functional magnetic resonance imaging of the noradrenergic locus coeruleus. *Neurobiology of Aging*, 129:137–148.

- Yokota, H., Edama, M., Hirabayashi, R., Sekine, C., Otsuru, N., Saito, K., Kojima, S., Miyaguchi, S., and Onishi, H. (2022). Effects of Stimulus Frequency, Intensity, and Sex on the Autonomic Response to Transcutaneous Vagus Nerve Stimulation. *Brain Sciences*, 12(8):1038.
- Yoo, P. B., Lubock, N. B., Hincapie, J. G., Ruble, S. B., Hamann, J. J., and Grill, W. M. (2013). High-resolution measurement of electrically-evoked vagus nerve activity in the anesthetized dog. *JOURNAL OF NEURAL ENGINEERING*, 10(2).
- Yu, A. J. and Dayan, P. (2005). Uncertainty, neuromodulation, and attention. *Neuron*, 46(4):681–692.
- Yuan, H. and Silberstein, S. D. (2016). Vagus Nerve and Vagus Nerve Stimulation, a Comprehensive Review: Part i. *Headache*, 56(1):71–78.
- Yushkevich, P. A., Piven, J., Hazlett, H. C., Smith, R. G., Ho, S., Gee, J. C., and Gerig, G. (2006). User-guided 3D active contour segmentation of anatomical structures: Significantly improved efficiency and reliability. *NeuroImage*, 31(3):1116–1128.
- Zaborszky, L., Hoemke, L., Mohlberg, H., Schleicher, A., Amunts, K., and Zilles, K. (2008). Stereotaxic probabilistic maps of the magnocellular cell groups in human basal forebrain. *NeuroImage*, 42(3):1127–1141.
- Zajonc, R. B. (1965). Social Facilitation. *Science*, 149(3681):269–274. Publisher: American Association for the Advancement of Science.
- Zhang, W. and Luck, S. J. (2008). Discrete fixed-resolution representations in visual working memory. *Nature*, 453(7192):233–235. Number: 7192 Publisher: Nature Publishing Group.
- Zhu, S., Qing, Y., Zhang, Y., Zhang, X., Ding, F., Zhang, R., Yao, S., Kendrick, K. M., and Zhao, W. (2022). Transcutaneous auricular vagus nerve stimulation increases eye-gaze on salient facial features and oxytocin release. *Psychophysiology*, 59(11):e14107. _eprint: <https://onlinelibrary.wiley.com/doi/pdf/10.1111/psyp.14107>.

Data and code availability

Chapter 2

The raw data are publicly available here: <https://doi.org/10.5061/dryad.7m0cfxpzn>.

All numerical data and brain maps underlying all figures, tables, and figure supplements as well as the code to generate these figures and analyses are available here: <https://osf.io/5rjcf/> (with a back-up on https://github.com/bethlloyd/Lloyd_etal_rsBOLD_pupil).

Code to preprocess the fMRI and pupil data can be found here: https://github.com/bethlloyd/Lloyd_etal_rsBOLD_pupil

Chapter 3

Preprocessing and analyses code can be found here: https://github.com/bethlloyd/sharon_replication.

Raw pupil and EEG data is available here: https://figshare.com/projects/Short-term_transcutaneous_vagus_nerve_stimulation_increases_pupil_size_but_does_not_affect_EEG_alpha_power_a_replication/169890

Chapter 4

Analysis code can be found here: https://github.com/bethlloyd/neuser_replication.

Raw and processed behavioral data can be found here: <https://doi.org/10.6084/m9.figshare.24427312.v1>.

Chapter 5

The raw and processed data as well as code to reproduce the results are publicly available without restriction: https://github.com/bethlloyd/Reward-related_mem_LloydNieuwenhuis.

Chapter 6

This chapter is still in preparation, and no public repository is available yet.

Chapter 7

The processed data as well as code to reproduce the results are publicly available without restriction: https://github.com/bethlloyd/Lloyd_Nieuwenhuis_MemPrecision.

Author contributions

Below is a list of the contributions made by each chapter (organised according to the Contributor Roles Taxonomy (CRediT) system).

Chapter 2

This paper is published as:

Lloyd, B. de Voogd, L. D., Mäki-Marttunen, V., & Nieuwenhuis, S. (2023). Pupil size reflects activation of subcortical ascending arousal system nuclei during rest. *ELife*, 12, e84822.

Author contributions:

Beth Lloyd: Conceptualization, Data curation, Formal analysis, Validation, Investigation, Visualization, Methodology, Writing - original draft, Writing – review and editing; **Lycia D de Voogd:** Conceptualization, Resources, Data curation, Software, Supervision, Funding acquisition, Investigation, Project administration, Writing – review and editing; **Verónica Mäki-Marttunen:** Conceptualization, Supervision, Methodology, Writing – review and editing; **Sander Nieuwenhuis:** Conceptualization, Resources, Supervision, Funding acquisition, Methodology, Writing – review and editing

Acknowledgements:

Data collection was funded by the Templeton World Charity Foundation, Inc network 'Survival Circuits Influences on Human Nature' (TWCF number: 0366) to LdV, Elizabeth Phelps and Joseph LeDoux. This publication is part of a Vici project (with project number VI.C.181.032) that is financed by the Dutch Research Council (NWO) awarded to Sander Nieuwenhuis. We would also like to thank Birte Forstmann and Steven Miletic for helpful discussion.

Chapter 3

This paper is published as:

Lloyd, B.*, Wurm, F.*, de Kleijn, R., & Nieuwenhuis, S. (2023). Short-term transcutaneous vagus nerve stimulation increases pupil size but does not affect EEG alpha power: A replication of Sharon et al.(2021, *Journal of Neuroscience*). *Brain Stimulation*, 16(4), 1001-1008.

*These authors contributed equally

Author contributions:

Beth Lloyd: Conceptualization, Data curation, Visualization, Formal analysis, Writing – original draft; **Franz Wurm**: Conceptualization, Data curation, Visualization, Formal analysis, Writing – review & editing; **Roy de Kleijn**: Software, Writing – review & editing; **Sander Nieuwenhuis**: Conceptualization, Supervision, Funding acquisition, Writing – review & editing.

Acknowledgements:

We thank Omer Sharon for his support and transparency while we carried out this replication study. Omer generously provided scripts to validate our analyses and contributed insightful comments on methodological issues. Moreover, we thank Elio Sjak-Shie for technical support with the robot. We also thank our thesis students and interns who helped with piloting and data collection.

Chapter 4

This paper is published as:

Lucchi, F.*, **Lloyd, B.***, & Nieuwenhuis, S. (2024). Non-invasive vagus nerve stimulation and the motivation to work for rewards: A replication of Neuser et al.(2020, *Nature Communications*). *Psychophysiology*, 61(4), e14484.

*These authors contributed equally

Author contributions:

Federica Lucchi: Data curation; project administration; writing – original draft. **Beth Lloyd:** Formal analysis; project administration; supervision; visualization; writing – review and editing. **Sander Nieuwenhuis:** Conceptualization; funding acquisition; supervision; writing – review and editing.

Acknowledgements:

We would like to thank Anisha Koeldiep for her help with setting up the study. We would also like to thank the authors of the original paper (Neuser et al., 2020) for their support in the replication of the study. Nils kindly provided us task and preprocessing scripts and gave us helpful advice on our analyses.

Chapter 5

This chapter is submitted for peer review.

Author contributions:

Beth Lloyd: Conceptualization, Data curation, Visualization, Formal analysis, Writing—original draft. **Steven Miletić:** Formal analysis, Writing-review & editing. **Sander Nieuwenhuis:** Conceptualization, Supervision, Funding acquisition, Writing—review & editing.

Acknowledgements:

This work was supported by funding from the Vici grant awarded to Sander Nieuwenhuis, financed by the Dutch Research Council (NWO), with project number VI.C.181.032. We would like to thank Alexa Schrickel for help with data collection.

Chapter 6

This paper is in press as:

Lloyd, B., Miletić, S., Bazin, P.-L., Isherwood, S., Tse, D.H.Y., Håberg, A., Forstmann, B., & Nieuwenhuis, S. (in press). Subcortical nuclei of the human ascending arousal system encode anticipated reward but do not predict subsequent memory. *Cerebral Cortex*

Author contributions:

Beth Lloyd: Conceptualization, Data curation, Formal analysis, Investigation, Methodology, Validation, Visualization, Writing –original draft. **Steven Miletić:** Data curation, Formal analysis, Investigation, Methodology, Writing –review & editing. **Pierre-Louis Bazin:** Methodology, Software, Visualization, Writing –review & editing. **Scott Isherwood:** Data curation, Project administration, Writing –review & editing. **Desmond H.Y. Tse:** Data curation, Methodology, Project administration, Writing –review & editing. **Asta K. Håberg:** Project administration, Resources, Writing –review & editing. **Birte U. Forstmann:** Methodology, Project administration, Resources, Writing –review & editing. **Sander Nieuwenhuis:** Conceptualization, Funding acquisition, Investigation, Methodology, Project administration, Resources, Supervision, Writing –review & editing.

Acknowledgements:

This work was supported by funding from the Vici grant awarded to Sander Nieuwenhuis, financed by the Dutch Research Council (NWO), with project number VI.C.181.032. We would also like to thank Sarah Habli, Lisbeth Røe, and Daniel R. Sokolowski for help with data collection.

Chapter 7

This paper is published as:

Lloyd, B., & Nieuwenhuis, S. (2024). The effect of reward-induced arousal on

the success and precision of episodic memory retrieval. *Scientific Reports*, 14(1), 2105.

Author contributions:

Beth Lloyd: Conceptualization, Data curation, Visualization, Formal analysis, Writing—original draft. **Sander Nieuwenhuis:** Conceptualization, Supervision, Funding acquisition, Writing—review & editing.

Acknowledgements:

We would like to thank our thesis student Eren Meriç Tather who helped with piloting and data collection.

