



Universiteit
Leiden

The Netherlands

The air we breathe: a study into the impact of historical socioeconomic changes on the respiratory health of past Dutch populations (ca. 470-1850 CE)

Casna, M.

Citation

Casna, M. (2025, June 17). *The air we breathe: a study into the impact of historical socioeconomic changes on the respiratory health of past Dutch populations (ca. 470-1850 CE)*. Retrieved from <https://hdl.handle.net/1887/4250305>

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/4250305>

Note: To cite this publication please use the final published version (if applicable).

The air we breathe

**A study into the impact of historical socioeconomic changes
on the respiratory health of past Dutch populations (ca. 470-1850 CE)**

Maia Casna

The printing of this thesis was financially supported by:
Leiden University
Stichting Nederlands Museum voor Anthropologie en Praehistorie



**Universiteit
Leiden**
Archaeology



This research has received funding from the Dutch Research Council (NWO), project number:
PGW.21.008.

Copyright 2025 © Maia Casna

All rights reserved. No parts of this thesis may be reproduced, stored in a retrieval system or transmitted in any form or by any means without permission of the author.

Provided by thesis specialist Ridderprint, ridderprint.nl
Printing: Ridderprint
Cover: Design and illustration by Bo Pieter van de Vaart
Layout and design: Puck Paassen, persoonlijkproefschrift.nl

The air we breathe

A study into the impact of historical socioeconomic changes
on the respiratory health of past Dutch populations (ca. 470-1850 CE)

Proefschrift

ter verkrijging van

de graad van Doctor aan de Universiteit Leiden,

op gezag van Rector Magnificus prof.dr.ir. H. Bijl,

volgens besluit van het College voor Promoties

te verdedigen op dinsdag 17 juni 2025

klokke 10.00 uur

door

Maia Casna

Promotores:

Dr. Sarah A. Schrader

Prof. Dr. Amanda G. Henry

Dr. Rachel Schats

Promotiecommissie:

Dr. Mariana De Campos Françaço

Prof. Dr. Tjasse D. Bruintjes (Leiden University Medical Center)

Prof. Dr. Sharon DeWitte (University of Colorado Boulder)

Dr. Sarah A. Inskip (University of Leicester)

Dr. Anna C. Moles (University of Groningen)

Da mio padre avevo imparato, molto tempo dopo avere smesso di seguirlo sui sentieri, che in certe vite esistono montagne a cui non è possibile tornare. Che nelle vite come la mia e la sua non si può tornare alla montagna che sta al centro di tutte le altre, e all'inizio della propria storia.

Paolo Cognetti, Le otto montagne

Acknowledgements

This dissertation has been a journey, one that at times left me feeling lost. Finding my way again would not have been possible without the constant support of my supervisors, Dr. Sarah Schrader, Dr. Rachel Schats, and Prof. Dr. Amanda Henry. Their guidance over the past years has been indispensable, inspiring me to become not only a better researcher but, more importantly, a better person. I am forever grateful for their encouragement and patience, and I hope they realize how compassionate and empowering their mentorship has been.

I would also like to extend my gratitude to the Dutch Research Council (NWO) for making this work possible through their 'PhDs in the Humanities' grant scheme. Their support has allowed me the opportunity to develop and pursue my own research project, an experience that has been challenging, but also incredibly rewarding.

A heartfelt thanks to Dr. Anna Davies-Barrett, whom I met just a few months before the start of my PhD and who has taught me more than she probably realizes. Meeting you that day in London was a delight, Anna, and it is a true honor to call you my friend today.

I am also deeply grateful to the many organizations and individuals who have supported my research over the past few years, whether by granting me access to skeletal material, sharing their knowledge, or simply enjoying a much-needed cup of coffee with me from time to time: Prof.dr. Tjasse Brintjes (LUMC), Joost van den Berg and Enisa Saric (Erfgoed Zeeland), Martijn Spinder (Gemeente Nijmegen), Jan de Winter (Museum Het Valkhof), Dr. Sarah Inskip (University of Leicester), Dr. Giorgia Tulumello (Museo Archeologico Nazionale di Reggio Calabria), Prof. Giovanni Mastronuzzi and Dr. Valeria Melissano (University of Salento), Dr. Michele Buzon and Dr. Melanie Beasley (Purdue University), Joost Roelofs (LUMC), Dr. Hayley Mickleburgh (University of Amsterdam), Dr. Dario Piombino-Mascali (Vilnius University), and Dr. Berit Verbist (LUMC).

Thank you to my colleagues at the Faculty of Archaeology, whose enthusiasm for archaeological research has been truly infectious: Dr. Bjørn Bartholdy, Dr. Tuna Kalaycı, Prof.dr. Peter Akkermans, Dr. Monique van den Dries, Dr. Jason Laffoon, Dr. Martina Revello-Lami, Dr. Laura Llorente Rodriguez, Andre Ramcharan, Dr. Joanne Mol, Lasse van den Dikkenberg, Marie Kolbenstetter, Dr. Alex Brandsen, Rocío Vera-Flores, Dr. Letty ten Harkel, Merlijn Veltman, Rebecca van der Ham, Dr. Ilse Kamerling, Dr. Alessandro Aleo, Femke Tomas, Marten Jesse Pot, and Ilone de Vries. Your kindness has made this journey all the more enriching. Thank you to Gabi Perhaj for helping me navigate the maze of graduate school bureaucracy. And a big thank you to the cleaning crew at Van Steenis for keeping my workspace spotless regardless of my terrible mess.

I am incredibly grateful to my lab colleagues, the *Bone Buddies*, who made coming to work every day a true joy. Alex Tutwiler, Marijke Langevoort, Cora Leder, Katherinne Guerra Cheva, Lotte Nagelhout, Mélie Louys, Rachael Hall, and Dr. Veronica Tamorri—you bring so much light and energy to the lab. I hope you know just how much brighter it is, when you are there!

I am so, so grateful to my countless, brilliant friends, who have inspired me throughout my academic journey and helped shape the person I am today. Thank you, Agnese and Mattia, for your support over the years. After countless camping trips together, we truly have seen each other at both our best and our worst. Jessika and Aleandra—forever the only housemates I'll ever want. A tiny bit of Via Raimondi follows me wherever I go, warming my soul on colder days. Luna, thank you for sticking around, even if we never found out what happened to Ben. My friends back in Trentino: Ale, Nina, Elena, Derna, Marta, Bona, Silvia, Sabina—thank you for walking by my side for as long as I can remember. Sarah Delaney and Elena Sandoval, sharing this PhD journey with you ensured that I never felt alone.

To my family, whose unconditional love has given me the strength to face challenges that once seemed insurmountable: my mom, my dad, and my sister Sara. You did not always make things easier, but you always made them worth it. And to my love, Bo, who tirelessly watched over me, taking care of me even when my doctoral path was at its most uncertain. Your presence has been, and will always be, my greatest source of inspiration.

To everyone who played a role, whether big or small: thank you. Your support made these years incredibly worthwhile, the best of my life so far.

Table of Contents

Chapter 1 Introduction	19
1.1. Respiratory diseases in the past	21
1.2. Research questions and objectives	22
1.3. Dissertation outline and structure	24
References cited	26
Chapter 2 Clinical background and paleopathology of respiratory disease	31
2.1. Chronic maxillary sinusitis	32
2.1.1. Anatomy of the sinuses	32
2.1.2. Pathogenesis and etiology	33
2.1.3. Bone involvement	34
2.2. Infectious middle ear disease	37
2.2.1. Anatomy of the middle ear	37
2.2.2. Pathogenesis and etiology	38
2.2.3. Bone involvement	38
2.3. Pleural inflammation	40
2.3.1. Anatomy of the lower respiratory tract	41
2.3.2. Pathogenesis	42
2.3.3. Etiology	43
2.3.4. Bone involvement	43
2.4. The bioarchaeology of respiratory disease	44
References cited	46
Chapter 3 A Distant City: assessing the impact of Dutch socioeconomic developments on urban and rural health using respiratory disease as a proxy	55
Abstract	56
3.1. Introduction	57
3.1.1. Upper respiratory tract diseases	58
3.1.2. Lower respiratory tract diseases	59
3.2. Materials and methods	59
3.2.1. Urban sites	61
3.2.2. Rural sites	62
3.2.3. Sample selection	64
3.2.4. Methods	64
3.3. Results	67
3.3.1. Chronic Maxillary Sinusitis (CMS)	67
3.3.2. Otitis Media (OM)	69
3.3.3. Inflammatory periosteal reaction on ribs (IPR)	71

3.4. Discussion	73
3.5. Conclusions	76
Supporting information	77
Data availability statement	77
References cited	78
Chapter 4 Urban beings: a bioarchaeological approach to socioeconomic status, cribra orbitalia, porotic hyperostosis, linear enamel hypoplasia, and sinusitis in the early-modern Northern Low Countries (1626-1850 CE)	87
Abstract	88
4.1. Introduction	89
4.1.1. Urbanization, social stratification, and health in the Netherlands	90
4.2. Materials	92
4.2.1. Arnhem	93
4.2.2. Zwolle	94
4.2.3. Eindhoven	94
4.2.3.i. Eindhoven inside the church	95
4.2.3.ii. Eindhoven outside the church	95
4.3. Methods	96
4.4. Results	99
4.5. Discussion	101
4.6. Conclusions	105
Supporting information	106
Data availability statement	106
References cited	107
Chapter 5 The Urban Sea: Cribra orbitalia, porotic hyperostosis, linear enamel hypoplasia, and sinusitis in three diachronic urban sites from the Dutch province of Zeeland (1030–1800 CE)	115
Abstract	116
5.1. Introduction	117
5.1.1. Urbanization in Zeeland	118
5.1.2. Non-specific stress indicators and respiratory diseases in relation to urbanization	119
5.2. Materials	120
5.2.1. Aardenburg (1030-1200 CE)	121
5.2.2. Vlissingen, Oude Markt (1300-1590 CE)	122
5.2.3. Vlissingen, Scheldekwartier (1600-1800 CE)	122
5.3. Methods	123
5.4. Results	124
5.5. Discussion	131

5.5.1. Limitations of the study	133
5.6. Conclusions	134
Supporting information	135
Data availability statement	135
References cited	136
Chapter 6 Historical Trends and Risk Factors in Chronic Maxillary Sinusitis Prevalence Rates Among Dutch Non-Adults (475-1866 CE)	141
Abstract	142
6.1. Introduction	143
6.2. Materials and methods	144
6.2.1. Materials	144
6.2.1.i. Social and economic developments in historical Netherlands	148
6.2.2. Methods	149
6.2.2.i. Chronic Maxillary Sinusitis	149
6.2.2.ii. Statistical Analysis	150
6.3. Results	151
6.4. Discussion	155
6.5. Conclusions	159
Data availability statement	159
References cited	160
Chapter 7 Smoking histories: A bioarchaeological approach to tobacco consumption in two skeletal populations from the Netherlands (1300-1829 CE)	167
Abstract	168
7.1. Introduction	169
7.1.1. Bioarchaeological approaches to tobacco consumption	170
7.1.2. Hypotheses	170
7.2. Materials	171
7.2.1. Arnhem	171
7.2.2. Vlissingen	172
7.3. Methods	173
7.3.1. Evidence for tobacco consumption	173
7.3.1.i. Pipe notches	174
7.3.1.ii. Dental staining	174
7.3.2. Statistical analysis	175
7.4. Results	175
7.5. Discussion	180
7.6. Conclusions	183

Data availability statement	184
References cited	185
Chapter 8 Exploring the Impact of Tobacco Consumption on the Respiratory Health of two Dutch Skeletal Populations (1300-1829 CE)	189
Abstract	190
8.1. Introduction	191
8.1.1. Tobacco consumption in historic Netherlands	192
8.1.2. Respiratory health implications of tobacco use	193
8.2. Materials	194
8.2.1. Historical Context	195
8.3. Methods	196
8.3.1. Statistical analysis	198
8.4. Results	198
8.5. Discussion	207
8.6. Conclusions	210
Supporting information	210
Data availability statement	210
References cited	211
Chapter 9 Conclusions	217
9.1. Limitations	220
9.2. Future research	222
9.3. Concluding remarks	223
References cited	224
Affiliations of co-authors	229
Summary	231
Samenvatting	235
Curriculum Vitae	241

List of Figures

Figure 1.1. Diagram of the human respiratory system, highlighting a selection of associated respiratory conditions. Diagram adapted from storystet / Freepik.	20
Figure 2.1. Diagram showing the coronal view of the paranasal sinuses. Aspects of diagrams adapted from Servier Medical Art library. Licensed for use by CC BY 4.0.	33
Figure 2.2. Maxillary sinus walls, viewed macroscopically. A: Sinus showing no pathological alteration. Note the smooth walls and the presence of a vascular channel impression on the inferior portion; B: Bone spicules on the medial wall; and C: Thick lamellar bone formation on the distal and anterior sinus walls. Photographs by M. Casna.	36
Figure 2.3. Simplified anatomy of the ear. Diagram adapted from macrovector / Freepik.	37
Figure 2.4. Classification of severity of ear bones erosion as presented by Krenz-Niedbala and Łukasik (2017, Figure 2). A: No erosion present; B: Small pits affecting less than 25% of the bone surface; C: Pits present in 25–50% of the affected bone area; and D: More than half of the bone surface pathologically altered. Adapted from Krenz-Niedbala and Łukasik (2017). License Number 1532926-1.	39
Figure 2.5. Endoscopic view of the cochlear promontory (Pr) as seen by Casna and colleagues (2024, Figure 1). Surrounding structures were labelled for anatomical reference: Ht = Hypotympanum; Eo = Eustachian orifice; Rw = Round window niche; Ow = Oval window. A: No remodeling is present; B: Disruption of the promontory surface integrity in the form of bone erosion (white arrow); and C: Bone growth in the form of bony spicules formation located superiorly from the round window. Adapted from Casna et al. (2024). Licensed for use by CC BY 4.0.	40
Figure 2.6. Simplified diagram of the lower respiratory tract, featuring a cross-sectional view of the thoracic wall (upper-left corner) that highlights the relevant anatomical relationships between the ribs, pleural membranes, and lungs. Aspects of the diagram adapted from Freepik and Servier Medical Art library. Licensed for use by CC BY 4.0. Cross-sectional anatomy of the thoracic wall reproduced from Hicks (2000, Figure 9.4). License Number 1537985-1.	41
Figure 2.7. Visceral surfaces of ribs, viewed macroscopically. A: Rib showing no pathological alteration.; and B: Inflammatory periosteal reaction in the form of woven bone formation on the rib neck and angle. Photographs by M. Casna.	44
Figure 3.1. Map of the Netherlands showing the location of the sites under study. Image made by M. Casna.	60
Figure 3.2. Examples of lesions observed in this research, respectively: A: chronic maxillary sinusitis; B: otitis media; and C: periosteal rib reaction. Lesions are indicated by the white arrows. Photographs by M. Casna.	65
Figure 3.3. Prevalence of chronic maxillary sinusitis for all samples under study (N=541).	67
Figure 3.4. Prevalence of otitis media for all samples under study (N=585).	69
Figure 3.5. Prevalence of inflammatory periosteal reaction on ribs for all samples under study (N=325).	71

Figure 4.1. Map of the Netherlands showing the location of the sites under study. Image made by M. Casna.	93
Figure 4.2. Examples of lesions observed in this research, respectively: A: Cribra Orbitalia, B: Porotic Hyperostosis, C: Linear Enamel Hypoplasia; and D: Chronic Maxillary Sinusitis in the form of 'spicule-type bone formation', according to Boocock et al. (1995). Lesions are indicated by the white arrows. Photographs by M. Casna.	97
Figure 4.3. Prevalence of cribra orbitalia, porotic hyperostosis, linear enamel hypoplasia and chronic maxillary sinusitis for all samples under study.	99
Figure 5.1. Map of the Netherlands showing the location of the province of Zeeland. Image made by M. Casna.	118
Figure 5.2. Map of the Netherlands showing the location of the sites under study. Image made by M. Casna.	121
Figure 5.3. Lesions observed in this study and indicated by white arrows. A: Cribra orbitalia; B: Porotic hyperostosis; C: Linear enamel hypoplasia; and D: Chronic maxillary sinusitis in the form of "spicule-type bone formation", according to Boocock et al. (1995). Photographs by M. Casna.	124
Figure 5.4. Prevalence of Cribra Orbitalia, Porotic Hyperostosis, Linear Enamel Hypoplasia, and Chronic Maxillary Sinusitis for all samples under study.	126
Figure 6.1. Map of the Netherlands showing the location of the sites under study.	146
Figure 6.2. Examples of lesions indicative of chronic maxillary sinusitis observed in this study: (a) bony spicules, (b) cobweb-like lesion. Photographs and figure by M. Casna	150
Figure 6.3. Prevalence of chronic maxillary sinusitis for all samples under study. LNT=Lent; A00=Aardenburg; NKS=Nieuwerkerke; OM-03=Vlissingen, Oude Markt; PAA=Alkmaar; VLIN2=Vlissingen, Scheldekwartier; DELT-21=Delft; ARJB=Arnhem, Hb3=Nijmegen; EHV-O=Eindhoven, Outside the church; EHV-I=Eindhoven, Inside the church; ZW87=Zwolle; MDB11=Middenbeemster.	152
Figure 6.4. Prevalence of chronic maxillary sinusitis in the historical periods under study.	153
Figure 6.5. Prevalence of chronic maxillary sinusitis in rural and urban populations under study.	154
Figure 6.6. Prevalence of chronic maxillary sinusitis in different socioeconomic status groups	154
Figure 7.1. Map of the Netherlands showing the location of the sites under study. Figure made by M. Casna.	172
Figure 7.2. Examples of evidence for tobacco consumption considered in this study: A: pipe notch; and B: dental staining on lingual surfaces. Photographs by M. Casna.	174
Figure 7.3. Prevalence of evidence of tobacco consumption, pipe notches, and dental staining for all samples under study (N=239).	176
Figure 7.4. Prevalence of evidence of tobacco consumption among all samples under study, divided by skeletal sex.	179

Figure 8.1. Map of the Netherlands showing the location of the sites under study. Figure originally published in Casna et al. (2024, Figure 1). Licensed for use by CC BY 4.0.	194
Figure 8.2. Examples of lesions observed in this research: A: chronic maxillary sinusitis in the form of new bone formation on the sinus wall; B: infectious middle ear disease in the form of erosion of the bony promontory of the middle ear; and C: pulmonary inflammation in the form of periosteal bone formation on the visceral surface of a rib. Lesions are indicated by the white arrows. Photographs by M. Casna.	197
Figure 8.3. Demographic composition of the sample. YA=Young Adult (20-34 years), MA=Middle Adult (35-49 years), OA=Old Adult (50+ years).	199
Figure 8.4. Prevalence of evidence of chronic maxillary sinusitis, infectious middle ear disease, and pulmonary inflammation for all samples under study.	200
Figure 8.5. Prevalence rates of chronic maxillary sinusitis, infectious middle ear disease, and pulmonary inflammation among tobacco consumers and non-consumers in the populations under study.	202

List of Tables

Table 2.1. Skeletal changes categories considered as evidence of chronic sinusitis, as presented by Boocock and colleagues (1995, denoted by *) and Merrett and Pfeiffer (2000, denoted by †). Adapted from Davies-Barrett (2018, Table 3.1; 3.2).	35
Table 3.1. Skeletal collections included in this study.	61
Table 3.2. Demographic composition of the sample included in this study.	66
Table 3.3. Prevalence and statistical analysis of chronic maxillary sinusitis in different time periods and living environments.	68
Table 3.4. Prevalence and statistical analysis of otitis media in different time periods and living environments.	70
Table 3.5. Prevalence and statistical analysis of inflammatory periosteal reaction on ribs in different time periods and living environments.	72
Table 4.1. Skeletal collections included in this study.	92
Table 4.2. Demographic composition of the total sample, divided by sex.	96
Table 4.3. Demographic composition of the total sample, divided by age-at-death.	96
Table 4.4. Summary of chi-squared test results, per site (df=3).	100
Table 4.5. Summary of chi-squared test results, per site (df=1).	101
Table 5.1. Demographic composition of the sample included in this study.	125
Table 5.2. Summary of Chi-Squared Test Results, per site.	127
Table 5.3. Summary of Chi-Squared Test Results, per sex groups.	130
Table 6.1. Skeletal collections included in this study. Data on chronic maxillary sinusitis in adult individuals were retrieved from: 1=Casna et al. (2023); 2=Casna & Schrader (2024); 3=Casna & Schrader (2022).	147
Table 6.2. Observed prevalence rates of chronic maxillary sinusitis in the sample under study.	151
Table 6.3. Outcomes of binary logistic regression. Constants: Time period=Early-Medieval; Subsistence economy=Rural; Socioeconomic status=Low; Age-at-death=Child. OR=Odds ratio; CI=Confidence Intervals; * indicates p-value ≤ 0.05 .	153
Table 7.1. Demographic composition of the sample included in this study.	171
Table 7.2. Frequencies of observed skeletal markers for tobacco consumption.	176
Table 7.3. Statistical analysis of tobacco consumption in different time periods and skeletal populations.	177
Table 7.4. Prevalence rates and statistical analysis of tobacco consumption and skeletal sex in the sample under study.	178
Table 7.5. Distribution of dental evidence for smoking (i.e., pipe notch and dental staining) within demographics by skeletal sex and age-at-death groups.	180

Table 8.1. Skeletal collections included in this study.	195
Table 8.2. Composition of the sample included in this study.	198
Table 8.3. Prevalence of respiratory diseases observed within the total sample of this study.	200
Table 8.4. Outcomes of binary logistic regression in the Arnhem population. Constants: Tobacco consumption status = non-tobacco consumers; Time = Arnhem, 1330-1650 CE; Skeletal sex = males; Age-at-death = young adult. OR = Odds ratio; CI = Confidence Intervals; * = indicates p-value ≤ 0.05 .	205
Table 8.5. Outcomes of binary logistic regression in the Vlissingen population. Constants: Tobacco consumption status = non-tobacco consumers; Time = Vlissingen, Oude Markt; Skeletal sex = males; Age-at-death = young adult. OR = Odds ratio; CI = Confidence Intervals; * = indicates p-value ≤ 0.05 .	206

