



Universiteit
Leiden

The Netherlands

Starting from scratch: exploring attentional bias towards itch

Becker, J.M.

Citation

Becker, J. M. (2025, June 25). *Starting from scratch: exploring attentional bias towards itch*. Retrieved from <https://hdl.handle.net/1887/4250877>

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/4250877>

Note: To cite this publication please use the final published version (if applicable).

REFERENCES

A-Z

A

- Abudoush, A. N., Noureen, A., Panagioti, M., Poliakoff, E., Van Ryckeghem, D. M. L., Hodgkinson, A., & Husain, N. (2023). What can we learn about selective attention processes in individuals with chronic pain using reaction time tasks? A systematic review and meta-analysis. *Pain*, 164(8), 1677–1692. <https://doi.org/10.1097/j.pain.0000000000002885>
- Allport, A. (1989). Visual Attention. In M. I. Posner (Ed.), *The Foundations of Cognitive Science* (1st ed., pp. 631–682). MIT Press.
- Andersen, H. H., Akiyama, T., Nattkemper, L. A., van Laarhoven, A. I. M., Elberling, J., Yosipovitch, G., & Arendt-Nielsen, L. (2018). Allodynia and hyperalgesia-mechanisms, assessment methodology, and clinical implications of itch sensitization. *Pain*, 159(7), 1185–1197. <https://doi.org/10.1097/j.pain.0000000000001220>
- Andersen, H. H., Elberling, J., & Arendt-Nielsen, L. (2015). Human Surrogate Models of Histaminergic and Non-histaminergic Itch. *Acta Dermato-Venereologica*, 95(7), 771777. <https://doi.org/10.2340/00015555-2146>
- Andersen, H. H., Elberling, J., Lo Vecchio, S., & Arendt-Nielsen, L. (2017). Topography of itch: evidence of distinct coding for pruriception in the trigeminal nerve. *Itch*, 2(1), e2 e2. <https://doi.org/10.1097/itx.0000000000000002>
- Andersen, H. H., Elberling, J., Solvsten, H., Yosipovitch, G., & Arendt-Nielsen, L. (2017). Nonhistaminergic and mechanical itch sensitization in atopic dermatitis. *Pain*, 158(9), 1780–1791. <https://doi.org/10.1097/j.pain.0000000000000980>
- Andersen, H. H., van Laarhoven, A. I. M., Elberling, J., & Arendt-Nielsen, L. (2017). Modulation of Itch by Conditioning Itch and Pain Stimulation in Healthy Humans. *The Journal of Pain*, 18(12), 1437–1450. <https://doi.org/10.1016/j.jpain.2017.07.002>
- Asmundson, G. J. G. G., Wright, K. D., & Hadjistavropoulos, H. D. (2005). Hypervigilance and attentional fixedness in chronic musculoskeletal pain: Consistency of findings across modified stroop and dot-probe tasks. *Journal of Pain*, 6(8), 497–506. <https://doi.org/10.1016/j.jpain.2005.02.012>
- Attridge, N., Crombez, G., Van Ryckeghem, D., Keogh, E., & Eccleston, C. (2015). The Experience of Cognitive Intrusion of Pain: Scale development and validation. *Pain*, 156(10), 1978–1990. <https://doi.org/10.1097/j.pain.0000000000000257>
- Attridge, N., Noonan, D., Eccleston, C., & Keogh, E. (2015). The disruptive effects of pain on n-back task performance in a large general population sample. *Pain*, 156(10), 1885–1891. <https://doi.org/10.1097/j.pain.0000000000000245>

B

- Bar-Haim, Y. (2010). Research Review: Attention bias modification (ABM): A novel treatment for anxiety disorders. *Journal of Child Psychology and Psychiatry and Allied Disciplines*, 51(8), 859–870. <https://doi.org/10.1111/j.1469-7610.2010.02251.x>
- Bar-Haim, Y., Lamy, D., Pergamin, L., Bakermans-Kranenburg, M. J., & Van Ijzendoorn, M. H. (2007). Threat-related attentional bias in anxious and nonanxious individuals: A meta-analytic study. *Psychological Bulletin*, 133(1), 1–24. <https://doi.org/10.1037/0033-2909.133.1.1>
- Bartels, D. J. P., Van Laarhoven, A. I. M., Haverkamp, E. A., Wilder-Smith, O. H., Donders, A. R. T., Van Middendorp, H., Van De Kerkhof, P. C. M., & Evers, A. W. M. (2014). Role of conditioning and verbal suggestion in placebo and nocebo effects on itch. *PLoS ONE*, 9(3). <https://doi.org/10.1371/journal.pone.0091727>
- Bartels, D. J. P., van Laarhoven, A. I. M., Stroo, M., Hijne, K., Peerdeman, K. J., Donders, A. R. T., van de Kerkhof, P. C. M., & Evers, A. W. M. (2017). Minimizing nocebo effects by conditioning with verbal suggestion: A randomized clinical trial in healthy humans. *PLoS ONE*, 12(9). <https://doi.org/10.1371/journal.pone.0182959>
- Basanovic, J., Notebaert, L., Grafton, B., Hirsch, C. R., & Clarke, P. J. F. (2017). Attentional control predicts change in bias in response to attentional bias modification. *Behaviour Research and Therapy*, 99, 47–56. <https://doi.org/10.1016/j.brat.2017.09.002>
- Bates, D., Mächler, M., Bolker, B. M., Walker, S. C., Kuznetsova, A., Brockhoff, P. B., & Christensen, R. H. B. (2015). Fitting linear mixed-effects models using lme4. *Journal of Statistical Software*, 67(1). <https://doi.org/10.18637/jss.v067.i01>
- Becker, J. M., Holle, H., van Ryckeghem, D. M. L., Van Damme, S., Crombez, G., Veldhuijzen, D. S., Evers, A. W. M., Rippe, R. C. A., & van Laarhoven, A. I. M. (2022). No preconscious attentional bias towards itch in healthy individuals. *PLoS ONE*, 17(9), e0273581. <https://doi.org/10.1371/journal.pone.0273581>
- Becker, J. M., Vreijling, S. R., Dobbinga, S., Giesbers, J., Evers, A. W. M., Veldhuijzen, D. S., & Laarhoven, A. I. M. (2020). Attentional Bias Towards Visual Itch and Pain Stimuli in Itch- and Pain-free Individuals? *Acta Dermato Venereologica*, 100(14), adv00199. <https://doi.org/10.2340/00015555-3537>
- Becker, J. M., Vreijling, S. R., Van Damme, S., Kovacs, E. A., Veldhuijzen, D. S., Lavrijsen, A. P. M., van Ryckeghem, D. M. L., Crombez, G., Evers, A. W. M., & van Laarhoven, A. I. M. (2022). Attentional interference, but no attentional bias, by tonic itch and pain stimulation. *Itch*, 7(1), e63–e63. <https://doi.org/10.1097/itx.0000000000000063>
- Boselie, J. J. L. M., Vancleef, L. M. G., & Peters, M. L. (2016). The effects of experimental pain and induced optimism on working memory task performance. *Scandinavian Journal of Pain*, 12, 25–32. <https://doi.org/10.1016/j.sjpain.2016.03.001>

Bowler, J. O., Bartholomew, K. J., Kellar, I., Mackintosh, B., Hoppitt, L., & Bayliss, A. P. (2017). Attentional bias modification for acute experimental pain: A randomized controlled trial of retraining early versus later attention on pain severity, threshold and tolerance. *European Journal of Pain*, 21(1), 112–124. <https://doi.org/10.1002/ejp.908>

Broadbent, P., Liossi, C., & Schoth, D. E. (2021). Attentional bias to somatosensory stimuli in chronic pain patients: a systematic review and meta-analysis. *Pain*, 162(2), 332–352. <https://doi.org/10.1097/j.pain.0000000000002040>

Büchel, C., Geuter, S., Sprenger, C., & Eippert, F. (2014). Placebo analgesia: A predictive coding perspective. *Neuron*, 81(6), 1223–1239. <https://doi.org/10.1016/j.neuron.2014.02.042>

C

Carleton, R. N., Asmundson, G. J. G., Korol, S. L., Leboutillier, D. M., Hozempa, K., Katz, J. D., Vlaeyen, J. W. S., & Crombez, G. (2020). Evaluating the efficacy of an attention modification program for patients with fibromyalgia: a randomized controlled trial. *Pain*, 161(3), 584–594. <https://doi.org/10.1097/j.pain.0000000000001746>

Carleton, R., Richter, A. A., & Asmundson, G. J. G. (2011). Attention Modification in Persons with Fibromyalgia: A Double Blind, Randomized Clinical Trial. *Cognitive Behaviour Therapy*, 40(4), 279–290. <https://doi.org/10.1080/16506073.2011.616218>

Carstens, E. (2016). Many parallels between itch and pain research. *European Journal of Pain*, 20(1), 5–7. <https://doi.org/10.1002/ejp.778>

Chapman, A., Devue, C., & Grimshaw, G. M. (2019). Fleeting reliability in the dot-probe task. *Psychological Research*, 83(2), 308–320. <https://doi.org/10.1007/s00426-017-0947-6>

Clauss, K., Gorday, J. Y., & Bardeen, J. R. (2022). Eye tracking evidence of threat-related attentional bias in anxiety- and fear-related disorders: A systematic review and meta analysis. *Clinical Psychology Review*, 93, 102142–102142. <https://doi.org/10.1016/j.cpr.2022.102142>

Crombez, G., Eccleston, C., Baeyens, F., & Eelen, P. (1997). Habituation and the interference of pain with task performance. *Pain*, 70(2–3), 149–154. [https://doi.org/10.1016/S03043959\(96\)03304-0](https://doi.org/10.1016/S03043959(96)03304-0)

Crombez, G., Van Ryckeghem, D. M. L., Eccleston, C., & Van Damme, S. (2013). Attentional bias to pain-related information: A meta-analysis. *Pain*, 154(4), 497–510. <https://doi.org/10.1016/j.pain.2012.11.013>

D

Dalgard, F. J., Svensson, Å., Halvorsen, J. A., Gieler, U., Schut, C., Tomas-Aragones, L., Lien, L., Poot, F., Jemec, G. B. E., Misery, L., Szabo, C., Linder, D., Sampogna, F., Koulik, S. S., Balieva, F., Szepletowski, J. C., Lvov, A., Marron, S. E., Altunay, I. K., ... Kupfer, J. (2020). Itch and Mental Health in Dermatological Patients across Europe: A Cross Sectional Study in 13 Countries. *Journal of Investigative Dermatology*, 140(3), 568–573. <https://doi.org/10.1016/j.jid.2019.05.034>

Darsow, U., Mautner, V. F., Bromm, B., Scharein, E., & Ring, J. (1997). Der Eppendorfer Juckreizfragebogen. *Hautarzt*, 48(10), 730–733. <https://doi.org/10.1007/s001050050651>

Dear, B. F., Sharpe, L., Nicholas, M. K., & Refshauge, K. (2011). The psychometric properties of the dot-probe paradigm when used in pain-related attentional bias research. *Journal of Pain*, 12(12), 1247–1254. <https://doi.org/10.1016/j.jpain.2011.07.003>

De Beurs, E., van Dyck, R., Marquenie, L., Lange, A., & Blonk, R. W. B., (2001). De DASS; een vragenlijst voor het meten van depressie, angst en stress. *Gedragstherapie*, 34(1) 35–53.

Diamond, A. (2013). Executive Function. *Annual Review of Psychology*, 64, 135–168. <https://doi.org/10.1016/B978-0-12-385157-4.01147-7>

Durnez, W., & Van Damme, S. (2017). Let it be? Pain control attempts critically amplify attention to somatosensory input. *Psychological Research*, 81(1), 309–320. <https://doi.org/10.1007/s00426-015-0712-7>

Eccleston, C., & Crombez, G. (1999). Pain demands attention: A cognitive-affective model of the interruptive function of pain. *Psychological Bulletin*, 125(3), 356–366. <https://doi.org/10.1037/0033-2909.125.3.356>

E

Eriksen, B. A., & Eriksen, C. W. (1974). Effects of noise letters upon the identification of a target letter in a nonsearch task. *Perception & Psychophysics*, 16(1), 143–149. <https://doi.org/10.3758/BF03203267>

Ernst, D., Becker, S., & Horstmann, G. (2020). Novelty competes with saliency for attention. *Vision Research*, 168(January), 42–52. <https://doi.org/10.1016/j.visres.2020.01.004>

Etty, S., George, D. N., van Laarhoven, A. I. M., & Holle, H. (2022). Acute Itch Induces Attentional Avoidance of Itch-related Information. *Acta Dermato-Venereologica*, 102. <https://doi.org/10.2340/ACTADV.V102.1626>

Etty, S., George, D. N., van Laarhoven, A. I. M., Kleyn, C. E., Walton, S., & Holle, H. (2023). Attentional bias in psoriasis: The role of processing time and emotional valence. *British Journal of Health Psychology*. <https://doi.org/10.1111/bjhp.12712>

Evans, T. C., & Britton, J. C. (2018). Improving the psychometric properties of dot-probe attention measures using response-based computation. *Journal of Behavior Therapy and Experimental Psychiatry*, 60, 95–103. <https://doi.org/10.1016/j.jbtep.2018.01.009>

Evers, A. W. M., Peerdeman, K. J., & van Laarhoven, A. I. M. (2019). What is new in the psychology of chronic itch? *Experimental Dermatology*, 28(12), 1442–1447. <https://doi.org/10.1111/exd.13992>

Eysenck, H. J. (1991). *Manual of the Eysenck personality scales (EPS Adult)*. Hodder & Stoughton.

F

Fan, J., McCandliss, B. D., Sommer, T., Raz, A., & Posner, M. I. (2002). Testing the Efficiency and Independence of Attentional Networks. *Journal of Cognitive Neuroscience*, 14(3), 340–347. <https://doi.org/10.1162/089892902317361886>

Fashler, S. R., & Katz, J. (2016). Keeping an eye on pain: Investigating visual attention biases in individuals with chronic pain using eye-tracking methodology. *Journal of Pain Research*, 9, 551–561. <https://doi.org/10.2147/JPR.S104268>

Field, M., Franken, I., Hogarth, L., Werthmann, J., Hofmann, W., & Roefs, A. (2016). The Role of Attentional Bias in Obesity and Addiction. *Health Psychology*, 35(8), 767–780. <https://doi.org/10.1037/hea0000405>

Fitzgibbon, B. M., Giummarra, M. J., Georgiou-Karistianis, N., Enticott, P. G., & Bradshaw, J. L. (2010). Shared pain: From empathy to synaesthesia. *Neuroscience and Biobehavioral Reviews*, 34(4), 500–512. <https://doi.org/10.1016/j.neubiorev.2009.10.007>

Fortune, D. G., Richards, H. L., Corrin, A., Taylor, R. J., Griffiths, C. E. M., & Main, C. J. (2003). Attentional bias for psoriasis-specific and psychosocial threat in patients with psoriasis. *Journal of Behavioral Medicine*, 26(3), 211–224. <https://doi.org/10.1023/A:1023408503807>

Fox, E., Zougkou, K., Ashwin, C., & Cahill, S. (2015). Investigating the efficacy of attention bias modification in reducing high spider fear: The role of individual differences in initial bias. *Journal of Behavior Therapy and Experimental Psychiatry*, 49, 84–93. <https://doi.org/10.1016/j.jbtep.2015.05.001>

G

Godara, M., Sanchez-Lopez, A., Baeken, C., & De Raedt, R. (2021). Looking for carrots, watching out for sticks: A gaze-contingent approach towards training contextual goal dependent affective attention flexibility. *Behaviour Research and Therapy*, 136. <https://doi.org/10.1016/j.brat.2020.103787>

Godara, M., Sanchez-Lopez, A., & De Raedt, R. (2023). The contextual goal dependent attentional flexibility (CoGoDAF) framework: A new approach to attention bias in depression. *Behaviour Research and Therapy*, 167. <https://doi.org/10.1016/j.brat.2023.104354>

Godfrey, H. K., Walsh, A. T., Fischer, R., & Grimshaw, G. M. (2020). The Role of Attentional Control in Cognitive Deficits Associated With Chronic Pain. *Clinical Psychological Science*, 8(6), 1046–1053. <https://doi.org/10.1177/2167702620925744>

Goubert, L., Crombez, G., & Van Damme, S. (2004). The role of neuroticism, pain catastrophizing and pain-related fear in vigilance to pain: A structural equations approach. *Pain*, 107(3), 234–241. <https://doi.org/10.1016/j.pain.2003.11.005>

H

Hang, Y., Xu, L., Wang, C., Zhang, G., & Zhang, N. (2021). Can attention bias modification augment the effect of CBT for anxiety disorders? A systematic review and meta analysis. *Psychiatry Research*, 299, 113892–113892. <https://doi.org/10.1016/j.psychres.2021.113892>

Hasegawa, T., Nishi, K., Nakashima, A., Moriuchi, T., Iso, N., Koseki, H., Tabira, T., & Higashi, T. (2021). Effects of attentional bias modification on chronic low back pain in older outpatients: A randomized crossover trial (pilot study). *Medicine*, 100(45), E27738. <https://doi.org/10.1097/MD.00000000000027738>

Hayes, A. F. (2018). *An introduction to mediation, moderation, and conditional process analysis: A regression-based approach* (2nd ed.). Guilford Press.

Heathcote, L. C., Jacobs, K., Van Ryckeghem, D. M. L., Fisher, E., Eccleston, C., Fox, E., & Lau, J. Y. F. (2017). Attention bias modification training for adolescents with chronic pain. *Pain*, 159(2), 1. <https://doi.org/10.1097/j.pain.0000000000001084>

Heathcote, L. C., Vervoort, T., Eccleston, C., Fox, E., Jacobs, K., Van Ryckeghem, D. M. L., & Lau, J. Y. F. (2015). The relationship between adolescents' pain catastrophizing and attention bias to pain faces is moderated by attention control. *Pain*, 156(7), 1334–1341. <https://doi.org/10.1097/j.pain.0000000000000174>

Henrich, J. F., & Martin, M. (2018). Altered attentional control linked to catastrophizing in patients with irritable bowel syndrome. *British Journal of Health Psychology*, 23(3), 612–629. <https://doi.org/10.1111/bjhp.12307>

Heyman, M. (2019). *Imboot: Bootstrap in Linear Models*. R package version 0.0.1.

Holle, H., Warne, K., Seth, A. K., Critchley, H. D., & Ward, J. (2012). Neural basis of contagious itch and why some people are more prone to it. *Proceedings of the National Academy of Sciences*, 109(48), 19816–19821. <https://doi.org/10.1073/pnas.1216160109>

I

Ikoma, A., Steinhoff, M., Ständer, S., Yosipovitch, G., & Schmelz, M. (2006). The neurobiology of itch. *Nature Reviews Neuroscience*, 7(7), 535–547. <https://doi.org/10.1038/nrn1950>

Ishiuji, Y. (2019). Addiction and the itch-scratch cycle. What do they have in common? *Experimental Dermatology*, 28(12), 1448–1454. <https://doi.org/10.1111/exd.14029>

J

Jensen, P., Zachariae, C., Skov, L., & Zachariae, R. (2018). Sleep disturbance in psoriasis: a case-controlled study. *British Journal of Dermatology*, 179(6), 1376–1384. <https://doi.org/10.1111/bjd.16702>

Jiang, M. Y. w., & Vartanian, L. R. (2018). A review of existing measures of attentional biases in body image and eating disorders research. *Australian Journal of Psychology*, 70(1), 3–17. <https://doi.org/10.1111/ajpy.12161>

Jones, E. B., & Sharpe, L. (2017). Cognitive bias modification: A review of meta analyses. *Journal of Affective Disorders*, 223, 175–183. <https://doi.org/10.1016/j.jad.2017.07.034>

K

Kappenman, E. S., Farrens, J. L., Luck, S. J., & Proudfit, G. H. (2014). Behavioral and ERP measures of attentional bias to threat in the dot-probe task: Poor reliability and lack of correlation with anxiety. *Frontiers in Psychology*, 5, 1–9. <https://doi.org/10.3389/fpsyg.2014.01368>

Kaptchuk, T. J., Hemond, C. C., & Miller, F. G. (2020). Placebos in chronic pain: Evidence, theory, ethics, and use in clinical practice. *BMJ*, 370, m1668–m1668. <https://doi.org/10.1136/bmj.m1668>

Keogh, E., Cavill, R., Moore, D. J., & Eccleston, C. (2014). The effects of menstrual-related pain on attentional interference. *Pain*, 155(4), 821–827. <https://doi.org/10.1016/j.pain.2014.01.021>

Keogh, E., Ellery, D., Hunt, C., & Hannent, I. (2001). Selective attentional bias for pain-related stimuli amongst pain fearful individuals. *Pain*, 91(1–2), 91–100. [https://doi.org/10.1016/S0304-3959\(00\)00422-X](https://doi.org/10.1016/S0304-3959(00)00422-X)

Keogh, E., Moore, D. J., Duggan, G. B., Payne, S. J., & Eccleston, C. (2013). The disruptive effects of pain on complex cognitive performance and executive control. *PLoS ONE*, 8(12). <https://doi.org/10.1371/journal.pone.0083272>

Keogh, E., Thompson, T., & Hannent, I. (2003). Selective attentional bias, conscious awareness and the fear of pain. *Pain*, 104(1–2), 85–91. [https://doi.org/10.1016/S0304-3959\(02\)00468-2](https://doi.org/10.1016/S0304-3959(02)00468-2)

Kini, S. P., DeLong, L. K., Veledar, E., McKenzie-Brown, A. M., Schaufele, M., & Chen, S. C. (2011). The impact of pruritus on quality of life: The skin equivalent of pain. *Archives of Dermatology*, 147(10), 1153–1156. <https://doi.org/10.1001/archdermatol.2011.178>

Kuznetsova, A., Brockhoff, P. B., & Christensen, R. H. B. (2017). lmerTest Package: Tests in Linear Mixed Effects Models. *Journal of Statistical Software*, 82(13). <https://doi.org/10.18637/jss.v082.i13>

L

Lahousen, T., Kupfer, J., Gieler, U., Hofer, A., Linder, M. D., & Schut, C. (2016). Differences between psoriasis patients and skin-healthy controls concerning appraisal of touching, shame and disgust. *Acta Dermato-Venereologica*, 96, 78–82. <https://doi.org/10.2340/00015555-2373>

Lakens, D. (2013). Calculating and reporting effect sizes to facilitate cumulative science: a practical primer for t-tests and ANOVAs. *Frontiers in Psychology*, 4, 863–863. <https://doi.org/10.3389/fpsyg.2013.00863>

Lang, P. J., Bradley, M. M., & Cuthbert, B. N. (1997). International affective picture system (IAPS): Technical manual and affective ratings. *NIMH Center for the Study of Emotion and Attention*, 39–58.

Lautenbacher, S., Huber, C., Baum, C., Rossaint, R., Hochrein, S., & Heesen, M. (2011). Attentional Avoidance of Negative Experiences as Predictor of Postoperative Pain Ratings and Consumption of Analgesics: Comparison with Other Psychological Predictors. *Pain Medicine*, 12(4), 645–653. <https://doi.org/10.1111/j.1526-4637.2011.01076.x>

Legrain, V., Damme, S. Van, Eccleston, C., Davis, K. D., Seminowicz, D. A., & Crombez, G. (2009). A neurocognitive model of attention to pain: Behavioral and neuroimaging evidence. *Pain*, 144(3), 230–232. <https://doi.org/10.1016/j.pain.2009.03.020>

Leibovici, V., Magora, F., Cohen, S., & Ingber, A. (2009). Effects of virtual reality immersion and audiovisual distraction techniques for patients with pruritus. *Pain Research & Management*, 14(4), 283–286. <https://doi.org/10.1155/2009/178751>

Lo, S., & Andrews, S. (2015). To transform or not to transform: using generalized linear mixed models to analyse reaction time data. *Frontiers in Psychology*, 6, 1171–1171. <https://doi.org/10.3389/fpsyg.2015.01171>

Lovibond, P. F., & Lovibond, S. H. (1995). The structure of negative emotional states: Comparison of the Depression Anxiety Stress Scales (DASS) with the Beck Depression and Anxiety Inventories. *Behaviour Research and Therapy*, 33(3), 335–343. [https://doi.org/10.1016/0005-7967\(94\)00075-U](https://doi.org/10.1016/0005-7967(94)00075-U)

M

Mac Goris, J. L., Todd, J., Clarke, P. J. F., Hughes, A. M., Vögele, C., & Van Ryckeghem, D. M. L. (2024). The role of attention bias malleability in experiencing pain and associated disability. *PeerJ*, 12(6). <https://doi.org/10.7717/peerj.17430>

Mack, M. R., & Kim, B. S. (2018). The Itch–Scratch Cycle: A Neuroimmune Perspective. *Trends in Immunology*, 39(12), 980–991. <https://doi.org/10.1016/j.it.2018.10.001>

Macleod, C., Grafton, B., & Notebaert, L. (2019). Anxiety-Linked Attentional Bias: Is It Reliable? *Annual Review of Clinical Psychology*, 15, 529–554. <https://doi.org/10.1146/annurev-clinpsy-050718-095505>

Maoz, K., Abend, R., Fox, N. A., Pine, D. S., & Bar-Haim, Y. (2013). Subliminal attention bias modification training in socially anxious individuals. *Frontiers in Human Neuroscience*, 7, 1–12. <https://doi.org/10.3389/fnhum.2013.00389>

Marzell, R., Reichwein, G., Gieler, U., Kupfer, J., & Schut, C. (2019). Itch induction by audiovisual stimuli and histamine iontophoresis: a randomized, controlled noninferiority study. *British Journal of Dermatology*, 182(5), 1253–1261. <https://doi.org/10.1111/bjd.18368>

- Matterne, U., Apfelbacher, C. J., Loerbroks, A., Schwarzer, T., Büttner, M., Ofenloch, R., Diepgen, T. L., & Weisshaar, E. (2011a). Prevalence, correlates and characteristics of chronic pruritus: A population-based cross-sectional study. *Acta Dermato Venereologica*, 91(6), 674–679. <https://doi.org/10.2340/00015555-1159>
- Matterne, U., Apfelbacher, C. J., Vogelgsang, L., Loerbroks, A., & Weisshaar, E. (2013). Incidence and determinants of chronic pruritus: A population-based cohort study. *Acta Dermato-Venereologica*, 93(5), 532–537. <https://doi.org/10.2340/00015555-1572>
- Mazidi, M., Dehghani, M., Sharpe, L., Dolatshahi, B., Ranjbar, S., & Khatibi, A. (2021). Time course of attentional bias to painful facial expressions and the moderating role of attentional control: an eye-tracking study. *British Journal of Pain*, 15(1), 5–15. <https://doi.org/10.1177/2049463719866877>
- McCracken, L. M., Zayfert, C., & Gross, R. T. (1992). The pain anxiety symptoms scale: development and validation of a scale to measure fear of pain. *Pain*, 50(1), 67–73. [https://doi.org/10.1016/0304-3959\(92\)90113-P](https://doi.org/10.1016/0304-3959(92)90113-P)
- McGowan, N., Sharpe, L., Refshauge, K., & Nicholas, M. K. (2009). The effect of attentional re-training and threat expectancy in response to acute pain. *Pain*, 142(1–2), 101–107. <https://doi.org/10.1016/j.pain.2008.12.009>
- McNally, R. J. (2019). Attentional bias for threat: Crisis or opportunity? *Clinical Psychology Review*, 69, 4–13. <https://doi.org/10.1016/j.cpr.2018.05.005>
- Melzack, R. (1975). The McGill Pain Questionnaire: Major properties and scoring methods. *Pain*, 1(3), 277–299. [https://doi.org/10.1016/0304-3959\(75\)90044-5](https://doi.org/10.1016/0304-3959(75)90044-5)
- Meulders, A. (2019). From fear of movement-related pain and avoidance to chronic pain disability: a state-of-the-art review. *Current Opinion in Behavioral Sciences*, 26, 130–136. <https://doi.org/10.1016/j.cobeha.2018.12.007>
- Miyake, A., Friedman, N. P., Emerson, M. J., Witzki, a H., Howerter, a, & Wager, T. D. (2000). The unity and diversity of executive functions and their contributions to complex ‘Frontal Lobe’ tasks: a latent variable analysis. *Cognitive Psychology*, 41(1), 49–100. <https://doi.org/10.1006/cogp.1999.0734>
- Mochizuki, H., Lavery, M. J., Nattkemper, L. A., Albornoz, C., Valdes Rodriguez, R., Stull, C., Weaver, L., Hamsher, J., Sanders, K. M., Chan, Y. H., & Yosipovitch, G. (2019). Impact of acute stress on itch sensation and scratching behaviour in patients with atopic dermatitis and healthy controls. *British Journal of Dermatology*, 180(4), 821–827. <https://doi.org/10.1111/bjd.16921>
- Mogg, K., & Bradley, B. P. (2002). Selective orienting of attention to masked threat faces in social anxiety. *Behaviour Research and Therapy*, 40(12), 1403–1414. [https://doi.org/10.1016/S0005-7967\(02\)00017-7](https://doi.org/10.1016/S0005-7967(02)00017-7)
- Mogg, K., & Bradley, B. P. (2018). Anxiety and Threat-Related Attention: Cognitive Motivational Framework and Treatment. *Trends in Cognitive Sciences*, 22(3), 225–240. <https://doi.org/10.1016/j.tics.2018.01.001>

Mogg, K., Waters, A. M., & Bradley, B. P. (2017). Attention Bias Modification (ABM): Review of Effects of Multisession ABM Training on Anxiety and Threat-Related Attention in High-Anxious Individuals. *Clinical Psychological Science*, 5(4), 698–717. <https://doi.org/10.1177/2167702617696359>

Mollanazar, N. K., Koch, S. D., & Yosipovitch, G. (2015). Epidemiology of Chronic Pruritus: Where Have We Been and Where Are We Going? *Current Dermatology Reports*, 4(1), 20–29. <https://doi.org/10.1007/s13671-014-0093-y>

Moore, D. J., Keogh, E., & Eccleston, C. (2012). The interruptive effect of pain on attention. *Quarterly Journal of Experimental Psychology*, 65(3), 565–586. <https://doi.org/10.1080/17470218.2011.626865>

N

Nadinda, P. G., van Laarhoven, A. I. M., Evers, A. W. M., Maas, J., & van Beugen, S. (2023). Itch-related avoidance and attentional biases in patients with psoriasis? *Journal of Investigative Dermatology*. <https://doi.org/10.1016/j.jid.2023.02.022>

Nadinda, P. G., van Laarhoven, A. I. M., Van den Bergh, O., Vlaeyen, J. W. S., Peters, M. L., & Evers, A. W. M. (2024). Expectancies and avoidance: Towards an integrated model of chronic somatic symptoms. *Neuroscience and Biobehavioral Reviews*, 164, 105808-<https://doi.org/10.1016/j.neubiorev.2024.105808>

O

Oosterman, J. M., Dijkerman, H. C., Kessels, R. P. C., & Scherder, E. J. A. (2010). A unique association between cognitive inhibition and pain sensitivity in healthy participants. *European Journal of Pain*, 14(10), 1046–1050. <https://doi.org/10.1016/j.ejpain.2010.04.004>

P

Paus, R., Schmelz, M., Biro, T., & Steinhoff, M. (2006). Frontiers in pruritus research: scratching the brain for more effective itch therapy. *The Journal of Clinical Investigation*, 116(5), 1174–1185. <https://doi.org/10.1172/JCI28553>

Petersen, S. E., & Posner, M. I. (2012). The Attention System of the Human Brain: 20 Years After. *Annual Review of Neuroscience*, 35(1), 73–89. <https://doi.org/10.1146/annurevneuro-062111-150525>

Pidal-Miranda, M., González-Villar, A. J., & Carrillo-de-la-Peña, M. T. (2019). Pain expressions and inhibitory control in patients with fibromyalgia: Behavioral and neural correlates. *Frontiers in Behavioral Neuroscience*, 12, 1–10. <https://doi.org/10.3389/fnbeh.2018.00323>

Posner, M. I. (1980). Orienting of attention. *The Quarterly Journal of Experimental Psychology*, 32(1), 3–25. <https://doi.org/10.1080/00335558008248231>

Posner, M. I. (2016). Orienting of attention: Then and now. *Quarterly Journal of Experimental Psychology*, 69(10), 1864–1875. <https://doi.org/10.1080/17470218.2014.937446>

Posner, M. I., & Petersen, S. (1990). The Attention System Of The Human Brain. *Annual Review of Neuroscience*, 13(1), 25–42. <https://doi.org/10.1146/annurev.neuro.13.1.25>

Pratt, J., Radulescu, P. V., Guo, R. mu, & Abrams, R. A. (2010). It's Alive!: Animate Motion Captures Visual Attention. *Psychological Science*, 21(11), 1724–1730. <https://doi.org/10.1177/0956797610387440>

Pronk, T. (2020). *Splithalfr: Extensible Bootstrapped Split-Half Reliabilities* (2.0.12). <https://cran.r-project.org/package=splithalfr>

R

Ranjbar, S., Mazidi, M., Sharpe, L., Dehghani, M., & Khatibi, A. (2020). Attentional control moderates the relationship between pain catastrophizing and selective attention to pain faces on the antisaccade task. *Scientific Reports*, 10(1), 1–11. <https://doi.org/10.1038/s41598-020-69910-2>

R Core Team. (2019). *R: A language and environment for statistical computing* (3.6.2.; Vol. 3). R Foundation for Statistical Computing. <https://www.r-project.org/>

Reich, A., Medrek, K., & Szepietowski, J. C. (2016). Interplay of Itch and Psyche in Psoriasis: An Update. *Acta Dermato Venereologica*, 96(217), 0--57. <https://doi.org/10.2340/00015555-2374>

Richard, M. A., Paul, C., Nijsten, T., Gisondi, P., Salavastru, C., Taieb, C., Trakatelli, M., Puig, L., & Stratigos, A. (2022). Prevalence of most common skin diseases in Europe: a population-based study. *Journal of the European Academy of Dermatology and Venereology*, 36(7), 1088–1096. <https://doi.org/10.1111/jdv.18050>

Roa Romero, Y., Straube, T., Nitsch, A., Miltner, W. H. R., & Weiss, T. (2013). Interaction between stimulus intensity and perceptual load in the attentional control of pain. *Pain*, 154(1), 135–140. <https://doi.org/10.1016/j.pain.2012.10.003>

Roelofs, J., Peters, M. L., McCracken, L., & Vlaeyen, J. W. S. (2003). The pain vigilance and awareness questionnaire (PVAQ): Further psychometric evaluation in fibromyalgia and other chronic pain syndromes. *Pain*, 101(3), 299–306. [https://doi.org/10.1016/S03043959\(02\)00338-X](https://doi.org/10.1016/S03043959(02)00338-X)

Roh, Y. S., Choi, J., Sutaria, N., & Kwatra, S. G. (2022). Itch: Epidemiology, clinical presentation, and diagnostic workup. *Journal of the American Academy of Dermatology*, 86(1), 1–14. <https://doi.org/10.1016/j.jaad.2021.07.076>

Rolke, R., Baron, R., Maier, C., Tölle, T. R., Treede, R.-D., Beyer, A., Binder, A., Birbaumer, N., Birklein, F., Bötefür, I. C., Braune, S., Flor, H., Hüge, V., Klug, R., Landwehrmeyer, G. B., Magerl, W., Maihöfner, C., Rolko, C., Schaub, C., ... Wasserka, B. (2006). Quantitative sensory testing in the German Research Network on Neuropathic Pain (DFNS): Standardized protocol and reference values. *Pain*, 123(3), 231–243. <https://doi.org/10.1016/j.pain.2006.01.041>

Rooney, T., Sharpe, L., Todd, J., Michalski, S. C., Van Ryckeghem, D., Crombez, G., & Colagiuri, B. (2024). Beyond the modified dot-probe task: A meta-analysis of the efficacy of alternate attention bias modification tasks across domains. *Clinical Psychology Review*, 110, 102436–102436. <https://doi.org/10.1016/j.cpr.2024.102436>

Ross, S. E. (2011). Pain and itch: insights into the neural circuits of aversive somatosensation in health and disease. *Current Opinion in Neurobiology*, 21(6), 880–887. <https://doi.org/10.1016/j.conb.2011.10.012>

S

Sanderman, R., Arrindell, W. A., & Ranchor, A. V. (1991). Eysenck personality questionnaire (EPQ). *Groningen: Noordelijk Centrum voor Gezondheidsvraagstukken*.

Sanders, K. M., Fast, K., & Yosipovitch, G. (2019). Why we scratch: Function and dysfunction. *Experimental Dermatology*, 28(12), 1482–1484. <https://doi.org/10.1111/exd.13977>

Schaller, M., & Park, J. H. (2011). The behavioral immune system (and why it matters). *Current Directions in Psychological Science*, 20(2), 99–103. <https://doi.org/10.1177/0963721411402596>

Schmelz, M. (2010). Itch and pain. *Neuroscience and Biobehavioral Reviews*, 34(2), 171–176. <https://doi.org/10.1016/j.neubiorev.2008.12.004>

Schmidt, N. B. B., Lerew, D. R. R., & Trakowski, J. H. H. (1997). Body vigilance in panic disorder: Evaluating attention to bodily perturbations. *Journal of Consulting and Clinical Psychology*, 65(2), 214–220. <https://doi.org/10.1037/0022-006X.65.2.214>

Schoth, D. E., Georgallis, T., & Liossi, C. (2013). Attentional Bias Modification in People with Chronic Pain: A Proof of Concept Study. *Cognitive Behaviour Therapy*, 42(3), 233–243. <https://doi.org/10.1080/16506073.2013.777105>

Schoth, D. E., Nunes, V. D., & Liossi, C. (2012). Attentional bias towards pain-related information in chronic pain; a meta-analysis of visual-probe investigations. *Clinical Psychology Review*, 32(1), 13–25. <https://doi.org/10.1016/j.cpr.2011.09.004>

Schoth, D. E., Williams, S., & Liossi, C. (2015). Attentional bias for pain-and period-related symptom words in healthy women who experienced a recent painful period. *European Journal of Pain*, 19(6), 745–751. <https://doi.org/10.1002/ejp.597>

Schut, C., Grossman, S., Giel, U., Kupfer, J., & Yosipovitch, G. (2015). Contagious itch: what we know and what we would like to know. *Frontiers in Human Neuroscience*, 9, 57. <https://doi.org/10.3389/fnhum.2015.00057>

Sharpe, L., Ianiello, M., Dear, B. F., Nicholson Perry, K., Refshauge, K., & Nicholas, M. K. (2012). Is there a potential role for attention bias modification in pain patients? Results of 2 randomised, controlled trials. *Pain*, 153(3), 722–731. <https://doi.org/10.1016/j.pain.2011.12.014>

Sharpe, L., Johnson, A., & Dear, B. F. (2015). Attention bias modification and its impact on experimental pain outcomes: Comparison of training with words versus faces in pain. *European Journal of Pain*, 19(9), 1248–1257. <https://doi.org/10.1002/ejp.648>

Shellie Boudreau Christensen. (2017, August 8). *APKPure*

Silverberg, J. I., Hinami, K., Trick, W. E., & Cella, D. (2016). Itch in the General Internal Medicine Setting: A Cross-Sectional Study of Prevalence and Quality-of-Life Effects. *American Journal of Clinical Dermatology*, 17(6), 681–690. <https://doi.org/10.1007/s40257-016-0215-3>

Silverberg, J. I., Kantor, R. W., Dalal, P., Hickey, C., Shaunfield, S., Kaiser, K., Lai, J. S., & Cella, D. (2018). A Comprehensive Conceptual Model of the Experience of Chronic Itch in Adults. *American Journal of Clinical Dermatology*, 19(5), 759–769. <https://doi.org/10.1007/s40257-018-0381-6>

Sjak-Shie, E. E. (2019). *PhysioData Toolbox (Version 0.5)*.

Snider, B. S., Asmundson, G. J. G., & Wiese, K. C. (2000). Automatic and strategic processing of threat cues in patients with chronic pain: A modified Stroop evaluation. *Clinical Journal of Pain*, 16(2), 144–154. <https://doi.org/10.1097/00002508-200006000-00008>

Ständer, S., & Schmelz, M. (2006). Chronic itch and pain - Similarities and differences. *European Journal of Pain*, 10(5), 473–478. <https://doi.org/10.1016/j.ejpain.2006.03.005>

Ständer, S., Weisshaar, E., Mettang, T., Szepietowski, J. C., Carstens, E., Ikoma, A., Bergasa, N. V., Gielert, U., Misery, L., Wallengren, J., Darsow, U., Streit, M., Metze, D., Luger, T. A., Greaves, M. W., Schmelz, M., Yosipovitch, G., & Bernhard, J. D. (2007). Clinical Classification of Itch: a Position Paper of the International Forum for the Study of Itch. *Acta Dermato-Venereologica*, 87(4), 291–294. <https://doi.org/10.2340/00015555-0305>

Strom, M. A., Fishbein, A. B., Paller, A. S., & Silverberg, J. I. (2016). Association between atopic dermatitis and attention deficit hyperactivity disorder in U.S. children and adults. *British Journal of Dermatology*, 175(5), 920–929. <https://doi.org/10.1111/bjd.14697>

Stumpf, A., Pfeleiderer, B., Schneider, G., Heuft, G., Schmelz, M., Phan, N. Q., Ständer, S., & Burgmer, M. (2017). Distraction from itch shows brainstem activation without reduction in experimental itch sensation. *Acta Dermato-Venereologica*, 97(9), 1074–1080. <https://doi.org/10.2340/00015555-2732>

Sullivan, M. J. L., Bishop, S. R., & Pivik, J. (1995). The Pain Catastrophizing Scale: Development and Validation. *Psychological Assessment*, 7(4), 524–532. <https://doi.org/10.1037/1040-3590.7.4.524>

Swithenbank, S., Cowdell, F., & Holle, H. (2016). The role of auditory itch contagion in psoriasis. *Acta Dermato-Venereologica*, 96(6), 728–731. <https://doi.org/10.2340/00015555-2320>

T

Todd, J., Clarke, P. J. F., Hughes, A. M., & Van Ryckeghem, D. (2023). Attentional bias malleability as a predictor of daily pain interference. *Pain*, 164(3), 598–604. <https://doi.org/10.1097/j.pain.0000000000002744>

Todd, J., Sharpe, L., & Colagiuri, B. (2016). Attentional bias modification and pain: The role of sensory and affective stimuli. *Behaviour Research and Therapy*, 83, 53–61. <https://doi.org/10.1016/j.brat.2016.06.002>

Todd, J., Sharpe, L., Johnson, A., Perry, K. N., Colagiuri, B., & Dear, B. F. (2015). Towards a new model of attentional biases in the development, maintenance, and management of pain. *Pain*, 156(9), 1589–1600. <https://doi.org/10.1097/j.pain.0000000000000214>

Todd, J., van Ryckeghem, D. M. L., Sharpe, L., & Crombez, G. (2018). Attentional bias to pain related information: a meta-analysis of dot-probe studies. *Health Psychology Review*, 12(4), 419–436. <https://doi.org/10.1080/17437199.2018.1521729>

V

Van Beugen, S., Maas, J., van Laarhoven, A. I. M., Galesloot, T. E., Rinck, M., Becker, E. S., van de Kerkhof, P. C. M., van Middendorp, H., & Evers, A. W. M. (2016). Implicit Stigmatization-Related Biases in Individuals With Skin Conditions and Their Significant Others. *Health Psychology*, 35(8), 861–865. <https://doi.org/10.1037/hea0000404>

Van Beugen, S., van Laarhoven, A. I. M., Spillekom-van Koulil, S., & Evers, A. W. M. (2021). The Psychology of Itch: Current Evidence and Future Directions. *Reference Module in Neuroscience and Biobehavioral Psychology*, 1–29. <https://doi.org/10.1016/b978-0-12-818697-8.00144-8>

Van Beugen, S., van Middendorp, H., Ferwerda, M., Smit, J. V., Zeeuwen-Franssen, M. E. J., Kroft, E. B. M., de Jong, E. M. G. J., Donders, A. R. T., van de Kerkhof, P. C. M., & Evers, A. W. M. (2017). Predictors of perceived stigmatization in patients with psoriasis. *British Journal of Dermatology*, 176(3), 687–694. <https://doi.org/10.1111/bjd.14875>

Van Damme, S., Crombez, G., & Eccleston, C. (2004). The anticipation of pain modulates spatial attention: Evidence for pain-specificity in high-pain catastrophizers. *Pain*, 111(3), 392–399. <https://doi.org/10.1016/j.pain.2004.07.022>

Van Damme, S., Crombez, G., Eccleston, C., & Goubert, L. (2004). Impaired disengagement from threatening cues of impending pain in a crossmodal cueing paradigm. *European Journal of Pain*, 8(3), 227–236. <https://doi.org/10.1016/j.ejpain.2003.08.005>

Van Damme, S., Crombez, G., & Lorenz, J. (2007). Pain Draws Visual Attention to Its Location: Experimental Evidence for a Threat-Related Bias. *Journal of Pain*, 8(12), 976–982. <https://doi.org/10.1016/j.jpain.2007.07.005>

Van Damme, S., Legrain, V., Vogt, J., Crombez, G., Legrain, V., Vogt, J., & Crombez, G. (2010). Keeping pain in mind: A motivational account of attention to pain. *Neuroscience and Biobehavioral Reviews*, 34(2), 204–213. <https://doi.org/10.1016/j.neubiorev.2009.01.005>

Vanden Bulcke, C., Crombez, G., Durnez, W., & Van Damme, S. (2015). Is attentional prioritization on a location where pain is expected modality-specific or multisensory? *Consciousness and Cognition*, 36, 246–255. <https://doi.org/10.1016/j.concog.2015.07.003>

Vanden Bulcke, C., Crombez, G., Spence, C., & Van Damme, S. (2014). Are the spatial features of bodily threat limited to the exact location where pain is expected? *Acta Psychologica*, 153, 113–119. <https://doi.org/10.1016/j.actpsy.2014.09.014>

Van der Kloot, W. A., Oostendorp, R. A., van der Meij, J., & van den Heuvel, J. (1995). The Dutch version of the McGill pain questionnaire: a reliable pain questionnaire. *Nederlands tijdschrift voor geneeskunde*, 139(13), 669–673.

Van Laarhoven, A. I. M., Becker, J. M., van Ryckeghem, D. M. L., Van Damme, S., Crombez, G., & Wiers, R. W. H. J. (2021). Attentional Bias Modification Training for Itch: A Proof-of-Principle Study in Healthy Individuals. *Frontiers in Medicine*, 8. <https://doi.org/10.3389/fmed.2021.627593>

Van Laarhoven, A. I. M., & Holle, H. (2020). Optimizing audiovisual itch induction: the role of attention and expectancy. *British Journal of Dermatology (1951)*, 182(5), 1088–1089. <https://doi.org/10.1111/bjd.18596>

Van Laarhoven, A. I. M., Kraaimaat, F. W., Wilder-Smith, O. H., & Evers, A. W. M. (2010). Role of attentional focus on bodily sensations in sensitivity to itch and pain. *Acta Dermato-Venereologica*, 90(1), 46–51. <https://doi.org/10.2340/00015555-0743>

Van Laarhoven, A. I. M., Kraaimaat, F. W., Wilder-Smith, O. H., van Riel, P. L. C. M., van de Kerkhof, P. C. M., & Evers, A. W. M. (2013). Sensitivity to itch and pain in patients with psoriasis and rheumatoid arthritis. *Experimental Dermatology*, 22(8), 530–534. <https://doi.org/10.1111/exd.12189>

Van Laarhoven, A. I. M., Peerdeman, K. J., Van Ryckeghem, D. M. L., & Evers, A. W. M. (2020). Cognitive Processing of Itch and Pain: The Role of Attention and Expectations. In G. Yosipovitch, H. H. Andersen, & L. Arendt-Nielsen (Eds.), *Itch and Pain: Similarities, Interactions and Differences*. Wolters Kluwer Health.

Van Laarhoven, A. I. M., Ulrich, D. J. O., Wilder-Smith, O. H., Van Loey, N. E. E., Nieuwenhuis, M. A., Van Der Wee, N. J. A., & Evers, A. W. M. (2016). Psychophysiological processing of itch in patients with chronic post-burn itch: An exploratory study. *Acta Dermato-Venereologica*, 96(5), 613–618. <https://doi.org/10.2340/00015555-2323>

Van Laarhoven, A. I. M., Van Damme, S., Lavrijsen, A. P. M., Van Ryckeghem, D. M., Crombez, G., & Evers, A. W. M. (2017). Do tonic itch and pain stimuli draw attention towards their location? *BioMed Research International*, 2017, 1–11. <https://doi.org/10.1155/2017/2031627>

- Van Laarhoven, A. I. M., Van Damme, S., Lavrijsen, A. P. M., Van Ryckeghem, D. M., Crombez, G., & Evers, A. W. M. (2018). Attentional processing of itch. *Psychological Research*, 82(5), 876–888. <https://doi.org/10.1007/s00426-017-0878-2>
- Van Laarhoven, A. I. M., Walker, A. L., Wilder-Smith, O. H., Kroeze, S., Van Riel, P. L. C. M., Van De Kerkhof, P. C. M., Kraaimaat, F. W., & Evers, A. W. M. (2012). Role of induced negative and positive emotions in sensitivity to itch and pain in women. *British Journal of Dermatology*, 167(2), 262–269. <https://doi.org/10.1111/j.1365-2133.2012.10933.x>
- Van Ryckeghem, D. M., & Crombez, G. (2018). Pain and Attention: Towards a Motivational Account. In P. Karoly & G. Crombez (Eds.), *Motivational perspectives on Chronic Pain* (pp. 211–245). Oxford University Press.
- Van Ryckeghem, D. M. L., Crombez, G., Eccleston, C., Legrain, V., & Van Damme, S. (2013). Keeping pain out of your mind: The role of attentional set in pain. *European Journal of Pain*, 17(3), 402–411. <https://doi.org/10.1002/j.1532-2149.2012.00195.x>
- Van Ryckeghem, D. M. L., Crombez, G., Eccleston, C., Liefoghe, B., & Van Damme, S. (2012). The interruptive effect of pain in a multitask environment: An experimental investigation. *Journal of Pain*, 13(2), 131–138. <https://doi.org/10.1016/j.jpain.2011.09.003>
- Van Ryckeghem, D. M. L., Crombez, G., Van Hulle, L., Van Damme, S., D.M.L., V. R., G., C., L., V. H., & S., V. D. (2012). Attentional bias towards pain-related information diminishes the efficacy of distraction. *Pain*, 153(12), 2345–2351. <https://doi.org/10.1016/j.pain.2012.07.032>
- Van Ryckeghem, D. M. L., Noel, M., Sharpe, L., Pincus, T., & Van Damme, S. (2019). Cognitive biases in pain: an integrated functional-contextual framework. *Pain*, 160(7), 1489–1493. <https://doi.org/10.1097/j.pain.0000000000001508>
- Van Ryckeghem, D. M. L., Rost, S., Kissi, A., Vögele, C., & Crombez, G. (2018). Task interference and distraction efficacy in patients with fibromyalgia: An experimental investigation. *Pain*, 159(6), 1119–1126. <https://doi.org/10.1097/j.pain.0000000000001196>
- Van Ryckeghem, D. M. L., Van Damme, S., Crombez, G., Eccleston, C., Verhoeven, K., & Legrain, V. (2011). The role of spatial attention in attentional control over pain: An Experimental investigation. *Experimental Brain Research*, 208(2), 269–275. <https://doi.org/10.1007/s00221-010-2477-y>
- Van Ryckeghem, D. M., Van Damme, S., Eccleston, C., & Crombez, G. (2018). The efficacy of attentional distraction and sensory monitoring in chronic pain patients: A meta-analysis. *Clinical Psychology Review*, 59, 16–29. <https://doi.org/10.1016/j.cpr.2017.10.008>
- Van Ryckeghem, D. M. L., Van Damme, S., & Vervoort, T. (2018). Does attention bias modification training impact on task performance in the context of pain: An experimental study in healthy participants. *PLoS ONE*, 13(7). <https://doi.org/10.1371/journal.pone.0200629>

Van Steenbergen, H., Band, G. P. H., & Hommel, B. (2011). Threat but not arousal narrows attention: evidence from pupil dilation and saccade control. *Frontiers in Psychology*, 2, 281–281. <https://doi.org/10.3389/fpsyg.2011.00281>

Veldhuijzen, D. S., van Wijck, A. J. M., Wille, F., Verster, J. C., Kenemans, J. L., Kalkman, C. J., Olivier, B., & Volkerts, E. R. (2006). Effect of chronic nonmalignant pain on highway driving performance. *Pain*, 122(1–2), 28–35. <https://doi.org/10.1016/j.pain.2005.12.019>

Verhoeven, E. W. M., De Klerk, S., Kraaimaat, F. W., Van De Kerkhof, P. C. M., De Jong, E. M. G. J., & Evers, A. W. M. (2008). Biopsychosocial mechanisms of chronic itch in patients with skin diseases: a review. *Acta Dermato-Venereologica*, 88(3), 211–218. <https://doi.org/10.2340/00015555-0452>

Verhoeven, K., Van Damme, S., Eccleston, C., Van Ryckeghem, D. M. L., Legrain, V., & Crombez, G. (2011). Distraction from pain and executive functioning: An experimental investigation of the role of inhibition, task switching and working memory. *European Journal of Pain*, 15(8), 866–873. <https://doi.org/10.1016/j.ejpain.2011.01.009>

Vlaeyen, J. W. S., Crombez, G., & Linton, S. J. (2016). The fear-avoidance model of pain. *Pain*, 157(8), 1588–1589. <https://doi.org/10.1097/j.pain.0000000000000574>

Vlaeyen, J. W. S., & Linton, S. J. (2012). Fear-avoidance model of chronic musculoskeletal pain: 12 years on. *Pain*, 153(6), 1144–1147. <https://doi.org/10.1016/j.pain.2011.12.009>

W

Waechter, S., Nelson, A. L., Wright, C., Hyatt, A., & Oakman, J. (2014). Measuring attentional bias to threat: Reliability of dot probe and eye movement indices. *Cognitive Therapy and Research*, 38(3), 313–333. <https://doi.org/10.1007/s10608-013-9588-2>

Wiers, R. W., Boffo, M., & Field, M. (2018). What's in a Trial? On the Importance of Distinguishing Between Experimental Lab Studies and Randomized Controlled Trials: The Case of Cognitive Bias Modification and Alcohol Use Disorders. *Journal of Studies on Alcohol and Drugs*, 79(3), 333–343. <https://doi.org/10.15288/jsad.2018.79.333>

Wiers, R. W., Van Dessel, P., & Köpetz, C. (2020). ABC Training: A New theory-Based Form of Cognitive-Bias Modification to Foster Automatization of Alternative Choices in the Treatment of Addiction and Related Disorders. *Current Directions in Psychological Science*, 29(5), 499–505. <https://doi.org/10.1177/0963721420949500>

Z

Zsidó, A. N. (2024). The effect of emotional arousal on visual attentional performance: a systematic review. *Psychological Research*, 88(1), 1–24. <https://doi.org/10.1007/s00426-023-01852-6>

Zvielli, A., Bernstein, A., & Koster, E. H. W. W. (2015). Temporal Dynamics of Attentional Bias. *Clinical Psychological Science*, 3(5), 772–788. <https://doi.org/10.1177/2167702614551572>